

Primer Tests 2011								
Bullet	Powder	Primer	High	Low	ES	Average	Comments	
Data Current	9/21/11							
Primer Tests Winchester M70 9.3 B&M								
255 CEB BBW#13	69/RL 15	Federal 215	2695	2672	23	2687	Excellent	
NonCon HP		Pressure Trace	62495	62174	320	62335		
		Federal 210	2691	2603	88	2643	Very Excessive ES	
			59929	53833	6096	56934	Very Excessive ES	
		Winchester Mag	2663	2646	16	2656		
		Pressure Trace	63137	57683	5454	60142	Excessive ES	
		Win Standard	2678	2644	34	2657		
			62977	58324	4652	60196	Excessive ES	
		CCI-250	2684	2639	45	2666		
			60891	56720	4170	58859	Excessive ES	
		Wolf Primer	2626	2587	39	2607		
			57683	53833	3850	56052		
		MagTech	2650	2635	15	2640	Good	
			58004	55437	2566	56613		
286 Hornady SP	66/1MR4320	Federal 215	2523	2516	7	2519		
		Pressure Trace	67308	63177	4131	64754	Excessive ES	
		Federal 210	2489	2483	6	2485		
		Pressure Trace	61854	59287	2566	60356		
		Winchester Mag	2522	2494	27	2511	Good	
		Pressure Trace	66345	63458	2887	64955	Good	
		Win Standard	2488	2460	28	2474		
		Pressure Trace	61693	57683	4010	59768		
		CCI 250	2503	2493	10	2497		
		Pressure Trace	61854	61212	641	61426		
		MagTech	2526	2497	29	2509		
		Pressure Trace	67308	64420	2887	66025	Over Max Pressure	
		Wolf	2497	2491	6	2493		
		Pressure Trace	64420	62174	2245	63458		