



Page: 1 of 4

Infosafe No™ VARV0 Issue Date : February 2019 ISSUED by ACTIVEWA

Product Name FLEX PRE WASH

#### 1. Identification

**GHS Product** 

FLEX PRE WASH

**Identifier** 

ACTIVE WASH SOLUTIONS **Company Name** 

Address Unit 2/4 Carboni Court, Dubbo NSW 2830

Australia

Telephone/Fax

Tel: 0414 344 814

Number

0414 344 814 **Emergency phone** 

number

0414 344 814 E-mail Address

Recommended use of Heavy duty alkaline detergent for the removal of brake dust, oil and heavy

the chemical and

restrictions on use

#### 2. Hazard Identification

Eye Damage/Irritation: Category 2A GHS classification of

Skin Corrosion/Irritation: Category 2

substance/mixture

Signal Word (s) WARNING

H315 Causes skin irritation. **Hazard Statement (s)** 

H319 Causes serious eye irritation.

P102 Keep out of reach of children. **Precautionary** 

P103 Read label before use. statement - General

Exclamation mark Pictogram (s)



P264 Wash contaminated skin thoroughly after handling. **Precautionary** 

P280 Wear protective gloves/protective clothing/eye protection/face statement -

protection. Prevention

P302+P352 IF ON SKIN: Wash with plenty of soap and water. **Precautionary** 

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. statement – Response

Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P404 Store in a closed container. **Precautionary** 

statement - Storage

P501 Dispose of contents/container: Recycle packaging by replacing cap and **Precautionary** 

returning clean containers to recycler or designated collection point. statement - Disposal

#### 3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion	
	Water	7732-18-5	60-100 %	
	Non hazardous surfactants	Mixture	10-30 %	
	Ingredients determined not to be hazardous		0-10 %	
	Alkaline Salts		0-10 %	
	2-Butoxyethanol	111-76-2	0-10 %	
	Sodium hydroxide	1310-73-2	1-5 %	

### 4. First-aid measures

Print Date: 11/02/2019 CS: 3.3.2





Page: 2 of 4

Product Name FLEX PRE WASH

Inhalation Remove from exposure. If aspirated into the lungs, obtain immediate medical

attention.

Ingestion If swallowed, do NOT induce vomiting. Give a glass of water to be taken

slowly. See a doctor.

Skin If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

Eye contact If in eyes, hold eyes upen, flood with water for at least 15 minutes and see a

doctor.

Advice to Doctor Vomiting has not been induced because of risk of aspiration into the lungs.

Treat symptomatically. Contact Poisons Information Centre.

#### 5. Fire-fighting measures

Suitable Use extinguishing media appropriate to surrounding fire.

extinguishing media

Hazards from Water vapour, carbon dioxide and oxides of nitrogen and phosphorous.

**Combustion** Incomplete combustion may generate carbon monoxide.

Products

Specific Methods In case of small fire/explosion use water. In case of major emergency use PPE:

breathing apparatus and protective gloves.

Specific hazards arising from the chemical

Not a fire hazard. Not an explosion hazard.

#### 6. Accidental release measures

### Spills & Disposal

Before dealing with spillage take necessary protective measures, inform others to keep at a safe distance. Spillages will be very slippery. Contain large spills with an inert material such as sand, soil or vermiculite. Collect and seal in properly labelled containers for disposal. Small spills may be mopped up. If local regulations permit, wash down area with excess water and run to waste, diluting greatly with running water. Otherwise absorb on inert absorbent, transfer to container and arrange removal by disposals company. Wash site of spillage thoroughly with water. Ventilate area to dispel any residual vapour.

### 7. Handling and storage

Conditions for safe storage, including any incompatibilities Store in cool place in original container. Store away from oxidising agents, acids and foodstuffs. Keep containers closed when not in use. Store out of reach of children. Large quantities should be stored in a bunded area. Do not mix with other chemicals. Clean up all spills and splashes promptly; avoid secondary accidents.

### 8. Exposure controls/personal protection

Occupational exposure limit values	<u>Name</u>	STEL		TWA			
•		mg/m3	ppm	mg/m3	ppm	Footnote	
	2-Butoxyethanol			121	25		
	Sodium hydroxide			2		Peak limitation	

Appropriate engineering controls Personal Protective Equipment None for normal domestic use. If handling industrial quantities, consider local mechanical exhaust/extraction to keep airborne concentration below TLV.

Prevent contact with the eyes. Avoid contact with the skin. Avoid breathing vapours. Personal protection to be selected from those recommended below, as appropriate to mode of use, quantity handled and degree of hazard:-

Goggles, face shield or safety glasses

Gloves, rubber or plastic

Plastic apron, sleeves and boots.

Always maintain a high level of personal hygiene when using cleaning chemicals. That is wash hands before eating, drinking, smoking or using the toilet.

Print Date: 11/02/2019 CS: 3.3.2





3 of 4 Page:

Infosafe No™ VARV0 Issue Date : February 2019 ISSUED by ACTIVEWA

Product Name FLEX PRE WASH

9. Physical and chemical properties

Liquid **Form** 

Clear, fluoro green liquid **Appearance** 

Fluoro yellow. Colour Lime fragrance. Odour About 100°C **Boiling Point** 

Soluble in water in all proportions. Solubility in Water

**Specific Gravity** 1.08

highly alkaline, >13 pН

Not available. Vapour Pressure

None **Flash Point** 

Not flammable. **Flammability** 

Highly alkaline. Will react with acids. May react with strong oxidising Other Information

agents. Slippery when spilled.

10. Stability and reactivity

Stable under normal use conditons. **Chemical Stability** 

11. Toxicological Information

Acute Toxicity - Oral LD50 2-Butoxy ethanol 530-3000mg/kg oral, rat

>1.800 mg/kg oral, rat Surfactants Sodium hydroxide 140 mg/kg oral, rabbit

Harmful if swallowed. May burn throat and gastrointestinal tract. May cause Ingestion

gastric upset.

Inhalation Unlikely route owing to the low volatility of ingredients. If aspirated into

the lungs during swallowing or vomiting, may lead to chemical pneumonitis. Will have a strong degreasing effect on the skin. May cause irritation.

Skin Repeated or prolonged skin contact may lead to irritant contact dermatitis.

Can be absorbed through the skin with resultant toxic effects.

Irritant. If contact is prolonged, may cause tissue injury. Vapour can also Eye

irritate the eyes.

Evidence from animal tests with 2-butoxy ethanol indicate that repeated or Chronic Effects

prolonged exposure to this chemical could result in liver, kidney, blood and

central nervous system disorders.

12. Ecological information

Avoid contaminating waterways, drains, sewers, or ground. **Environmental** 

**Protection** 

13. Disposal considerations

Waste Disposal Land fill, incineration, sewer (small quantities). Refer to Land Waste

Management Authority in your State.

14. Transport information

Not classified as a Dangerous Good according to the Australian Code for the Transport

Transport of Dangerous Goods by Road and Rail. Information

15. Regulatory information

**Poisons Schedule** 

16. Other Information

Print Date: 11/02/2019 CS: 3.3.2





Page: 4 of 4

Infosafe No™ VARV0 Issue Date : February 2019 ISSUED by ACTIVEWA

Product Name FLEX PRE WASH

11/02/2019

Date of preparation

or last revision of

**SDS** 

Literature References Preparation of Safety Data Sheets for hazardous Chemicals Code of Practice

Standard for the Uniform Scheduling of Medicines and Poisons

Australian Code for the Transport of Dangerous Goods by Road & Rail Globally Harmonised System of classification and labelling of chemicals

Technical Manager 03 9580 2499

Signature of Preparer/Data Service

**Technical Contact** Numbers

Emergency Advice All Hours:

Technical Manager: 0414 344 814 Mon-Fri 8am - 6pm

Poisons Information Centre: 13 11 26 - 24hrs

Other Information This SDS summarises at the date of issue our best knowledge of the

health and safety hazard information of the product, and in particular how to safely handle and use the product in the Workplace. Please refer to the technical datasheet (Instructions for use), and the label on the drum. The company cannot anticipate or control the individual working conditions encountered and so each user should read this SDS carefully, and if in

doubt ring the Contact Point Number given below.

...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.

Print Date: 11/02/2019 CS: 3.3.2