

#### Page: 1 of 4

Infosafe No™ VAR1U

Issue Date :February 2019

ISSUED by ACTIVEWA

Product Name TYRE & ENGINE

## 1. Identification

GHS Product Identifier	TYRE & ENGINE
Company Name	ACTIVE WASH SOLUTIONS
Address	Unit 2/4 Carboni Court, Dubbo NSW 2830 Australia
Telephone/Fax Number	Tel: 0414 344 814
Emergency phone number	0414 344 814
E-mail Address	0414 344 814
Recommended use of the chemical and restrictions on use	Heavy duty alkaline detergent for the removal of brake dust, oil and heavy soils.

## 2. Hazard Identification

2. Hazard Identifi	cation
GHS classification of the substance/mixture Signal Word (s)	Eye Damage/Irritation: Category 2A Skin Corrosion/Irritation: Category 2 WARNING
Hazard Statement (s) Precautionary statement – General	H315 Causes skin irritation. H319 Causes serious eye irritation. P102 Keep out of reach of children. P103 Read label before use.
Pictogram (s)	Exclamation mark
Precautionary statement – Prevention	P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statement – Response	P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse.
Precautionary statement – Storage	P404 Store in a closed container.
Statement – Storage Precautionary statement – Disposal	P501 Dispose of contents/container: Recycle packaging by replacing cap and returning clean containers to recycler or designated collection point.

### 3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion	
	Water	7732-18-5	60-100 %	
	Non hazardous surfactants	Mixture	10-30 %	
	Ingredients determine not to be hazardous	ed	0-10 %	
	Alkaline Salts		0-10 %	
	2-Butoxyethanol	111-76-2	0-10 %	
	Sodium hydroxide	1310-73-2	1-5 %	

#### 4. First-aid measures



#### Page: 2 of 4

Infosafe No™	VAR1U Tssue	e Date :Februarv	2019	ISSUED by AC	TTVEWA
1111000110 110	THE TODAL	, Date . Lebiaaly		TOOODD D9 110	/ T T / T / M / T /

#### Product Name TYRE & ENGINE

Inhalation	Remove from exposure. If aspirated into the lungs, obtain immediate medical attention.
Ingestion	If swallowed, do NOT induce vomiting. Give a glass of water to be taken slowly. See a doctor.
Skin	If skin contact occurs, remove contaminated clothing and wash skin thoroughly.
Eye contact	If in eyes, hold eyes upen, flood with water for at least 15 minutes and see a doctor.
<b>First Aid Facilities</b>	Eye wash station and normal washroom facilities.
Advice to Doctor	Vomiting has not been induced because of risk of aspiration into the lungs. Treat symptomatically. Contact Poisons Information Centre.
5. Fire-fighting n	neasures
Suitable	Use extinguishing media appropriate to surrounding fire.

Suitable extinguishing media	Use extinguishing media appropriate to surrounding fire.
Hazards from Combustion Products	Water vapour, carbon dioxide and oxides of nitrogen and phosphorous. Incomplete combustion may generate carbon monoxide.
Specific Methods	In case of small fire/explosion use water. In case of major emergency use PPE: breathing apparatus and protective gloves.
Specific hazards arising from the chemical	Not a fire hazard. Not an explosion hazard.

#### 6. Accidental release measures

Spills & Disposal Before dealing with spillage take necessary protective measures, inform others to keep at a safe distance. Spillages will be very slippery. Contain large spills with an inert material such as sand, soil or vermiculite. Collect and seal in properly labelled containers for disposal. Small spills may be mopped up. If local regulations permit, wash down area with excess water and run to waste, diluting greatly with running water. Otherwise absorb on inert absorbent, transfer to container and arrange removal by disposals company. Wash site of spillage thoroughly with water. Ventilate area to dispel any residual vapour.

## 7. Handling and storage

**Conditions for safe storage, including any incompatibilities** Store in cool place in original container. Store away from oxidising agents, acids and foodstuffs. Keep containers closed when not in use. Store out of reach of children. Large quantities should be stored in a bunded area. Do not mix with other chemicals. Clean up all spills and splashes promptly; avoid secondary accidents.

## 8. Exposure controls/personal protection

Occupational exposure limit values	Name	S	FEL	Т	WA	
•		mg/m3	ppm	mg/m3	ppm	Footnote
	2-Butoxyethanol			121	25	
	Sodium hydroxide			2		Peak limitation
Appropriate engineering controls	None for normal domestic us local mechanical exhaust/ex		2		-	•
Personal Protective Equipment	Prevent contact with the ey vapours. Personal protectio appropriate to mode of use, Goggles, face shield Gloves, rubber or pl Plastic apron, sleev Always maintain a high leve chemicals. That is wash han toilet.	on to be s quantity or safet astic es and bo el of pers	elected f handled y glasses ots. onal hygi	from those and degre iene when	e recomme ee of haz using cl	ended below, as ard:- .eaning



#### Page: 3 of 4

Infosafe No™ VAR1U

Issue Date : February 2019

ISSUED by ACTIVEWA

Product Name TYRE & ENGINE

### 9. Physical and chemical properties

Form	Liquid
Appearance	Clear, fluoro green liquid
Colour	Fluoro green.
Odour	Lime fragrance.
<b>Boiling Point</b>	About 100°C
Solubility in Water	Soluble in water in all proportions.
Specific Gravity	1.08
рН	highly alkaline, >13
Vapour Pressure	Not available.
Flash Point	None
Flammability	Not flammable.
Other Information	Highly alkaline. Will react with acids. May react with strong oxidising agents. Slippery when spilled.

## **10. Stability and reactivity**

Chemical Stability Stable under normal use conditons.

#### **11. Toxicological Information**

Acute Toxicity - Oral	LD50 2-Butoxy ethanol 530-3000mg/kg oral, rat Surfactants >1.800 mg/kg oral, rat Sodium hydroxide 140 mg/kg oral, rabbit
Ingestion	Harmful if swallowed. May burn throat and gastrointestinal tract. May cause gastric upset.
Inhalation	Unlikely route owing to the low volatility of ingredients. If aspirated into the lungs during swallowing or vomiting, may lead to chemical pneumonitis.
Skin	Will have a strong degreasing effect on the skin. May cause irritation. Repeated or prolonged skin contact may lead to irritant contact dermatitis. Can be absorbed through the skin with resultant toxic effects.
Eye	Irritant. If contact is prolonged, may cause tissue injury. Vapour can also irritate the eyes.
Chronic Effects	Evidence from animal tests with 2-butoxy ethanol indicate that repeated or prolonged exposure to this chemical could result in liver, kidney, blood and central nervous system disorders.

#### **12. Ecological information**

Environmental	Avoid	contaminating	waterways,	drains,	sewers,	or	ground.
Protection							

#### **13. Disposal considerations**

Waste Disposal	Lan
-	Man

Land fill, incineration, sewer (small quantities). Refer to Land Waste Management Authority in your State.

## 14. Transport information

Transport	Not classified as a Dangerous Good according to the Australian Code for the
Information	Transport of Dangerous Goods by Road and Rail.

## **15. Regulatory information**

S5

**Poisons Schedule** 

### **16. Other Information**



## Page: 4 of 4

Infosafe No™ VAR1U	Issue Date :February 2019	ISSUED by ACTIVEWA
Product Name TYRE & ENGINE		

Date of preparation or last revision of SDS	11/02/2019
Literature References	Preparation of Safety Data Sheets for hazardous Chemicals Code of Practice Standard for the Uniform Scheduling of Medicines and Poisons Australian Code for the Transport of Dangerous Goods by Road & Rail Globally Harmonised System of classification and labelling of chemicals
Signature of	Technical Manager 03 9580 2499
Preparer/Data Service	
Technical Contact Numbers	Emergency Advice All Hours: Technical Manager: 0414 344 814 Mon-Fri 8am - 6pm Poisons Information Centre: 13 11 26 - 24hrs
Other Information	This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the Workplace. Please refer to the technical datasheet (Instructions for use), and the label on the drum. The company cannot anticipate or control the individual working conditions encountered and so each user should read this SDS carefully, and if in doubt ring the Contact Point Number given belowEnd Of MSDS
	© Copyright Chemical Safety International Pty Ltd

© Copyright Chemical Safety International Pty Itd Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Itd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.