details

Moulding Collection

Southern Edition

EL & EL Wood Products

Millwork that creates distinction.™

Bodyguard | MDF | Hardwoods | Pine | Redwood | Fir

Table of Contents

details

EL & EL Wood Products
Moulding Collection
Southern Edition

4 Green Practices

5 Green Building

6 Product Information & Symbols

7 About Mouldings

9 Solid Pine

31 Raw & Primed FJ Pine

61 Hardwoods

119 Ultralight MDF & LDF

175 VG Doug Fir & Redwood

193 Bodyguard & Protected Trimboard

Green Practices

COMMITMENT

EL & EL is dedicated to making a positive environmental impact every day by realizing how vitally important it is to conserve our environment. Within our facilities we recycle cardboard, wood pallets, flourescent light bulbs, plastic strapping, metal strapping, plastic bags, glass and plastic bottles, aluminum cans, and paper. We installed new technology lighting that reduced our kilowatt usage by 30%. We will continue our commitment to improving our world through new technologies and advancements and seek out improvements in the area of gas and petroleum usage. Our commitment is for a better world and a better life for all. We support those manufacturers and companies that practice sustainable forest management and integrate the world's economic and environmental needs. The following principles help to guide us in our actions and lead us down a path of sustainability.

FOREST MANAGEMENT

We believe in and endorse sustainable forestry principles which integrate the perpetual reforestation, growing and harvesting of trees with the protection of wildlife, plants, soil, air, and water quality.

ENVIRONMENTAL MANAGEMENT

We encourage sound environmental management practices of forests, processes and recycling to ensure that building materials are available to assist in providing better quality of life for future generations. We encourage manufacturers to embrace independent third party verification of forest practices or to strictly abide by requirements of certification ideals.

CERTIFICATION PROGRAMS & STANDARDS

We support and endorse the significant efforts being made within the forest products industry to satisfy the public's environmental concerns through scientifically based certification programs. However, we do not promote or endorse one certification program over another because no single system or policy is applicable or geographically available to all situations.

PRODUCTS

We promote companies that keep the vision of the environment as one of their primary focuses and that are committed to sustainable forestry practices. Products distributed from these facilities have been harvested from forests that meet stringent environmental, social and economic standards.

We support the protection and preservation of our natural resources. By acquiring our FSC Chain of Custody Certification, we are doing our part to ensure that our natural resources will be protected for future generations. We endorse the significant efforts being made to satisfy the public's environmental concerns, that are recognized as environmental standards, in all parts of the world through scientifically based certification programs such as FSC, SFI, CERTFOR and PEFC.

WHAT IS GREEN BUILDING?

Green building can be defined as a set of guiding principles, somewhat like a guardrail on a mountain road, to assist the building and design communities on the path to sustainability. Green built homes have improved energy efficiency, conserve water and other natural resources, lends themselves to improved indoor air quality, reduce pollution, are less dependent on fossil fuels, are more durable and more comfortable than homes built previously. The term green building is often interchanged with sustainable, high-performance or healthy.

THE "FIVE PILLARS" OF GREEN BUILDING

- Refers to an integrated approach to residential construction:
- Increasing Energy Efficiency
- Using Materials Appropriately
- Conserving and Reusing Water
- Providing a Healthful Living and Working Environment (air quality) Building Attractive Structures That Will Last

WHAT DOES SUSTAINABLE MEAN?

DEFINITION: Capable of being continued with minimal long-term effect on the environment. A means of configuring construction activity so that architects, builders and home purchasers are all able to meet their needs and express their greatest potential in the present while preserving biodiversity and natural ecosystems in the future.

UNDERSTAND "LIFE-CYCLE ASSESSMENT"

Life cycle assessments (LCAs) analyze a product's environmental impact throughout its 'cradle-to-grave' life span. This involves a big picture examination of the energy consumed, the raw materials used, and the extent of environmental impact at various stages of a product's manufacture, use and disposal. Builders and architects seek products with a low life-cycle impact on the environment.

WHAT ARE USGBC, LEED, FSC, SFI, PEFC, SCS, CERTFOR, AND VOC'S

United States Green Building Council is a non-profit organization, comprised of leaders from every sector of the building industry, united by a vision to transform the building marketplace to sustainability.

LEED (Leadership in Energy and Environmental Design), a green building rating system developed by the USGBC, is the nationally accepted benchmark for the design, construction and operation of high-performance green buildings.

Forest Stewardship Council (FSC) is an international network promoting responsible management of the world's forests. Founded in 1990, they accredit independent, third-party organization (such as SCS) who can certify forest managers and forest producers to FSC standards. Over 200 million acres of forestlands are FSC-certified worldwide. FSC chain-of-custody certification provides a system for tracking certified wood from the forest, through production and distribution, to the point of sale.

SFI (Sustainable Forestry Initiative) is a forest product certification program promoting responsible forestry and sound business practices among forest product producers. Adopted by the American Forest & Paper Association (AF&PA) in 1994, SFI is a comprehensive system of principles, objectives and performance measures. Its membership plants 1.7 million tress every day. With over 150 million acres of certified forestland in North America, SFI is among the world's largest sustainable forestry programs. Independent, third-party organizations are approved to perform certification audits to FI standards once they've met procedure & qualification standards.

SCS (Scientific Certification Systems) is a leading third-party provider of certification, auditing & testing services and standards.

Volatile Organic Compounds (VOCs) are emitted as gasses from certain solids or liquids. VOCs include a variety of chemicals, some of which may have short-term and long-term adverse health effects.

PEFC is an "umbrella" made up of international standards and national forestry standards recognized by 149 nations. PEFC does not allow wood from controversial sources. 537 millions acres are managed under PEFC standards which includes CERTFOR.

PRODUCT INFORMATION & SYMBOLS

All items in our catalog have a corresponding part number.
We strive to use the same part # for like or similar items within each specie.

For example; the **2-1/2 Cape Cod Casing** is available in several species and will have the same part # within each specie with the correct specie code following to ensure you receive the correct profile in the correct specie.

EXAMPLE:

2-1/2 Cape Cod Casing is part number **150**



To order **150** in Solid Pine, the correct part number is **E150**
...Ultralight MDF is **150MUL**
...Oak is **150-O**
...Maple is **150MP**

Species Code Reference [used after each part #]
(Please note that any part # that begins with a PR indicates a primed product)

Standard Mouldings:	Hardwood Mouldings	Exterior Frames
E — Solid Pine	**P** — Poplar	**No Code** — FJ
A — FJ Pine Raw	**O** — Oak	**F** — Flat Grain Fir/Veneer VG Fir
PR — FJ Pine Primed	**C** — Cherry	**P** — Poplar
MUL — Ultralight MDF	**MH** — Mahogany	**O** — Oak
LDF — Lightweight MDF (Medium Density Fiberboard)	**MP** — Maple	**M** — Mahogany
VG — Vertical Grain Fir / Mixed Grain Douglas Fir	**ALD** — Alder	**KA** — Knotty Alder
No Code — Redwood	**KA** — Knotty Alder	
AR — FJ Redwood		

Inteior Jambs:	ValuFlex™ Use the entire part# and specie code with a "F" appended to the end	Base or Chair Rail Bullnose Radius Corner Use the entire part# and specie code with a "W" appended to the end
SP — Solid Pine	**F** — ValuFlex	**W** — Standard 3/4" radius corner
No Code — FJ Pine		
P — Poplar		
M — Ultralight MDF		
O — Oak		
F — Vertical Grain Fir		
ALD — Superior Alder		
MH — Mahogany		

About Moulding

Mouldings are used to decorate a room by lending their decorative patterns to enhance doorways, windows, ceilings, walls, etc. Mouldings can be an extension of one's creative ideas or concepts giving an unlimited amount of uses to each and every item. Each individual's ideas are unique and personal and can be an expression of one's own taste and style that lend a home or office a special look and feel.



Crown and corner mouldings are used where the wall joins the ceiling. These can be used alone and will reveal tremendous depth. Crown mouldings can also be built up using lineal mouldings, baseboards, casings, chair rails, or panel moulding with taller ceilings. Large combination details are two or more pieces of mouldings installed together to create a unique, large detail.

Door headers and top caps are used to form a pediment above door and/or window openings. They run horizontally either on top of mitered casings to give height to the opening or they run horizontally at the head jamb of an opening with casing dying into the 27/32˝ flat bottom. Door headers can be used in fireplace applications (as wide casings or base).

Chair rails are used approximately 30˝ to 40˝ from the floor, running horizontally to form a "wainscot" look. Chair rail mouldings can also be used as panel mouldings to form panels on walls or ceilings. For larger chair rails, use casings with backbands installed horizontally.

Casings are used to trim around doors and windows (door mouldings can show more mass than windows). Casings can also be used as larger chair rails, or upper horizontal linear banding around rooms.

Baseboards are used where the wall joins the floor. Baseboard is excellent when turned upside-down and used with crown mouldings to form larger crown details and with the addition of panel moulding, baseboards can be made taller creating larger baseboard or larger crown details.

Examples of Moulding



Solid Pine

BEAUTIFULLY GRAINED AND EASY TO WORK WITH



Inside

Astragal 28
Base 15-17
Base Cap 17
Base Shoe 14
Casing 11-14
Chair Rail 22
Cove 26
Crown 19-21
Chamfer 25
Door Stop 18
Exterior Mold 29
Glass Bead & Screen Mold 25
Interior Door Jamb 30
Lattice 27
Outside Corner Guard 28
Panel Cap 24
Panel Mold 23
Quarter, Half & Full Round 27
S4S 27
T&G Wainscot 24
Window Stop 18
Window Stool 29-30

Solid Pine

BEAUTIFULLY GRAINED AND EASY TO WORK WITH

Solid Pine, valued primarily for it's appearance and workability, has long been the moulding stocked by most lumberyard and home centers.

There are many species of solid pine, including domestic Ponderosa and Sugar Pine, along with imported lumber from various countries such as Chile, Russia, and Brazil. With the concerns over deforestation and endangered species, domestic Ponderosa and Sugar Pine became limited in supply and sold at a premium price compared to other types of domestic or imported pine.

Solid Pine is beautifully grained and is easy to work with, and offers many choices for finishing. Pine can simply be clear coated to show its natural warmth, or it can be stained in a variety of colors, antiqued, or painted. Solid Pine often has a special place in the hearts of those who love wood.

LIGHTWEIGHT & DURABLE

CUTS & NAILS EASILY

PREMIUM STAIN OR PAINTGRADE

1-1/8″ to 2″ CASING

Lengths Available: 6′ thru 16′



Back Band Casing 11/16 x 1-1/8
(Lips 5/8″ casing)
E190



Oval Streamline Casing 1/2 x 1-1/2
E104



Flat Streamline Casing 1/2 x 1-5/8
E101



Bead & Barrel Casing 1/2 x 1-5/8
E111



4-Bead Casing 1/2 x 1-5/8
E112



#1550 Casing 1/2 x 1-5/8
E113



Flat Streamline Casing 5/8 x 1-5/8
E102



Oval Streamline Casing 5/8 x 1-5/8
E105



#711 Casing 5/8 x 1-5/8
E107



3-Step Casing 5/8 x 1-5/8
E109



Clamshell Casing 5/8 x 2
E121

2-1/4˝ to 2-1/2˝ CASING

Lengths Available: 6´ thru 16´



#356 Casing 11/16 x 2-1/4
E152



Flat Streamline Casing 5/8 x 2-1/2
E103



Oval Streamline Casing 5/8 x 2-1/2
E106



#711 Casing 5/8 x 2-1/2
E108



3-Step Casing 5/8 x 2-1/2
E110



Universal Casing 5/8 x 2-1/2
E115



Colonial Casing/ Chair Rail 11/16 x 2-1/2
E116

2 Round Edge Casing 5/8 x 2-1/2
E120

2-1/2˝ to 3-1/2˝ CASING

Lengths Available: 6´ thru 16´



7-Bead Casing 5/8 x 2-1/2
E122



Cape Cod Casing 5/8 x 2-1/2
E150



Colonial Casing 11/16 x 2-7/8
E119

Mullion Casing 1/4 x 3-1/2
E114



Colonial Casing/ Base 9/16 x 3-1/2
E117

3-1/2″ to 4-1/4″ CASING

Lengths Available: 6´ thru 16´



Cape Cod Casing 11/16 x 3-1/2
E155

Colonial Casing/Base 9/16 x 4-1/4
E118

3/4″ to 1-1/2″ BASE & BASE SHOE

Lengths Available: 6´ thru 16´



Base Shoe Corner

E300W	3/8 x 3/4	
E300BW	1/2 x 3/4	
3001W	3/8 x 3/4	*(goes over 3/8" or 7/16")*
3002W	3/8 x 3/4	*(goes over 1/2" or 9/16")*
3003W	3/8 x 3/4	*(goes over 5/8" or 7/16")*
3001BW	1/2 x 3/4	*(goes over 3/8" or 7/16")*
3002BW	1/2 x 3/4	*(goes over 1/2" or 9/16")*
3003BW	1/2 x 3/4	*(goes over 5/8" or 7/16")*



Base Shoe 3/8 x 3/4
E300



Base Cap 11/16 x 1-3/8
E614



Base Shoe 1/2 x 3/4
E300B



Flat Base 7/16 x 1-1/2
E301

1-9/16″ to 2-1/2″ BASE & BASE SHOE

Lengths Available: 6´ thru 16´



Combination Base & Shoe 7/16 x 1-9/16
E308



Streamline Base 7/16 x 1-5/8
E302



Streamline Base 1/2 x 1-5/8
E303



Streamline Base 3/8 x 2-1/4
E304



Streamline Base 7/16 x 2-1/2
E305

#711 Base 7/16 x 2-1/2
E310S



#1550 Base 7/16 x 2-1/2
E313



Streamline Base 1/2 x 2-1/2
E306

2-1/2″ to 3-1/2″ BASE

Lengths Available: 6´ thru 16´



Combination Base & Shoe 1/2 x 2-1/2
E309



#711 Base 1/2 x 2-1/2
E310



3-Step Base 1/2 x 2-1/2
E312



Streamline Base 7/16 x 3-1/2
E307



#711 Base 7/16 x 3-1/2
E311



3-Step Base 1/2 x 3-1/2
E322

3-1/2˝ to 4-1/4˝ BASE

Lengths Available: 6´ thru 16´



Colonial Base 9/16 x 3-1/2
E117

Cape Cod Base 9/16 x 4
E318



Colonial Base 9/16 x 4-1/4
E118

WINDOW & DOOR STOP

Lengths Available: 6´ thru 16´



1 Round Edge Stop 3/8 x 1/2
E200



1 Round Edge Stop 3/8 x 3/4
E201



1 Round Edge Stop 1/2 x 3/4
E204



1 Round Edge Stop 3/8 x 1
E208



1 Round Edge Stop 1/2 x 1
E205

1 Round Edge Stop 3/8 x 1-1/4
E202

1 Round Edge Stop 1/2 x 1-1/4
E206

1 Round Edge Stop 3/8 x 1-5/8
E203

1 Round Edge Stop 1/2 x 1-5/8
E207



Ogee Stop 1/2 x 1-3/4
E210

1-5/8˝ to 3-3/8˝ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Colonial Crown 9/16 x 1-5/8
E400



Colonial Crown 9/16 x 2-1/4
E401



Colonial Crown 9/16 x 2-1/4
E418



Colonial Crown 9/16 x 3-3/8
E405

3-1/2″ to 4-1/2″ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Crown 9/16 x 3-1/2
E402



Crown 9/16 x 4-1/4
E403



Cornice 1-1/8 x 4-1/2
E407



Colonial Crown 9/16 x 4-1/2
E406

5-1/2″ to 6″ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Crown 9/16 x 5-1/2
E404



Crown 11/16 x 6
E410

CHAIR RAIL

Lengths Available: 6´ thru 16´



Chair Rail 1/2 x 1-1/2
E650



Chair Rail 9/16 x 2-1/2
E651



Colonial Chair Rail 11/16 x 2-1/2
E652

PANEL MOLD CORNERS

Sold as Each



Resin M-340 Corner 1-1/16 x 1-1/2
(Matches E607) *7" radius*
607ARC

Resin M-400 Corner 3/4 x 1-7/8
(Matches E608/608-0) *7" radius*
608ARC

PANEL MOLD

Lengths Available: 6´ thru 16´



Panel Mold 3/8 x 5/8
E600



Panel Mold 5/8 x 3/4
E601



Panel Mold 3/4 x 1
E602



Panel Mold 3/8 x 1-1/8
E604

Panel Mold 9/16 x 1-3/8
E606



Panel / Brick Mold 1-1/16 x 1-1/2
E603



Beauty M-340 Panel Mold 1-1/16 x 1-1/2
E607



Panel Mold 3/4 x 1-5/8
E605



1139 Picture Mold
(Colonial Craftsman) 11/16 x 1-5/8
E905



Beauty M-400 Panel Mold 3/4 x 1-7/8
E608



Decorative Panel Mold 1 x 2
E610



Decorative Panel Mold 1-3/8 x 3-1/4
E611

PANEL CAP

Lengths Available: 6´ thru 16´



Wainscot Cap *(w/1/4" Rab't)* 5/8 x 1-1/4
E731



Panel Mold 11/16 x 1-3/8
E614



Panel Cap *(w/3/8" Rab't)* 3/4 x 1-1/2
E620



Raised Panel Cap *(w/3/4" Rab't)* 1-1/8 x 1-1/4
E613



Panel Cap *(w/1/8" Rab't)* 1 x 1-1/2
E730

T&G WAINSCOT

Lengths Available: 6´ thru 16´

Beaded T&G Wainscot 3/8 x 3-1/4
E2000



Flat T&G Wainscot 3/8 x 3-1/4
E2001

BEAD & SCREEN MOLD

Lengths Available: 6´ thru 16´



Glass Bead 3/8 x 3/8
E597

Glass Bead 1/4 x 7/16
E596



Insert 3/16 x 1/2
E590



Flat Screen Mold 1/4 x 3/4
E591



Scribe Mold 3/16 x 3/4
E593



Beaded Screen 1/4 x 3/4
E592



Cloverleaf 3/8 x 3/4
E594



Parting Bead 3/8 x 3/4
E901



Flat Hoffco 3/8 x 1
E903



Drip Mold 3/4 x 1-1/4
E904



Band Mold 11/16 x 1-9/16
E900

CHAMFER

Lengths Available: 6´ thru 16´



Chamfer 1/2 x 1/2
E906



Chamfer 3/4 x 3/4
E907



Chamfer 1 x 1
E908

NOSE & COVE

Lengths Available: 6´ thru 16´



Cove 3/8 x 3/8
E520



Cove 1/2 x 1/2
E521



Cove 5/8 x 5/8
E522



Cove 3/4 x 3/4
E523



Cove 1 x 1
E524

Linoleum Cove 7/16 x 1-1/4
E527



Sprung Cove 5/8 x 1-5/8
E525



Nose & Cove 1 x 1-5/8
E909



Sprung Cove 5/8 x 2-1/4
E526

QUARTER, HALF & FULL ROUND

Lengths Available: 6´ thru 16´



Quarter Round

E500	1/4 x 1/4
E501	3/8 x 3/8
E502	1/2 x 1/2
E503	5/8 x 5/8
E504	3/4 x 3/4
E505	1 x 1



Half Round

E570	1/4 x 1/2
E571	5/16 x 5/8
E572	3/8 x 3/4
E573	1/2 x 1
E574	5/8 x 1-1/4



Full Round

802P	1-1/4
803P	1-3/8

S4S & LATTICE

Lengths Available: 6´ thru 16´

S4S (Unprimed)

E705	1/2 x 1/2
E706	1/2 x 3/4
E707	1/2 x 1-1/2
E708	1/2 x 2-1/2
E709	1/2 x 3-1/2
E710	1/2 x 5-1/2
E711	3/4 x 3/4
E713	11/16 x 1-5/8 **(1x2)**
E714	11/16 x 2-1/2 **(1x3)**
E715	11/16 x 3-1/2 **(1x4)**
E716	1 x 1
E717	1-9/16 x 1-9/16 **(2x2)**
E719	1-1/2 x 1-1/2 ***(4EE)***
E750	3/4 x 5-1/2 **(1x6)** C&BTR
E751	3/4 x 7-1/4 **(1x8)** C&BTR
E753	3/4 x 11-1/4 **(1x12)** C&BTR

Lattice

E700	1/4 x 1-1/8
E701	1/4 x 1-1/4
E702	1/4 x 1-5/8
E703	1/4 x 2-1/2
E704	1/4 x 3-1/2

OUTSIDE CORNER GUARD

Lengths Available: 6´ thru 16´



Outside Corner Guard 3/4 x 3/4
E720



Outside Corner Guard 1 x 1
E721



Detail Outside Corner Guard 1-1/8 x 1-1/8
E723



Outside Corner Guard 1-3/8 x 1-3/8
E722

ASTRAGAL

Lengths Available: 6´ thru 16´



Flat Astragal 11/16 x 1-5/8
E660



T-Astragal for 1-3/4" Doors 1-1/4 x 2-1/4
E661

EXTERIOR MOLD

Lengths Available: 6´ thru 16´



180 Eastern Brick Mold 1-1/4 x 2

E612



180 Eastern Brick Mold w/ Stucco Key 1-1/4 x 2

B612

WINDOW STOOL

Lengths Available: 6´ thru 16´

Flat Stool 11/16 x 4-3/4

E980

Flat Stool 11/16 x 5-1/2

E979

Flat Stool 11/16 x 7-1/4

E985

WINDOW STOOL

Lengths Available: 6´ thru 16´

Rab't Stool 7/8 x 2-1/2
E981

Rab't Stool 7/8 x 3-1/2
E982

Rab't Stool 7/8 x 5-1/2
E984

INTERIOR DOOR JAMB

Interior Door Jamb
Kerfing for bullnose is available on all jamb sizes and species. Custom size odd wall widths available upon request.

Specifications:
11/16" Thick
6/8 = 81" Below Dado
8/0 = 97" Below Dado

- Lineal - 17' = MDF, FJ Pine & Oak Veneer
- Solid Pine jambs may have a glue line where door stop is applied.
- Random Lengths only available in most solid wood species
- Dado depth = 3/8"
- Heads cut 3/4 over opening
- 5 pair per bundle

SIZE	6/8	8/0
4-9/16	**4916SPI6**	**4916SPI8**
4-3/4	**434SPI6**	**434SPI8**
5-1/4	**514SPI6**	**514SPI8**
7-1/4	**714SPI6**	**714SPI8**

Raw & Primed **FJ Pine**

THE ECONOMICAL CHOICE FOR PAINTED WOOD

Inside

Apron 55
Astragal 53
Base & Base Shoe 39-48
Casing 33-38
Chair Rail 51
Cleat 54
Cove 50
Crown & Cornice 47-50
Door Header & Skirt 38
Exterior Door Jambs & Frames 57-59
Exterior Molds 55
Full Round 50
Hook 54
Interior Door Jambs 56
Panel Mold & Panel Cap 53
Quarter Round 50
S1S & S4S (non-protected) 56
Stool 54
Stop 46
T&G Wainscot 52

Raw & Primed **FJ Pine**

THE ECONOMICAL CHOICE FOR PAINTED WOOD

Finger-Joint (FJ) Pine consists of small pieces of wood that are recycled and jointed together to create lengths for door casings and 16´ or 17´ lengths for crowns, base and chair rails. This allows for ease of installation and less installation joints, typical of solid woods.

The advantages to FJ Pine mouldings are the definition of detail, much sharper than MDF, the workability, nailing ease and personal preference for wood.

Primed FJ moulding is coated with a water-based primer on four sides and fully protected from the elements. Each piece of moulding is ready for paint once prepping is complete. With the same properties as Raw FJ, Primed FJ millwork is receptive to paint, saving extra time and the cost of priming.

All FJ & Primed FJ mouldings have trimbacks. Trimbacks occur during manufacturing when the moulding comes through the molder at the correct long length, but a defect is spotted. Rather than throw the whole piece of moulding away, the defect is cut out, leaving varied lengths. Trimbacks (lengths other than those ordered) should not exceed 10% of the footage ordered.

ALL STYLES IN-STOCK

STANDARD WITH TRIMBACKS

LONG LENGTHS

9/16˝ to 2-1/2˝ CASING

Lengths Available: 7´ thru 17´ with Trimbacks



Pre-Fit Casing 9/16 x 1-1/2
151A



Flat Streamline Casing 5/8 x 1-5/8
102A



Clamshell Casing 11/16 x 2
121A



Flat Streamline Casing 11/16 x 2-1/4
103A



#366 Casing 11/16 x 2-1/4
162A



Flat Streamline Casing 1/2 x 1-5/8
101A



#711 Casing 5/8 x 1-5/8
107A



#356 Casing 9/16 x 2
153A



#356 Casing 11/16 x 2-1/4
PR152A Primed
152A



#711 Casing 5/8 x 2-1/2
PR108A Primed
108A

2-1/2˝ CASING

Lengths Available: 7´ thru 17´ with Trimbacks



Universal Casing 5/8 x 2-1/2
115A



3-Step Casing 5/8 x 2-1/2
110A



Bel-Air Casing 11/16 x 2-1/2
PR128A Primed
128A



Coronado Casing 1-1/4 x 2-1/2
PR157A Primed
157A



Cape Cod Casing 5/8 x 2-1/2
PR150A Primed
150A



Hermosa Casing 1 x 2-1/2
PR159A Primed
159A



Monterey Casing 5/8 x 2-1/2
PR163A Primed
163A



Bell Court Casing 1-1/4 x 2-1/2
164A

2-1/2″ to 3″ CASING

Lengths Available: 7´ thru 17´ with Trimbacks



#366 Casing 11/16 x 2-1/2
162B



Tudor Casing 11/16 x 2-1/2
169A



Palisade Casing 11/16 x 2-1/2
PR182A Primed



Montecito Casing 5/8 x 2-9/16
PR123A Primed



Colonial Casing 11/16 x 2-7/8
PR119A Primed
119A



#275 Casing 11/16 x 2-7/8
PR124A Primed



Palos Verdes Casing 1-3/16 x 2-7/8
167A



#275 Casing 5/8 x 3
165A

3˝ to 3-1/2˝ CASING

Lengths Available: 7´ thru 17´ with Trimbacks



Howe Casing 11/16 x 3
PR177A Primed



Hermosa Casing 1-1/4 x 3-1/4
160A



3-Flute Casing
(not reversible) 1/2 x 3-1/4
154A



Crescent Casing 11/16 x 3-1/4
126A



Cambridge Casing 5/8 x 3-1/4
161A



Tudor Casing 1 x 3-1/4
170A



Colonial Casing 9/16 x 3-1/2
117A

3-1/2″ to 3-9/16″ CASING

Lengths Available: 7´ thru 17´ with Trimbacks



Cape Cod Casing 11/16 x 3-1/2
155A



Crescent Casing 1 x 3-1/2
166A



Chesapeake Casing 11/16 x 3-1/2
156A



5-Flute Casing 1/2 x 3-1/2
158A



Palisade Casing 13/16 x 3-9/16
PR185A Primed

4˝ to 5-1/2˝ CASING

Lengths Available: 7´ thru 17´ with Trimbacks

2 Eased Edge Craftsman Casing 11/16 x 4

PR186A Primed



4-Flute Casing 1/2 x 5-1/2

172A

DOOR HEADER SKIRT

Lengths Available: 17´ with Trimbacks



2 Eased Edge Header Skirt 11/16 x 1-1/4

PR970A Primed

DOOR HEADER

Lengths Available: 16´ with Trimbacks



Craftsman Door Header 1-3/4 x 2-1/4

PRDH150A Primed



3/4˝ to 2-1/2˝ BASE & BASE SHOE

Lengths Available: 16´ with Trimbacks



Base Shoe Corner

300AW 3/8 x 3/4
PR300BW 1/2 x 3/4
(Primed)



Base Shoe 3/8 x 3/4
PR300A Primed
300A



Base Shoe 1/2 x 3/4
PR300B Primed



Flat Base 7/16 x 1-1/2
301A



Streamline Base 3/8 x 2-1/4
304A



Reversible Shoe 3/8 x 2-1/4
PR304FJ-2 Primed

#711 Base 7/16 x 2-1/2
PR310A Primed
310A



#711 Base 5/8 x 2-1/2
310B



Streamline Base 7/16 x 2-1/2
305A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

2-1/2″ to 3-1/2″ BASE

Lengths Available: 16´ with Trimbacks



3-Step Base 7/16 x 2-1/2
312A



#356 Base 1/2 x 2-1/2
319A

#356 Base 7/16 x 3-1/4
PR320A Primed
320A



#623 Base 9/16 x 3-1/4
314A



3-Crescent Base 9/16 x 3-7/16
339A



Streamline Base 7/16 x 3-1/2
307A



#711 Base 7/16 x 3-1/2
PR311A Primed
311A



3-Step Base 1/2 x 3-1/2
322A

3-1/2˝ BASE

Lengths Available: 16´ with Trimbacks



Colonial Base 9/16 x 3-1/2
117A



Colonial Base 9/16 x 3-1/2
PR118A-3 Primed



Palos Verdes Base 1 x 3-1/2
327A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

3 -3/4˝ to 4-1/4˝ BASE

Lengths Available: 16´ with Trimbacks

Hermosa Base 9/16 x 3-3/4

324A

Cape Cod Base 9/16 x 4

PR318A Primed
318A



Monterey Base 7/16 x 4-1/4

PR316A Primed
316A



Colonial Base 9/16 x 4-1/4

PR118A Primed
118A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

4-1/4˝ to 4-1/2˝ BASE

Lengths Available: 16´ with Trimbacks

#175 Base 9/16 x 4-1/4
325A



Crescent Base 11/16 x 4
326A



3-Step Base 1/2 x 4-1/2
321A



Palisade Base 9/16 x 4-1/2
PR382A Primed

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

5˝ to 5-1/4˝ BASE

Lengths Available: 16´ with Trimbacks

Hermosa Base 9/16 x 5
323A

Montecito Base 9/16 x 5
PR323A Primed
323A



#618 Base 9/16 x 5-1/4
315A



Crescent Base 9/16 x 5-1/4
317A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

5-1/4˝ to 5-3/8˝ BASE

Lengths Available: 16´ with Trimbacks

“B” Cape Cod Base 9/16 x 5-1/4

318B



Colonial Base 9/16 x 5-1/4

328A



Lancaster Base 5/8 x 5-1/4

365A



#175 Base 9/16 x 5-7/16

PR338A Primed

338A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

6˝ BASE

Lengths Available: 16´ with Trimbacks



1 Eased Edge Craftsman Base 9/16 x 6

PR383A Primed



Palisade Base 9/16 x 6

PR385A Primed

STOP

Lengths Available: 7´ thru 17´ with Trimbacks

2 Round Edge Stop 3/8 x 1-1/4

202A



1 Round Edge Stop 1/2 x 1-1/4

206A

Vinyl Stop

[Length Available: 7'] 1/2 x 1-1/2

211A

Ogee Stop 1/2 x 1-3/4

210A

1 Round Edge Stop 1/2 x 1-1/2

PR209A Primed

209A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

2-1/2˝ to 3-1/4˝ CROWN & CORNICE

Lengths Available: 16´ with Trimbacks



Colonial Crown 9/16 x 2-1/2
401A



Cornice 11/16 x 2-1/2
402A



Colonial Crown 9/16 x 3-3/8
PR405A Primed
405A



Cornice 11/16 x 3-1/4
413A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

2-1/4˝ to 3-3/8˝ CROWN & CORNICE

Lengths Available: 16´ with Trimbacks



Cornice 1-1/4 x 3-9/16
411A



Colonial Crown 9/16 x 4-3/8
PR406A Primed
406A



Cornice 11/16 x 4-5/8
409A



Georgian Crown 11/16 x 4-1/4
412A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

5-1/4˝ to 5-3/4˝ CROWN & CORNICE

Lengths Available: 16´ with Trimbacks



Colonial Crown 9/16 x 5-1/4
PR414A Primed
414A



Cornice 1-1/4 x 5-3/4
408A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

6˝ CROWN & CORNICE

Lengths Available: 16´ with Trimbacks



Crown 5/8 x 6
410A

COVE & ROUNDS

Lengths Available: 16´ with Trimbacks



Cove 11/16 x 11/16
523A



Quarter Round
504A 11/16 x 11/16
PR504A *(Primed)* 3/4 x 3/4



Full Round
[Lengths Available: 6'-16'] 1-5/16
802A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

CHAIR RAIL

Lengths Available: 16´ with Trimbacks



Chair Rail 9/16 x 2-1/2
PR651A Primed
651A

Bead & Barrel Chair Rail 11/16 x 3
649A

Beaded Chair Rail 11/16 x 3-1/4
PR655A Primed
(Use alone or w/ PR671A for a larger look)





Colonial Chair Rail 11/16 x 3
653A



Chair Rail Backer 9/16 x 3-1/2
PR670A Primed

Chair Rail Backer 9/16 x 4-3/8
PR671A Primed

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

T&G WAINSCOT

Lengths Available: 16´ with Trimbacks



Flat T&G Wainscot 3/8 x 3-1/4
2001A

Beaded T&G Wainscot 3/8 x 3-3/8
2000A



Beaded T&G Wainscot 9/16 x 3-3/8
PR2000A Primed



Beaded T&G Wainscot 9/16 x 5-3/8
PR2002A Primed

Untreated V-Groove T&G Wainscot 5/8 x 5-1/2
PR2003A Primed

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

PANEL MOLDS & PANEL CAPS

Lengths Available: 16´ with Trimbacks



Panel Mold 3/4 x 1
PR602A Primed



Panel Mold 11/16 x 1-5/8
PR605A Primed
605A



Panel Mold
(w/ 3/4" Rab't) 3/4 x 2
PR621A Primed



Panel Cap
(w/ 3/8" Rab't) 3/4 x 1-1/2
620A

ASTRAGAL



Flat Astragal 11/16 x 1-5/8
PR660A Primed
660A



T-Astragal for 1-3/4" Doors 1-1/4 x 2-1/4
661A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

CLEAT & HOOK

Lengths Available: 16´ with Trimbacks

1 Eased Edge Unprimed Cleat 11/16 x 1-1/2

10FJ

1 Eased Edge Milled Hook 9/16 x 3-1/4

15FJ

STOOL

Lengths Available: 7´ thru 17´ with Trimbacks

Flat Stool 11/16 x 4-3/4

980A

Flat Stool 11/16 x 5-1/2

979A

Flat Stool 11/16 x 7-1/4

985A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

EXTERIOR MOLDS

Lengths Available: 7´ & 17´ with Trimbacks



180 Eastern Brick Mold 1-1/4 x 2

PR612A Primed

612A



180 Eastern Brick Mold w/ Stucco Key 1-1/4 x 2

PR612B Primed

612B



Flat Stucco Mold 7/8 x 1-3/16

953B



Stuco Mold 3/4 x 1-1/4

PR953A Primed

953A

APRON

Lengths Available: 16´ with Trimbacks

Apron 3/8 x 1-1/2

902A

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

(items are approximate scale only)

S1S & S4S

Lengths Available: 16´ with Trimbacks

Non-Protected S1S2E Trimboards

Primed FJ Pine

ITEM	SIZE
PR760A	3/4x1-1/2
PR761A	3/4x2-1/2
PR762A	3/4x3-1/2
PR763A	3/4x5-1/2
PR764A	3/4x7-1/4
PR765A	3/4x9-1/4
PR766A	3/4x11-1/4
PR767A	1-1/16x3-1/2
PR768A	1-1/16x5-1/2
PR769A	1-1/16x7-1/4
PR770A	1-7/16x1-1/2
PR771A	1-7/16x3-1/2
PR772A	1-7/16x5-1/2
PR773A	1-7/16x7-1/4
PR774A	1-7/16x9-1/4
PR775A	1-7/16x11-1/4

Non-Protected S4SE Trimboards

Primed FJ Pine

ITEM	SIZE
1X2S4S	3/4x1-1/2
1X3S4S	3/4x2-1/2
1X4S4S	3/4x3-1/2
1X5S4S	3/4x4-1/2
1X6S4S	3/4x5-1/2
1X8S4S	3/4x7-1/4
1X10S4S	3/4x9-1/4
1X12S4S	3/4x11-1/4

Interior S4S Boards

Primed FJ Pine		FJ Pine	
PR713A	11/16x1-1/2	**715A**	11/16x3-1/2
PR715A	11/16x3-1/2	**750A**	11/16x5-1/2
PR750A	11/16x5-1/2	**751A**	11/16x7-1/4
PR751A	11/16x7-1/4	**753A**	11/16x11-1/4
PR753A	11/16x11-1/4		

*Trimbacks are lengths other than standard. When a defect occurs during milling, the defect is removed leaving a length other than ordered. Trimbacks are considered any length 6´ thru 15´ and may represent up to 15% of a tally with 85% in the stocked length requested.

DOOR JAMBS & FRAMES

Lengths Available: 7´ thru 17´ with Trimbacks

Interior Door Jamb

Kerfing for bullnose is available on all jamb sizes and species. Custom size odd wall widths available upon request.

Specifications:
11/16" Thick
6/8 = 81" Below Dado
8/0 = 97" Below Dado

- Lineal = 17'
- Dado depth = 3/8"
- Heads cut 3/4 over opening
- 5 pair per bundle

SIZE	SPECIES	6/8	8/0	17' LINEAL
3-9/16	FJ Pine	**3916I6**	**3916I8**	**3916IL**
4-9/16	FJ Pine (Primed)	**PR4916I6-81BD**	**PR4916I8-97BD**	–
	FJ Pine	**4916I6**	**4916I8**	**4916IL**
4-3/4	FJ Pine (Primed)	**PR434I6-81BD**	**PR434I8-97BD**	–
	FJ Pine	**434I6**	**434I8**	**434IL**
4-7/8	FJ Pine	**478I6**	**478I8**	**478IL**
5-1/4	FJ Pine (Primed)	**PR514I6-81BD**	**PR514I8-97BD**	–
	FJ Pine	**514I6**	**514I8**	**514IL**
5-1/2	FJ Pine	**512I6**	**512I8**	–
7-1/4	FJ Pine (Primed)	**PR714I6-81BD**	**PR714I8-97BD**	–
	FJ Pine	**714I6**	**714I8**	**714IL**
7-1/2	FJ Pine	**712I6**	**712I8**	–
11-1/4	FJ Pine	**1114I6**	**1114I8**	**1114IL**

DOOR JAMBS & FRAMES

SIZE	SPECIES	6/8	17' LINEAL
4-1/8	FJ Pine	**418SD6**	**418SDL**
4-1/2	FJ Pine	**412SD6**	**412SDL**
4-3/4	FJ Pine	**434SD6**	**434SDL**
5-1/4	FJ Pine	**514SD6**	**514SDL**
6-1/8	FJ Pine	**618SD6**	**618SDL**
7-1/8	FJ Pine	**714SD6**	**714SDL**

San Diego Exterior Door Jamb 1-1/4" Thick

Kerfing for bullnose is available on all jamb sizes and species. Custom size odd wall widths available upon request.



SIZE	SPECIES	6/8	8/0
4-1/8	FJ Pine (Primed)	**PR418WSFR**	**PR418WS8FR**
	FJ Pine	**418WSFR**	**418WS8FR**
4-3/4	FJ Pine (Primed)	**PR434WSFR**	**PR434WS8FR**
4-5/8	FJ Pine (Primed)	**PR458WSFR**	**–**
	FJ Pine	**458WSFR**	**–**
5-1/2	FJ Pine	**PR514WSFR**	**PR514WS8FR**
7-1/4	FJ Pine (Primed)	**–**	**PR714WS8FR**
	FJ Pine	**PR714WSFR**	**714WS8FR**

20 Minute Fire-Rated Door Jambs 2-1/4" Thick

Kerfed for Weatherstrip – w/ 2-1/8" Door Rab't

Kerfing for bullnose is available on all jamb sizes and species. Custom size odd wall widths available upon request.

** 20 Minute Fire-Rated Exterior Frames: Sold in 3/0 sets only. Inquire for primed material in unprimed sizes.*

DOOR JAMBS & FRAMES

Lengths Available: 7´ thru 17´ with Trimbacks



FJ Exterior Composite Door Jamb

Kerfed for Weatherstrip w/ 2-1/8" Door Rab't

SIZE	SPECIES	6/8	8/0	LINEAL
4-9/16	Primed Composite	**PCF4916W6**	**PCF4916W8**	**–**
	Primed FJ Frame Saver	**FS4916W6**	**FS4916W8**	**–**
5-1/4	Primed Composite	**PCF514W6**	**PCF514W8**	**–**
	Primed FJ Frame Saver	**FS514W6**	**FS514W8**	**–**
6-9/16	Primed Composite	**PCF6916W6**	**PCF6916W8**	**–**
	Primed FJ Frame Saver	**FS6916W6**	**FS6916W8**	**–**
	Primed FJ Frame Saver Dbl. Rab't	**FS6916DR6**	**–**	**–**
7-1/4	Primed Composite	**PCF714W6**	**PCF714W8**	**PCF714W12** *(12')*
	Primed FJ Frame Saver	**FS714W6**	**FS714W8**	**–**
	Primed FJ Frame Saver Dbl. Rab't	**FS714DR6**	**–**	**–**



Standard Exterior Door Frame for 1-3/4" Doors

No kerf | With 1/2" x 1-3/8" Door Rab't

Specifications:
1-3/8" doors only
6/8 = 82-1/2" Below Dado
8/0 = 98-1/2" Below Dado

- No screen rab't
- Single end dado (except on lineal)
- 3 pairs per bundle
- Kerfing for Bullnose is available
- Custom widths available

SIZE	SPECIES	6/8	8/0	LINEAL
4-1/8	FJ Pine (Primed)	**PR4186**	**PR4188**	**PR418L**
	FJ Pine	**4186**	**4188**	**418L**
4-1/2	FJ Pine (Primed)	**PR4126**	**PR4128**	**PR412L**
	FJ Pine	**4126**	**4128**	**412L**
4-5/8	FJ Pine	**4586**	**4588**	**458L**
4-3/4	FJ Pine (Primed)	**PR434E6**	**PR434E8**	**PR434EL**
	FJ Pine	**434E6**	**434E8**	**434EL**
5-1/4	FJ Pine (Primed)	**PR514E6**	**PR514E8**	**PR514EL**
	FJ Pine	**514E6**	**514E8**	**514EL**
6-1/8	FJ Pine (Primed)	**PR6186**	**PR6188**	**PR618L**
	FJ Pine	**6186**	**6188**	**618L**
6-5/8	FJ Pine	**6586**	**6588**	**658L**
7-1/4	FJ Pine (Primed)	**PR714E6**	**PR714E8**	**PR714EL**
	FJ Pine	**714E6**	**714E8**	**714EL**

DOOR JAMBS & FRAMES

Lengths Available: 7´ thru 17´ with Trimbacks



SIZE	SPECIES	6/8
4-1/8	FJ Pine (Primed)	**418638**
4-1/2	FJ Pine	**PR412638-SR**
4-3/4	FJ Pine (Primed)	**434638**
5-1/4	FJ Pine (Primed)	**514638**

Standard Exterior Door Frame for 1-3/4" Doors

No kerf | With 1/2" x 1-13/16" Door Rab't

Specifications:
1-3/8" doors only
6/8 = 82-1/2" Below Dado
8/0 = 98-1/2" Below Dado

- No screen rab't
- Single end dado (except on lineal)
- 3 pairs per bundle
- Kerfing for Bullnose is available
- Custom widths available



SIZE	SPECIES	6/8	8/0	17' LINEAL
4-1/8	FJ Pine (Primed)	**PR418W6**	**PR418W8**	**PR418WL**
	FJ Pine	**418W6**	**418W8**	**418WL**
4-1/2	FJ Pine	**412W6**	**412W8**	**412WL**
4-5/8	FJ Pine (Primed)	**PR458W6**	**PR458W8**	**PR458WL**
	FJ Pine	**458W6**	**458W8**	**458WL**
4-3/4	FJ Pine (Primed)	**PR434W6**	**PR434W8**	**PR434WL**
	FJ Pine	**434W6**	**434W8**	**434WL**
5-1/4	FJ Pine (Primed)	**PR514W6**	**PR514W8**	**PR514WL**
	FJ Pine	**514W6**	**514W8**	**514WL**
5-1/2	FJ Pine	**512W6**	**512W8**	**–**
6-1/8	FJ Pine (Primed)	**PR618W6**	**PR618W8**	**PR618WL**
	FJ Pine	**618W6**	**618W8**	**618WL**
6-5/8	FJ Pine (Primed)	**PR658W6**	**PR658W8**	**PR658WL**
	FJ Pine	**658W6**	**658W8**	**658WL**
7-1/4	FJ Pine (Primed)	**PR714W6**	**PR714W8**	**PR714WL**
	FJ Pine	**714W6**	**714W8**	**714WL**
7-1/2	FJ Pine	**712W6**	**712W8**	**–**

Kerfed Exterior Door Frame for 1-3/4" Doors

for 1/2" x 2-1/8" Door Rab't

Specifications:
1-3/4" doors only
6/8 = 82-1/2" Below Dado
8/0 = 98-1/2" Below Dado

- No screen rab't
- Single end dado (except on lineal)
- 3 pairs per bundle
- Kerfing for Bullnose is available
- Custom widths available

IDEAS

Inside

Astragal....109
Base, Base Cap, Base Shoe....72-80
Casing....63-70
Chair Rail....98-99
Crown & Cornice....81-96
Door Stop....51
Door Header & Top Cap....71
Door Jambs & Frames....115-116
Dental Moulding....97
Exterior Mold....112
Handrails....100-102
Interior Door Jamb....115
Nose & Cove....110
Outside Corner Guard....111
Panel Cap....104-106
Panel Mold....102-103
Quarter, Half & Full Round....108
Rope....106
S4S....113
Screen Mold....108
Sill....113
Stool & Lintel....111
T&G Wainscot & Base....107
Threshold....114
T-Mold & Reducer....112

Hardwoods

THE ENVIRONMENTALLY FRIENDLY CHOICE TO ADD BEAUTY AND VALUE

Hardwood mouldings add tremendous value to any residential or commercial project. In-stock and available for immediate delivery, you can choose from oak, maple, cherry, mahogany, alder and poplar.

All hardwoods, with the exception of poplar, are stain grade and come in 6´ – 16´ lengths — predominantly in 6´ – 12´ lengths. Alder is available up to 10´ lengths only.

Green Choices

American hardwoods are the environmentally friendly choice whether your style is architecturally modern or traditional. Our temperate U.S. forests grow nearly twice as much hardwood as we harvest each year. This kind of sustainability is meeting today's needs, without compromising the ability to meet future generations' needs. With far more hardwood growth than there is harvesting, American hardwoods for moulding and millwork are the definition of environmentally friendly, green and sustainable, now and for future generations.

Hardwood Characteristics

Oak: Southern Oak is strong and durable with a beautiful grain that is easy to stain. Generally available in 6´ - 12´ lengths. Long lengths are rare.

Poplar: Little to no grain with light and dark color fluctuations. A green hue is also common. High-end paintgrade product. Can be professionally stained.

Alder: Stylish and rustic. Most profiles are Superior Alder grade. Knotty Alder is considered premium. Longest length available is 10´ frame-grade.

Cherry: Spectacular in both color and grain. The sapwood in American Cherry adds a white variation to it's pure red coloring. Cherry that's completely red is considered premium and is not typical of standard stock – it must be specially quoted when "all red" is required.

Mahogany: Deep rich coloration from pale reddish to dark brown. Flecking is typical.

Maple: Light in color. May be stained or clear coated. Available in hard or soft Maple. Check stock for availability when one or the other is specifically required.

LARGE PATTERN SELECTION | 6´ AND LONGER | STRONG AND DURABLE

1-9/16″ to 2-1/2″ CASING



#711 Casing	1/2 x 1-9/16
107-O	Oak



Lengths Available: 6′ thru 16′

Flat Streamline Casing	5/8 x 1-5/8
102-O	Oak



Malibu Casing	7/8 x 2
179-O	Oak
179P	Poplar
179ALD	Alder
179C	Cherry
179MH	Mahogany
179MP	Maple



#356 Casing	5/8 x 1-5/8
152-O	Oak



#711 Casing	5/8 x 2-3/8
108-O	Oak
108P	Poplar
108ALD	Alder
108MH	Mahogany



Universal Casing	5/8 x 2-7/16
115-O	Oak



#275 Casing	13/16 x 2-7/16
183P	Poplar
183C	Cherry
183MH	Mahogany
183MP	Maple

2 Round Edge Casing	5/8 x 2-1/2
120-O	Oak
120P	Poplar
120ALD	Alder
120C	Cherry
120MH	Mahogany
120MP	Maple

*Hardwood mouldings generally are available in 12′ and under. For lengths over 12′, please check for availability.

2-1/2″ to 2-7/8″ CASING

Lengths Available: 6´ thru 16´



Bel-Air Casing 11/16 x 2-1/2

128-O	Oak
128P	Poplar
128ALD	Alder
128C	Cherry
128MH	Mahogany
128MP	Maple



Cape Cod Casing 11/16 x 2-1/2

150-O	Oak
150P	Poplar
150ALD	Alder
150C	Cherry
150MH	Mahogany
150MP	Maple



Hermosa Casing 1 x 2-1/2

159P	Poplar



Crescent Casing 11/16 x 2-1/2

168-O	Oak
168P	Poplar



Tudor Casing 5/8 x 2-1/2

169-O	Oak



Howe Casing 3/4 x 2-1/2

176P	Poplar



Palisade Casing 11/16 x 2-1/2

182ALD	Alder



Colonial Casing 11/16 x 2-7/8

119-O	Oak
119P	Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

2-7/8˝ to 3-1/4˝ CASING

Lengths Available: 6´ thru 16´



Newport Casing	11/16 x 2-7/8
125-O	Oak
125P	Poplar
125ALD	Alder
125KA	Knotty Alder
125C	Cherry
125MH	Mahogany
125MP	Maple



Hermosa Casing	1-1/8 x 3-1/4
160-O	Oak
160P	Poplar
160ALD	Alder
160KA	Knotty Alder
160C	Cherry
160MH	Mahogany
160MP	Maple

Mullion Casing	5/16 x 3-1/4
114-O	Oak



Crescent Casing	(3/4)? x 3-1/4
126-O	Oak
126P	Poplar



Bel-Air Casing	3/4 x 3-1/4
129-O	Oak
129P	Poplar
129ALD	Alder
129KA	Knotty Alder
129C	Cherry
129MH	Mahogany
129MP	Maple

2 Round Edge Casing	13/16 x 3-1/4
139-O	Oak
139P	Poplar
139ALD	Alder
139KA	Knotty Alder
139C	Cherry
139MH	Mahogany
139MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

3-1/4″ to 3-3/8″ CASING

Lengths Available: 6´ thru 16´



Cambridge Casing 11/16 x 3-1/4

161-O	Oak



Reed Casing 3/4 x 3-1/4

CA326-O	Oak
CA326P	Poplar



5-Flute & Reed Casing (Reversible) 3/4 x 3-1/2

158-O	Oak
158P	Poplar
158ALD	Alder
158C	Cherry
158MH	Mahogany
158MP	Maple



Malibu Casing 1-3/8 x 3-3/8

180P	Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

3-1/2˝ CASING

Lengths Available: 6´ thru 16´



Crescent Casing	3/4 x 3-1/2
126-O	Oak
126P	Poplar



Cape Cod Casing	11/16 x 3-1/2
155-O	Oak
155P	Poplar
155ALD	Alder



Colonial Casing	11/16 x 3-1/2
156-O	Oak



#275 Casing	1-1/16 x 3-1/2
165P	Poplar
165ALD	Alder
165KA	Knotty Alder
165C	Cherry
165MH	Mahogany
165MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

3-1/2″ to 3-3/4″ CASING

Lengths Available: 6´ thru 16´



Howe Casing 1 x 3-1/2

177P	Poplar



Palisade Casing 7/8 x 3-1/2

185ALD	Alder



Tuscany Casing 13/16 x 3-1/2

CA364P	Poplar



Tuscany Casing 7/8 x 3-3/4

175-O	Oak
175C	Cherry
175MH	Mahogany
175MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

4˝ to 4-1/4˝ CASING

Lengths Available: 6´ thru 16´

2 Eased Edge Craftsman Casing 3/4 x 4
186ALD Alder



Fancy 4-Flute Casing 3/4 x 4
CA327P Poplar



Howe Casing 1-1/16 x 4-1/8
178P Poplar



Tuscany Casing 7/8 x 4-1/4
140P Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

4-1/4″ to 5-1/2″ CASING

Lengths Available: 6´ thru 16´



Victorian Casing/ Chair Rail 11/16 x 4-1/4

184-O Oak



Sedona Casing 1-1/8 x 4-1/2

190P Poplar



Fluted Radial Casing 1-1/4 x 5

191P Poplar



8-Flute & Reed Casing (Reversible) 3/4 x 5-1/2

171P Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

DOOR HEADER & TOP CAP



Craftsman Door Header 1-3/4 x 2-1/4

DH150ALD Alder



Top Cap 1-3/4 x 2-1/4

TC150-O Oak

TC150P Poplar



Door Header 1-1/16 x 5-1/4

DH190-O Oak

DH190P Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

3/4˝ to 3-1/2˝ BASE, BASE SHOE & BASE CAP

Lengths Available: 6´ thru 16´



Base Shoe Corner

	3/8 x 3/4
300-OW	Oak

	1/2 x 3/4
300B-OW	Oak
300BPW	Poplar
300BALDW	Alder
300BCW	Cherry
300BMHW	Mahogany
300BMPW	Maple

	3/8 x 3/4 *(goes over 3/8" or 7/16")*
3001-OW	Oak

	3/8 x 3/4 *(goes over 1/2" or 9/16")*
3002-OW	Oak

	1/2 x 3/4 *(goes over 3/8" or 7/16")*
3001B-OW	Oak
3001BMPW	Maple

	1/2 x 3/4 *(goes over 1/2" or 9/16")*
3002B-OW	Oak
3002BPW	Poplar
3002BALDW	Alder
3002BMPW	Maple



Base Shoe 3/8 x 3/4

300-O	Oak



Base Shoe 1/2 x 3/4

300B-O	Oak
300BP	Poplar
300BALD	Alder
300BC	Cherry
300BMH	Mahogany
300BMP	Maple



Base Cap 11/16 x 1-3/8

614-O	Oak
614P	Poplar
614C	Cherry
614MH	Mahogany
614MP	Maple



Streamline Base 3/8 x 2-1/2

306-O	Oak



#711 Base 3/8 x 2-1/2

310-O	Oak



#623 Base 9/16 x 3-1/4

314ALD-3	Alder



Streamline Base 3/8 x 3-1/2

307-O	Oak

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

3-1/2″ to 3-7/8″ BASE

Lengths Available: 6´ thru 16´



#711 Base	3/8 x 31/2
311-O	Oak
311P	Poplar
311ALD	Alder
311MH	Mahogany

Hermosa Base	9/16 x 3-3/4
324-O	Oak
324P	Poplar
324ALD	Alder
324C	Cherry
324MH	Mahogany
324MP	Maple



#175 Base	9/16 x 3-3/4
362P	Poplar



Newport Base	9/16 x 3-7/8
329-O	Oak
329P	Poplar
329ALD	Alder
329KA	Knotty Alder
329C	Cherry
329MH	Mahogany
329MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

(items are approximate scale only)

4˝ to 4-1/4˝ BASE

Lengths Available: 6´ thru 16´

Cape Cod Base 9/16 x 4

318-O	Oak
318P	Poplar
318ALD	Alder
318C	Cherry
318MH	Mahogany
318MP	Maple



#711 Base 7/16 x 4-3/16

311P-4	Poplar
311ALD-4	Alder
311MH-4	Mahogany



Monterey Base 7/16 x 4-1/4

316-O	Oak



Colonial Base 1/2 x 4-1/4

118-O	Oak
118P	Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

4-1/4˝ to 4-3/8˝ BASE

Lengths Available: 6´ thru 16´



#620 Base	9/16 x 4-1/4
314ALD-4	Alder
314C-4	Cherry
314MH-4	Mahogany
314MP-4	Maple



Crescent Base	9/16 x 4-1/4
326-O	Oak
326P	Poplar



Mission Bay Base	9/16 x 4-1/4
361P	Poplar



#175 Base	9/16 x 4-3/8
325P	Poplar
325ALD	Alder
325C	Cherry
325MH	Mahogany
325MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

(items are approximate scale only)

4-3/8″ to 5-1/4″ BASE

Lengths Available: 6´ thru 16´



1 Eased Edge Craftsman Base 5/8 x 4-3/8

348-O	Oak
348P	Poplar
348ALD	Alder
348C	Cherry
348MH	Mahogany
348MP	Maple

Hermosa Base 5/8 x 5

323-O	Oak
323P	Poplar
323C	Cherry
323MH	Mahogany
323MP	Maple



Newport Base 9/16 x 5

330-O	Oak
330P	Poplar
330ALD	Alder
330KA	Knotty Alder
330C	Cherry
330MH	Mahogany
330MP	Maple



Colonial Base 9/16 x 5-1/4

118P-5	Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

5-1/4˝ to 5-3/8˝ BASE

Lengths Available: 6´ thru 16´



#618 Base	9/16 x 5-1/4
315P	Poplar
315ALD	Alder



“B” Cape Cod Base	9/16 x 5-1/4
318B-O	Oak
318BP	Poplar
318BALD	Alder
318BC	Cherry
318BMH	Mahogany
318BMP	Maple



Colonial Base	9/16 x 5-1/4
328P	Poplar
328ALD	Alder



#175 Base	9/16 x 5-3/8
338P	Poplar
338C	Cherry
338MH	Mahogany
338MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

(items are approximate scale only)

5-3/4″ to 6″ BASE

Lengths Available: 6´ thru 16´



Crescent Base 5/8 x 5-3/4

332P	Poplar

#175 Base 5/8 x 6

342ALD	Alder
342KA	Knotty Alder



1 Eased Edge Craftsman Base 5/8 x 6

383-O	Oak
383P	Poplar
383ALD	Alder
383KA	Knotty Alder
383C	Cherry
383MH	Mahogany
383MP	Maple



Palisade Base 5/8 x 6

385ALD	Alder

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

6″ to 6-1/4″ BASE

Lengths Available: 6´ thru 16´



Cape Cod Base 5/8 x 6

360P	Poplar



Victorian Base 11/16 x 6

363P	Poplar



Tuscany Base 11/16 x 6

375-O	Oak
375C	Cherry
375MH	Mahogany
375MP	Maple

#175 Base 5/8 x 6-1/4

342P	Poplar
342C	Cherry
342MH	Mahogany
342MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

7-1/4˝ BASE

Lengths Available: 6´ thru 16´



Mission Bay Base 11/16 x 7-1/4

333P	Poplar



Hermosa Base 11/16 x 7-1/4

340P	Poplar
340ALD	Alder



Tuscany Base 9/16 x 7-1/4

378P	Poplar



Sonoma Base 9/16 x 7-1/4

386P	Poplar
386ALD	Alder
386C	Cherry
386MH	Mahogany
386MP	Maple

*Hardwood moulding is generally are available in 12´ and under. For lengths over 12´, please check for availability.

STOP

Lengths Available: 6´ thru 16´

1 Round Edge Stop 3/8 x 1-1/4

202-O	Oak
202P	Poplar



Ogee Stop 1/2 x 1-3/4

210-O	Oak
210P	Poplar
210ALD	Alder

1 Round Edge Stop 1/2 x 1-1/2

209-O	Oak
209P	Poplar
209ALD	Alder
209VG	VG Fir
209C	Cherry
209MH	Mahogany
209MP	Maple

1-5/8˝ to 2-1/4˝ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Colonial Crown 1/2 x 1-5/8

400-O	Oak



Cabinet Crown 1-7/16 x 1-3/4

403P	Poplar



Bed Mold 9/16 x 1-7/8

420ALD	Alder



Colonial Crown 1/2 x 2-1/4

404-O	Oak

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

2-1/4˝ to 3-1/4˝ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Colonial Crown	1/2 x 2-1/4
401-O	Oak



Colonial Crown	1/2 x 2-3/4
436-O	Oak
436P	Poplar
436ALD	Alder
436C	Cherry
436MH	Mahogany
436MP	Maple



Beaded Colonial Crown	1/2 x 3-1/4
405B-O	Oak
405BP	Poplar
405BC	Cherry
405BMH	Mahogany
405BMP	Maple



Crown	1/2 x 3-1/4
402-O	Oak

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

3-1/4˝ to 3-1/2˝ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Colonial Crown	1/2 x 3-1/4
405-O	Oak
405P	Poplar
405ALD	Alder
405KA	Knotty Alder
405C	Cherry
405MH	Mahogany
405MP	Maple



Dentil Crown	13/16 x 3-1/4
CM74-O	Oak
CM74P	Poplar
CM74ALD	Alder
CM74C	Cherry
CM74MH	Mahogany
CM74MP	Maple
405BMP	Maple



Crown	11/16 x 3-1/2
CR820P	Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

4-1/2˝ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Beaded Colonial Crown	5/8 x 4-1/2
406B-O	Oak
406BP	Poplar
406BC	Cherry
406BMH	Mahogany
406BMP	Maple



Colonial Crown	3/4 x 4-1/2
406-O	Oak
406P	Poplar
406ALD	Alder
406KA	Knotty Alder
406C	Cherry
406MH	Mahogany
406MP	Maple



Cornice	3/4 x 4-1/2
409-O	Oak

*Hardwood moulding is generally are available in 12´ and under. For lengths over 12´, please check for availability.

4-1/2″ to 5″ CROWN & CORNICE

Lengths Available: 6′ thru 16′



Georgian Crown	3/4 x 4-1/2
412-0	Oak
412P	Poplar
412ALD	Alder
412C	Cherry
412MH	Mahogany
412MP	Maple



Carolina Crown	7/8 x 4-5/8
423P	Poplar
423ALD	Alder



Dentil Crown	3/4 x 5
CR864P	Poplar

5-1/4˝ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Beaded Colonial Crown	3/4 x 5-1/4
414B-O	Oak
414BP	Poplar
414BALD	Alder
414BC	Cherry
414BMH	Mahogany
414BMP	Maple



Colonial Crown	3/4 x 5-1/4
414-O	Oak
414P	Poplar
414ALD	Alder
414KA	Knotty Alder
414C	Cherry
414MH	Mahogany
414MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

5-1/4˝ to 5-1/2˝ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Madison Crown	13/16 x 5-1/4
CO705P	Poplar



Dentil Crown	13/16 x 5-1/2
CM73-O	Oak
CM73P	Poplar
CM73ALD	Alder
CM73C	Cherry
CM73MH	Mahogany
CM73MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

5-1/2″ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Covington Crown 11/16 x 5-1/2
CR806P Poplar



Lancaster Crown 13/16 x 5-1/2
CR830P Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

5-1/2″ to 6″ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Pembroke Crown	11/16 x 5-1/2
CR880P	Poplar



Cornice	1-1/8 x 6
408-O	Oak
408P	Poplar
408C	Cherry
408MH	Mahogany
408MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

6″ to 6-1/4″ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Crown	3/4 x 6
410-0	Oak
410P	Poplar
410ALD	Alder
410KA	Knotty Alder
410C	Cherry
410MH	Mahogany
410MP	Maple



Fredericksburg Crown	11/16 61/4
CR841P	Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

6-1/2˝ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Carolina Crown	1-1/8 x 6-1/2
424P	Poplar
424ALD	Alder



Georgian Crown	7/8 x 6-1/2
427-0	Oak
427P	Poplar
427ALD	Alder
427C	Cherry
427MH	Mahogany
427MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

(items are approximate scale only)

6-1/2″ to 7″ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Colonial Crown 3/4 x 6-1/2
416P Poplar



Bel-Air Crown 13/16 x 7
CR800P Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

7″ to 7-1/8″ CROWN & CORNICE

Lengths Available: 6´ thru 16´

Dentil Crown 13/16 x 7
CR862-O Oak
CR862P Poplar



Beaded Colonial Crown 3/4 x 7-1/8
417B-O Oak

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

(items are approximate scale only)

7-1/4˝ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Beaded Colonial Crown	3/4 x 7-1/4
417BALD	Alder
417BC	Cherry
417BMH	Mahogany
417BMP	Maple

Colonial Crown	3/4 x 7-1/4
417P	Poplar
417ALD	Alder

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

8˝ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Large #410 Crown	1 x 8
450P	Poplar
450C	Cherry
450MH	Mahogany
450MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

9-5/8˝ CROWN & CORNICE

Lengths Available: 6´ thru 16´



Hampton Crown 1-58 x 9-5/8

437P Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

DENTAL LINEAL

Lengths Available: 6´ thru 16´

Small Dentil 5/8 x 1/2 (1/4" Gap)
DE73P Poplar

Dentil 1/2 x 1/2
DE168P Poplar

Dentil 3/4 x 1
DE169P Poplar

15/16 x 5/8
Large Dentil (3/4" Gap)
DE74P Poplar

Dentil 5/8 x 1-1/2
DE170P Poplar

Dentil 3/4 x 2
DE171-O Oak
DE171P Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

CHAIR RAIL

Lengths Available: 6´ thru 16´



Chair Rail 1/2 x 2

648-O	Oak
648P	Poplar



Chair Rail 1/2 x 2-1/2

651-O	Oak

Colonial Chair Rail 11/16 x 2-5/8

652-O	Oak



Beaded Chair Rail 1/2 x 2-7/8

654-O	Oak

Bead & Barrel Chair Rail 3/4 x 3

649P	Poplar
649ALD	Alder



Colonial Chair Rail 3/4 x 3

653-O	Oak
653P	Poplar
653C	Cherry
653MH	Mahogany
653MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

CHAIR RAIL

Lengths Available: 6´ thru 16´

Chair Rail *(w/1/2" Rab't)* 3/4 x 3
654P Poplar



Chair Rail 3/4 x 3-1/4
656P Poplar

Victorian Chair Rail 11/16 x 4-1/4
184-O Oak

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

HANDRAIL

Lengths Available: 6´ thru 16´



Fillet 3/8 x 1-1/4

951-O	Oak
951P	Poplar



Shoe Rail
w/1/4" x 1-1/4" Plow 3/4 x 2-1/2

950-O	Oak
950P	Poplar



Small 6010 Handrail 1-1/2 x 1-7/8

932P	Poplar



Small 6010 Handrail
w/1/4" x 1-1/8" Plow) 1-1/2 x 1-7/8

932PP	Poplar



Standard Handrail 1-1/2 x 2-3/8

925-O	Oak



Standard Handrail
(w/1/4" x 1-1/4" Plow) 1-1/2 x 2-3/8

925-OP	Oak

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

HANDRAIL

Lengths Available: 6´ thru 16´



Classic 6010
Handrail *(3pc Glue Up)* 2-1/4 x 2-3/8
931P Poplar



Classic 6010
Handrail w/ Plow
(3pc Glue Up) 2-1/4 x 2-3/8
931PP Poplar



“B” Handrail 1-3/8 x 2-1/2
928-O Oak



“B” Handrail
w/ 1/4” x 1-1/4” Plow 1-3/8 x 2-1/2
928-OP Oak

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

(items are approximate scale only)

HANDRAIL

Lengths Available: 6´ thru 16´



Majestic Handrail 1-3/4 x 2-5/8
933P Poplar



Majestic Handrail
w/ 1/4" x 1-1/4" Plow 1-3/4 x 2-5/8
933PP Poplar

5/8˝ to 1˝ PANEL MOLD

Lengths Available: 6´ thru 16´



Panel Mold 3/8 x 5/8
600-O Oak



Panel Mold 5/8 x 3/4
601-O Oak



Panel Mold 3/4 x 1
602-O Oak
602ALD Alder



Panel Mold 7/8 x 1
630-O Oak
630P Poplar
630ALD Alder
630C Cherry
630MH Mahogany
630MP Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

1-1/4˝ to 2˝ PANEL MOLD

Lengths Available: 6´ thru 16´



Panel Mold 1/2 x 1-1/4

629P	Poplar



Raised Panel Mold 3/4 x 1-1/4

632-O	Oak
632P	Poplar
632C	Cherry
632MH	Mahogany
632MP	Maple



Panel Mold 9/16 x 1-3/8

606-O	Oak



Panel Mold 3/4 x 1-5/16

631-O	Oak
631P	Poplar
631ALD	Alder
631C	Cherry
631MH	Mahogany
631MP	Maple



Panel Mold 11/16 x 1-5/8

605-O	Oak



Panel Mold 3/4 x 1-5/8

605ALD	Alder



Beauty M-400 Panel Mold 3/4 x 1-7/8

608-O	Oak



Panel Mold 11/16 x 1-3/4

617P	Poplar



Panel Mold 3/4 x 2

618P	Poplar

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

1-1/4˝ to 1-5/8˝ PANEL CAP

Lengths Available: 6´ thru 16´



Raised Panel Mold *(w/1/2" Rab't)* 3/4 x 1-1/4

632-O	Oak
632P	Poplar
632ALD	Alder
632C	Cherry
632MH	Mahogany
632MP	Maple



Raised Panel Cap *(w/3/4" Rab't)* 1-1/8 x 1-1/4

613-O	Oak
613P	Poplar



Panel Mold 11/16 x 1-3/8

614-O	Oak
614P	Poplar
614C	Cherry
614MH	Mahogany
614MP	Maple



Decorative Base Cap 11/16 x 1-1/2

628-O	Oak
628P	Poplar
628C	Cherry
628MH	Mahogany
628MP	Maple



Panel Cap *(w/1/2" Rab't)* 1 x 1-1/2

730-O	Oak



Panel Cap *(w/3/8" Rab't)* 1-1/8 x 1-5/8

732-O	Oak

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

1-11/16˝ to 2-5/16˝ PANEL CAP

Lengths Available: 6´ thru 16´



Base Cap 3/4 x 1-11/16

625P	Poplar



Panel Cap *(w/1/4" Rab't)* 11/16 x 1-3/4

616P	Poplar



Panel Mold *(w/1/2" Rab't)* 1 x 1-3/4

620-O	Oak
620P	Poplar
620ALD	Alder
620C	Cherry
620MH	Mahogany
620MP	Maple



Panel Mold
(w/3/4" Rab't) 13/16 x 2

621-O	Oak
621P	Poplar
621ALD	Alder
621C	Cherry
621MH	Mahogany
621MP	Maple



Rab't Panel Cap
(w/1/2"–5/8" Rab't) 1-1/8 x 2

615P	Poplar



T&G Cap *(w/3/8" Rab't)* 3/4 x 2-5/16

622ALD	Alder

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

2-5/16″ to 2-3/8″ PANEL CAP

Lengths Available: 6´ thru 16´

Raised Panel Cap
(w/ 1/8" – 1/4" Rab't) 3/4 x 2-5/16
622P Poplar



Panel Cap
(w/ Rab't for 3/8" & 1/2") 11/16 x 2-3/8
619P Poplar

ROPE

Lengths Available: 8´ only

Half Round – Oak	
HR617-0	3/8”
HR618-0	1/2”
HR619-0	3/4”
HR620-0	1”
HR621-0	1-3/16”
HR622-0	1-3/8”
HR623-0	1-1/2”
HR624-0	1-3/4”

Half Round – Poplar	
HR617P	3/8”
HR618P	1/2”
HR619P	3/4”
HR620P	1”
HR621P	1-3/16”
HR622P	1-3/8”
HR623P	1-1/2”
HR624P	1-3/4”

Half Round – Cherry	
HR617C	3/8”
HR618C	1/2”
HR619C	3/4”
HR620C	1”
HR621C	1-3/16”
HR622C	1-3/8”
HR623C	1-1/2”
HR624C	1-3/4”

Half Round – Alder	
HR618ALD	1/2”
HR619ALD	3/4”
HR620ALD	1”
HR621ALD	1-3/16”
HR622ALD	1-3/8”
HR623ALD	1-1/2”
HR624ALD	1-3/4”

Half Round – Maple	
HR618MP	1/2”
HR619MP	3/4”
HR620MP	1”
HR621MP	1-3/16”
HR622MP	1-3/8”
HR623MP	1-1/2”
HR624MP	1-3/4”

Full Round – Oak	
FR626-0	1-3/8”
FR627-0	1-3/4”

Full Round – Poplar	
FR626P	1-3/8”
FR627P	1-3/4”

Full Round – Cherry	
FR626C	1-3/8”
FR627C	1-3/4”

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

T&G WAINSCOT & WAINSCOT BASE

Lengths Available: 6´ thru 16´

Beaded T&G Wainscot 3/8 x 3-3/8

2000P Poplar



Reversible Beaded T&G Wainscot 3/8 x 3-3/8

2000-OR Oak (Reversible)

2000PR Poplar (Reversible)

2000ALDR Alder (Reversible)



Shiplap T&G Wainscot 5/16 x 3-3/8

2003ALD Alder



T&G Wainscot Base 9/16 x 3-1/4

735P Poplar



T&G Wainscot Base 9/16 x 5

736ALD Alder

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

SCREEN MOLD

Lengths Available: 6´ thru 16´



Flat Screen Mold	1/4 x 3/4
591-O	Oak



Scribe Mold	3/16 x 3/4
593-O	Oak
593P	Poplar
593ALD	Alder
593C	Cherry
593MH	Mahogany
593MP	Maple



Cloverleaf	3/8 x 3/4
594-O	Oak
594P	Poplar
594ALD	Alder
594C	Cherry
594MH	Mahogany
594MP	Maple

QUARTER / HALF / FULL ROUND

Lengths Available: 6´ thru 16´



Quarter Round	1/2 x 1/2
502-O	Oak
502P	Poplar
502C	Cherry
502MH	Mahogany
502MP	Maple
	3/4 x 3/4
504-O	Oak
504P	Poplar
504ALD	Alder
504C	Cherry
504MH	Mahogany
504MP	Maple



Half Round	3/8 x 3/4
572-O	Oak
572P	Poplar
572C	Cherry
572MH	Mahogany
572MP	Maple
	3/4 x 1-1/2
575P	Poplar
	1 x 2
576P	Poplar



Full Round	1-3/8 x 1-3/8
803-O	Oak

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

ASTRAGAL

Lengths Available: 7´, 8´, & 10´



Flat Astragal
[Lengths Available: 7' thru 16'] 3/4 x 1-5/8

660-0	Oak
660P	Poplar
660ALD	Alder
660VG	VG Fir
660C	Cherry
660MH	Mahogany
660MP	Maple



T-Astragal for 1-3/4" Doors 1-1/4 x 2-1/4

661ALD	Alder
661MH	Mahogany

1-3/8 x 2-1/4

661-O	Oak



T-Astragal for 1-3/8" Doors 1-1/4 x 2

662-O	Oak



T-Astragal w/ Weatherstrip Kerf for 1-3/4" Doors
(Q-Lon® weatherstrip not included) 1-3/8 x 3

663-O	Oak
663ALD	Alder
663MH	Mahogany

Q-Lon® for T-Astragal	
TQ7B	81" Brown
TQ7W	81" White
TQ8B	97" Brown
TQ8W	97" White

(items are approximate scale only)

NOSE & COVE

Lengths Available: 6´ thru 16´



Cove	1/2 x 1/2
521-0	Oak
521P	Poplar
521ALD	Alder
521C	Cherry
521MH	Mahogany
521MP	Maple



Cove	3/4 x 3/4
523-O	Oak
523P	Poplar
523ALD	Alder
523C	Cherry
523MH	Mahogany
523MP	Maple



Nose & Cove	1 x 1-5/8
909-O	Oak
909P	Poplar
909ALD	Alder



Rab't Nose & Cove *(w/3/4" Rab't)*	1-3/4 x 1-3/4
910-O	Oak
910P	Poplar



Bar Nosing	1-1/4 x 3-1/2
049	Oak



Bar Nosing	1-3/8 x 5
050	Oak

*Hardwood moulding is generally are available in 12´ and under. For lengths over 12´, please check for availability.

STOOL & LINTEL

Lengths Available: 6´ thru 16´

Stool 7/16 x 1-1/8
995P Poplar



Rab't Stool
(w/1/8" x 1" Rab't) 1/2 x 1-7/16
996P Poplar



Stool 1-1/16 x 2
997P Poplar



Lintel 1-1/16 x 4-1/2
998P Poplar

OUTSIDE CORNER GUARD

Lengths Available: 6´ thru 16´



Outside Corner 3/4 x 3/4
720-O Oak



Outside Corner 1 x 1
721-0 Oak
721P Poplar
721ALD Alder
721C Cherry
721MH Mahogany
721MP Maple



Detail Outside Corner 1-1/8 x 1-1/8
723-0 Oak
723P Poplar
723C Cherry
723MH Mahogany
723MP Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

EXTERIOR MOLD

Lengths Available: 6´ thru 16´



Large Stucco Mold	7/8 x 1-1/4
826-O	Oak
826ALD	Alder



Large Stucco Mold	7/8 x 1-1/2
826MH	Mahogany



180 Eastern Brick Mold w/ Stucco Key	1-1/8 x 2
612B-O	Oak
612BALD	Alder
612BMH	Mahogany



180 Eastern Brick Mold	1-1/8 x 2
612A-O	Oak
612ALD	Alder
612AMH	Mahogany

T-MOLD & REDUCER

Lengths Available: 6´ thru 16´



T-Mold	5/8 x 2
992-O	Oak
992C	Cherry
992MP	Maple



Reducer	1/2 x 2
994-O	Oak
994C	Cherry
994MP	Maple



Variable Reducer	11/16 x 2
993-O	Oak
993C	Cherry
993MP	Maple



Reducer	3/4 x 2-1/4
999-O	Oak
999C	Cherry
999MP	Maple

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

EXTERIOR SILL

Lengths Available: 6´ thru 16´

Beveled Oak Sill

8OS	1-1/4 x 7-1/8
10OS	1-1/4 x 8-7/8
12OS	1-1/4 x 11-1/4



Flat Oak Sill

8FOS	1-1/4 x 7-1/8
10FOS	1-1/4 x 8-7/8
12FOS	1-1/4 x 11-1/4

S4S

Lengths Available: 6´ thru 16´



Interior S4S Boards

Oak	
713-O	3/4x1-5/8
715-O	3/4x3-1/2
750-O	3/4x5-1/2
751-O	3/4x7-1/4
753-O	3/4x11-1/4
Poplar	
713P	3/4x1-1/2
715P	3/4x3-1/2
750P	3/4x5-1/2
751P	3/4x7-1/4
752P	3/4x9-1/4
753P	3/4x11-1/4

Cherry	
715C	3/4x3-1/2
750C	3/4x5-1/2
751C	3/4x7-1/4
752C	3/4x9-1/4
Maple	
715MP	3/4x3-1/2
750MP	3/4x5-1/2
751MP	3/4x7-1/4
Mahogany	
715MH	3/4x3-1/2
750MH	3/4x5-1/2
751MH	3/4x7-1/4

Alder	
715ALD	3/4x3-1/2
750ALD	3/4x5-1/2
751ALD	3/4x7-1/4

THRESHOLD

Oak Threshold

850	5/8 x 3-1/2
850A	5/8 x 3-1/2 x 37”

Oak Threshold

851	3/4 x 3-1/2
851A	3/4 x 3-1/2 x 37”

Oak Threshold

854	1 x 3-1/2
854A	1 x 3-1/2 x 37”

Oak Threshold

853	3/4 x 4-1/2
853A	3/4 x 4-1/2 x 37”

Oak Threshold

852	1 x 5-1/2
852A	1 x 5-1/2 x 37”

*Hardwood mouldings generally are available in 12´ and under. For lengths over 12´, please check for availability.

DOOR JAMBS & FRAMES

Interior Door Jamb

Kerfing for bullnose is available on all jamb sizes and species. Custom size odd wall widths available upon request.

Specifications:
11/16" Thick
6/8 = 81" Below Dado
8/0 = 97" Below Dado

- Lineal = 17'
- Dado depth = 3/8"
- Heads cut 3/4 over opening
- 5 pair per bundle

SIZE	SPECIES	6/8	8/0	RANDOM LINEAL
3-9/16	Superior Alder	**3916ALDI6**	**3916ALDI8**	**3916ALDIL**
4-9/16	Oak	**4916OI6**	**4916OI8**	**4916OIL**
	Oak Laminate	**4916OLI6**	**–**	**–**
	Poplar	**4916PI6**	**4916PI8**	**4916PIL**
4-5/8	Superior Alder	**458ALDI6**	**458ALDI8**	**458ALDIL**
4-3/4	Oak	**434OI6**	**434OI8**	**434OIL**
	Oak Lam	**434OLI6**	**–**	**–**
	Poplar	**434PI6**	**434PI8**	**434PIL**
	Mahogany	**–**	**434MHI8**	**–**
4-7/8	Superior Alder	**478ALDI6**	**478ALDI8**	**478ALDIL**
5-1/4	Oak	**514OI6**	**514OI8**	**514OIL**
	Oak Lam	**514OLI6**	**–**	**–**
	Poplar	**514PI6**	**514PI8**	**514PIL**
	Superior Alder	**514ALDI6**	**514ALDI8**	**514ALDIL**
	Mahogany	**–**	**514MHI8**	**–**
7-1/4	Solid Pine	**714SPI6**	**714SPI8**	**–**
	Oak	**714OI6**	**714OI8**	**714OIL**
	Poplar	**714PI6**	**714PI8**	**714PIL**
	Superior Alder	**714ALDI6**	**714ALDI8**	**714ALDIL**
	Mahogany	**–**	**714MHI8**	**–**
11-1/4	Oak	**1114OI6**	**1114OI8**	**1114OIL**
	Poplar	**1114PI6**	**1114PI8**	**1114PIL**



Standard Exterior Door Frame for 1-3/4" Doors

No kerf | With 1/2" x 1-13/16" Door Rab't

Specifications:
1-3/4" doors only
6/8 = 82-1/2" Below Dado
8/0 = 98-1/2" Below Dado

- No screen rab't
- Single end dado (except on lineal)
- 3 pairs per bundle
- Kerfing for Bullnose is available
- Custom widths available

SIZE	SPECIES	6/8	8/0	RANDOM LINEAL
4-1/8	Oak	**418O6**	**418O8**	**418OL**
	Poplar	**418P6**	**418P8**	**418PL**
	Mahogany	**418M6**	**418M8**	**418ML**
4-1/2	Oak	**412O6**	**412O8**	**412OL**
4-5/8	Knotty Alder	**–**	**458KA8**	**–**
5-1/4	Oak	**514OE6**	**514OE8**	**514OEL**
	Poplar	**514PE6**	**514PE8**	**514PEL**
	Knotty Alder	**–**	**514KA8**	**–**
	Mahogany	**514ME6**	**514ME8**	**514MEL**
6-1/8	Poplar	**618P6**	**–**	**–**
7-1/4	Oak	**714OE6**	**714OE8**	**714OEL**
	Poplar	**714PE6**	**714PE8**	**714PEL**
	Knotty Alder	**–**	**714KA8**	**–**
	Mahogany	**714ME6**	**714ME8**	**714MEL**

DOOR JAMBS & FRAMES

Kerfed Exterior Door Frame for 1-3/4" Doors

for 1/2" x 2-1/8" Door Rab't

Specifications:
1-3/4˝ doors only
Jamb Thickness = 1-1/4˝
6/8 = 82-1/2˝ Below Dado
8/0 = 98-1/2˝ Below Dado

- No screen rab't
- Single end dado (except on lineal)
- 3 pairs per bundle
- Kerfing for Bullnose is available
- Custom widths available

SIZE	SPECIES	6/8	8/0	RANDOM LINEAL
4-1/8	Oak	**418WO6**	**418WO8**	**418WOL**
	Poplar	**418WP6**	**418WP8**	**418WPL**
	Mahogany	**418WM6**	**418WM8**	**418WML**
4-5/8	Oak	**458WO6**	**458WO8**	**458WOL**
	Knotty Alder	**–**	**458WKA8**	**–**
4-3/4	Poplar	**434WP6**	**434WP8**	**–**
5-1/4	Oak	**514WO6**	**514WO8**	**514WOL**
	Poplar	**514WP6**	**514WP8**	**514WPL**
	Knotty Alder	**–**	**514WKA8**	**–**
	Mahogany	**514WM6**	**514WM8**	**514WML**
6-1/8	Poplar	**618WP6**	**618WP8**	**–**
7-1/4	Oak	**714WO6**	**714WO8**	**714WOL**
	Poplar	**714WP6**	**714WP8**	**714WPL**
	Knotty Alder	**–**	**714WKA8**	**–**
	Mahogany	**714WM6**	**714WM8**	**714WML**

Ultralight **MDF** & Light Density **LDF**

FOR PAINTGRADE AND ARCHITECTURAL MILLWORK

Inside

Astragal....170
Base....129-147
Base Cap....158
Build-Ups....175
Casing....119-128
Chair Rail....167
Cleat....170
Crown & Cornice....148-166
Door Stop....128
Flat Astragal....159
Header Skirt....129
Hook....170
Interior Door Jambs....174
Panel Cap....168
Panel Mold....168
S4S (interior)....171
Shelving....172-173
T&G Wainscot....169
Wainscot Cap....158
Wall Cap....171
Window Stool....171

Ultralight **MDF** & Light Density **LDF**

FOR PAINTGRADE AND ARCHITECTURAL MILLWORK

Ultralight MDF and Light Density LDF are paint grade products that provide wonderful architectural profiles at amazingly affordable prices.

Our Ultralight MDF, identified as MUL, is an ultra lightweight density fiberboard imported from Chile, and are produced using sustainable forestry management. MUL is not harvested from natural forests, nor does its fiber come from genetically modified or old-growth trees. The wood fibers, combined with resin, produce a product weighing similar to pine. While typical MDF moulding is much heavier in weight, and when installed can pucker around nails, our Ultralight MDF moulding nails more like pine moulding. The combination of lighter weight and better nailing makes EL & EL Ultralight MDF an ideal choice for both high-end and budget jobs.

With costs less than finger joint pine, MUL and Light Density LDF are pre-primed, have no joints, will not crack, split, twist or warp and never have raised or inconsistent grain. Produced domestically, LDF has helped in replacing finger joint pine as the only reasonably priced paint grade product of choice. MUL and Light Density LDF are the moulding of choice for multi-million dollar homes, as well as entry to high-end tract housing. They are ideal for any home or office to improve on typical moulding without adding increased costs.

LONG LENGTHS STANDARD | ALL STYLES IN STOCK | PREPRIMED | NO DEFECTS

1-5/8˝ to 2-1/4˝ CASING

Lengths Available: 7´ & 17´

Flat Streamline Casing 5/8 x 1-5/8
102LDF

Moulded Casing 5/8 x 1-5/8
130MUL



Tucson Casing 11/16 x 2-1/4
104MUL NEW

Peoria Casing 9/16 x 2-1/4
106MUL NEW

Colorado Casing 9/16 x 2-1/4
123MUL NEW



#711 Casing 1/2 x 1-5/8
107MUL

Clamshell Casing 9/16 x 2
121MUL NEW

Clamshell Casing 9/16 x 2-1/4
105MUL

2 Round Edge Casing 5/8 x 2-1/4
120MUL

#356 Casing 5/8 x 2-1/4
152MUL

2-1/4˝ to 2-1/2˝ CASING

Lengths Available: 7´ & 17´



4-Flute & Reed Casing (Reversible) 9/16 x 2-1/4
158MUL-2



#366 Casing 5/8 x 2-1/4
162MUL NEW



#711 Casing 5/8 x 2-1/2
108MUL



Palisade Casing 11/16 x 2-7/16
132MUL



#275 Casing 11/16 x 2-7/16
167MUL



Howe Casing 11/16 x 2-7/16
178MUL

3-Step Casing 5/8 x 2-1/2
110MUL



Bel-Air Casing 11/16 x 2-1/2
128MUL



Bayport Casing 5/8 x 2-1/2
134MUL



Carmel Casing 5/8 x 2-1/2
137MUL

2-1/2″ to 2-3/4″ CASING

Lengths Available: 7′ & 17′



Cape Cod Casing 5/8 x 2-1/2
150MUL



Coronado Casing 1-1/4 x 2-1/2
157MUL



Hermosa Casing 1 x 2-1/2
159MUL

Bell Court Casing 1-1/4 x 2-1/2
164MUL



Crescent Casing 3/4 x 2-5/8
168MUL



Tudor Casing 11/16 x 2-1/2
169MUL



Malibu Casing 1 x 2-9/16
181MUL

2 Round Edge Casing 3/4 x 2-3/4
122MUL

2-7/8″ to 3-3/16″ CASING

Lengths Available: 7′ & 17′



Colonial Casing 11/16 x 2-7/8
119MUL



Colonial Casing 11/16 x 2-7/8
119MUL



Newport Casing 11/16 x 2-7/8
125MUL

New Hampshire Casing 5/8 x 3
127MUL



Colorado Casing 11/16 x 3
124MUL NEW

#275 Casing 11/16 x 3
165MUL

Intrada Casing 11/16 x 3
192MUL NEW



Hermosa Casing 1-3/16 x 3-3/16
160MUL

3-1/4˝ CASING

Lengths Available: 7´ & 17´



4-Flute Casing 9/16 x 3-1/4
(not reversible)
109MUL



Bel-Air Casing 3/4 x 3-1/4
129MUL



Palisade Casing 11/16 x 3-1/4
133MUL



Monterey Casing 11/16 x 3-1/4
135MUL



2 Round Edge Casing 9/16 x 3-1/4
139MUL-SC NEW 9/16 x 3-1/4

2 Round Edge Casing 11/16 x 3-1/4
139MUL



Cambridge Casing 11/16 x 3-1/4
161MUL



#366 Casing 5/8 x 3-1/4
163MUL NEW

3-1/4˝ CASING

Lengths Available: 7´ & 17´

Tudor Casing 1 x 3-1/4
170MUL



#365 / Moulded Casing 11/16 x 3-1/4
176MUL

Malibu Casing 1-3/16 x 3-3/8
180MUL



Crescent Casing (Scant) 11/16 x 3-1/2
126MUL-SC



#365 / Moulded Casing (Scant) 9 /16 x 3-1/4
176MUL-SC NEW



Chandler Casing 15/16 x 3-1/4
191MUL NEW

3-1/2″ CASING

Lengths Available: 7´ & 17´



Crescent Casing 1 x 3-1/2
126MUL



#275 Casing 1 x 3-1/2
166MUL

Savannah Casing 1-3/16 x 3-1/2
147MUL

Cape Cod Casing 11/16 x 3-1/2
155MUL

3-1/2″ to 4″ CASING

Lengths Available: 7′ & 17′



Crescent Casing 1-1/4 x 3-1/2
173MUL



Howe Casing 1-1/16 x 3-1/2
177MUL



Tuscany Casing 7/8 x 3-3/4
175MUL



Bullhead Casing 11/16 x 4
193MUL NEW

4-1/4˝ CASING

Lengths Available: 7´ & 17´



Tuscany Casing 7/8 x 4-1/4
140MUL



Monterey Casing 13/16 x 4-1/4
136MUL



Williamsburg Casing 1-3/16 x 4-1/4
143MUL

Malibu Casing 1-3/4 x 4-1/4
148MUL

4-1/4˝ to 5-1/2˝ CASING

Lengths Available: 7´ & 17´



Carolina Casing 1-1/4 x 4-1/4
185MUL

2 Round Edge Casing 3/4 x 4-1/2
145MUL



8 Flute & Reed Casing (Reversible) 9/16 x 5-1/2
171MUL

STOP

Lengths Available: 7´, 8´ & 16´

2 Round Edge Stop 3/8 x 1-1/4
202MUL

2 Round Edge Stop 1/2 x 1-3/8
203MUL

Ogee Stop 1/2 x 1-3/4
210MUL

HEADER & HEADER SKIRT

Lengths Available: 7´ & 17´

2 Eased Edge Header Skirt 11/16 x 1-1/4

970LDF

1 Round Edge Header 1 x 5-1/2

144MUL

2-1/4˝ to 2-1/2˝ BASE

Lengths Available: 16´

Streamline Base 3/8 x 2-1/4

304MUL

Reversible Base 3/8 x 2-1/4

M304LDF

#711 Base

310MUL 3/8 x 2-1/2

310LDF 7/16 x 2-1/2

#356 Base 1/2 x 2-1/2

319LDF

3˝ to 3-1/2˝ BASE

Lengths Available: 16´

#711 Base 1/2 x 3
311LDF-3 NEW

#623 Base
NEW **314MUL-3SC** 1/2 x 3-1/4
314MUL-3 9/16 x 3-1/4
314LDF 9/16 x 3-1/4

#356 Base 1/2 x 3-1/4
320MUL

Sonoma Base 9/16 x 3-1/4
361MUL-3 NEW

Sierra Base 9/16 x 3-1/4
351MUL

#366 Base 9/16 x 3-1/4
366LDF

Crescent Base 9/16 x 3-1/2
339MUL

#711 Base
311MUL 3/8 x 3-1/2
311LDF 7/16 x 3-1/2

3-1/2˝ BASE

Lengths Available: 16´

Monterey Base 7/16 x 3-1/2

335MUL

3-Step Base 1/2 x 3-1/2

322MUL

1 Round Edge Base 1/2 x 3-1/2

388MUL-3

Colonial Base 9/16 x 3-1/2

118MUL-3

3-1/2″ to 3-7/8″ BASE

Lengths Available: 16´

Bullnose Base 9/16 x 3-1/2

307MUL

#175 Base 9/16 x 3-1/2

325MUL-3

Hermosa Base 9/16 x 3-3/4

324MUL

Cape Cod Base 7/16 x 3-7/8

313MUL

3-7/8″ to 4-3/16″ BASE

Lengths Available: 16´

Newport Base 9/16 x 3-7/8
329MUL
329LDF

Cape Cod Base 9/16 x 4
318MUL

3-Step Base 1/2 x 4-1/8
321MUL

#711 Base 7/16 x 4-3/16
311LDF-4

4 -1/4″ to 4-1/2″ BASE

Lengths Available: 16´

Colonial Base 9/16 x 4-1/4
118MUL-4

#620 Base 9/16 x 4-1/4
314MUL-4



Crescent Base 9/16 x 4-1/4
326MUL

1 Round Edge Base 1/2 x 4-1/2
388MUL-4

4-1/2˝ BASE

Lengths Available: 16´

#175 Base 9/16 x 4-1/2
325MUL-4

New Hampshire Base 9/16 x 4-1/2
327MUL-4 NEW

#175 Base 9/16 x 4-1/2
338MUL-4

Sonoma Base 9/16 x 4-1/2
361MUL-4 NEW

4-1/2″ to 5″ CASING

Lengths Available: 16´

#412 Base 9/16 x 4-1/2
370MUL

Hermosa Base 9/16 x 5
323MUL

Newport Base 9/16 x 5
330MUL



Intrada Base 9/16 x 5
390MUL NEW

5-1/4˝ BASE

Lengths Available: 16´

Colonial Base 9/16 x 5-1/4

118MUL-5

#618 Base 9/16 x 5-1/4

315MUL

Crescent Base 9/16 x 5-1/4

317MUL

“B” Cape Cod Base 9/16 x 5-1/4

318BMUL

(items are approximate scale only)

5-1/4˝ BASE

Lengths Available: 16´

Cape Cod Base 9/16 x 5-1/4
318MUL-5

New Hampshire Base 9/16 x 5-1/4
327MUL-5 NEW

Colonial Base 9/16 x 5-1/4
328MUL

#175 Base 9/16 x 5-1/4
338MUL

5-1/4˝ BASE

Lengths Available: 16´

Monterey Base 9/16 x 5-1/4
341MUL

Harris Base 9/16 x 5-1/4
355MUL NEW

Sonoma Base 9/16 x 5-1/4
361MUL-5 NEW

#566 Base 9/16 x 5-1/4
368MUL

5-1/4˝ BASE

Lengths Available: 16´

Classic Base 9/16 x 5-1/4
377MUL



Lancaster Base 5/8 x 5-1/4
365MUL



1 Round Edge Base 1/2 x 5-1/2
388MUL-5

Bullnose Base 9/16 x 5-1/4
354MUL

5-3/4″ to 6″ BASE

Lengths Available: 16´

Crescent Base 9/16 x 5-3/4

332MUL

#175 Base 9/16 x 6

342MUL

Palisade Base 5/8 x 6

385MUL

Tuscany Base 11/16 x 6

375MUL

6-1/8˝ to 7-1/4˝ BASE

Lengths Available: 16´



Colonial Base 9/16 x 6-1/8
328MUL-6

Vermont Base *(Thin Version)* 9/16 x 6-1/2
334BMUL

Vermont Base 3/4 x 6-1/2
334MUL

Colonial Base 9/16 x 7-1/4
118MUL-7

7-1/4˝ BASE

Lengths Available: 16´

#613 Base 9/16 x 7-1/4
314MUL-7

Mission Bay Base 9/16 x 7-1/4
333MUL

Hermosa Base 9/16 x 7-1/4
340MUL

#175 Base 9/16 x 7-1/4
342MUL-7

7-1/4˝ BASE

Lengths Available: 16´

Laguna Base 9/16 x 7-1/4
343MUL

Crescent Base 9/16 x 7-1/4
345MUL

Bullnose Base 9/16 x 7-1/4
358MUL

Sonoma Base 9/16 x 7-1/4
386MUL

7-1/4″ to 8″ BASE

Lengths Available: 16´

Classic Base 3/4 x 7-1/4
376MUL

Savannah Base 1 x 7-3/8
379MUL

Newport Base 9/16 x 8
331MUL

8-1/4˝ to 9-1/4˝ BASE



#175 Base 5/8 x 8-1/4
357MUL

Savannah Base 1 x 8-1/2
380MUL

Camden Base 1 x 8-1/2
381MUL

(items are approximate scale only)

Williamsburg Base 1 x 8-1/2
382MUL

Sonoma Base 9/16 x 9-1/4
383MUL

#175 Base 9/16 x 9-1/4
384MUL

1-1/2″ to 2-5/8″ CROWN & CORNICE

Lengths Available: 16´



Pediment Crown 1-1/4 x 1-1/2
438MUL

Bed Mold 9/16 x 1-7/8
420MUL

Corner Mold 1 x 1-7/8
419MUL



Craftsman Crown 9/16 x 2-3/8
460MUL-2

Bed Mold 9/16 x 2-1/2
402MUL



Colonial Crown 9/16 x 2-5/8
401MUL

2-3/4˝ to 3-3/8˝ CROWN & CORNICE

Lengths Available: 16´

Classic Pediment 1-3/8 x 2-3/4
440MUL

Pediment Crown 1-1/4 x 3
439MUL

Colonial Crown 9/16 x 3-1/4
405MUL



Carolina Crown 3/4 x 3-3/8
421MUL

3-7/16″ to 4-3/16″ CROWN & CORNICE

Lengths Available: 16´

Georgian Crown 9/16 x 3-7/16
426MUL

Cornice 1-1/4 x 3-3/4
411MUL



Dentil 5/8 x 1/2
DE73P

Dentil Ready Crown 3/4 x 3-3/4
425MUL-3



Tempe Crown 11/16 x 4-3/16
467MUL NEW

4-1/4˝ to 4-1/2˝ CROWN & CORNICE

Lengths Available: 16´



Colonial Crown 9/16 x 4-1/4

406MUL



Small #410 Crown 9/16 x 4-1/4

413MUL
413LDF

Cornice 1-1/8 x 4-1/4

407MUL

Cornice 3/4 x 4-1/2

409MUL

4-1/2″ to 4-5/8″ CROWN & CORNICE

Lengths Available: 16´



Georgian Crown 9/16 x 4-1/2
412MUL



Savannah Crown 9/16 x 4-1/2
422MUL



Carolina Crown
423LDF 11/16 x 4-5/8
423MUL 7/8 x 4-5/8



Single Bead Crown 1 x 4-1/2
430MUL

4-5/8″ to 4-11/16″ CROWN & CORNICE

Lengths Available: 16´

Cornice 7/8 x 4-5/8
408MUL-4

Craftsman Crown 11/16 x 4-5/8
460MUL-4

Scottsdale Crown 3/4 x 4-11/16
469MUL NEW

4-15/16″ to 5-1/16″ CROWN & CORNICE

Lengths Available: 16´

King George Crown 3/16 x 4-15/16
465MUL-5 NEW

Charleston Crown 11/16 x 5
410MUL-5 NEW

Dentil Crown 11/16 x 5-1/16
455LDF

5-1/4″ to 5-1/2″ CROWN & CORNICE

Lengths Available: 16´



Craftsman Crown 11/16 x 5-1/4
460MUL-5

Colonial Crown 9/16 x 5-1/4
414MUL



Dentil 5/8 x 1/2
DE74P

Dentil Ready Crown 13/16 x 5-1/2
425MUL-5

5-5/8″ to 5-7/8″ CROWN & CORNICE

Lengths Available: 16´

Contemporary Crown 1-1/4 x 5-5/8
444MUL

Crown
410MUL 11/16 x 5-7/8
410LDF 11/16 x 6

6˝ CROWN & CORNICE

Lengths Available: 16´

Cornice 15/16 x 6

408MUL

La Costa Crown 1-1/8 x 6

453MUL

6-1/4˝ to 6-1/2˝ CROWN & CORNICE

Lengths Available: 16´

Regal Crown 1-1/8 x 6-1/4
435MUL

Carolina Crown 1 x 6-1/2
424MUL

6-1/2˝ CROWN & CORNICE

Lengths Available: 16´



Georgian Crown 3/4 x 6-1/2
427MUL

Colonial Crown 9/16 x 6-1/2
416MUL

6-9/16″ to 6-3/4″ CROWN & CORNICE

Lengths Available: 16´

Single Bead Crown 7/8 x 6-9/16
431MUL



Del Mar Crown 1 x 6-3/4
433MUL

7″ to 7-1/4″ CROWN & CORNICE

Lengths Available: 16´



Classic Crown 11/16 x 7
415MUL



Colonial Crown 9/16 x 7-1/4
417MUL

7-1/4˝ CROWN & CORNICE

Lengths Available: 16´



Contemporary Crown 1-1/4 x 7-1/4

445MUL

King George Crown 1-1/4 x 7-1/4

465LDF-7 NEW

8˝ CROWN & CORNICE

Lengths Available: 16´

Georgian Crown 1-1/16 x 8
428MUL



Large #410 Crown 1 x 8
450MUL

8-1/2″ CROWN & CORNICE

Lengths Available: 16´

Corona Crown 1-1/8 x 8-1/2
432MUL

8-1/2″ to 8-7/8″ CROWN & CORNICE

Lengths Available: 16´

Del Mar Crown 1-1/8 x 8-1/2
454MUL



Colonial Crown 11/16 x 8-7/8
449MUL

11-1/4˝ CROWN & CORNICE

Lengths Available: 16´



Georgian Crown 1 x 11-1/4
429MUL

CHAIR RAIL

Lengths Available: 16´

Chair Rail 9/16 x 2-1/2
651MUL

Colonial Chair Rail 9/16 x 2-5/8
655MUL

Bead & Barrel Chair Rail 11/16 x 3
649MUL

Colonial Chair Rail 11/16 x 3
653MUL

Bolection Chair Rail 1 x 3
648MUL

Malibu Chair Rail 1 x 3-1/2
647MUL

PANEL CAP

Lengths Available: 16´



Raised Panel Cap
(w/11/16" Rab't) 1-1/8 x 1-1/4
739MUL

Wainscotting Cap
(w/5/16" x 5/8" Rab't) 1-1/8 x 1-3/4
738MUL

Wainscotting Cap
(w/1/2" x 9/16" Rab't) 3/4 x 2
737MUL

Panel Mold
(w/3/4" Rab't) 1-1/4 x 2
733MUL

Wainscot Cap
(w/3/8" Rab't) 9/16 x 2-1/4
729LDF

Panel Cap
(w/3/8" Rab't) 1 x 2-1/2
734MUL

T&G WAINSCOT & WAINSCOT BASE

Lengths Available: 7´ & 17´

T&G Wainscot Base 1/2 x 5
736MUL

T&G Wainscot Base 1/2 x 3-1/4
735MUL

Beaded T&G Wainscot

2000LDF	3/8 x 3-1/4
2002LDF	3/8 x 5-1/2

Flat T&G Wainscot

2001LDF	3/8 x 3-1/4
2003LDF	3/8 x 5-1/2

Beaded T&G Wainscot 1/4 x 7
2005MUL

ASTRAGAL

Lengths Available: 7´, 8´ & 16´

Flat Astragal 11/16 x 1-5/8
660MUL

CLEAT

Lengths Available: 16´

1 Eased Edge Unprimed Cleat 9/16 x 1-1/2
10FB Fiberboard

HOOK

Lengths Available: 16´

1 Eased Edge Milled Hook 9/16 x 3-1/4
15FB Fiberboard

Melamine Hook 5/8 x 3-1/4
MLH Melamine

ROUND CORNER

Lengths Available: 8´

Round Corner w/ 3/4" Radius 3/4 x 1-13/16
8PBMDF Particle Board

WALL CAP

Lengths Available: 16´

Primed Eased 2 Edge Wall Cap

1098LDF	11/16 x 1-1/2	**1104LDF**	1-1/4 x 7-1/4
1099LDF	11/16 x 2-1/2	**1106LDF**	11/16 x 11-1/4
1100LDF	11/16 x 3-1/2	**1107LDF**	1-1/4 x 11-1/4
1101LDF	11/16 x 5-1/2	**1108LDF**	1-1/16 x 3-1/2
1102LDF	1-1/4 x 5-1/4	**1109LDF**	11/16 x 1-1/2
1103LDF	11/16 x 7-1/4	**1110LDF**	11/16 x 2-1/2

INTERIOR S4S

Lengths Available: 16´

Interior S4S Boards

713LDF	11/16 x 1-1/2	**750LDF**	11/16 x 5-1/2
714LDF	11/16 x 2-1/2	**751LDF**	11/16 x 7-1/4
715LDF	11/16 x 3-1/2	**753LDF**	11/16 x 11-1/4

STOOL

Lengths Available: 16´

Beveled Stool

986LDF	11/16 x 4-3/4	**987LDF**	11/16 x 6-3/4

Thick Beveled Stool Unprimed

988LDF	11/16 x 4-3/4	**989LDF**	11/16 x 6-3/4

Raw Ogee Stool

990LDF	11/16 x 4-3/4	**991LDF**	11/16 x 6-3/4

SHELVING

Lengths Available: 16´

Bullnose Shelving

Unprimed MDF		Particle Board	
11MDF-BN	11/16 x 11-1/4	**11PB**	5/8 x 11-1/4
12MDF-BN	11/16 x 15-1/4	**12PB**	5/8 x 15-1/4
		13PB	5/8 x 23-1/4
		16PB	3/4 x 11-1/4
		17PB	3/4 x 15-1/4
		18PB	3/4 x 23-1/4

2 Eased Edge Shelving

Unprimed MDF	
11MDF	11/16 x 11-1/4
12MDF	11/16 x 15-1/4

Square Edge Shelving

Unprimed MDF	
13MDF	11/16 x 23-1/4

MELAMINE SHELVING

Melamine Shelving

MS1	5/8 x 11-1/4	
MS2	5/8 x 15-1/4	
MS3	5/8 x 23-1/4	
MS4	3/4 x 11-1/4	*[Available Lengths: 8', 12']*
MS5	3/4 x 15-1/4	*[Available Lengths: 8', 12']*
MS6	3/4 x 23-1/4	*[Available Lengths: 8', 12']*



Melamine Pre-Drilled Dividers

All dividers come pre-drilled, all the way through. Holes are 3/16" diameter (±1/16") and spaced 1-1/4" apart.

MD1	5/8 x 11-1/2	*2 sets of Holes*
MD2	5/8 x 15-1/2	*2 sets of Holes*
MD3	5/8 x 23-1/2	*3 sets of Holes*
MD4	3/4 x 11-1/2	*2 sets of Holes*
MD5	3/4 x 15-1/2	*2 sets of Holes*
MD6	3/4 x 23-1/2	*3 sets of Holes*



INTERIOR DOOR JAMB

Interior Door Jamb
Kerfing for bullnose is available on all jamb sizes and species. Custom size odd wall widths available upon request.

Specifications:
11/16" Thick
6/8 = 81" Below Dado
8/0 = 97" Below Dado

- Lineal - 17' = MDF, FJ Pine & Oak Veneer
- Solid Pine jambs may have a glue line where door stop is applied.
- Random Lengths only available in most solid wood species
- Dado depth = 3/8"
- Heads cut 3/4 over opening
- 5 pair per bundle

SIZE	6/8	8/0	17' LINEAL
4-9/16	**4916MI6**	**4916MI8**	**4916MIL**
4-3/4	**434MI6**	**434MI8**	**434MIL**
5-1/4	**514MI6**	**514MI8**	**514MIL**
6-9/16	**6916MI6**	**6916MI8**	**6916MIL**
7-1/4	**714MI6**	**714MI8**	**714MIL**

BUILD-UPS

Build-ups allow you to combine multiple moulding profiles to produce customized looks that are easy to create, without the expense of a custom milling solution.

Build-up combinations for ceiling, door, and floor applications can consist of a wide variety of arrangements. By using different combinations of Crown, Base, Casing, S4S, Chair Rail, and Panel Mold, you can make a more impressive statement with your moulding choices.



713LDF, E502, PR163A



158MUL-2, E604, 361P

BUILD-UPS



314MUL, E308



E614, 715LDF, PR300A

BUILD-UPS



433MUL, 326MUL



324MUL, 423MUL

IDEAS

VG **Doug Fir** & **Redwood**

STRONG AND DURABLE INSIDE AND OUT

Inside

Astragal 185
Base 182
Brick Mold 188
Casing 181
Crown 183-184
Cove 184
Door Stop 181
Exterior Mold 189
Full Round 183
Handrail 186-187
Panel Cap 181
Quarter Round 183
Redwood Exterior Mold 181
Redwood Lattice 191
Redwood Sill 191
Redwood Water Table 184
S4S (Unprimed) 187
T&G Wainscot 184

VG **Doug Fir** & **Redwood**

STRONG AND DURABLE INSIDE AND OUT

Vertical Grain Douglas Fir (denoted by a VG in the part number), as its name implies, features a vertical (up and down) grain pattern, giving it more consistent coloration and increased stability and durability. The vertical grain helps the wood to expand and contract evenly throughout the board in response to natural moisture in the air.

Handrails and Full Round are made of mixed grain Douglas Fir which include some vertical grains, but will also have swirl in the grain.

Douglas Fir, considered part of the softwood family, has long been used as a closet pole because of it's extreme strength. VG or Douglas Fir can be painted or stained beautifully.

Redwood's rot resistant properties lend itself to exterior applications such as Brick, Stucco, and Siding Molds, as well as, Window Sills and Watertable, and Exterior Lattice work.

Durable and resistant to certain wood eating mites, Redwood is usually milled "green", which means a high moisture content. This often causes a darkening of the Redwood, in time, even blackening. It is important to paint or stain Redwood to keep a good appearance.

STRONG AND DURABLE

STAINS BEAUTIFULLY

RICH VISUAL QUALITY

CASING

Lengths Available: 5´ thru 16´

2 Round Edge Casing 9/16 x 2-1/4
120VG



#356 Casing 11/16 x 2-1/4
152VG



#711 Casing 5/8 x 2-1/2
108VG



#365 / Moulded Casing 5/8 x 3-1/4
176VG

2 Round Edge Casing 11/16 x 3-1/2
139VG

PANEL CAP

Lengths Available: 5´ thru 20´



Panel Cap
(for 3/8" Wainscot) 11/16 x 2-1/8
620VG



Craftsman Cap
(for 9/16" Wainscot) 1 x 1-3/8
623VG

STOP

Lengths Available: 3´ thru 16´

1 Round Edge Stop 1/2 x 1-1/2
209VG

BASE & BASE SHOE

Lengths Available: 5´ thru 16´



Base Shoe 7/16 x 11/16
300BVG



Reversible Base 3/8 x 2-1/4
R304VG-2



#711 Base 1/2 x 2-1/2
310VG



1 Round Edge Base 1/2 x 5-1/2
388VG



Coronado Base 9/16 x 3-1/4
314VG-3



Reversible Base 1/2 x 3-1/4
R306VG-3



#711 Base 1/2 x 3-1/2
311VG

4-3/4″ to 5-1/4″ CROWN

Lengths Available: 5′ thru 16′



Imperial Crown 11/16 x 4-3/4
CR810P



Craftsman Crown 11/16 x 4-5/8
460VG



Colonial Crown 5/8 x 5-1/4
414VG

7-1/4˝ CROWN

Lengths Available: 5´ thru 16´



Tahoe Crown 1 x 7-1/4
462VG

BEAD & COVE

Lengths Available: 5´ thru 20´

Ovolo Sticking 3/8 x 3/8
599VG



Cove 11/16 x 11/16
523VG

T&G WAINSCOT

Lengths Available: 5´ thru 16´



Reversible Beaded T&G Wainscot (Reversible) 3/8 x 3-1/4
2000VG



Reversible Beaded T&G Wainscot (Reversible) 9/16 x 5-3/8
2003VG

ASTRAGAL



Flat Astragal
[Lengths Available: 7' and 8'] 3/4 x 1-5/8
660VG



T-Astragal for 1-3/4" Doors
[Lengths Available: 7', 8', or 12' only] 1-1/4 x 2-1/4
661VG



T-Astragal for 1-3/8" Doors
[Lengths Available: 7' and 8'] 1-1/4 x 2
662VG



T-Astragal w/ Weatherstrip Kerf for 1-3/4" Doors
(Q-Lon® weatherstrip not included)
[Lengths Available: 7', 8', 10', and 12' only] 1-1/2 x 2-7/8
663VG



T-Astragal w/ Weatherstrip Kerf for 2-1/4" Doors
(Q-Lon® weatherstrip not included)
[Lengths Available: 10' and 12' only] 1-1/2 x 3-3/8
664VG

Q-Lon® for T-Astragal	
TQ7B	81" Brown
TQ7W	81" White
TQ8B	97" Brown
TQ8W	97" White

HANDRAIL

Lengths Available: 5´ thru 20´



Small Handrail 1-1/2 x 1-7/8
926



Small Handrail
w/ 1/4" x 1-1/4" Plow 1-1/2 x 1-7/8
926



Small 6010 Handrail 1-1/2 x 1-7/8
932



Small 6010 Handrail
w/ 1/4" x 1-1/8" Plow 1-1/2 x 1-7/8
932-P



Oval Handrail 1-1/2 x 2-1/4
926



Oval Handrail
w/ 1/4" x 1-1/8" Plow 1-1/2 x 2-1/4
927P

HANDRAIL

Lengths Available: 5´ thru 20´



“B” Handrail 1-1/2 x 2-1/2
928



“B” Handrail
w/1/4” x 1-1/4” Plow 1-1/2 x 2-1/2
928P



Standard Handrail 1-1/2 x 2-1/2
925



Standard Handrail
w/1/4” x 1-1/4” Plow 1-1/2 x 2-1/2
925P

INTERIOR S4S BOARDS

Lengths Available: 5´ thru 20´

S4S (Unprimed)

715VG	3/4 x 3-1/2
750VG	3/4 x 5-1/2
751VG	3/4 x 7-1/4
752VG	3/4 x 9-1/4 **(1x10)**
753VG	3/4 x 11-1/4

VG FIR EXTERIOR MOLD

Lengths Available: 6´ thru 20´



Stucco Mold 7/8 x 1-1/4
953VG VG Fir



180 Eastern Brick Mold 1-1/4 x 2
612AVG



180 Eastern Brick Mold w/ Stucco Key 1-1/4 x 2
612BVG

QUARTER & FULL ROUNDS

Lengths Available: 6´ thru 20´



Quarter Round

504VG	11/16 x 11/16	



Full Round

806	1/2	**803**	1-3/8
800	3/4	**804**	1-5/8
801	1	**805**	1-7/8
802	1-1/4		

DOOR JAMBS & FRAMES

Interior Door Jamb
Kerfing for bullnose is available on all jamb sizes and species. Custom size odd wall widths available upon request.

Specifications:
11/16" Thick
6/8 = 81" Below Dado
8/0 = 97" Below Dado

- Lineal = 17'
- Dado depth = 3/8"
- Heads cut 3/4 over opening
- 5 pair per bundle

SIZE	SPECIES	6/8	8/0	RANDOM LINEAL
3-9/16	VG Fir	**3916FI6**	**3916FI8**	**3916FIL**
4-9/16	VG Fir	**4916FI6**	**4916FI8**	**4916FIL**
4-11/16	VG Fir	**434FI6**	**434FI8**	**434FIL**
5-1/4	VG Fir	**514FI6**	**514FI8**	**514FIL**
7-1/4	VG Fir	**714FI6**	**714FI8**	**714FIL**
11-1/4	VG Fir	**1114FI6**	**1114FI8**	**1114FIL**

DOOR JAMBS & FRAMES



Standard Exterior Door Frame for 1-3/4" Doors

No kerf | With 1/2" x 1-13/16" Door Rab't

Specifications:
1-3/4" doors only
6/8 = 82-1/2" Below Dado
8/0 = 98-1/2" Below Dado

- No screen rab't
- Single end dado (except on lineal)
- 3 pairs per bundle
- Kerfing for Bullnose is available
- Custom widths available

SIZE	SPECIES	6/8	8/0	RANDOM LINEAL
4-1/8	Fir	**418F6**	**418F8**	**418FL**
4-1/2	Fir	**412F6**	**412F8**	**412FL**
4-3/4	Fir	**434FE6**	**434FE8**	**434FEL**
5-1/4	Fir	**514FE6**	**514FE8**	**514FEL**
	Veneer VG Fir	**—**	**—**	**514FELSV**
6-1/8	Fir	**618F6**	**618F8**	**618FL**
7-1/4	Fir	**714FE6**	**714FE8**	**714FEL**



Kerfed Exterior Door Frame for 1-3/4" Doors

for 1/2" x 2-1/8" Door Rab't

Specifications:
1-3/4˝ doors only
Jamb Thickness = 1-1/4˝
6/8 = 82-1/2˝ Below Dado
8/0 = 98-1/2˝ Below Dado

- No screen rab't
- Single end dado (except on lineal)
- 3 pairs per bundle
- Kerfing for Bullnose is available
- Custom widths available

SIZE	SPECIES	6/8	8/0	RANDOM LINEAL
4-1/8	Fir	**418WF6**	**418WF8**	**418WFL**
4-5/8	Fir	**458WF6**	**458WF8**	**458WFL**
	Veneer VG Fir	**–**	**458WF8SV**	**–**
5-1/4	Fir	**514WF6**	**514WF8**	**514WFL**
	VG Fir	**514WF6-VG**	**514WF8-VG**	**–**
	Veneer VG Fir	**–**	**514WF8SV**	**514WFLSV**
6-1/8	Fir	**618WF6**	**618WF8**	**618WFL**
6-9/16	VG Fir	**6916WF6-VG**	**6916WF8-VG**	**–**
6-5/8	Fir	**658WF6**	**–**	**–**
	Veneer VG Fir	**–**	**658WF8SV**	**–**
7-1/4	Fir	**714WF6**	**714WF8**	**714WFL**
	VG Fir	**–**	**714WF8-VG**	**–**
	Veneer VG Fir	**714WF6SV**	**714WF8SV**	**–**

REDWOOD EXTERIOR MOLD

Lengths Available: 6´ thru 20´



Corrugated Wiggle Mold 3/4 x 1-5/8
[Lengths Available: 8' only]
828



Crest 3/4 x 1-1/16
[Lengths Available: 8' only]
829



Brick Mold 1-3/8 x 1-3/8
824



Siding 7/8 x 1-5/8
825



Large Stucco Mold 3/4 x 1-1/4
826



Stucco Mold 3/4 x 1-1/4
953AR



Large Stucco Mold 7/8 x 1-1/2
826A



Water Table w/ Lip 1-3/8 x 2
827W



Water Table w/o Lip 1-7/16 x 2
827

REDWOOD SILL

Lengths Available: 6´ thru 20´

Redwood Sill	1-3/8 x 7-1/4
8RS	

Redwood Sill (Reversible)	
8RS	1-3/8 x 7-1/4
10RS	1-3/8 x 9-1/4

REDWOOD LATTICE

Lengths Available: 6´ thru 20´

Redwood Lattice	
820	1/4 x 1-1/4
821	1/4 x 1-5/8
822	1/4 x 2-1/2
823	1/4 x 3-1/2
830	1/4 x 5-1/2

IDEAS

Bodyguard & Protected Trimboard

Inside

Base Cap....195
Bead & Nose Coving....195
Brick Mold....197
Casing....195
Cove....196
Crown....196
Exterior Molds....197
Extira Shutterboard....201
Miratec Treated Trim....202
Outside Corner Guard....195
S4S....200
Siding....199
Sill....198
Stucco Mold....197
T&G Wainscot....197
Water Table....198

Bodyguard & Protected Trimboard

Protected Trimboard

Sustainable — Bodyguard wood products come from the well-managed pine plantation forests in clean, green New Zealand.

Protected — The unique pressure treatment achieves total “active penetration” protection of the wood. The addition of waxes and resins boosts its water protection properties. The active ingredients used in this treatment process (known as Light Organic Solvent-borne Preservatives (LOSP´s) do not dissolve in water and will not be removed through leaching.

Environmentally Friendly and Safe — The Bodyguard preservative system is based on carbon based biocides and is registered in the United States of America by the EPA. As Bodyguard is real wood and contains no hazardous additives it is safe to work with, just follow normal workplace safety practices for handling wood products.

Defect Free — Bodyguard is a natural wood product manufactured from kiln - dried timber. All defects such as knots and resin pockets are removed prior to finger-jointing.

Termite Resistant — One of the active protective ingredients in Bodyguard is Permethrin, a food-crop protection product, effective against all known species of termite.

California Fire Approval — Bodyguard has had Siding & T&G profiles successfully tested by Western Fire Center Inc., to California State Fire Marshall Regulations.

Easy To Use — No special tools, cutting equipment or fixing methods are required with Bodyguard.

Paint-Ready — The machined finish of Bodyguard is enhanced by a two-coat alkyd primer system and comes with a performance warranty. A good-quality acrylic paint system applied to the manufacturer’s specification will finish the appearance and protection of Bodyguard perfectly.

Suitable For Use Inside and Outside — Bodyguard is safe for interior and exterior above ground use. We recommend application of finishing coats as soon as practicable after installation. Make sure your Bodyguard product is dry before painting.

Non-Corrosive — As the protection system´s (LOSP’s) do not contain any corrosive heavy metals and will not cause corrosion to nails and other fastening systems. Durable fasteners are recommended as good building practice for exterior applications.

REAL WOOD

30 Year Warranty — A 30-year limited warranty is provided on all Bodyguard products against termite attack, rot or fungal decay.

BODYGUARD DECORATIVE MOULDING

Lengths Available: 6´ thru 16´



Carolina Casing 11/16 x 3-1/4
388 Bodyguard



Howe Casing 1-1/16 x 3-1/4
387 Bodyguard

Architrave 1-13/16 x 4-1/4
1400 Bodyguard



Outside Corner 1-3/8 x 1-3/8
604 Bodyguard



Base Cap 1/2 x 3/4
224 Bodyguard



Cove 11/16 x 11/16
606 Bodyguard



Bead & Nose Coving 1/4 x 1-3/4
024 Bodyguard



Quarter Round 11/16 x 11/16
614 Bodyguard

BODYGUARD CROWN & GUTTER MOLD

Lengths Available: 6´ thru 16´



Colonial Crown 5/8 x 3-5/8
286 Bodyguard



Bed Cove 3/4 x 4-5/16
639 Bodyguard



Pediment Crown 1-1/4 x 1-1/2
607 Bodyguard



Gutter Mold 1-3/8 x 3-5/16
638 Bodyguard

BODYGUARD EXTERIOR MOLD / T&G WAINSCOT

Lengths Available: 6´ thru 16´

Shingle Mold 11/16 x 1-5/8
616 Bodyguard



Brick Mold
[Lengths Available: 17'] 1-1/4 x 1-1/2
619 Bodyguard



Brick Mold
[Lengths Available: 17'] 1-1/4 x 2
381 Bodyguard



Stucco Mold 13/16 x 1-1/2
618 Bodyguard



Step Stucco Mold 15/16 x 1-15/16
627 Bodyguard



Protected Stucco Mold *[Lengths Available: 17']* 1-1/4 x 2
381K Bodyguard



Stucco Mold 1 x 2-5/8
629 Bodyguard

Beaded T&G Wainscot 5/8 x 4
801BG Bodyguard



Beaded T&G Wainscot 1 x 6
802BG Bodyguard

(items are approximate scale only)

BODYGUARD WATER TABLE & SILL

Lengths Available: 6´ thru 16´



Water Table 1-7/16 x 2-1/16
630 Bodyguard

Water Table 1-7/16 x 3-1/4
634 Bodyguard



Reversible Sill
[Lengths Available: 17'] 2 x 8
640 Bodyguard

Detailed Sill *[Lengths Available: 17']* 2 x 8
642 Bodyguard

BODYGUARD SIDING

Lengths Available: 6´ thru 16´



Rab't Smooth Face Siding R/S Back Siding

371	3/4x6
372	3/4x8



Cove Siding

771	1x8 *[Available in 16´ only]*
772	1x10



Bevel Channel Siding

774	1x8
773	1x10



V-Rustic Siding

793	1x6
794	1x8
795	1x10

Lap Siding

430	1x6
432	1x8
433	1x10

BODYGUARD TRIMBOARD

Lengths Available: 16´ & 20´

REAL WOOD 30YR WARRANTY

All Bodyguard products are FSC® Certified and warrantied for 30 years. QR code for more info:

Bodyguard® Protected S1S2E Trimboards

Interior/Exterior Primed FJ Pine

EL&EL NUMBER	BODYGUARD NUMBER	SIZE
1X2S1S	710	3/4 x 1-1/2
1X3S1S	711	3/4 x 2-1/2
1X4S1S	712	3/4 x 3-1/2
1X6S1S	714	3/4 x 5-1/2
1X8S1S	716	3/4 x 7-1/4
1X10S1S	718	3/4 x 9-1/4
1X12S1S	720	3/4 x 11-1/4
5/4X4S1S	723*	1-1/16 x 3-1/2
5/4X6S1S	724*	1-1/16 x 5-1/2
5/4X8S1S	725	1-1/16 x 7-1/4
2X2S1S	722	1-7/16 x 1-1/2
2X4S1S	713	1-7/16 x 3-1/2
2X6S1S	715	1-7/16 x 5-1/2
2X8S1S	717	1-7/16 x 7-1/4
2X10S1S	719	1-7/16 x 9-1/8
2X12S1S	721	1-7/16 x 11-1/8

YOUR CHOICE:
4 Reversible S1S, 4 1-Side Rough Sewn & 4 1-Side Smooth
** Available in 16´ only*

EXTIRA TREATED SHUTTER BOARD



Extira Shutter Board 1/2" X 7-5/8" X 8'
1X8EXT Extira

- Extira Composite Louvered Shutter Board is a great accent complementing the Exterior of your home.
- Shutter Board Panels are routed from a solid piece of composite.
- Resists moisture, rot, and termites
- Can be used for any non-structural paint-grade application, including exterior millwork, door and window parts, signage, garage doors; and architectural components.
- Extira panels also work well in high moisture interior applications such as bathrooms, medical installations, laboratories, countertop underlayment, and casework

(items are approximate scale only)

MIRATEC TREATED EXTERIOR COMPOSITE TRIM

Length Available: 16´ only



Miratec Treated Exterior Composite Trim

Part #	Nominal Size	Actual Size	Length
5/8X3MT	5/8 x 3"	5/8" x 2-5/8"	16’
5/8X4MT	5/8 x 4"	5/8" x 3-1/2	16’
5/8X6MT	5/8 x 6"	5/8" x 5-1/2"	16’
5/8X8MT	5/8 x 8"	5/8" x 7-1/4"	16’
5/8X10MT	5/8 x 10"	5/8" x 9-1/4"	16’
5/8X12MT	5/8 x 12"	5/8" x 11-1/4"	16’
4/4X3MT	4/4 x 3"	3/4" x 2-3/4"	16’
4/4X4MT	4/4 x 4"	3/4" x 3-1/2	16’
4/4X6MT	4/4 x 6"	3/4" x 5-1/2"	16’
4/4X8MT	4/4 x 8"	3/4" x 7-1/4"	16’
4/4X10MT	4/4 x 10"	3/4" x 9-1/4"	16’
4/4X12MT	4/4 x 12"	3/4" x 11-1/4"	16’
5/4X3MT	5/4 x 3"	1" x 2-3/4"	16’
5/4X4MT	5/4 x 4"	1" x 3-1/2"	16’
5/4X6MT	5/4 x 6"	1" x 5-1/2"	16’
5/4X8MT	5/4 x 8"	1" x 7-1/4"	16’
5/4X10MT	5/4 x 10"	1" x 9-1/4"	16’
5/4X12MT	5/4 x 12"	1" x 11-1/4"	16’

- Resists moisture, rot and termites
- Reversible with a clear, cedar wood grain texture on one side and a smooth surface on the other
- Handles like wood: easy to machine, cut, and nail.
- Won’t check, split, or crack
- TEC™ patented process makes MiraTEC a solid board that has uniform properties throughout
- Primed with an ultra-low VOC primer containing a mildewcide

A LITTLE PIECE OF HISTORY

Our company was founded in 1967 by Mr. Lindy and Mr. Lynch (hence the name L & L). Unfortunately, another company already had the L & L name, so over a few good laughs, Mr. Lindy and Mr. Lynch figured they could “beat the system” by adding an ‘E’ in front of each ‘L.’ The name EL & EL was born. Within a few months, Robert Ward joined EL & EL and eventually purchased the company from Mr. Lindy and Mr. Lynch. Today, the family of Mr. Ward remains the current owner and operator of EL & EL Wood Products Corporation. Robert didn’t just build a company, he created one big happy family. Now you’re part of the story too.

Thank you for your interest in EL & EL Wood Products

Since 1967, it has been our pleasure to support you in your endeavor to help contractors, buiders, and homeowners bring their amazing projects to life. We at EL & EL are committed to innovative thinking and processes that deliver a comprehensive product offering, backed by the best people in the industry. Guaranteed.

Please visit our website **ELandELWoodProducts.com** to find one of our many dealers near you.

EL & EL Wood Products

Millwork that creates distinction.™

ELandELWoodProducts.com

© 2015 EL & EL Wood Products Corporation
15071301