

OXWORKS™

COLORBOND® STEEL FENCING

Colorbond®

WHY COLOURSMART COLORBOND FENCING?

Oxworks' Coloursmart Colorbond® Steel Fencing's clever design makes it easy to install and adds functionality and modern style to any home. You can relax, entertain and showcase your outdoor living areas with a huge range of colours and unique fencing solutions.

Colorbond®

Oxworks' Colorbond® Steel Privacy Fencing is **rolled In-House** using only genuine Bluescope COLORBOND® Steel.



Oxworks' Coloursmart Colorbond® Steel Privacy Fencing comes with a **10 Year Warranty**, backed by Bluescope Steel.



22 MODERN COLOURS

We carry the **full range** of Colorbond Fencing Colours with **8 exciting new colours** available in stock for same day pick up.

Built To Last

Coloursmart Colorbond® Steel Fencing won't warp, twist, rot or split like timber fencing

Huge Range - In Stock

Oxworks stock a **full range** of Coloursmart Panels, Gates, Posts and Accessories

Australian Made

Our Colorbond® Fencing is made in Australia, **to Australian Standards** for Australian Conditions



Suitable Usage

- Boundary Fencing
- Side-of-House Security
- Creates great privacy
- Pool Fencing
Coloursmart can be used as pool fencing but MUST be installed in conjunction with pool regulations to comply with Australian Standard AS1926.1
- Bin Enclosures
- Lockable Storage



Tools Required

- Tape Measure
- Stringline
- Shovel/Post Hole Shovel
- Cordless Battery Drill
- Hex Head Drill Bit (5/16)
- Spirit Level
- Tin Snips or Nibbler
Used to trim down in-fill sheets
- Concrete Mix



Handy Hints

- Contact your local Government Authority before deciding on your fencing requirements
- Check for all underground services! Simply Dial **1100** to find out more.
- Allow at least 24 hours to ensure your posts are fully set in concrete before installing In Fill sheets & gates
- Posts and panels can be easily cut down to fit non standard spacings
- Remove all metal filings & concrete splatter after installation to avoid damaging your new fence



Panel Details

PANEL WIDTHS:
2400mm; 3180mm

GATE WIDTHS:
930mm; 1720mm


PANEL & GATE HEIGHTS:
1200mm; 1500mm; 1800mm; 2100mm



Coloursmart In Fill Sheet Profiles

ZigZag Profile


0.35M BMT
Base Metal Thickness



Our unique Zigzag Profile ensures your fence looks great from both sides.

Trimline Profile


0.35M BMT
Base Metal Thickness




We are now rolling the traditional Colorbond® Steel Fencing profile.



Universal Posts & Rails



POST PROFILE
0.8MM BMT
(Base Metal Thickness)




RAIL PROFILE
0.8MM BMT
(Base Metal Thickness)

Our unique post and rail system is designed to work seamlessly with all of our sheet profiles, ensuring a hassle free install experience.


1300 336 237

OXWORKS.COM.AU


▶ COLOURSMART ZIGZAG PANEL & GATE COMPONENTS




| 2400MM PANEL: | 3180MM PANEL: | 930MM GATE: | 1720MM GATE: |
|---|---|--|--|
| 3 x ZigZag Infill Sheets 2 x C/Smart Posts 2 x C/Smart Rails @ 2400mm 16 x 10-16*16 Tek Screws | 4 x ZigZag Infill Sheets 2 x C/Smart Posts 2 x C/Smart Rails @ 3180mm 16 x 10-16*16 Tek Screws | 1 x ZigZag Infill Sheets 2 x C/Smart Gate Stiles 2 x C/Smart Rails @ 830mm 12 x 10-16*16 Tek Screws | 2 x ZigZag Infill Sheets 2 x C/Smart Gate Stiles 2 x C/Smart Rails @ 830mm 16 x 10-16*16 Tek Screws |




▶ COLOURSMART TRIMLINE PANEL & GATE COMPONENTS




| 2400MM PANEL: | 3180MM PANEL: | 930MM GATE: | 1720MM GATE: |
|---|---|--|--|
| 3 x Trimline Infill Sheets 2 x C/Smart Posts 2 x C/Smart Rails @ 2400mm 16 x 10-16*16 Tek Screws | 4 x Trimline Infill Sheets 2 x C/Smart Posts 2 x C/Smart Rails @ 3180mm 16 x 10-16*16 Tek Screws | 1 x Trimline Infill Sheets 2 x C/Smart Gate Stiles 2 x C/Smart Rails @ 830mm 12 x 10-16*16 Tek Screws | 2 x Trimline Infill Sheets 2 x C/Smart Gate Stiles 2 x C/Smart Rails @ 830mm 16 x 10-16*16 Tek Screws |



▶ COLOURSMART BREEZEWAY PANEL & GATE COMPONENTS



| 2400MM PANEL: | 3180MM PANEL: | 930MM GATE: | 1720MM GATE: |
|--|--|---|--|
| 3 x ZigZag Infill Sheets 2 x C/Smart Posts 3 x C/Smart Rails @ 2400mm 3 x 65x16mm Slats @ 2400mm 2 x Slotted Breezeway Posts 16 x 10-16*16 Tek Screws | 4 x ZigZag Infill Sheets 2 x C/Smart Posts 3 x C/Smart Rails @ 3180mm 3 x 65x16mm Slats @ 3600mm 2 x Slotted Breezeway Posts 16 x 10-16*16 Tek Screws | 1 x ZigZag Infill Sheets 2 x Breezeway Gate Stiles 3 x C/Smart Rails @ 830mm 3 x 65x16mm Slats @ 820mm 12 x 10-16*16 Tek Screws | 2 x ZigZag Infill Sheets 2 x Breezeway Gate Stiles 3 x C/Smart Rails @ 830mm 3 x 65x16mm Slats @ 1610mm 16 x 10-16*16 Tek Screws |



| Code | Coloursmart Fencing Components | |
|----------|--|--------|
| CS1200** | Coloursmart ZigZag Infill Sheet | 1190mm |
| CS1500** | Coloursmart ZigZag Infill Sheet | 1490mm |
| CS1800** | Coloursmart ZigZag Infill Sheet | 1790mm |
| CS2100** | Coloursmart ZigZag Infill Sheet | 2090mm |
| CS1250** | Coloursmart Trimline Infill Sheet | 1190mm |
| CS1550** | Coloursmart Trimline Infill Sheet | 1490mm |
| CS1850** | Coloursmart Trimline Infill Sheet | 1790mm |
| CS2150** | Coloursmart Trimline Infill Sheet | 2090mm |
| CS3000** | Coloursmart Channel Post | 1800mm |
| CS3100** | Coloursmart Channel Post | 2100mm |
| CS3200** | Coloursmart Channel Post | 2400mm |
| CS2700** | Coloursmart Channel Post | 2700mm |
| CS3300** | Coloursmart Channel Post | 3000mm |
| CS4000** | Coloursmart Rail (suits 2400mm Panels) | 2400mm |
| CS4100** | Coloursmart Rail (suits 3180mm Panels) | 3180mm |
| CS4200** | Coloursmart Rail (suits 930mm Gates) | 830mm |
| CS4300** | Coloursmart Rail (suits 1720mm Panels) | 1620mm |
| CS6200** | Coloursmart Gate Stile | 1200mm |
| CS6500** | Coloursmart Gate Stile | 1500mm |
| CS6800** | Coloursmart Gate Stile | 1800mm |
| CS7200** | Coloursmart Gate Stile | 2100mm |

| Code | Coloursmart Breezeway Fencing Components | |
|----------|--|----------|
| VS1140** | 3 of 65x16mm Slats (suit Breezeway 2400 Panel) | 2400mm |
| VS1150** | 3 of 65x16mm Slats (suit Breezeway 3180 Panel) | 3600mm |
| VS1120** | 3 of 65x16mm Slats (suit Breezeway 930 Gate) | 820mm |
| VS1130** | 3 of 65x16mm Slats (suit Breezeway 1720 Gate) | 1610mm |
| VS1110** | Pre-Slotted Breezeway Post - 14mm spacings | 50x250mm |
| CS6250** | Breezeway Gate Stile | 1200mm |
| CS6550** | Breezeway Gate Stile | 1500mm |
| CS6850** | Breezeway Gate Stile | 1800mm |
| CS7250** | Breezeway Gate Stile | 2100mm |

| Code | Posts & Accessories | |
|----------|---------------------|-------------|
| SP5024** | Steel Post | 50 x 2400mm |
| SP5030** | Steel Post | 50 x 3000mm |
| HW5355 | Plastic Post Cap | 50 x 50mm |
| HW5060** | Galvabond Cap | 50 x 50mm |
| SP6524** | Steel Post | 65 x 2400mm |
| SP6530** | Steel Post | 65 x 3000mm |
| HW5600** | Steel Post Cap | 65 x 65mm |
| HW5340 | Plastic Post Cap | 65 x 65mm |

| | | |
|----------|---|-------------|
| HW9901 | Single Gate Kit - 1 x D-Latch & Ext Arm; 1 x Butt Hinge Pair | |
| HW9907 | Double Gate Kit - 1 x D-Latch & Ext Arm; 2 x Butt Hinge Pair; 1 x 300mm Drop Bolt (all Zinc Galvanised) | |
| CS9810 | Sharkfin Base Plate - Galvanised | 120 x 100mm |
| CS9810** | Sharkfin Base Plate - Coloured | 120 x 100mm |
| CS8100** | Coloursmart Plinth (WA Only) | 2395mm |
| HW5000** | Self Tapping Tek Screw - Coloured | 10-16*16 |
| CS8000** | Coloursmart Coloured Plastic Post Cap* | |



CS9810**
Sharkfin
Base Plate



CS8000**
Coloursmart
Coloured Plastic
Post Cap

STANDARD COLOUR RANGE - IN STOCK



| | | | |
|--|---|--|---|
|  |  |  |  |
| SURFMIST® SM <i>Frost Off White</i> | DOMAIN® DO <i>Classic Cream Primrose</i> | PAPERBARK® PA <i>Terrace Merino</i> | EVENING HAZE® EH <i>Summershade Mossvale Sands</i> |
|  |  |  |  |
| SHALE GREY® SG <i>Snow Gum Gull Grey</i> | DUNE® DU <i>Seedpod Grey Birch</i> | RIVERSAND® RI | PALE EUCALYPT® PE <i>Meadow Mist Green</i> |
|  |  |  |  |
| WILDERNESS® WN <i>Willow Rivergum Green</i> | JASPER® JA <i>Plateau</i> | BASALT® BA | IRONSTONE® IR <i>Dark Ash</i> |
|  |  |  |  |
| WOODLAND GREY® WG <i>Grey Ridge Slate Grey</i> | MONUMENT® MO <i>Shadow</i> | ESTATE® ES <i>Ironbark</i> <i>While Stocks Last</i> | HEDGE® HE <i>Plantation</i> <i>While Stocks Last</i> |


EXTENDED COLOUR RANGE - IN STOCK



| | | | |
|--|---|--|---|
|  |  |  |  |
| WALLABY® WA | WINDSPRAY® WS <i>Haze Armour Grey</i> | DEEP OCEAN® DE <i>Bluestone Mountain Blue</i> | MANOR RED® MR <i>Red Oak Heritage Red</i> |
|  |  |  |  |
| BUSHLAND® BU <i>Tea Tree</i> | COTTAGE GREEN® CG <i>Evergreen Caulfield Green</i> | HARVEST® HA <i>Wheat</i> | NIGHT SKY® BL <i>Eclipse Black</i> <i>Posts & Rails Only</i> |

Materials Checklist

- A** Panel Frame
Posts & Rails
- B** Panel Sheet
- C** Gate
- D** Gate Kit



1 Site Plan & Ordering

- Decide on fence position and measurements of panels & posts by creating a mud map of your site.
- Following the above Materials Checklist, calculate how many of each component you require
- Contact any one of our stores to complete your order. Most items are available in stock

2 String Line & Post Holes

- Set Stringline along the desired line of the fence
- Measure out all holes, starting with the gate post holes
- Dig post holes along stringline 600mm deep x 250mm in diameter
- Posts will sit approximately 500mm into the post holes

3 Install Posts


- Ensure post centres are accurate - see below diagram
- Screw posts back to back, place them in post holes and concrete them in, ensuring they are level and flush along the stringline
- 50 x 50 steel posts should be used for gates and corners
- Channel posts can be screwed on to these corner/gate posts

4 In Fill Sheets

- Insert the bottom rail into the post channels and screw through each side of the post channel to secure it along the bottom level of your fenceline
- Place sheets into the channel posts and bottom rail ensuring they overlap evenly and lock in to place
- Place the top rail over the top of sheets and screw through each side of the channel post to secure

5 Install Gate(s)

- Gates assembly: [See below diagram](#)
- Attach hinge & latch components of the Gate Kit to **Gate** as per instructions
- Attach hinge & latch components of the Gate Kit to the 50 x 50 Steel **Gate Posts** as per instructions



Care Instructions & Warranty:

Exposure to UV Light, pollution, salt deposits and chemicals can affect the long term performance of the fencing coating if not removed with regular washing.

A gentle monthly clean with a soft brush, warm water and mild detergent followed by a rinse of fresh water will maintain the finish of both powdercoated, Colorbond and stainless steel fencing components and fulfill warranty conditions.

For Warranty details visit www.bluescopesteel.com.au/warranties.

