

GreenCourt®

Mini-pitch systems



**NCE Sporting Events
LLC**



GreenCourt®

What is it ?

GreenCourt® is the product line of our outdoor and indoor mini-pitch systems perfectly connecting sports and leisure.

Regardless if permanently installed or portable, **GreenCourt®** has the optimal solution for your intended use.

Revenue through sponsor advertising on rebound panels can provide continuing cash-flow to your organization.

GreenCourt® means years of experience combining continual product development with world-class service guaranteeing the best quality and safety.

We focus on recreational and elite players. **GreenCourt®** is tailored to everyone, so enjoy the many possibilities of our min-pitch system!

Which is the right **GreenCourt**[®] for my project?

Arena Pro

- I want a very rigid and weather-proof construction.
- It has to be a long-term panel system set in concrete, staying at the same place.
- Potentially I want a multifunctional solution (basketball, volleyball, etc.) and/or with more options (top net, LED lighting, etc.).

Arena Smart

- Having a level and hard underground where the panel system can be anchored, it is possible to save foundation work costs.
- The construction shall be removable (max. 1-2 times per annum) but generally stay installed.
- It has to be a rigid and weather-proof design.

StreetSoccer

- The weather-proof panel system shall be installed and disassembled more frequently. A space-saving transport and storage is important.
- Installation and removal shall be quick and easy (without tools).
- I want a system to be used for temporary events, festivities, fairs, etc..



Index

	Arena Pro	Arena Smart	StreetSoccer
Robustness			
Steadiness (Stability)			
Portability			
Multi-functional options			

I have decided on a **GreenCourt®**.

The following pages show the different **GreenCourt®** systems with all sizes and options.

Go through step by step to get your desired **GreenCourt®**.

GreenCourt® ARENA PRO 6

GreenCourt® ARENA SMART 12

GreenCourt® STREETSOCCER 16



GreenCourt® Arena Pro

- highest quality and stability for a long-term use
- a permanent installation staying at the same place
- extended posts, fixed in concrete foundations
- incl. the technical creation of a foundation plan, exactly for your project
- certified by a German testing institute: robust, weather-proof, low noise
- basic lay-out:
 - surrounding panel system, approx. 100cm high, approx. 4cm thick
 - sandwich panel structure, PU hard foam with a steel coating (one side green, one side light grey)
 - basic construction made of corrosion-free aluminium
 - fully welded soccer goals, integrated into the panel system
 - one entrance door per goal, integrated into a side part
 - high-quality goal and door nets
- many possibilities (net constructions, lighting, basketball, volleyball, etc.),
- panels suitable for the application of advertising
- perfect for all ages in sports clubs, schools, recreational facilities, hotels, social and cultural facilities, on company premises and public areas



Top net construction (15 x 10 m)
Art.-Nr. 10-30



Basketball construction
Art.-Nr. 10-18

GreenCourt® Arena Pro

1 Basic lay-out

- surrounding rebound wall system, 90° corners
- 2 soccer goals (oval goal frame profile) with one entrance door per goal (integrated into a side part)
- goal nets (mesh size 100mm), door nets (mesh size 45mm)

inside dimension of playing field	total perimeter length		
 10 x 7 m	34 m	with 2,4 x 1,6 m goals (1 m deep)	10-01
 14 x 7 m	42 m	with 2,4 x 1,6 m goals (1 m deep)	10-02
 15 x 10 m	50 m	with 3 x 2 m goals (1 m deep)	10-03
 20 x 13 m	66 m	with 3 x 2 m goals (1 m deep)	10-04
 25 x 14 m	78 m	with 4 x 2 m goals (1 m deep)	10-05
 30 x 15 m	90 m	with 3 x 2 m goals (1 m deep)	10-06
 30 x 15 m	90 m	with 4 x 2 m goals (1 m deep)	10-07
 40 x 20 m	120 m	with 3 x 2 m goals (1 m deep)	10-08
 40 x 20 m	120 m	with 4 x 2 m goals (1 m deep)	10-09

YOUR PLANNING AID FOR YOUR PERFECT **GreenCourt®** ARENA PRO

YOU CAN SIMPLY PLACE A CROSS TO MARK YOUR DESIRED OPTION

(1,2,5,6,8 ONLY ONE OPTION POSSIBLE / 3,4,7 POSSIBLE / TO COMBINE SEVERAL OPTIONS)

AND THEN GET YOUR PRICE WITH THE HELP OF YOUR PRICE LIST OR BY INQUIRING.



CIRCLE: ONLY ONE OPTION POSSIBLE



QUADRAT: SEVERAL OPTIONS CAN BE COMBINED

2 Side net constructions

	surrounding net construction	total height of 3m, mesh size 100 mm	10-10
	surrounding net construction	total height of 3m, mesh size 45 mm	10-11
	surrounding net construction	total height of 4m, mesh size 100 mm	10-12
	surrounding net construction	total height of 4m, mesh size 45 mm	10-13
	net construction only at the short sides	total height of 3m, mesh size 100 mm	10-14
	net construction only at the short sides	total height of 3m, mesh size 45 mm	10-15
	net construction only at the short sides	total height of 4m, mesh size 100mm	10-16
	net construction only at the short sides	total height of 4m, mesh size 45 mm	10-17
	without a side net construction		

other sizes: on request

3 Multi sport options

<input type="checkbox"/> basketball constructions on top of the goals	10-18
<input type="checkbox"/> basketball construction, installed on a long side post, without outreach	10-19
<input type="checkbox"/> volleyball multi posts, integrated into the panel system (up to a court width of 10 m)	10-20
<input type="checkbox"/> volleyball multi posts, incl. ground sockets with special lids	10-21
<input type="checkbox"/> without a side net construction	

4 Special constructions

<input type="checkbox"/> 45° de-escalation corners instead of the 90° corners	10-22
<input type="checkbox"/> anti-vandal goals (aluminium grid) instead of the standard goals	10-23
<input type="checkbox"/> wider entrance doors (1,5 m goal depth) instead of the standard doors	10-24
<input type="checkbox"/> cylinder lock mechanism in the entrance doors of the goals	10-25
<input type="checkbox"/> fold-up back part on a goal (access possibility)	10-26
<input type="checkbox"/> no need of a special construction	

5 LED-Lighting

<input type="radio"/> for 10 x 7 m / 14 x 7 m / 15 x 10 m / 20 x 13 m for 25 x 14 m / 30 x 15 m / 40 x 20 m	10-28 10-29
<input type="radio"/> no need of a lighting	

6 Top net construction

<input type="radio"/> for 10 x 7 m / 14 x 7 m / 15 x 10 m for 20 x 13m / 25 x 14m / 30 x 15m / 40 x 20m	10-30 10-31
<input type="radio"/> no need of a top net	

7 Other options

<input type="checkbox"/> advertising applied on the panels	10-32
<input type="checkbox"/> noise absorption through artificial turf on the inside of the panels	10-33
<input type="checkbox"/> powder coating of the aluminium parts	10-34
<input type="checkbox"/> no need of these other options	

8 Installation

<input type="radio"/> installation	10-35
<input type="radio"/> no need of an installation	




Top net construction (20 x 13 m)
Art.-Nr. 10-31

Volleyball multi-post in ground sockets
Art.-Nr. 10-21

Powder coating of the aluminium parts
Art.-Nr. 10-34







GreenCourt® Arena Smart

- basic construction as Arena Pro, but free-standing, incl. special post supporting structures (approx. 0,5m outreach) instead of concreted post extensions
- no foundation work to be done if there is an appropriate underground
- system to stay installed in the long term but still able to be dismantled
- according to current standards: robust, weather-proof, low noise
- panels suitable for the application of advertising
- perfect for all ages in sports clubs, schools, recreational facilities, hotels, social and cultural facilities, on company premises and public areas









Basketball construction on the top of a goal

Art.-Nr. 12-18

GreenCourt® Arena Smart

1 Basic lay-out

- surrounding rebound wall system, 90° corners
- 2 soccer goals (oval goal frame profile) with one entrance door per goal (integrated into a side part)
- goal nets (mesh size 100mm), door nets (mesh size 45mm)

inside dimension of playing field	Total perimeter length		
 10 x 7 m	34 m	with 2,4 x 1,6 m goals (1 m deep)	12-01
 14 x 7 m	42 m	with 2,4 x 1,6 m goals (1 m deep)	12-02
 15 x 10 m	50 m	with 3 x 2 m goals (1 m deep)	12-03
 20 x 13 m	66 m	with 3 x 2 m goals (1 m deep)	12-04
 25 x 14 m	78 m	with 4 x 2 m goals (1 m deep)	12-05
 30 x 15 m	90 m	with 3 x 2 m goals (1 m deep)	12-06
 30 x 15 m	90 m	with 4 x 2 m goals (1 m deep)	12-07
 40 x 20 m	120 m	with 3 x 2 m goals (1 m deep)	12-08
 40 x 20 m	120 m	with 4 x 2 m goals (1 m deep)	12-09

YOUR PLANNING AID FOR YOUR PERFECT **GreenCourt®** ARENA SMART

YOU CAN SIMPLY PLACE A CROSS TO MARK YOUR DESIRED OPTION

(1,2,4,7,8 ONLY ONE OPTION POSSIBLE / 3,5,6 POSSIBLE TO COMBINE SEVERAL OPTIONS)

AND THEN GET YOUR PRICE WITH THE HELP OF YOUR PRICE LIST OR BY INQUIRING.












CIRCLE: ONLY ONE OPTION POSSIBLE



QUADRAT: SEVERAL OPTIONS CAN BE COMBINED

2 Side net constructions

	surrounding net construction	total height of 3 m, mesh size 100 mm	12-10
	surrounding net construction	total height of 3 m, mesh size 45 mm	12-11
	surrounding net construction	total height of 4 m, mesh size 100 mm	12-12
	surrounding net construction	total height of 4 m, mesh size 45 mm	12-13
	net construction only at the short sides	total height of 3 m, mesh size 100 mm	12-14
	net construction only at the short sides	total height of 3 m, mesh size 45 mm	12-15
	net construction only at the short sides	total height of 4 m, mesh size 100 mm	12-16
	net construction only at the short sides	total height of 4 m, mesh size 45 mm	12-17
	without a side net construction		

other sizes: on request

3 Multi sport options

<input type="checkbox"/> basketball constructions on top of the goals	12-18
<input type="checkbox"/> volleyball multi posts, incl. ground sockets with special lids	12-19
<input type="checkbox"/> without a side net construction	

4 LED-Lighting

<input type="radio"/> for 10 x 7 m / 14 x 7 m / 15 x 10 m / 20 x 13 m	12-20
<input type="radio"/> no need of a lighting	

5 Special constructions

<input type="checkbox"/> anti-vandal goals (aluminium grid) instead of the standard goals	12-21
<input type="checkbox"/> wider entrance doors (1,5 m goal depth) instead of the standard doors	12-22
<input type="checkbox"/> cylinder lock mechanism in the entrance doors of the goals	12-23
<input type="checkbox"/> no need of a special construction	

6 Other options

<input type="checkbox"/> advertising applied on the panels	12-24
<input type="checkbox"/> noise absorption through artificial turf on the inside of the panels	12-25
<input type="checkbox"/> powder coating of the aluminium parts	12-26
<input type="checkbox"/> no need of these other options	

7 Stability options

<input type="radio"/> mobile weights	12-27
<input type="radio"/> ground anchorings	12-28
<input type="radio"/> no need of a stability option	

8 Installation

<input type="radio"/> installation	12-29
<input type="radio"/> no need of an installation	



GreenCourt® StreetSoccer





- mobile and flexible panel system for a temporary use
- quick installation and removal
- easy hooking-in and Velcro system, no bolted assembly
- certified by a German testing institute: robust, weather-proof, low noise
- basic lay-out:
 - surrounding panel system, approx. 90cm high, approx. 2,5cm thick
 - panels made of a plastic coated rigid foam (white)
 - basic construction made of corrosion-free aluminium
 - fully welded mini soccer goals, integrated into the panel system
 - entrance elements, integrated into panel system
- suitable for transport and storage due to a space-saving construction
- panels suitable for the application of advertising
- perfect for events, street festivals, city festivals, children's parties, company parties, club festivals, fairs, etc.



GreenCourt® StreetSoccer

1 Basic lay-out

- surrounding rebound wall system, 90° corners
- soccer goals (square goal frame profile 80x80mm), without an entrance door
- goal nets (mesh size 120 mm)
- one entrance elements on each long side

Inside dimension of playing field	total perimeter length		
 11 x 6 m	34 m	with 1,8 x 1,2 m goals (0,7 m deep)	13-01
 13 x 8 m	42 m	with 1,8 x 1,2 m goals (0,7 m deep)	13-02
 15 x 10 m	50 m	with 1,8 x 1,2 m goals (0,7 m deep)	13-03
 20 x 13 m	66 m	with 3 x 2 m goals (1 m deep)	13-04

YOUR PLANNING AID FOR YOUR PERFECT **GreenCourt®** STREETSOCCER

YOU CAN SIMPLY PLACE A CROSS TO MARK YOUR DESIRED OPTION

(1 AND 2 ONLY ONE OPTION POSSIBLE / 3 POSSIBLE TO COMBINE SEVERAL OPTIONS)

AND THEN GET YOUR PRICE WITH THE HELP OF YOUR PRICE LIST OR BY INQUIRING.






CIRCLE: ONLY ONE OPTION POSSIBLE




QUADRAT: SEVERAL OPTIONS CAN BE COMBINED

2 Side net constructions

	surrounding net construction	total height of approx. 3 m, mesh size 120 mm	13-05
	surrounding net construction	total height of approx. 3m, mesh size 45mm	13-06
	without a side net construction		

3 Other options

<input type="checkbox"/>	foldable net hangers (goals)	13-07	<input type="checkbox"/>	shot exercise tarpaulin for 1,8 x 1,2 m	13-11
<input type="checkbox"/>	advertising applied on the panels	13-08	<input type="checkbox"/>	shot exercise tarpaulin for 3 x 2m	13-12
<input type="checkbox"/>	mobile weights	13-09	<input type="checkbox"/>	no need of these other options	
<input type="checkbox"/>	powder coating of the aluminium parts	13-10			



mobile weights
Art. 13-09



Powder coating
Art. 13-10

Advertising applied on the panels
Art.-Nr. 13-08



GreenCourt®

Innovative mini-pitch systems

Questions please contact us at:

NCE Sporting Events LLC
Principal- Chris Brain
732-778-9105
www.ncesportingevents.com
cbrain@ncesportingevents.com

