We manufacture ONLY Grade AA/A or Tier I tires using 100% new virgin rubber, carbon black and steel (NO recycled material); BEST warranty in the industry. FACTORY DIRECT pricing per container.



### Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825)

We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide



### ATP002 OTR TIRE

- Non-directional deep tread pattern for muddy and soft surfaces.
- The features are extra-long life, superior cut resistance and excellent traction.
- Applicable to earthmoving vehicles, such as rear and bottom dump trucks.

SIZE					RD TREAD	LOAD INDEX				MAX.LOAD AND INFLATION PRESSURE(KG/KPA)			
	STAR LEVEL	TYPE						WIDTH	OVERALL DIAMETER	ETRTO TRA		RA	
					(MM)	ETRTO	TRA	(MM)	(MM)	50 KM/H	10 KM/H	50 KM/H	10 KM/H
12.00R/24	***	TT		85	31.5	160/	156F	315	1245	4100/850	(SINGLE)	4000/850	(DUAL)
18.00R/33	**	TL	E-4	13.00/25	54	191B/206A2	191B	500	1875	12900/650	18500/800	10900/700	
24.00R/35	**	TL	E-4	17.00/35	57	206B/222A2	209B	655	2175	18500/650	30750/800	18500/700	

We manufacture ONLY Grade AA/A or Tier I tires using 100% new virgin rubber, carbon black and steel (NO recycled material); BEST warranty in the industry. FACTORY DIRECT pricing per container.



## Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825) We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide



# ATP007 OTR TIRE

- Deep tread for wheeled loaders and dump trucks operating in quarry or mining.
- Unique non-directional traction patterns can provide optimum traction without compromizing tread life.
- Super sidewall cut resistance.
- Groove stone ejector
- Enhanced stability and riding comfort.

SIZE	CTAD		CODE	CTANDADD	TDEAD	LOAD INDEX			OVEDALL	MAX.LOAD AND INFLATION PRESSURE(KG/KPA)			
		TYPE	CODE	STANDARD RIM	DEPTH (MM)				OVERALL DIAMETER	ETDTO		TRA	
	LEVEL					ETRTO	TRA	(MM)	(MM)	50 KM/H	ETRTO TF  0 KM/H 10 KM/H 50 KM/H  00/350 9000/375  500/450 11500/525  200/350 10900/375  000/450 14000/525  500/350 11500/375  000/450 15000/525	10 KM/H	
26.5R/25	*		E-4	22.00/3.0	EO	184B	184B	673	1798	9000/350		9000/375	
26.38/23	**	TL	C-4	22.00/3.0	58	193B	193B	0/3		11500/450		11500/525	
29.5R/25	*	TL E-4	25.00/3.5	60	191B	191B	750	1920	10900/350		10900/375		
Z7.JR/ZJ	**	IL	L E-4	25.00/5.5	00	200B	200B	730		14000/450		14000/525	
29.5R/29	*	TL	TL E-4	25.00/3.5	60	193B	193B	750	1975	11500/350		11500/375	
29.3K/29	DR/29 ★★	IL	E-4	25.00/5.5	60	202B	202B			15000/450		15000/525	
35/65R/33	*	TL	. E-4	28.00/3.5	62.5	199B		890	2075	13600/350			
35/65R/33	**	ı L				207B			2075	17500/475			

We manufacture ONLY Grade AA/A or Tier I tires using 100% new virgin rubber, carbon black and steel (NO recycled material); BEST warranty in the industry. FACTORY DIRECT pricing per container.



## Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825) We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide



# ATP008 OTR TIRE

- Extra deep tread pattern is specially designed for loaders and dozers on extremely rocky surface such as in open pit, quarries and underground mines.
- Super cut resistance.
- Long tread life.
- Exceptiona; l casing durability.
- Enhanced stability and riding comfort.

SIZE			CODE			LOAD INDEX				MAX.LOAD AND INFLATION PRESSURE(KG/KPA)			
	STAR LEVEL	TYPE		STANDARD RIM	DEPTH				OVERALL DIAMETER	FTDTO		TRA	
	LLVEL				(MM)	ETRTO	TRA	(MM)	(MM)	50 KM/H	TRTO TRA  10 KM/H 50 KM/H 10 KM/H  12150/475  14500/600  15000/450 15000/50  18500/575 18500/650	10 KM/H	
23.5R/25	*	- TL L-5		18.5/2.5	78	195A2		597	1673				
23.3K/23	**	IL L-3	L-0	10.3/2.3	70	201A2		371	10/3	14500/600			
26.5R/25	*	TL	L-5	22.00/3.0	88	202	2A2	A2 673		15000/450 15000/50			
20.3K/23	**	IL	L-0	22.00/3.0	00	209	9A2	0/3	3   1798		18500/575		18500/650
29.5R/25	± ±	TL	TL L-5	25.00/3.5	95	208A2	208A2	750	1920		18000/575		18000/500
29.5K/25	**	IL	L-0	25.00/5.5	75	216A2	216A2	750	1920		22400/575		22400/650
35/65R/33	*	TL	. L-5	28.00/3.5	95	217A2	217A2	890	2075		23000/500		23000/500
33/63R/33	**	ı L		20.00/3.3	73	223A2		090	2073		14500/600 15000/450 18500/575 18500/575 18000/575 22400/575 22400/69		

We manufacture ONLY Grade AA/A or Tier I tires using 100% new virgin rubber, carbon black and steel (NO recycled material); BEST warranty in the industry. FACTORY DIRECT pricing per container.



## Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825) We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide



## ATP009 OTR TIRE

- Deep tread designed for severe and rocky
- -For use in underground mines, open pits and quarries.
- Specially designed sidewall provides extended protection from cutting.
- Guaranteeing excellent traction, stability and comfortable ride.

SIZE	STAR LEVEL			STANDARD N RIM	TREAD		INDEX	SECTION	OVERALL	MAX.LOAD	AX.LOAD AND INFLATION PRESSURE(KG/KF		
		TYPE			DEPTH			WIDTH	DIAMETER	ETI	RTO	O TR	
					(MM)	ETRTO	TRA	(MM)	(MM)	50 KM/H	10 KM/H	50 KM/H	10 KM/H
18.00R/33	*	TL	- 1	13.00/2.5	5 49	180B		500	1875			8000/475	
18.00K/33	**	IL	E-4			191B	191B			10900/650		10900/700	
24.00/35	*	TL	E-4	17.00/3.5	58	199B		- 655	2175			13600/475	
24.00/33	**	IL	L C-4			209B	209B			18500/650		18500/700	

## AMERICAN



We deliver guaranteed transportation products and components worldwide. We carry a wide range of products, including: factory direct heavy truck tires and OTR Tires, OEM truck beds and truck bed components, aluminum factory direct flatbeds, trailers (open and enclosed), truck bodies and heavy duty aluminum trailers, and we can deliver them direct to you or your company, or you can pick them up at any one of our yards throughout the U.S.A. and Canada. We handle all sale and delivery details for you.

### **Warranty:**

#### Mileage / Time Warranty:

Full replacement warrant on the tire/tread for up to 50,000 miles (80,467 km) or 18 months whichever comes first, for any defect resulting from workmanship and materal.

#### Over The Road Tire Replacement:

Full workmanship and material defect warranty for the life of the original tread. Pro-rated on remaining tread depth, down to 2/32" (2 mm) tread remaining or casing value, whichever is greater.

#### ON and Off Road Policy:

Full workmanship and material defect warranty for the life of the original tread and an additional cut/chip/stone drill warranty. Pro-rated on remaining tread depth, down to 2/32" (2 mm) tread remaining or casing value, whichever is greater.

#### **Retread Policy:**

All steel belted radial truck tire casings have a warranty against workmanwhip and material defects in the casing for two (2) retreads.



# - WE WHOLESALE TO RETAIL STORES - American Transportation Products

Website:

www.atp4you.net *Email*:

sales@atp4you.net

Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825)

We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide