



**GODKENDT
TIL DRIKKEVAND**

**GODKENDELSE
03/00012**

Udstedt: 10. juni 2014

Udløber: 9. juni 2017

Udstedt i henhold til bekendtgørelse nr. 31 af 21. januar 2013 om udstedelse af godkendelser for byggevarer i kontakt med drikkevand, som er ændret ved bekendtgørelse nr. 1259 af 5. november 2013.

CERTIFIKAT

Dette certifikat giver godkendelsesindehaveren rettighed til at markedsføre nedenstående byggevare med "Godkendt til drikkevand"-mærkning i Danmark.

<p>GODKENDELSESINDEHAVER:</p> <p>Tiemme Raccorderie S.p.A. Via Cavallera 6/A (loc.Barco) 25045 Castegnato Italy</p> <p>Telefon: +39 030 2142211 www.tiemme.com</p>	<p>BYGGEVARE:</p> <p>Series 1400 Compressions fittings for PEX pipes 12-32 mm</p> 
<p>BETINGELSER FOR GODKENDELSE:</p> <p>De nærmere betingelser og vilkår for godkendelsen er fastsat i bekendtgørelse nr. 31 af 21. januar 2013 om udstedelse af godkendelser for byggevarer i kontakt med drikkevand, som er ændret ved bekendtgørelse nr. 1259 af 5. november 2013, samt i Energistyrelsens vejledende udtalelse af 6. november 2013 om aftaler om årligt tilsyn, jf. § 12, stk. 1 i Bekendtgørelse nr. 31 af 21. januar 2013. Endvidere henvises til brev om godkendelse af byggevarer i kontakt med drikkevand af 10. juni 2014 og eventuelle senere ændringer hertil fremsendt til godkendelsesindehaver.</p> <p>Markedsføring af byggevarer efter nærværende godkendelse omfatter de versioner af byggevarer, der er beskrevet i bilaget, og den variantproduktion, der er angivet i bilaget.</p>	



**GODKENDT
TIL DRIKKEVAND**



DANAK

PROD Reg. nr. 7036

Sekretariatet for byggevarer godkendt til drikkevand

Gregersensvej 3
2630 Taastrup

Telefon (mandag-torsdag 9-16, fredag 9-14): 72 20 30 40

Mail: kontakt@godkendtildrikkevand.dk

web: www.godkendtildrikkevand.dk

Bilag til Godkendelse 03/00012
Versioner af byggevaren omfattet af godkendelsen
Overordnede informationer om byggevaren

Brand navn	Produktnavne	Overall item / serial number
Serie 1400	Compression fittings for PEX-pipes 12 mm to 32 mm	1400xxx

Versioner

Varetekst	Dimension (Diameter (mm) eller nominal størrelse (tømmemål))	Form	Vare- og serienummer
1400	12 x 3/8" thickness 2,0	Straight fitting male	1400139
1400	12 x 1/2" thickness 2,0	Straight fitting male	1400121
1400	15 x 1/2" thickness 2,5	Straight fitting male	1400170
1400	15 x 3/8" thickness 2,5	Straight fitting male	1400010
1400	15 x 3/4" thickness 2,5	Straight fitting male	1400071
1400	16 x 1/2" thickness 2,0	Straight fitting male	1400002
1400	16 x 1/2" thickness 2,2	Straight fitting male	1400038
1400	16 x 1/2" thickness 2,3	Straight fitting male	1400115
1400	16 x 3/4" thickness 2,0	Straight fitting male	1400068
1400	16 x 3/4" thickness 2,2	Straight fitting male	1400070
1400	18 x 1/2" thickness 2,0	Straight fitting male	1400008
1400	18 x 1/2" thickness 2,5	Straight fitting male	1400003
1400	18 x 3/4" thickness 2,0	Straight fitting male	1400114
1400	18 x 3/4" thickness 2,5	Straight fitting male	1400041
1400	20 x 1/2" thickness 2,0	Straight fitting male	1400035
1400	20 x 1/2" thickness 2,8	Straight fitting male	1400095
1400	20 x 3/4" thickness 2,0	Straight fitting male	1400014
1400	20 x 3/4" thickness 2,8	Straight fitting male	1400013
1400	22 x 1/2" thickness 3,0	Straight fitting male	1400046
1400	22 x 3/4" thickness 3,0	Straight fitting male	1400005
1400	25 x 3/4" thickness 2,3	Straight fitting male	1400025
1400	25 x 3/4" thickness 3,5	Straight fitting male	1400036
1400	25 x 1" thickness 2,3	Straight fitting male	1400047
1400	25 x 1" thickness 3,5	Straight fitting male	1400108
1400	28 x 3/4" thickness 3,0	Straight fitting male	1400125
1400	28 x 3/4" thickness 4,0	Straight fitting male	1400131
1400	28 x 1" thickness 3,0	Straight fitting male	1400016



1400	28 x 1" thickness 4,0	Straight fitting male	1400166
1400	32 x 3/4" thickness 3,0	Straight fitting male	1400140
1400	32 x 1" thickness 3,0	Straight fitting male	1400012
1400	32 x 1" thickness 4,4	Straight fitting male	1400065
1401	12 x 12 thickness 2,0	Straight fitting double	1400157
1401	15 x 15 thickness 2,5	Straight fitting double	1400061
1401	16 x 16 thickness 2,0	Straight fitting double	1400015
1401	16 x 16 thickness 2,2	Straight fitting double	1400118
1401	16 x 16 thickness 2,3	Straight fitting double	1400252
1401	18 x 18 thickness 2,0	Straight fitting double	1400034
1401	18 x 18 thickness 2,5	Straight fitting double	1400022
1401	20 x 20 thickness 2,0	Straight fitting double	1400043
1401	20 x 20 thickness 2,8	Straight fitting double	1400146
1401	22 x 22 thickness 3,0	Straight fitting double	1400030
1401	25 x 25 thickness 2,3	Straight fitting double	1400101
1401	25 x 25 thickness 3,5	Straight fitting double	1400148
1401	28 x 28 thickness 3,0	Straight fitting double	1400072
1401	28 x 28 thickness 4,0	Straight fitting double	1400191
1401	32 x 32 thickness 3,0	Straight fitting double	1400051
1401	32 x 32 thickness 4,4	Straight fitting double	1400213
1402	12 x 3/8" thickness 2,0	Straight fitting female	1400219
1402	12 x 1/2" thickness 1,1	Straight fitting female	1400207
1402	12 x 1/2" thickness 2,0	Straight fitting female	1400132
1402	15 x 1/2" thickness 2,5	Straight fitting female	1400024
1402	15 x 3/8" thickness 2,5	Straight fitting female	1400194
1402	15 x 3/4" thickness 2,5	Straight fitting female	1400103
1402	16 x 1/2" thickness 1,5	Straight fitting female	1400165
1402	16 x 1/2" thickness 2,0	Straight fitting female	1400009
1402	16 x 1/2" thickness 2,2	Straight fitting female	1400064
1402	16 x 1/2" thickness 2,3	Straight fitting female	1400224
1402	16 x 3/4" thickness 2,0	Straight fitting female	1400109
1402	16 x 3/4" thickness 2,2	Straight fitting female	1400151
1402	18 x 1/2" thickness 2,0	Straight fitting female	1400029
1402	18 x 1/2" thickness 2,5	Straight fitting female	1400011
1402	18 x 3/4" thickness 2,0	Straight fitting female	1400153
1402	18 x 3/4" thickness 2,5	Straight fitting female	1400086
1402	20 x 1/2" thickness 2,0	Straight fitting female	1400053
1402	20 x 1/2" thickness 2,8	Straight fitting female	1400092
1402	20 x 3/4" thickness 2,0	Straight fitting female	1400056
1402	20 x 3/4" thickness 2,8	Straight fitting female	1400084
1402	22 x 1/2" thickness 3,0	Straight fitting female	1400067
1402	22 x 3/4" thickness 3,0	Straight fitting female	1400017



1402	22 x 1" thickness 3,0	Straight fitting female	1400202
1402	25 x 3/4" thickness 2,3	Straight fitting female	1400073
1402	25 x 3/4" thickness 3,5	Straight fitting female	1400096
1402	25 x 1" thickness 2,3	Straight fitting female	1400147
1402	25 x 1" thickness 3,5	Straight fitting female	1400160
1402	28 x 3/4" thickness 3,0	Straight fitting female	1400149
1402	28 x 3/4" thickness 4,0	Straight fitting female	1400235
1402	28 x 1" thickness 3,0	Straight fitting female	1400050
1402	28 x 1" thickness 4,0	Straight fitting female	1400182
1402	32 x 3/4" thickness 3,0	Straight fitting female	1400209
1402	32 x 1" thickness 3,0	Straight fitting female	1400042
1402	32 x 1" thickness 4,4	Straight fitting female	1400162
1403	12 x 12 thickness 1,1	Elbow double	1400243
1403	12 x 12 thickness 2,0	Elbow double	1400195
1403	15 x 15 thickness 2,5	Elbow double	1400076
1403	16 x 16 thickness 1,5	Elbow double	1400223
1403	16 x 16 thickness 2,0	Elbow double	1400021
1403	16 x 16 thickness 2,2	Elbow double	1400119
1403	18 x 18 thickness 2,0	Elbow double	1400074
1403	18 x 18 thickness 2,5	Elbow double	1400039
1403	20 x 20 thickness 2,0	Elbow double	1400079
1403	20 x 20 thickness 2,8	Elbow double	1400167
1403	22 x 22 thickness 3,0	Elbow double	1400057
1403	25 x 25 thickness 2,3	Elbow double	1400143
1403	25 x 25 thickness 3,5	Elbow double	1400173
1403	28 x 28 thickness 3,0	Elbow double	1400137
1403	28 x 28 thickness 4,0	Elbow double	1400168
1403	32 x 32 thickness 3,0	Elbow double	1400116
1403	32 x 32 thickness 4,4	Elbow double	1400268
1404	12 x 1/2" thickness 1,1	Elbow male	1400218
1404	12 x 1/2" thickness 2,0	Elbow male	1400197
1404	15 x 1/2" thickness 2,5	Elbow male	1400078
1404	15 x 3/4" thickness 2,5	Elbow male	1400155
1404	16 x 1/2" thickness 1,5	Elbow male	1400251
1404	16 x 1/2" thickness 2,0	Elbow male	1400026
1404	16 x 1/2" thickness 2,2	Elbow male	1400089
1404	16 x 3/4" thickness 2,0	Elbow male	1400124
1404	16 x 3/4" thickness 2,2	Elbow male	1400097
1404	18 x 1/2" thickness 2,0	Elbow male	1400081
1404	18 x 1/2" thickness 2,5	Elbow male	1400052
1404	18 x 3/4" thickness 2,5	Elbow male	1400105
1404	20 x 1/2" thickness 2,0	Elbow male	1400110



1404	20 x 1/2" thickness 2,8	Elbow male	1400176
1404	20 x 3/4" thickness 2,0	Elbow male	1400059
1404	20 x 3/4" thickness 2,8	Elbow male	1400063
1404	22 x 3/4" thickness 3,0	Elbow male	1400019
1404	25 x 3/4" thickness 2,3	Elbow male	1400062
1404	25 x 3/4" thickness 3,5	Elbow male	1400100
1404	25 x 1" thickness 2,3	Elbow male	1400093
1404	25 x 1" thickness 3,5	Elbow male	1400161
1404	28 x 1" thickness 3,0	Elbow male	1400129
1404	28 x 1" thickness 4,0	Elbow male	1400215
1404	32 x 3/4" thickness 3,0	Elbow male	1400234
1404	32 x 1" thickness 3,0	Elbow male	1400098
1404	32 x 1" thickness 4,4	Elbow male	1400179
1405	12 x 1/2" thickness 1,1	Elbow female	1400232
1405	12 x 1/2" thickness 2,0	Elbow female	1400177
1405	15 x 1/2" thickness 2,5	Elbow female	1400048
1405	15 x 3/4" thickness 2,5	Elbow female	1400172
1405	16 x 1/2" thickness 1,5	Elbow female	1400237
1405	16 x 1/2" thickness 2,0	Elbow female	1400006
1405	16 x 1/2" thickness 2,2	Elbow female	1400082
1405	16 x 1/2" thickness 2,3	Elbow female	1400245
1405	16 x 3/4" thickness 2,0	Elbow female	1400154
1405	16 x 3/4" thickness 2,2	Elbow female	1400169
1405	18 x 1/2" thickness 2,0	Elbow female	1400069
1405	18 x 1/2" thickness 2,5	Elbow female	1400033
1405	18 x 3/4" thickness 2,5	Elbow female	1400112
1405	20 x 1/2" thickness 2,0	Elbow female	1400088
1405	20 x 1/2" thickness 2,8	Elbow female	1400180
1405	20 x 3/4" thickness 2,0	Elbow female	1400060
1405	20 x 3/4" thickness 2,8	Elbow female	1400117
1405	22 x 1/2" thickness 3,0	Elbow female	1400135
1405	22 x 3/4" thickness 3,0	Elbow female	1400028
1405	25 x 3/4" thickness 2,3	Elbow female	1400113
1405	25 x 3/4" thickness 3,5	Elbow female	1400158
1405	25 x 1" thickness 2,3	Elbow female	1400181
1405	25 x 1" thickness 3,5	Elbow female	1400277
1405	28 x 1" thickness 3,0	Elbow female	1400123
1405	28 x 1" thickness 4,0	Elbow female	1400233
1405	32 x 1" thickness 3,0	Elbow female	1400142
1405	32 x 1" thickness 4,4	Elbow female	1400250
1406	12 x 1/2" thickness 1,1	Wallplate elbo female	1400211
1406	12 x 1/2" thickness 2,0	Wallplate elbo female	1400175

1406	15 x 1/2" thickness 2,5	Wallplate elbo female	1400077
1406	16 x 1/2" thickness 1,5	Wallplate elbo female	1400217
1406	16 x 1/2" thickness 2,0	Wallplate elbo female	1400023
1406	16 x 1/2" thickness 2,2	Wallplate elbo female	1400094
1406	18 x 1/2" thickness 2,0	Wallplate elbo female	1400080
1406	18 x 1/2" thickness 2,5	Wallplate elbo female	1400045
1407	12 x 12 x 12 thickness 1,1	Tee	1400229
1407	12 x 12 x 12 thickness 2,0	Tee	1400163
1407	15 x 15 x 15 thickness 2,5	Tee	1400049
1407	16 x 16 x 16 thickness 1,5	Tee	1400156
1407	16 x 16 x 16 thickness 2,0	Tee	1400007
1407	16 x 16 x 16 thickness 2,2	Tee	1400083
1407	18 x 18 x 18 thickness 2,0	Tee	1400040
1407	18 x 18 x 18 thickness 2,5	Tee	1400018
1407	20 x 20 x 20 thickness 2,0	Tee (Testversion)	1400075
1407	20 x 20 x 20 thickness 2,8	Tee	1400138
1407	22 x 22 x 22 thickness 3,0	Tee	1400055
1407	25 x 25 x 25 thickness 2,3	Tee	1400145
1407	25 x 25 x 25 thickness 3,5	Tee	1400216
1407	28 x 28 x 28 thickness 3,0	Tee	1400104
1407	32 x 32 x 32 thickness 3,0	Tee	1400111
1407	32 x 32 x 32 thickness 4,4	Tee	1400256
1408	12 x 1/2" x 12 thickness 1,1	Tee male	1400227
1408	12 x 1/2" x 12 thickness 2,0	Tee male	1400255
1408	15 x 1/2" x 15 thickness 2,5	Tee male	1400188
1408	16 x 1/2" x 16 thickness 1,5	Tee male	1400278
1408	16 x 1/2" x 16 thickness 2,0	Tee male	1400122
1408	16 x 1/2" x 16 thickness 2,2	Tee male	1400241
1408	18 x 1/2" x 18 thickness 2,0	Tee male	1400184
1408	18 x 1/2" x 18 thickness 2,5	Tee male	1400134
1408	20 x 3/4" x 20 thickness 2,8	Tee male	1400242
1408	22 x 1/2" x 22 thickness 3,0	Tee male	1400231
1408	22 x 3/4" x 22 thickness 3,0	Tee male	1400058
1408	25 x 1" x 25 thickness 2,3	Tee male	1400260
1408	25 x 1" x 25 thickness 3,5	Tee male	1400280
1408	28 x 1" x 28 thickness 3,0	Tee male	1400171
1408	32 x 1" x 32 thickness 3,0	Tee male	1400193
1408	32 x 1" x 32 thickness 4,4	Tee male	1400240
1409	12 x 1/2" x 12 thickness 1,1	Tee female	1400273
1409	12 x 1/2" x 12 thickness 2,0	Tee female	1400221
1409	15 x 1/2" x 15 thickness 2,5	Tee female	1400085
1409	16 x 1/2" x 16 thickness 1,5	Tee female	1400263

1409	16 x 1/2" x 16 thickness 2,0	Tee female	1400020
1409	16 x 1/2" x 16 thickness 2,2	Tee female	1400136
1409	18 x 1/2" x 18 thickness 2,0	Tee female	1400066
1409	18 x 1/2" x 18 thickness 2,5	Tee female	1400037
1409	20 x 1/2" x 20 thickness 2,0	Tee female	1400130
1409	20 x 3/4" x 20 thickness 2,0	Tee female	1400127
1409	20 x 3/4" x 20 thickness 2,8	Tee female	1400208
1409	22 x 1/2" x 22 thickness 3,0	Tee female	1400141
1409	22 x 3/4" x 22 thickness 3,0	Tee female	1400044
1409	25 x 3/4" x 25 thickness 2,3	Tee female	1400152
1409	25 x 3/4" x 25 thickness 3,5	Tee female	1400201
1409	28 x 3/4" x 28 thickness 3,0	Tee female	1400183
1409	28 x 1" x 28 thickness 3,0	Tee female	1400099
1409	32 x 3/4" x 32 thickness 3,0	Tee female	1400222
1409	32 x 3/4" x 32 thickness 4,4	Tee female	1400249
1409	32 x 1" x 32 thickness 3,0	Tee female	1410107
1411	22 x 15 thickness 3,0/2,5	Reduced union	1400199
1411	22 x 18 thickness 3,0/2,5	Reduced union	1400267
1411	28 x 22 thickness 3,0/3,0	Reduced union	1400281
1412	22 x 15 thickness 3,0/2,5	Reduced elbow	1400282
1413	18 x 22 x 18 thickness 2,5/3,0/2,5	Reduced tee	1400269
1428MP	12 x 1/2" thickness 1,1	Elbow female	1400164
1428MP	12 x 1/2" thickness 2,0	Elbow female	1400054
1428MP	15 x 1/2" thickness 2,5	Elbow female	1400027
1428MP	15 x 1/2" thickness all	Elbow female	1400150
1428MP	16 x 1/2" thickness all	Elbow female	1400126
1428MP	16 x 1/2" thickness 2,0	Elbow female	1400001
1428XL	16 x 1/2" thickness 2,0	Elbow female long	1400087
1428MP	16 x 1/2" thickness 2,2	Elbow female	1400004
1428XL	16 x 1/2" thickness 2,2	Elbow female long	1400120
1428MP	18 x 1/2" thickness 2,0	Elbow female	1400102
1428MP	18 x 1/2" thickness 2,5	Elbow female	1400091
1428MP	20 x 1/2" thickness 2,0	Elbow female	1400032
1428MP	20 x 1/2" thickness 2,8	Elbow female	1400031

Byggevareren kan alene produceres med variantproduktion inden for følgende spekter:

Produktspekter for omfattede variantprodukter		
Indvendig diameter	Mindste	5.5 mm
	Største	22.5 mm
Længde	Mindste	29.0 mm
	Største	100.0 mm