

We manufacture ONLY Grade AA/A or Tier I tires using 100% new virgin rubber, carbon black and steel (NO recycled material); BEST warranty in the industry. FACTORY DIRECT pricing per container.



**Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825)**  
We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide



## ATP003 OTR TIRE

- Non-directional dtraction type, normal tread depth pattern, featuring great resistance to heat build-up.
- Most suitable for haulage-equipment in coal mines, and equally applicable to operations on soft and muddy surfaces.

**Website:**

[www.atp4you.net](http://www.atp4you.net)

**Email:**

[sales@atp4you.net](mailto:sales@atp4you.net)

SIZE	STAR LEVEL	TYPE	CODE INDICATION	STANDARD RIM	TREAD DEPTH (MM)	LOAD INDEX		SECTION WIDTH (MM)	OVERALL DIAMETER (MM)	MAX.LOAD AND INFLATION PRESSURE(KG/KPA)			
						ETRTO	TRA			ETRTO		TRA	
										50 KM/H	10 KM/H	50 KM/H	10 KM/H
26.5R/25	★	TL	E-3/L-3	22.00/35	38.5	184B/202A2	202B	673	1798	9000/350	15000/450		15000/500
	★★					193B/206A2	206B			11500/450	18500/575		18500/650
29.5R/25	★	TL	E-3/L-3	25.00/35	43	191B/206A2	206B	750	1873	10900/350	18000/450		18000/500
	★★					200B/216A2	216B			14000/450	22400/575		22400/650

We manufacture ONLY Grade AA/A or Tier I tires using 100% new virgin rubber, carbon black and steel (NO recycled material); BEST warranty in the industry. FACTORY DIRECT pricing per container.



**Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825)**  
We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide



## ATP005 OTR TIRE

- Non-directional pattern for designed to deliver durability in high speed.
- Exceptional operator comfort.
- High-speed capabilities.
- Excellent traction on all surfaces, on and off highway.

**Website:**

[www.atp4you.net](http://www.atp4you.net)

**Email:**

[sales@atp4you.net](mailto:sales@atp4you.net)

SIZE	STAR LEVEL	TYPE	CODE INDICATION	STANDARD RIM	TREAD DEPTH (MM)	LOAD INDEX		SECTION WIDTH (MM)	OVERALL DIAMETER (MM)	MAX.LOAD AND INFLATION PRESSURE(KG/KPA)			
						ETRTO	TRA			ETRTO		TRA	
										50 KM/H	10 KM/H	50 KM/H	10 KM/H
16.00R/25	★	TL	E-2	11.25/20	23	167B	167B	432	1493	5450/450		5450/475	
	★★					177B	177B			7300/650		7300/700	
	★★★					177E				7300/900			

We manufacture ONLY Grade AA/A or Tier I tires using 100% new virgin rubber, carbon black and steel (NO recycled material); BEST warranty in the industry. FACTORY DIRECT pricing per container.



**Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825)**  
We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide



## ATP006 OTR TIRE

- Mobile crane tire, designed for on-off highway application.
- Deliver exceptional durability and cool running at high speed application.
- New generation tread design optimizes tread wear and minimizes fuel consumption.

**Website:**

[www.atp4you.net](http://www.atp4you.net)

**Email:**

[sales@atp4you.net](mailto:sales@atp4you.net)

SIZE	STAR LEVEL	TYPE	CODE INDICATION	STANDARD RIM	TREAD DEPTH (MM)	LOAD INDEX		SECTION WIDTH (MM)	OVERALL DIAMETER (MM)	MAX.LOAD AND INFLATION PRESSURE(KG/KPA)			
						ETRTO	TRA			ETRTO		TRA	
										50 KM/H	10 KM/H	50 KM/H	10 KM/H
18.00R/25	★	TL	E-2	13.00/2.5	30	176B	176B	498	1615	7100/450		7100/475	
	★★					185B	185B			9250/650		9250/700	
	★★★					186E				9500/900			



We manufacture ONLY Grade AA/A or Tier I tires using 100% new virgin rubber, carbon black and steel (NO recycled material); BEST warranty in the industry. FACTORY DIRECT pricing per container.



**Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825)**  
We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide



## ATP007 OTR TIRE

- Deep tread for wheeled loaders and dump trucks operating in quarry or mining.
- Unique non-directional traction patterns can provide optimum traction without compromising tread life.
- Super sidewall cut resistance.
- Groove stone ejector
- Enhanced stability and riding comfort.

### Website:

[www.atp4you.net](http://www.atp4you.net)

### Email:

[sales@atp4you.net](mailto:sales@atp4you.net)

SIZE	STAR LEVEL	TYPE	CODE INDICATION	STANDARD RIM	TREAD DEPTH (MM)	LOAD INDEX		SECTION WIDTH (MM)	OVERALL DIAMETER (MM)	MAX.LOAD AND INFLATION PRESSURE(KG/KPA)			
						ETRTO	TRA			ETRTO		TRA	
										50 KM/H	10 KM/H	50 KM/H	10 KM/H
26.5R/25	★	TL	E-4	22.00/3.0	58	184B	184B	673	1798	9000/350		9000/375	
	★★					193B	193B			11500/450		11500/525	
29.5R/25	★	TL	E-4	25.00/3.5	60	191B	191B	750	1920	10900/350		10900/375	
	★★					200B	200B			14000/450		14000/525	
29.5R/29	★	TL	E-4	25.00/3.5	60	193B	193B	750	1975	11500/350		11500/375	
	★★					202B	202B			15000/450		15000/525	
35/65R/33	★	TL	E-4	28.00/3.5	62.5	199B		890	2075	13600/350			
	★★					207B				17500/475			

We manufacture ONLY Grade AA/A or Tier I tires using 100% new virgin rubber, carbon black and steel (NO recycled material); BEST warranty in the industry. FACTORY DIRECT pricing per container.



**Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825)**  
We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide



## ATP008 OTR TIRE

- Extra deep tread pattern is specially designed for loaders and dozers on extremely rocky surface such as in open pit, quarries and underground mines.
- Super cut resistance.
- Long tread life.
- Exceptional casing durability.
- Enhanced stability and riding comfort.

### Website:

[www.atp4you.net](http://www.atp4you.net)

### Email:

[sales@atp4you.net](mailto:sales@atp4you.net)

SIZE	STAR LEVEL	TYPE	CODE INDICATION	STANDARD RIM	TREAD DEPTH (MM)	LOAD INDEX		SECTION WIDTH (MM)	OVERALL DIAMETER (MM)	MAX. LOAD AND INFLATION PRESSURE(KG/KPA)			
						ETRTO	TRA			ETRTO		TRA	
										50 KM/H	10 KM/H	50 KM/H	10 KM/H
23.5R/25	★	TL	L-5	18.5/2.5	78	195A2		597	1673	12150/475			
	★★					201A2				14500/600			
26.5R/25	★	TL	L-5	22.00/3.0	88	202A2		673	1798		15000/450		15000/500
	★★					209A2					18500/575		18500/650
29.5R/25	★	TL	L-5	25.00/3.5	95	208A2	208A2	750	1920		18000/575		18000/500
	★★					216A2	216A2				22400/575		22400/650
35/65R/33	★	TL	L-5	28.00/3.5	95	217A2	217A2	890	2075		23000/500		23000/500
	★★					223A2					27250/650		

We manufacture ONLY Grade AA/A or Tier I tires using 100% new virgin rubber, carbon black and steel (NO recycled material); BEST warranty in the industry. FACTORY DIRECT pricing per container.



**Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825)**  
We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide

## ATP101 OTR TIRE

- The tread design improves operator comfort by reducing road noise and delivering precise handling response.
- Exceptional casing durability.
- High-speed capabilities.
- Excellent traction on all surfaces, on and off highways.

### Website:

[www.atp4you.net](http://www.atp4you.net)

### Email:

[sales@atp4you.net](mailto:sales@atp4you.net)



SIZE	STAR LEVEL	TYPE	CODE INDICATION	STANDARD RIM	TREAD DEPTH (MM)	LOAD INDEX		SECTION WIDTH (MM)	OVERALL DIAMETER (MM)	MAX.LOAD AND INFLATION PRESSURE(KG/KPA)			
						ETRTO	TRA			ETRTO		TRA	
										50 KM/H	10 KM/H	50 KM/H	10 KM/H
16.00R/25	★	TL	E-2	11.25/2.0	25	167B	167B	432	1493	5450/450		5450/475	
	★★					177B	177B			7300/650		7300/700	
	★★★					177E				7300/900 (70KM/H)			



We manufacture ONLY Grade AA/A or Tier I tires using 100% new virgin rubber, carbon black and steel (NO recycled material); BEST warranty in the industry. FACTORY DIRECT pricing per container.



**Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825)**  
We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide



## ATP103 OTR TIRE

- The rugged pneumatic radial tire designed for forklift trucks, terminal tractors and other industrial equipment used in heavy-duty applications.
- Few flat tires for maximum uptime.
- Exceptional tread wear.
- Excellent stability and operator confidence.
- Outstanding machine and payload protection.

**Website:**

[www.atp4you.net](http://www.atp4you.net)

**Email:**

[sales@atp4you.net](mailto:sales@atp4you.net)

SIZE	STAR LEVEL	TYPE	CODE INDICATION	STANDARD RIM	TREAD DEPTH (MM)	LOAD INDEX		SECTION WIDTH (MM)	OVERALL DIAMETER (MM)	MAX.LOAD AND INFLATION PRESSURE(KG/KPA)			
						ETRTO	TRA			ETRTO		TRA	
										50 KM/H	10 KM/H	50 KM/H	10 KM/H
18.00R/25	★★★	TL	IND-4	13.00/2.5	63.5	214A5		498	1673	21200/1000 (25KM/H)			

# AMERICAN TRANSPORTATION



We deliver guaranteed transportation products and components worldwide. We carry a wide range of products, including: factory direct heavy truck tires and OTR Tires, OEM truck beds and truck bed components, aluminum factory direct flatbeds, trailers (open and enclosed), truck bodies and heavy duty aluminum trailers, and we can deliver them direct to you or your company, or you can pick them up at any one of our yards throughout the U.S.A. and Canada. We handle all sale and delivery details for you.

## Warranty:

### Mileage / Time Warranty:

Full replacement warrant on the tire/tread for up to 50,000 miles (80,467 km) or 18 months whichever comes first, for any defect resulting from workmanship and material.

### Over The Road Tire Replacement:

Full workmanship and material defect warranty for the life of the original tread. Pro-rated on remaining tread depth, down to 2/32" (2 mm) tread remaining or casing value, whichever is greater.

### ON and Off Road Policy:

Full workmanship and material defect warranty for the life of the original tread and an additional cut/chip/stone drill warranty. Pro-rated on remaining tread depth, down to 2/32" (2 mm) tread remaining or casing value, whichever is greater.

### Retread Policy:

All steel belted radial truck tire casings have a warranty against workmanship and material defects in the casing for two (2) retreads.



- WE WHOLESALE TO RETAIL STORES -

## American Transportation Products

Website:

[www.atp4you.net](http://www.atp4you.net)

Email:

[sales@atp4you.net](mailto:sales@atp4you.net)

**Toll Free Call (USA & CAN): 1-855-35-TRUCK (8-7825)**

We Deliver Throughout the U.S.A. /Alaska and Canada, and will ship worldwide