


Regal

STEEL THICKNESS: 2"

NON-INSULATED WITH OPTIONAL POLYSTYRENE VINYL-BACKED INSULATION



TRADITIONAL
CONTEMPORARY
CARRIAGE HOUSE

TRADITIONAL

Regal

STEEL THICKNESS: 2" NON-INSULATED WITH OPTIONAL POLYSTYRENE VINYL-BACKED INSULATION

MODEL PATTERNS AND LAYOUTS

SHAKER-FLAT (19" x 15" and 40" x 15")



9' x 7'



Shaker-Flat Short

16' x 7'



Shaker-Flat Short



Shaker-Flat Long



Shaker-Flat Long

CLASSIC (20" x 14" and 42" x 14")



9' x 7'




Classic Short

16' x 7'



Classic Short




Classic Long



Classic Long



Classic Short, 9' x 7', Brown, windows with Cascade Short Inserts



Shaker-Flat Short, 9' x 8', White, windows with Stockton Short Inserts

< Cover: Shaker-Flat Long, 16' x 8', Dark Walnut, windows with Richmond Long Inserts


CONTEMPORARY

Regal


STEEL THICKNESS: 2" NON-INSULATED WITH OPTIONAL POLYSTYRENE VINYL-BACKED INSULATION

MODEL PATTERNS AND LAYOUTS

FLUSH




FOR A CONTEMPORARY LOOK,
ADD A WINDOW LAYOUT



Left-side Harmony



Outer Harmony



Right-side Harmony

Available for Flush, Shaker-Flat Long and Classic Short designs.



CARRIAGE HOUSE

Regal


STEEL THICKNESS: 2" NON-INSULATED WITH OPTIONAL POLYSTYRENE VINYL-BACKED INSULATION

MODEL PATTERNS AND LAYOUTS

SHAKER-FLAT (41" x 13" grouped by 4)




9' x 7'



Shaker-Flat XSmall

16' x 7'




Shaker-Flat XSmall

SHAKER-CS (19" x 15" and 40" x 15")




9' x 7'




Shaker-CS Short

16' x 7'



Shaker-CS Short



Shaker-CS Long



Shaker-CS Long

DECORATIVE HARDWARE

HANDMADE WROUGHT IRON TEXTURE




Lis



Door knockers

SLIGHTLY BUMPY TEXTURE



Standard



Cottage



Shaker-Flat XSmall, 9' x 7', Terrastone, windows with Richmond Arch Long Inserts




Shaker-CS Short, 9' x 7', White, windows with Double Stockton Arch Long Inserts

COLORS

STANDARD



PREMIUM



CONSTRUCTION

Single-layer: steel OR Double-layer: steel + insulation

- 3 options of outside layer: steel, heavy duty steel or commercial grade steel** for high durability
- 2" tongue and groove** meeting rail to provide a weather-tight seal between sections, and rails are hemmed the entire length of the section for added strength and safety
- 20-gauge galvanized end and center stiles** to increase strength and durability
- Polystyrene vinyl-backed insulation** available as an option




WINDOWS (20" x 13" or 41" x 16")

TYPES OF GLASS

Privacy Level: **X/5**



DECORATIVE INSERTS¹



SIZES

Standard widths from 8' to 20', in 1" increments. Heights from 6'6" to 8', in 3" increments. See your garage door dealer for more details on oversized doors available.

WARRANTY

Limited lifetime against cracks, splits or rusting through. See warranty document for complete details.



CONSTRUCTION SUMMARY

	REGAL 24	REGAL N24	REGAL N25
OUTSIDE LAYER	COMMERCIAL GRADE STEEL	HEAVY DUTY STEEL	STEEL
LAYOUTS			
Shaker-Flat Short		•	
Shaker-Flat Long		•	
Classic Short	•	•	•
Classic Long		•	•
Flush	•	•	
Shaker-Flat XSmall		•	•
Shaker-CS Short		•	•
Shaker-CS Long		•	•
COLORS			
White	•	•	•
Sandstone		•	•
Sahara		•	•
Almond		•	•
Brown		•	
Terrastone		•	
Country Red		•	
Black Ice		•	
Cherry		•	
Dark Walnut		•	
WIND LOAD	Optional	Optional	N/A

LiftMaster

Quiet and reliable garage door openers

ELITE SERIES®



- Ultra quiet
- Belt or chain drive
- ¾ HP, AC or DC power



- Ultra quiet
- Jackshaft
- DC power

PREMIUM SERIES®



- Quiet
- Belt or chain drive
- ½ HP, AC or DC power

CONTRACTOR SERIES®



- Quiet
- Belt or chain drive
- ½ HP, AC or DC power

The Village Collection, for a stunning look!



X Layout, Flat base, 9' x 7', White, windows with Stockton Long Inserts



GARAGA™
Mid-America Series

1 800 364-3667
Ponca City, OK
midamericadoor.com
garaga.com
info@garaga.com



YOUR
DISTRIBUTOR



Garaga has established continuous improvement programs for all its products. As a result of this ongoing quest, technical specifications for various doors are subject to change without notice. The door colors and the windows shown are as exact as printing techniques will allow. Please request an actual color sample. Trademarks and registered trademarks of Garaga Inc. are denoted by TM, ® and D respectively. © Garaga Inc. 2019 – All rights reserved – Printed in Canada – 95MID001/02/2019/20k

logo FSC