

LED High Bay



HIGH BAY BASE 50 WATT

Ordercode: 950-030
EAN: 8714984909779
Color: Natural White
Input: 85 - 265 Volt
Power: 50 Watt
Lumen: 5000

Kelvin: 4200K
CRI: >75
Length: 27cm
Diameter: 22cm
Wire Length: 170cm

Connection Type: Schuko
LED: Bridgelux
LED type: COB
IP Rate: IP44
Carton Quantity: 2



HIGH BAY BASE 100 WATT

Ordercode: 950-031
EAN: 8714984909786
Color: Natural White
Input: 85 - 265 Volt
Power: 100 Watt
Lumen: 10000

Kelvin: 4200K
CRI: >75
Length: 33cm
Diameter: 22cm
Wire Length: 170cm

Connection Type: Schuko
LED: Bridgelux
LED type: COB
IP Rate: IP44
Carton Quantity: 2



HIGH BAY BASE 150 WATT

with Meanwell driver

Ordercode: 950-032
EAN: 8714984909793
Color: Natural White
Input: 85 - 265 Volt
Power: 150 Watt
Lumen: 15000

Kelvin: 4200K
CRI: >75
Length: 34cm
Width: 28cm
Depth: 21cm
Wire Length: 170cm

Connection Type: Schuko
LED: Bridgelux
LED type: COB
IP Rate: IP44
Carton Quantity: 2



HIGH BAY BASE 200 WATT

with Meanwell driver

No stock model

Ordercode: 950-033
EAN: 8714984909809
Color: Natural White
Input: 85 - 265 Volt
Power: 200 Watt
Lumen: 20000

Kelvin: 4200K
CRI: >75
Length: 41cm
Width: 28cm
Depth: 21cm
Wire Length: 170cm

Connection Type: Schuko
LED: Bridgelux
LED type: COB
IP Rate: IP44
Carton Quantity: 1



ALUMINIUM HOOD 60°

fits on every Base

Ordercode: 950-040
EAN: 8714984909816
Color: Aluminium
Beam: 60°

Length: 25,8cm
Diameter: 42cm

IP Rate: IP44
Carton Quantity: 16



ALUMINIUM HOOD 90°

fits on every Base

Ordercode: 950-041
EAN: 8714984909923
Color: Aluminium
Beam: 90°

Length: 19,3cm
Diameter: 51,5cm

IP Rate: IP44
Carton Quantity: 8



ALUMINIUM HOOD 120°

fits on every Base

Ordercode: 950-042
EAN: 8714984909847
Color: Aluminium
Beam: 120°

Length: 14,5cm
Diameter: 51,5cm

IP Rate: IP44
Carton Quantity: 20



ACRYLATE HOOD 60°

fits on every Base

Ordercode: 950-043
EAN: 8714984909854
Color: Acrylate
Beam: 60°

Length: 27,3cm
Diameter: 40,8cm

IP Rate: IP44
Carton Quantity: 6

Led Panels



LED PANEL 60CM X 60CM

Natural White

Dimmable driver available (not included)

Ordercode: 174-038
EAN: 8714984908437
Color: Natural White
Input: 230V
Power: 56 Watt

Lumen: 3400
Color temp: 4000K
Beam angle: 120°
Length: 597 mm
Width: 597 mm
Height: 14mm

Dimmable: No
IP rate: IP20
Carton Quantity: 4



LED PANEL 60CM X 60CM

Natural White

Ordercode: 174-027
EAN: 8714984909304
Color: Natural White
Input: 230V
Power: 36 Watt

Lumen: 2100
Color temp: 4200K
Beam angle: 120°
Length: 597mm
Width: 597mm
Height: 16mm

Wire length: 1,8 m
Connection type: Schuko
Dimmable: No
IP rate: IP20
Carton Quantity: 3



LED PANEL 60CM X 60CM

Day Light

Ordercode: 174-026
EAN: 8714984908277
Color: Cold White
Input: 230V
Power: 43 Watt

Lumen: 3000
Color temp: 6000K
Beam angle: 120°
Length: 597mm
Width: 597mm
Height: 16mm

Wire length: 90cm
Connection type: Schuko
Dimmable: No
IP rate: IP20
Carton Quantity: 1



LED PANEL 30CM X 120CM

Natural White

Ordercode: 174-035
EAN: 8714984906745
Color: Natural White
Input: 230V
Power: 50 Watt

Lumen: 3350
Color temp: 4000K
Beam angle: 120°
Length: 1197mm
Width: 297mm
Height: 16mm

Wire length: 90cm
Connection type: Schuko
Dimmable: No
IP rate: IP20
Carton Quantity: 1



LED PANEL 30CM X 120CM

Day Light

Ordercode: 174-036
EAN: 8714984908284
Color: Cold White
Input: 230V
Power: 50 Watt

Lumen: 3350
Color temp: 6000K
Beam angle: 120°
Length: 1197mm
Width: 297mm
Height: 16mm

Wire length: 90cm
Connection type: Schuko
Dimmable: No
IP rate: IP20
Carton Quantity: 1



LED PANEL 30CM X 30CM WITH 4 SPRINGS

Natural White

Ordercode: 174-030
EAN: 8714984909595
Color: Natural White
Input: 85-265V
Power: 18 Watt

Lumen: 1200
Color temp: 4000K
Beam angle: 120°
Length: 300mm
Width: 300mm
Height: 16mm
Mounting hole: 285 x 285mm

Connection type: Euro
Dimmable: No
IP rate: IP20
Carton Quantity: 1



LED PANEL ROUND 16CM

Warm White

Ordercode: 174-005
EAN: 8714984909281
Color: Warm White
Input: 230V
Power: 9 Watt

Lumen: 595
Color temp: 3000K
Beam angle: 120°
Height: 16mm
Mounting hole: 140mm

Diameter: 160mm
Wire length: 90cm
Connection type: Plug & Play
Dimmable: No
IP rate: IP20
Carton Quantity: 1



LED PANEL ROUND 16CM DIMMABLE

Warm White
 Primary dimmable (with triac dimmer)

Ordercode: 174-006
EAN: 8714984050761
Color: Warm White
Input: 230V
Power: 9 Watt

Lumen: 595
Color temp: 3000K
Beam angle: 120°
Height: 16mm
Mounting hole: 140mm

Diameter: 160mm
Wire length: 90cm
Connection type: Plug & Play
Dimmable: Yes
IP rate: IP20
Carton Quantity: 1



LED PANEL ROUND 19,5CM

Warm White

Ordercode: 174-007
EAN: 8714984909298
Color: Warm White
Input: 230V
Power: 16 Watt

Lumen: 840
Color temp: 3000K
Beam angle: 120°
Height: 16mm
Mounting hole: 175mm

Diameter: 195mm
Wire length: 90cm
Connection type: Plug & Play
Dimmable: No
IP rate: IP20
Carton Quantity: 1



Down Light



DOWN LIGHT 14 WATT WARM WHITE

with Nichia LED and cover
Meanwell Driver included

Ordercode: 136-060
EAN: 8714984909229
Color: Warm White
Input: 230V
Power: 14 Watt
Color temp: 3000K

Beam: 90°
LED Qty: 6
Lumen: 680
Mounting hole: Ø 90mm
Diameter: Ø 110
Height: 55mm

Wire length: 1,2 meter
Driver: External
Connection Type: Euro plug-
LED: Nichia
IP Rate: IP20
Carton Quantity: 12



DOWN LIGHT 21 WATT WARM WHITE

with Nichia LED and cover
Meanwell Driver included

Ordercode: 136-061
EAN: 8714984909236
Color: Warm White
Input: 230V
Power: 21 Watt
Color temp: 3000K

Beam: 90°
LED Qty: 9
Lumen: 1020
Mounting hole: Ø 115mm
Diameter: Ø 138
Height: 55mm

Wire length: 1,2 meter
Driver: External
Connection Type: Euro plug
LED: Nichia
IP Rate: IP20
Carton Quantity: 12



DOWN LIGHT 28 WATT WARM WHITE

with Nichia LED and cover
Meanwell Driver included

Ordercode: 136-062
EAN: 8714984909243
Color: Warm White
Input: 230V
Power: 28 Watt
Color temp: 3000K

Beam: 90°
LED Qty: 12
Lumen: 1410
Mounting hole: Ø 135mm
Diameter: Ø 160
Height: 55mm

Wire length: 1,2 meter
Driver: External
Connection Type: Euro plug
LED: Nichia
IP Rate: IP20
Carton Quantity: 16



DOWN LIGHT 10 WATT WARM WHITE

Driver included

Ordercode: 136-008
EAN: 8714984904132
Color: Warm White
Input: 230V
Power: 10 Watt
Color temp: 3000K

Beam: 60°
LED Qty: 1
Lumen: 460
Mounting hole: Ø 82mm
Diameter: Ø 95mm
Height: 83,5mm

Wire length: 1,2 meter
Driver: Fixed
Connection Type: Euro plug
LED: Cree
IP Rate: IP20
Carton Quantity: 6



DOWN LIGHT 10 WATT WARM WHITE DIMMABLE

dimmmable on primary side (triac dimmer)
Driver included

Ordercode: 136-018
EAN: 8714984904835
Color: Warm White
Input: 230V
Power: 10 Watt
Color temp: 3000K

Beam: 60°
LED Qty: 1
Lumen: 460
Mounting hole: Ø 82mm
Diameter: Ø 95mm
Height: 83,5mm

Wire length: 1,2 meter
Driver: Fixed
Connection Type: Euro plug
LED: Cree
IP Rate: IP20
Carton Quantity: 6



DOWN LIGHT 5 WATT WARM WHITE

with cluster LED and cover

Driver included

Ordercode: 136-050
EAN: 8714984907508
Color: Warm White
Input: 230V
Power: 5 Watt
Color temp: 3500K

Beam: 90°
LED Qty: 1
Lumen: 275
Mounting hole: Ø 97mm
Diameter: Ø 112mm
Height: 97mm

Driver: External
Connection Type: Striped wire
LED: Cluster
IP Rate: IP20
Carton Quantity: 12



DOWN LIGHT 10 WATT WARM WHITE

with cluster LED and cover

Driver included

Ordercode: 136-051
EAN: 8714984909373
Color: Warm White
Input: 230V
Power: 10 Watt
Color temp: 3500K

Beam: 90°
LED Qty: 1
Lumen: 550
Mounting hole: Ø 115mm
Diameter: Ø 132mm
Height: 110mm

Driver: External
Connection Type: Striped wire
LED: Cluster
IP Rate: IP20
Carton Quantity: 12



DOWN LIGHT 15 WATT WARM WHITE TURNABLE

with cluster LED

Driver included

Ordercode: 136-052
EAN: 8714984909380
Color: Warm White
Input: 230V
Power: 15 Watt
Color temp: 3500K

Beam: 60°
LED Qty: 1
Lumen: 825
Mounting hole: Ø 178mm
Diameter: Ø 190mm
Height: 165mm

Driver: External
Connection Type: Striped wire
LED: Cluster
IP Rate: IP20
Carton Quantity: 6



DOWN LIGHT 20 WATT WARM WHITE

with cluster LED

Driver included

Ordercode: 136-053
EAN: 8714984909397
Color: Warm White
Input: 230V
Power: 20 Watt
Color temp: 3500K

Beam: 60°
LED Qty: 1
Lumen: 1100
Mounting hole: Ø 163mm
Diameter: Ø 191mm
Height: 89mm

Driver: External
Connection Type: Striped wire
LED: Cluster
IP Rate: IP20
Carton Quantity: 12



DOWN LIGHT 30 WATT WARM WHITE

with cluster LED

Driver included

Ordercode: 136-054
EAN: 8714984909403
Color: Warm White
Input: 230V
Power: 30 Watt
Color temp: 3500K

Beam: 90°
LED Qty: 1
Lumen: 1650
Mounting hole: Ø 215mm
Diameter: Ø 227mm
Height: 124mm

Driver: External
Connection Type: Striped wire
LED: Cluster
IP Rate: IP20
Carton Quantity: 6

Down Light



BULL EYE 5 WATT

Driver included

Ordercode: 136-055
EAN: 8714984909410
Color: Warm White
Input: 230V
Power: 5 Watt
Color temp: 3500K

Beam: 115°
LED Qnty: 1
Lumen: 275
Diameter: Ø 154mm
Height: 96mm

Driver: Internal
Connection Type: Screw Connection
LED: Cluster
IP Rate: IP54
Carton Quantity: 12



BULL EYE 10 WATT

Driver included

Ordercode: 136-056
EAN: 8714984909427
Color: Warm White
Input: 230V
Power: 10 Watt
Color temp: 3500K

Beam: 115°
LED Qnty: 1
Lumen: 550
Diameter: Ø 154mm
Height: 96mm

Driver: Internal
Connection Type: Screw Connection
LED: Cluster
IP Rate: IP54
Carton Quantity: 12



CEILING LIGHT - SURFACE MOUNTED

Driver included

Ordercode: 136-002
EAN: 8714984908840
Color: Warm White
Input: 230V
Power: 9 Watt
Color temp: 3000K

Beam: 120°
LED Qnty: 156
Lumen: 827
Diameter: Ø 258mm
Height: 80mm

Driver: Internal
LED: 3528
IP Rate: IP20
Carton Quantity: 6

Ledverlichting Soest BV

market leader in LED
and decorative lighting

www.ledverlichtingshop.nl

Track Rail



3 PHASE TRACK 2 METER

Ordercode: 169-002
Color: Silver
Length: 2 meter
Width: 38,1mm
Depth: 33,5mm

IP rate: IP20
Carton Quantity: 1



3 PHASE TRACK 3 METER

Ordercode: 169-003
Color: Silver
Length: 3 meter
Width: 38,1mm
Depth: 33,5mm

IP rate: IP20
Carton Quantity: 1



3 PHASE INTERIOR CONNECTOR

Ordercode: 169-005
Color: Silver

IP rate: IP20
Carton Quantity: 1



3 PHASE POWER CONNECTOR LEFT

End cap included

Ordercode: 169-007
Color: Silver

IP rate: IP20
Carton Quantity: 1



3 PHASE POWER CONNECTOR RIGHT

End cap included

Ordercode: 169-015
Color: Silver


IP rate: IP20
Carton Quantity: 1



3 PHASE I SHAPE CONNECTOR

Ordercode: 169-008
Color: Silver


IP rate: IP20
Carton Quantity: 1



3 PHASE X SHAPE CONNECTOR

Ordercode: 169-009
Color: Silver


IP rate: IP20
Carton Quantity: 1



3 PHASE T SHAPE LEFT

Ordercode: 169-010
Color: Silver

IP rate: IP20
Carton Quantity: 1



3 PHASE T SHAPE RIGHT

Ordercode: 169-016
Color: Silver
Length:
Width:
Depth:

IP rate: IP20
Carton Quantity: 1



3 PHASE L SHAPE LEFT

Ordercode: 169-011
Color: Silver

IP rate: IP20
Carton Quantity: 1

Track Rail



3 PHASE L SHAPE RIGHT

Ordercode: 169-017
Color: Silver

IP rate: IP20
Carton Quantity: 1



3 PHASE L SHAPE ADJUSTABLE LEFT

Ordercode: 169-012
Color: Silver

IP rate: IP20
Carton Quantity: 1



3 PHASE L SHAPE ADJUSTABLE RIGHT

Ordercode: 169-018
Color: Silver

IP rate: IP20
Carton Quantity: 1



3 PHASE FLEXIBLE CONNECTOR

Ordercode: 169-013
Color: Silver


IP rate: IP20
Carton Quantity: 1



3 PHASE HANG UP SET STEEL & ALUMINIUM

Ordercode: 169-014
Color: Silver

IP rate: IP20
Carton Quantity: 1



3 PHASE ADAPTER

Ordercode: 169-020
Color: Silver

IP rate: IP20
Carton Quantity: 1



TRACK SPOT 15 WATT WARM WHITE - 19° BEAM

With Bridgelux COB LED

Ordercode: 169-061
Color: White with Black ring

LED Color: 3000 Kelvin
Lumen: 1100
LED Brand: Bridgelux

IP rate: IP20
Carton Quantity: 1



TRACK SPOT 30 WATT WARM WHITE - 22° BEAM

With Sharp COB LED,

Ordercode: 169-062
Color: White with Black ring

LED Color: 3000 Kelvin
Lumen: 2000
LED Brand: Sharp

IP rate: IP20
Carton Quantity: 1



TRACK SPOT 45 WATT WARM WHITE - 45° BEAM

With Sharp COB LED

Ordercode: 169-063
Color: White with Black ring

LED Color: 3000 Kelvin
Lumen: 3000
LED Brand: Sharp

IP rate: IP20
Carton Quantity: 1



TRACK SPOT E27

Ordercode: 169-050
Color: Silver

IP rate: IP20
Carton Quantity: 1



TRACK SPOT GU10

Ordercode: 169-051
Color: Silver

IP rate: IP20
Carton Quantity: 1



TRACK SPOT FOR AR111

700mA driver included


Ordercode: 169-052
Color: Silver

IP rate: IP20
Carton Quantity: 1

5 x 8 Mini Flat



Ledline 5x8 is a flexible square LED ropelight available in several colors. The modest and dimmable light output makes Ledline 5x8 ideal to highlight objects, stairs and to outline floors.




5 X 8 MINIFLAT 24V WHITE

To cut every 17cm
30 meter roll

Ordercode: 090-021
EAN: 8714984050938
Color: White
Input: 24V

Power: 2,89 Watt p/meter
LED Space: 27,7mm
Length: 30 meter
Width: 8mm

Depth: 5mm
Dimmable: Yes
IP Rate: IP44
Carton Quantity: 1



5 X 8 MINIFLAT 24V BLUE

To cut every 17cm
30 meter roll

Ordercode: 090-022
EAN: 8714984051119
Color: Blue
Input: 24V

Power: 2,89 Watt p/meter
LED Space: 27,7mm
Length: 30 meter
Width: 8mm

Depth: 5mm
Dimmable: Yes
IP Rate: IP44
Carton Quantity: 1



5 X 8 MINIFLAT 24V GREEN


To cut every 17cm
30 meter roll

Ordercode: 090-023
EAN: 8714984051126
Color: Green
Input: 24V

Power: 2,89 Watt p/meter
LED Space: 27,7mm
Length: 30 meter
Width: 8mm

Depth: 5mm
Dimmable: Yes
IP Rate: IP44
Carton Quantity: 1

5 x 8 Mini Flat




5 X 8 MINIFLAT 24V RED

To cut every 33cm
50 meter roll

Ordercode: 090-024
EAN: 8714984051133
Color: Red
Input: 24V

Power: 1,44 Watt p/meter
LED Space: 27,7mm
Length: 50 meter
Width: 8mm

Depth: 5mm
Dimmable: Yes
IP Rate: IP44
Carton Quantity: 1



5 X 8 MINIFLAT 24V YELLOW

To cut every 33cm
50 meter roll

Ordercode: 090-025
EAN: 8714984051140
Color: Yellow
Input: 24V

Power: 1,44 Watt p/meter
LED Space: 27,7mm
Length: 50 meter
Width: 8mm

Depth: 5mm
Dimmable: Yes
IP Rate: IP44
Carton Quantity: 1



POWER CABLE

For 12V & 24V - striped wire
1 meter length

Ordercode: 095-005
EAN: 8714984007598

Length: 100 cm

IP Rate: IP44
Carton Quantity: 1



SPLICE CONNECTOR

To connect two parts

Ordercode: 095-010
EAN: 8714984007604

IP Rate: IP44
Carton Quantity: 10



END CAP

Ordercode: 095-020
EAN: 8714984007628

IP Rate: IP44
Carton Quantity: 100

5 x 8 Mini Flat



MOUNTING CLIP

Ordercode: 095-025
EAN: 8714984005457

IP Rate: IP44
Carton Quantity: 100



CHANNEL ALUMINIUM

1 meter length

Ordercode: 095-030
EAN: 8714984005464

IP Rate: IP44
Carton Quantity: 50

Ledverlichting Soest BV

market leader in LED and decorative lighting





LED ROPELIGHT 12V WHITE

15 meter roll

Ordercode: 045-001
EAN: 8714984006065
Color: White
Input: 12V DC
Power: 2,9 Watt

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5




LED ROPELIGHT 12V WARM WHITE

15 meter roll

Ordercode: 045-008
EAN: 8714984901797
Color: Warm White
Input: 12V DC
Power: 2,9 Watt

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5




LED ROPELIGHT 12V BLUE

15 meter roll

Ordercode: 045-002
EAN: 8714984007352
Color: Blue
Input: 12V DC
Power: 2,9 Watt

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5




LED ROPELIGHT 12V GREEN

15 meter roll

Ordercode: 045-003
EAN: 8714984008076
Color: Green
Input: 12V DC
Power: 2,9 Watt

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5




LED ROPELIGHT 12V RED

15 meter roll

Ordercode: 045-004
EAN: 8714984007369
Color: Red
Input: 12V DC
Power: 1,7 Watt

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 14cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5



LED ROPELIGHT 12V YELLOW

15 meter roll

Ordercode: 045-005
EAN: 8714984008083
Color: Yellow
Input: 12V DC
Power: 1,7 Watt

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 14cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5



LED ROPELIGHT 24V WHITE

30 meter roll

Ordercode: 050-001
EAN: 8714984006072
Color: White
Input: 24V DC
Power: 2,9 Watt

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1




LED ROPELIGHT 24V WARM WHITE

30 meter roll

Ordercode: 050-008
EAN: 8714984901803
Color: Warm White
Input: 24V DC
Power: 2,9 Watt

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1




LED ROPELIGHT 24V BLUE

30 meter roll

Ordercode: 050-002
EAN: 8714984005396
Color: Blue
Input: 24V DC
Power: 2,9 Watt

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1




LED ROPELIGHT 24V GREEN

30 meter roll

Ordercode: 050-003
EAN: 8714984008069
Color: Green
Input: 24V DC
Power: 2,9 Watt

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1




LED ROPELIGHT 24V RED

30 meter roll

Ordercode: 050-004
EAN: 8714984007154
Color: Red
Input: 24V DC
Power: 1,7 Watt

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 28cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPELIGHT 24V YELLOW

30 meter roll

Ordercode: 050-005
EAN: 8714984007178
Color: Yellow
Input: 24V DC
Power: 1,7 Watt

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 28cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPELIGHT 230V WHITE - 10MM

51 meter roll

Ordercode: 055-051
EAN: 8714984050921
Color: White
Input: 230V
Power: 3,2 Watt

Length: 51 meter
Max. length: 51 meter
Diameter: 10mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



LED ROPELIGHT 230V WHITE

51 meter roll

Ordercode: 055-001
EAN: 8714984006089
Color: White
Input: 230V
Power: 3,2 Watt

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1




LED ROPELIGHT 230V WARM WHITE

51 meter roll

Ordercode: 055-008
EAN: 8714984009820
Color: Warm White
Input: 230V
Power: 3,2 Watt

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1




LED ROPELIGHT 230V BLUE

51 meter roll

Ordercode: 055-002
EAN: 8714984007147
Color: Blue
Input: 230V
Power: 3,2 Watt

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1




LED ROPELIGHT 230V GREEN

51 meter roll

Ordercode: 055-003
EAN: 8714984008045
Color: Green
Input: 230V
Power: 3,2 Watt

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1




LED ROPELIGHT 230V RED

50 meter roll

Ordercode: 055-004
EAN: 8714984008052
Color: Red
Input: 230V
Power: 2,4 Watt

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 200cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



LED ROPELIGHT 230V YELLOW

50 meter roll

Ordercode: 055-005
EAN: 8714984007161
Color: Yellow
Input: 230V
Power: 2,4 Watt

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 200cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



LED ROPELIGHT 230V MULTI COLOR

50 meter roll

Ordercode: 055-000
EAN: 8714984905429
Color: Multi Color
Input: 230V
Power: 2,4 Watt

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 200cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



LED ROPELIGHT 230V WHITE - 72 LED P/METER

45 meter roll

Ordercode: 055-031
EAN: 8714984905399
Color: White
Input: 230V
Power: 6 Watt

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 72
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



LED ROPELIGHT 120V WHITE

51 meter roll

Ordercode: 055-041
EAN: 8714984007871
Color: White
Input: 120V
Power: 3,2 Watt

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 75cm

LED p/meter: 36
Cable type: UK Plug
IP Rate: IP44
Carton Quantity: 1




LED 3 WIRE ROPELIGHT 230V WHITE

99 meter roll

Ordercode: 060-001
EAN: 8714984007642
Color: White
Input: 230V
Power: 3,2 Watt

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



LED 3 WIRE ROPELIGHT 230V BLUE

99 meter roll

Ordercode: 060-002
EAN: 8714984007659
Color: Blue
Input: 230V
Power: 3,2 Watt

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1