



FLEETCLEAN SYSTEMS LLC

SAFETY DATA SHEET - 16 SECTIONS

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier # 2A DEGREASER WITH WAX		[WHMIS Classification]	
Product Use HARD SURFACE CLEANER			
Manufacturer's Name FLEETCLEAN SYSTEMS LLC		Supplier's Name SAME	
Street Address 1 TUPPERWARE DR, SUITE 3		Street Address	
City NORTH SMITHFIELD	State RI	City	State
Postal Code 02896	Emergency Telephone 800-535-5053	Postal Code	Emergency Telephone
Date MSDS Prepared 09/18/18	MSDS Prepared By FLEETCLEAN SYSTEMS LLC	Office Phone Number (401) 356-4156	


SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients (specific)	%	CAS Number	LD₅₀ of Ingredient (specify species and route)	LC₅₀ of Ingredient (specify species and route)
POTASSIUM HYDROXIDE	2-5	1310-56-3		
BUTYL CELLUSOLVE	LESS THAN 1			
TETRA SODIUM ETHYLENE DIAMINE TETRA ACETATE	1-2			



Please continue on reverse side

**For emergency assistance involving chemicals call
INFOTRAC - 800-535-5053**

SECTION 3 - HAZARDS IDENTIFICATION

	Routes of Entry	<input checked="" type="checkbox"/> SKIN CONTACT	<input checked="" type="checkbox"/> SKIN ABSORPTION	<input checked="" type="checkbox"/> EYE CONTACT	<input checked="" type="checkbox"/> INHALATION	<input checked="" type="checkbox"/> INGESTION
	[Emergency Overview]					
Skin: LIQUID AND VAPOR CAN CAUSE SEVERE BURNS WHICH MAY NOT BE IMMEDIATELY PAINFUL OR VISIBLES						
Eyes: BOTH LIQUID AND VAPOR CAN CAUSE IRRITATION AND CORNEA BURNS						
Inhalation: AIRBORNE CONCENTRATION OF MIST OR SPRAY CAN IRRITATE THROAT AND RESPIRATORY SYSTEM						
Ingestion: CAN CAUSE SEVERE MOUTH, THROAT, AND STOMACH BURNS						
WHMIS Symbols						
Potential Health Risks						
THE MATERIALS IN THIS PRODUCT ARE NOT LISTED IN THE TSCA INVENTORY AS CARCINOGENIC BY IARC, OSHA, ACGIH, OR NPT						

SECTION 4 - FIRST AID MEASURES

	Skin Contact	FLUSH WITH COOL WATER AND UNDER NAILS FOR 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND FOOTWARE. GET IMMEDIATE MEDICAL ATTENTION.
	Eye Contact	IMMEDIATELY FLUSH WITH LARGE QUANTITIES OF COOL WATER FOR 15 MINUTES. HOLDING EYELIDS APART TO ENSURE FLUSHING OF THE ENTIRE EYE SURFACE. GET IMMEDIATE MEDICAL ATTENTION.
Inhalation REMOVE PERSON OUT OF CONTAMINATED AREA TO FRESH AIR. KEEP PERSON LAYING DOWN, QUIET AND WARM. GET IMMEDIATE MEDICAL ATTENTION.		
Ingestion DO NOT INDUCE VOMITING. GIVE LARGE QUANTITIES OF WATER. IF AVAILABLE, GIVE SEVERAL GLASSES OF MILK. GET IMMEDIATE MEDICAL ATTENTION		

SECTION 5 - FIRE FIGHTING MEASURES

Flammable	If yes, under which conditions?	
<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	
Means of extinction THE PRODUCT IS NOT COMBUSTIBLE. PROTECTIVE CLOTHING AND PRESSURE DEMAN, SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN BY FIREFIGHTERS IN AREAS WHERE PRODUCT IS STORED.		
Flashpoint (*C) and method NON FLAMMABLE	Upper Flammable Limit (% by volume) N/A	Lower Flammable Limit(% by volume) N/A
Autoignition Temperature (*C) N/A	Explosion Data - Sensitivity to impact N/A	Explosion Data - Sensitivity to Static Discharge N/A
Hazardous Combustion Products		
[NFPA]		

Please continue on reverse side

**For emergency assistance involving chemicals call
INFOTRAC - 800-535-5053**

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Leaks and Spill Procedures



LEAKS SHOULD BE STOPPED. SPILLS SHOULD BE CONTAINED AND CLEANED UP IMMEDIATELY. NEUTRALIZE WITH ANY DILUTED INORGANIC ACID. THE SPILL AREA SHOULD THEN BE FLUSHED WITH WATER FOLLOWED BY LIBERAL COVERING OF SODIUM BICARBONATE. PERSONS PERFORMING CLEAN-UP SHOULD WEAR ADEQUATE PROTECTIVE CLOTHING AND EQUIPMENT.

SECTION 7 - HANDLING AND STORAGE

Handling Procedures and Equipment



DO NOT GET IN EYES, ON SKIN, AND ON CLOTHING. DO NOT TAKE INTERNALLY. USE WITH ADEQUATE VENTILATION. WHEN EXPOSED TO CONCENTRATED VAPORS IN A CONFINED AREA, USE OF RESPIRATORY PROTECTION MAY BE NECESSARY. WHEN HANDLING, WEAR CHEMICAL SPLASH GOGGLES AND RUBBER GLOVES. WASH THOROUGHLY AFTER HANDLING, AS EXPOSURE CAN CAUSE BURNS WHICH ARE NOT IMMEDIATELY PAINFUL OR VISIBLE. KEEP CONTAINERS TIGHTLY CLOSED.

Storage Requirements

STORE IN A COOL DRY LOCATION AWAY FROM INCOMPATIBLE MATERIALS

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits

ACGIH TLV OSHA PEL Other (specify)

Specific Engineering Controls (such as ventilation, enclosed process)



LOCAL EXHAUST SUFFICIENT TO REDUCE VAPOR AND ACID MIST BELOW PERMISSIBLE TLV LEVELS

Personal Protective Equipment



GLOVES



RESPIRATOR



EYE



FOOTWEAR



CLOTHING

OTHER

If checked, please specify type



SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Odor and Appearance	Odor Threshold (ppm)
SOLUBILITY IN WATER	CLEAR LIQUID, STRONG CAUSTIC ODOR	(MMHG)
Specific Gravity	Vapor Density (Air=1) ND	Vapor Pressure (mmHg)
1.02 to 1.04	ND	ND
Evaporation Rate	Boiling Point (*C)	Freezing Point (* C)
NONE	68	0
PH	Coefficient of Water/Oil Distribution	Solubility in water
12.8	COMPLETE	COMPLETE

Please continue on reverse side

**For emergency assistance involving chemicals call
INFOTRAC - 800-535-5053**

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability	If no, under which conditions?
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	
Incompatibility with Other substances	If yes, which ones?
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	STORAGE IN ALUMINUM, ZINC, AND MOST METALS WHICH YEILD HYDROGEN GAS, A FIRE AND EXPLOSIVE HAZARD
	 
Reactivity, and under which conditions?	
PRODUCT IS NOT KNOWN TO POLYMERIZE	
Hazardous Decomposition Products	
NONE	

SECTION 11 - TOXICOLOGICAL INFORMATION

Effects of acute exposure	
THE MATERIALS IN THIS PRODUCT ARE NOT LISTED IN THE TSCA INVENTORY AS CARCINOGENIC BY NTP, OSHA, OR ACGIH	
Effects of chronic exposure	
THE MATERIALS IN THIS PRODUCT ARE NOT LISTED IN THE TSCA INVENTORY AS CARCINOGENIC BY NTP, OSHA, OR ACGIH	
Irritancy of product	
Skin sensitization	Respiratory sensitization
Carcinogenicity - IARC	Carcinogenicity - ACGIH
Reproductive toxicity	Teratogenicity
Embrototoxicity	Mutagenicity
Name of synergistic products/effects	

Please continue on reverse side

**For emergency assistance involving chemicals call
INFOTRAC - 800-535-5053**

SECTION 12 - ECOLOGICAL INFORMATION**Aquatic Toxicity**

NON TOXIC

SECTION 13 - DISPOSAL CONSIDERATIONS**Waste Disposal**

TREAT TO DISPOSE OF ACCORDING TO REGULATIONS UNDER THE RESOURCE CONSERVATION AND RECOVERY ACT AS ADMINISTERED BY THE U.S. FEDERAL EPA OR APPROPRIATE STATE AND LOCAL AGENCY.

KEEP PRODUCT OUT OF STORM SEWER OR SANITARY SEWER.

SECTION 14 - TRANSIT INFORMATION**Special Shipping Information**

PIN

ALKALINE DETERGENT CLEANER, LIQUID. CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

CONTAINS POTASIUUM HYDROXIDE AND BUTYL CELLUSOLVE. UN3266, 11 E.R.G., #60
CORROSIVE 8**TDG**

CHEMICAL CLASS: INORGANIC ACID CLEANING

DOT

CORROSIVE, 8, UN3266

IMO

REPORTABLE QUANTITY IN SPILL 1375 GALLONS

CAO

HAZARD DATA PEL: NONE EST. TLV: 2 MG/M3

SECTION 15 - REGULATORY INFORMATION**WHMIS Classification**THE SUBSTANCE IS CLASSIFIED AND LABELED
ACCORDING TO THE GHS 9 STANDARD**OSHA****SERA****TSCA***THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CONTROLLED PRODUCTS REGULATIONS (CPR) AND THE MSDS CONTAINS ALL OF THE INFORMATION REQUIRED BY CPR.*

Please continue on reverse side

**For emergency assistance involving chemicals call
INFOTRAC - 800-535-5053**

SECTION 16 - OTHER INFORMATION**Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL – Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS – Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC – International Agency for Research on Cancer; IATA - International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP – National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB – Very Persistent and Very Bioaccumulative

Please continue on reverse side

**For emergency assistance involving chemicals call
INFOTRAC - 800-535-5053**

FLEETCLEAN SYSTEMS LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version. US

NOTICE

Fleetclean Systems LLC ("Fleetclean") expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this SDS as a product specification. For product specification information refer to a product specification sheet and/or a certificate of analysis. These can be obtained from Fleetclean's office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Fleetclean makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Fleetclean's control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process