





 **GEOTRONICS CONSULTING INC.**
SURREY B.C.
Map Center: 54.8628N 126.0161W

KENRICH-ESKAY MINING CORP.				
BABS PROPERTY				
BABINE LAKE AREA, OMINECA MD, BC				
DETAIL CLAIM MAP				
<i>with grid</i>				
DRAWN BY:	JOB NO.:	NTS:	DATE:	FIG NO.:
DGM	08-12	93K/13 93L/16 93M/01	April 09	3b



-  Eocene
basaltic volcanic rocks
-  Eocene
conglomerate, coarse clastic sedimentary rocks
-  Eocene
coarse volcanoclastic and pyroclastic volcanic rocks
-  Early Cretaceous
undivided sedimentary rocks
-  Middle Jurassic
marine sedimentary and volcanic rocks
-  Middle Jurassic
syenitic to monzonitic intrusive rocks
-  Early to Middle Jurassic
undivided volcanic rocks
-  Early to Middle Jurassic
dioritic intrusive rocks
-  Early to Middle Jurassic
coarse volcanoclastic and pyroclastic volcanic rocks
-  Early Jurassic
andesitic volcanic rocks
-  Early Jurassic
argillite, greywacke, conglomerate turbidites
-  Late Triassic to Early Jurassic
undivided sedimentary rocks
-  Late Triassic to Early Jurassic
dioritic intrusive rocks
-  Late Triassic to Early Jurassic
granodioritic intrusive rocks
-  Late Triassic
mudstone, siltstone, shale fine clastic sedimentary rocks
-  Early Permian to Middle Triassic
greenstone, greenschist metamorphic rocks
-  Late Pennsylvanian to Late Triassic
serpentinite ultramafic rocks

KENRICH-ESKAY MINING CORP.

BABS PROPERTY
BABINE LAKE AREA, OMINECA MD, BC

GEOLOGY MAP LEGEND

DRAWN BY:
DGM

JOB NO.:
08-12

NTS:
93K/13
93L/16
93M/01

DATE:
Jan 09

FIG NO.:
4b



GEOTRONICS CONSULTING INC.
SURREY B.C.

KENRICH-ESKAY MINING CORP.

BABS PROPERTY

Babine Lake Area, Omineca M.D., BC

MMI SOIL SAMPLING

Response Ratio - Histogram

Line 100E

Zn Co Ag Au Cu


Response Ratio

0 100N 200N 300N 400N 500N 600N 700N 800N 900N 1000N 1100N 1200N 1300N 1400N 1500N 1600N 1700N 1800N 1900N 2000N 2100N 2200N 2300N 2400N 2500N


Survey Station

Data Reduced by: GEOTRONICS CONSULTING INC


KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 200E



KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 300E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 400E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram

Line 500E



KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 600E



KENRICH-ESKAY MINING CORP.

BABS PROPERTY

Babine Lake Area, Omineca M.D., BC

MMI SOIL SAMPLING

Response Ratio - Histogram

Line 700E


Zn Co Ag Au Cu

Response Ratio


0 100N 200N 300N 400N 500N 600N 700N 800N 900N 1000N 1100N 1200N 1300N 1400N 1500N 1600N 1700N 1800N 1900N 2000N 2100N 2200N 2300N 2400N 2500N

Survey Station


Data Reduced by: GEOTRONICS CONSULTING INC




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 900E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1000E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1100E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1200E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1300E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1400E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1500E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1600E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1700E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1800E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1900E



KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 2000E



KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 2100E



KENRICH-ESKAY MINING CORP.

BABS PROPERTY

Babine Lake Area, Omineca M.D., BC

MMI SOIL SAMPLING

Response Ratio - Histogram

Line 100E

Pb Ni Ce Cd Cu


Response Ratio

0 100N 200N 300N 400N 500N 600N 700N 800N 900N 1000N 1100N 1200N 1300N 1400N 1500N 1600N 1700N 1800N 1900N 2000N 2100N 2200N 2300N 2400N 2500N

Survey Station

Data Reduced by: GEOTRONICS CONSULTING INC


KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 200E




Response Ratio

0 100N 200N 300N 400N 500N 600N 700N 800N 900N 1000N 1100N 1200N 1300N 1400N 1500N 1600N 1700N 1800N 1900N 2000N 2100N 2200N 2300N 2400N 2500N


Survey Station




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 300E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 400E



KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 500E



KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 600E



KENRICH-ESKAY MINING CORP.

BABS PROPERTY

Babine Lake Area, Omineca M.D., BC

MMI SOIL SAMPLING

Response Ratio - Histogram

Line 700E


Pb Ni Ce Cd Cu

Response Ratio


0 100N 200N 300N 400N 500N 600N 700N 800N 900N 1000N 1100N 1200N 1300N 1400N 1500N 1600N 1700N 1800N 1900N 2000N 2100N 2200N 2300N 2400N 2500N

Survey Station


Data Reduced by: GEOTRONICS CONSULTING INC




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 900E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1000E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1100E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1200E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1300E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1400E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1500E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1600E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1700E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1800E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 1900E



KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 2000E




KENRICH-ESKAY MINING CORP.
BABS PROPERTY
 Babine Lake Area, Omineca M.D., BC
MMI SOIL SAMPLING
Response Ratio - Histogram
Line 2100E






Declination - 20



Dates Samples Picked Up:
June 2008
Soils Tested by:
SGS Laboratories
Toronto, Ontario
Contour Interval:
log base 10




Survey and Data Reduction by:
GEOTRONICS CONSULTING INC
SURREY BC.


KENRICH-ESKAY MINING CORP.				
BABS PROPERTY				
Babine Lake Area, Omineca MD, BC				
MMI SOIL GEOCHEMISTRY SURVEY				
CONTOUR PLAN				
CADMIUM (ppb)				
Drawn by:	Job No:	NTS:	Date:	Fig No:
DGM	08-12	93L/16	Sept 08	GC-8



Declination - 20



Dates Samples Picked Up:
June 2008
Soils Tested by:
SGS Laboratories
Toronto, Ontario
Contour Interval:
log base 10




Survey and Data Reduction by:
GEOTRONICS CONSULTING INC
SURREY BC.

KENRICH-ESKAY MINING CORP.			
BABS PROPERTY			
Babine Lake Area, Omineca MD, BC			
MMI SOIL GEOCHEMISTRY SURVEY			
CONTOUR PLAN			
CERIUM (ppb)			
Drawn by:	Job No:	NTS:	Date:
DGM	08-12	93/L/16	Sept 08
			Fig No:
			GC-9



Declination - 20



Dates Samples Picked Up:
June 2008
Soils Tested by:
SGS Laboratories
Toronto, Ontario
Contour Interval:
log base 10

100 0 100 200 300 400 500
(metres)




Survey and Data Reduction by:
GEOTRONICS CONSULTING INC
SURREY BC.

KENRICH-ESKAY MINING CORP.			
BABS PROPERTY			
Babine Lake Area, Omineca MD, BC			
MMI SOIL GEOCHEMISTRY SURVEY			
CONTOUR PLAN			
COBALT (ppb)			
Drawn by: DGM	Job No: 08-12	NTS: 93L/16	Date: Sept 08
			Fig No: GC-7



Declination - 20



Dates Samples Picked Up:
June 2008
Soils Tested by:
SGS Laboratories
Toronto, Ontario
Contour Interval:
log base 10

100 0 100 200 300 400 500
(metres)




Survey and Data Reduction by:

GEOTRONICS CONSULTING INC
SURREY BC.

KENRICH-ESKAY MINING CORP.			
BABS PROPERTY			
Babine Lake Area, Omineca MD, BC			
MMI SOIL GEOCHEMISTRY SURVEY			
CONTOUR PLAN			
COPPER (ppb)			
Drawn by:	Job No:	NTS:	Date:
DGM	08-12	93L/16	Sept 08
			Fig No:
			GC-1




Declination -20



Dates Samples Picked Up:
June 2008

Soils Tested by:
SGS Laboratories
Toronto, Ontario

Contour Interval:
log base 10



Survey and Data Reduction by:

GEOTRONICS CONSULTING INC
SURREY BC.

KENRICH-ESKAY MINING CORP.


BABS PROPERTY
Babine Lake Area, Omineca MD, BC

MMI SOIL GEOCHEMISTRY SURVEY
CONTOUR PLAN
GOLD (ppb)


Drawn by: DGM	Job No: 08-12	NTS: 93L/16	Date: Sept 08	Fig No: GC-3
------------------	------------------	----------------	------------------	-----------------



Declination-20



Dates Samples Picked Up:
June 2008
Soils Tested by:
SGS Laboratories
Toronto, Ontario
Contour Interval:
log base 10




Survey and Data Reduction by:
GEOTRONICS CONSULTING INC
SURREY BC.


KENRICH-ESKAY MINING CORP.			
BABS PROPERTY			
Babine Lake Area, Omineca MD, BC			
MMI SOIL GEOCHEMISTRY SURVEY			
CONTOUR PLAN			
LEAD (ppb)			
Drawn by:	Job No:	NTS:	Date:
DGM	08-12	83L/16	Sept 08
			Fig No:
			GC-6



Declination-20



Dates Samples Picked Up:
June 2008
Soils Tested by:
SGS Laboratories
Toronto, Ontario
Contour Interval:
log base 10




Survey and Data Reduction by:
GEOTRONICS CONSULTING INC
SURREY BC.


KENRICH-ESKAY MINING CORP.			
BABS PROPERTY			
Babine Lake Area, Omineca MD, BC			
MMI SOIL GEOCHEMISTRY SURVEY			
CONTOUR PLAN			
MOLYBDENUM (ppb)			
Drawn by:	Job No:	NTS:	Date:
DGM	08-12	93L/16	Sept 08
			Fig No:
			GC-4



Declination - 20



Dates Samples Picked Up:
June 2008
Soils Tested by:
SGS Laboratories
Toronto, Ontario
Contour Interval:
log base 10




Survey and Data Reduction by:
GEOTRONICS CONSULTING INC
SURREY BC.

KENRICH-ESKAY MINING CORP.			
BABS PROPERTY			
Babine Lake Area, Omineca MD, BC			
MMI SOIL GEOCHEMISTRY SURVEY			
CONTOUR PLAN			
NICKEL (ppb)			
Drawn by:	Job No:	NTS:	Date:
DGM	08-12	93L/16	Sept 08
Fig No:			GC-10



Declination -20



Dates Samples Picked Up:
June 2008
Soils Tested by:
SGS Laboratories
Toronto, Ontario
Contour Interval:
log base 10

100 0 100 200 300 400 500
(metres)




Survey and Data Reduction by:
GEOTRONICS CONSULTING INC
SURREY BC.


KENRICH-ESKAY MINING CORP.			
BABS PROPERTY			
Babine Lake Area, Omineca MD, BC			
MMI SOIL GEOCHEMISTRY SURVEY			
CONTOUR PLAN			
SILVER (ppb)			
Drawn by: DGM	Job No: 08-12	NTS: 93L/16	Date: Sept 08
			Fig No: GC-5



Declination - 20



Dates Samples Picked Up:
June 2008
Soils Tested by:
SGS Laboratories
Toronto, Ontario
Contour Interval:
log base 10





Survey and Data Reduction by:
GEOTRONICS CONSULTING INC
SURREY BC.

KENRICH-ESKAY MINING CORP.			
BABS PROPERTY			
Babine Lake Area, Omineca MD, BC			
MMI SOIL GEOCHEMISTRY SURVEY			
CONTOUR PLAN			
ZINC (ppb)			
Drawn by:	Job No:	NTS:	Date:
DGM	08-12	93L/16	Sept 08
			Fig No:
			GC-2



Declination - 20.0




MAGNETIC FIELD
(nanoTeslas)

Survey Date:
August 2008

Instrumentation:
Proton Precession Magnetometer
Geometrics, Model G-856

Base:
56,800 nT (This value has been
subtracted from each reading.)

Contour Interval:
50 nT




Survey and Data Reduction by:
GEOTRONICS CONSULTING INC
SURREY BC.

KENRICH-ESKAY MINING CORP.				
BABS PROPERTY				
Babine Lake Area, Omineca MD, BC				
MAGNETIC SURVEY				
CONTOUR PLAN				
Drawn by:	Job No:	NTS:	Date:	Fig No:
DGM	08-12	93L/16	Sept 08	GP-1



Declination -20.0



Survey Date:
August 2008

Instrumentation:
Proton Precession Magnetometer
Geometrics, Model G-856

Base:
56,800 nT (This value has been
subtracted from each reading.)

Profile Scale:
400 nT



Survey and Data Reduction by:
GEOTRONICS CONSULTING INC
SURREY BC.

KENRICH-ESKAY MINING CORP.			
BABS PROPERTY			
Babine Lake Area, Omineca MD, BC			
MAGNETIC SURVEY			
PROFILE PLAN			
Drawn by: DGM	Job No: 08-12	NTS: 93L/16	Date: Sept 08
			Fig No: GP-2