

-

Does patient have a history of mental illness?

- Mental Health Disagnosis (ICD-10 DMS-5 #)

How much Peer Support is being requested (hrs per week)

As peer supporters, one of our most important jobs is to focus on the whole person first. Our unique ability to connect and develop relationships with people, seeing more than the diagnoses or stigmatizing labels, allows us to guide people to reconnect with their own abilities, strengths, talents, and lessons learned from their own stories of survival.

VIDEO ONE:



ASSIGNMENT VIDEO: On www.youtube.com/

Search Title: 2/7/2019 Addiction Recovery Channel - Emergency Department Peer Recovery Coaching Program

Duration: 30:11 min

Link: https://www.youtube.com/watch?v=k5Jdxz9_OZs



Part V

Other Possible Situations

Seminar # 30

“Medical Assisted Treatments (M.A.T.)”

The Seminar Goals:

1. The attendee will be able to name the four (4) domain parts in the family system.
2. The attendee will be able to identify how the degree of functionality and potentiality of each family member will impact the outcome of dealing with a family issue.
3. Using the “Functionality & Potentiality Worksheet”, the attendee will be able to provide their understanding of each family members role in working to meet a desired family outcome.

Introduction

There are two phases to a NARCAN event, the administration of NARCAN and the Quick Response Team follow up in the days to follow. One should always come with the other.

Introduction The National Institute on Drug Abuse (NIDA) endorses medication in treating substance use disorders, and especially combining it with counseling and other behavioral therapies.

Medications that have emerged in recent decades have transformed lives. Ongoing research efforts are testing additional medications that show promise for treating alcohol and cocaine addiction. The National Quality Forum has developed consensus standards for addressing substance use illnesses.

Four of the eleven standards focus on the use of medications. Specifically, they state that everyone receiving detoxification or treatment for opiate, alcohol, or nicotine dependency should be offered medications. “Bridging the Gap Between Practice and Research: Forging Partnerships with Community-Based Drug and Alcohol Treatment,” a report issued by the Institute of Medicine in 1998, discusses the gap between what scientific research has found to be effective treatment for substance use disorders and the type of care delivered in substance-abuse treatment settings.


Since then, NIDA and SAMHSA have been working to bridge the gap identified in the report. Source: Doug Denton, Executive Director, Homeward Bound, Dallas Texas Substance Abuse Treatment Case Management Wrap-around Services Aftercare and Peer Support 12-step Program and Sponsor Physical Health Assessment Treatment Follow-up Mental Health Evaluation Counseling Case Management Addiction Medication Physical Health Medications Mental Health Medication Element.

ELEMENTS OF SUCCESSFUL RECOVERY

1. Addiction Medication Physical Health Medications Mental Health Medication
2. Substance Abuse Treatment Case Management Wrap-around Services Aftercare and Peer Support 12-step Program and Sponsor
3. Physical Health Assessment Treatment Follow-up
4. Mental Health Evaluation Counseling Case Management

Categories of mental illnesses include: Dual Diagnosis

- Anxiety disorders: General anxiety disorder, panic disorders, specific phobias, social phobia, and post-traumatic stress disorder all fall into this category.
- Depression: Major depression, dysthymic disorder, clinical depression, postpartum depression, and unipolar depression are all forms of depressive disorders.
- Bipolar disorder: There are three primary forms of bipolar disorder – bipolar disorder I, II, and cyclothymic disorder. However, the DSM-5 also recognizes unspecified bipolar disorder, and many clinical psychologists are debating the place of seasonal affective disorder, which is a mood disorder like both depression and bipolar disorders.
- Personality disorders: These disorders involve a rigid, uncompromising view of the world and the inability to deal socially with others. These include:
 - Cluster A: schizoid personality disorder, paranoid personality disorder, and schizotypal personality disorder
 - Cluster B: antisocial personality disorder, borderline personality disorder, and narcissistic personality disorder
 - Cluster C: avoidant personality disorder, dependent personality disorder, and obsessive-compulsive disorder
- Psychotic disorders: This is a broader, vaguer category for mental health compared to other listed mental illnesses, and they are primarily characterized by psychotic episodes. Some conditions that fall under psychotic disorders include postpartum psychosis, schizoaffective disorder, and schizophrenia.



Medical Impact to the Body:

Using cocaine can damage the heart's smallest vessels, but this problem doesn't show up on routine medical tests, according to a new study. "We see many emergency room admissions because patients experience chest pain following cocaine use," said study researcher Dr. Varun Kumar, an internist at Mount Sinai Hospital in Chicago.

EXAMPLE OF FAMILY RECORD KEEPER: MEDICAL ASSISTED TREATMENTS

Category	Product/Strength	Frequency/Date Started	Contra Indications	Titration Required
Mental Health Diagnosis: Anxiety	Xanax	PRN 2/2/2020	Yes, see prescribing information.	Yes
Medical Diagnosis: Diabetes				
Addiction Diagnosis: Methamphetamine			Yes, see prescribing information	Yes
Other				

YOUR FAMILY RECORD KEEPER: MEDICAL ASSISTED TREATMENT

VIDEO ONE:



ASSIGNMENT VIDEO: On www.youtube.com/

Search Title: Medication Assisted Treatment for Alcohol and Opiate Use Disorder

Duration: 12:36 min.

Link: https://www.youtube.com/watch?v=LOXnrld_eIw&t=211s

VIDEO TWO: (optional deeper understanding)



ASSIGNMENT VIDEO: On www.youtube.com/

Search Title: Opioid Use Disorder: Breaking the Barriers in Medication-Assisted Treatment

Duration: 1:03 hrs.

Link: <https://www.youtube.com/watch?v=NUj9sAtuWDE>