We look forward to making you a happy camper!!



ALLEN CAMPER MFG. CO., INC.

Allen Camper Manufacturing Co. is family owned and operated since 1958. We have been manufacturing quality, dependable recreational vehicles. It is not just a RV, but family pride and experience that you will be pulling down the road.

Buy with confidence

Choose your style of interior - We offer several to select from. Pick a dinette booth or free standing table; Appliances - size and color. Exterior options such as electric awning and electric jacks.



Regardless of where your travels take you, your RV can be filled with many options and comforts of home.



### **Standard Features**

#### Exteríor

- Assist Handle
- All ICC Exterior Lights
- City Water Connection
- Double Step Or EZ Open Triple Entrance Steps (single steps on light weight trailers)
- Exterior Storage
- Large Awning W/Heavy Duty Hardware
- Outside Patio Receptacle On GFI
- Pass Through Storage (on most models)
- Porch Light W/Inside Switch
- Positive Exterior Door Holder And Bumper
- Rolled Ground Skirts (units with slides)
- Safety Chains On Travel Trailers
- Spare Tire and Bracket
- Propane Bottle Covers
- Propane Bottles on Sides of 5th Wheel for Easy Access on Most Models
- Radius Windows
- Radius Corner Entry Door W/Full Screen Door
- Radius Cornered Insulated Baggage Doors with Door Holder
- Rain Gutter Drip Rail W/Down Spouts

#### Construction

- Electronic 12V Converter W/Built 55 Amp Charger and 12V Fuse Block
- Deluxe Mod Wheels W/Radial Tires
- 120V Breaker Box w/30 Amp Power Cord
- 7-Way Bargman Trailer Plug
- Battery Compartment Or Battery Box Rack
- Electric Brakes All Wheels
- Extended and Adjustable Pin Box on 5th Wheels
- Galvanized Wheel Wells
- Hose Bumpers W/Ends and Reinforced Corners
- Low Water Drains
- One Piece Aluminum Roof on Lightweight Models
- One Piece Rubber Roof on 8' Wide railers
- Plywood Floor
- R-7 Insulation
- 4 Deluxe Stabilizer Jacks on 8' Wide Trailers

#### Interíor

- 12V Inside Lighting
- Carpeted Living Room and Bedroom W/House Type Pad (some models)
- Deluxe 110V Light at Dinette
- Deluxe 12V Light at Sofa
- Deluxe Fold Down Sofa
- Color Coordinated Valances with Mini Blinds
- Decorative Glass Cabinet Doors Some Overheads
- Flush Floor Slide Out
- Flush Lock with Integral Dead Bolt
- Maple Cabinet Doors With Deluxe Cabinet Hardware

#### Appliances

- 13,500 BTU Ducted Roof Air W/Quick Cool (8' Wide Trailers)
- Large Double Door Refrigerator 6 Cu Ft LP/Electric (on some models)
- 6 Gallon Water Heater LPG/110V Electric
- AM/FM/CD Stereo W/4 Speakers
- Carbon Monoxide Detector
- Electric Ignition Ducted Furnace W/Thermostat
- Microwave Oven
- 12V Power Range Vent W/Light
- Monitor Panel
- Oven Stove (except smaller models)
- TV Antenna W/Booster and Cable Hook-up
- Smoke Alarm and Fire Extinguisher

#### Kítchen

- 120V Duplex Receptacle Inside W/GFI in Wet Area
- All Wood Drawers W/Metal Guides and Rollers
- Deluxe Decorator Vinyl Bath, Kitchen and Side Walls
- High Pressure Laminated Cabinet Top and Table Top
- Stainless Double Sink W/Cutting Board
- High Rise Kitchen Faucet

#### Bathroom

- One Piece Wall Surround Tub or Shower Liner
- Deluxe Decorator Vinyl Bath and Kitchen and Side Walls
- Medicine Cabinet W/Mirror

#### Bedroom

- Innerspring Mattress (except bunks)
- Queen Bed W/Gas Lifts (on most models)
- Privacy Curtain (on smaller models)
- Night stand (in some models)
- Jack and Jill Closets (in some models)
- Overhead Storage (in some models)
- TV Outlet in Bedroom



### **Travel Trailer Specifications**

3

.

3


J

3

|                             |  | 180    | 185    | 201    | 215    | 221    | 231    | 241    | 251    | 271    | 279    | 281    |
|-----------------------------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|                             |  | FB     | FB     | FBS    | BH     | FB     | BH     | RKS    | FB     | BH     | RBSS   | BHSS   |
|                             |  |        |        |        |        |        |        |        |        |        |        |        |
| Gross vehicle weight rating |  | 4400   | 4400   | 5000   | 5000   | 4400   | 5500   | 7500   | 7620   | 7650   | 8100   | 7800   |
| Dry hitch weight            |  | 300    | 350    | 340    | 330    | 350    | 500    | 600    | 620    | 650    | 700    | 800    |
| Unloaded vehicle weight     |  | 2800   | 3350   | 3450   | 3375   | 3100   | 3650   | 4820   | 4500   | 5150   | 6150   | 6100   |
| Cargo carrying capacity     |  | 1600   | 1050   | 1550   | 1625   | 1300   | 1850   | 2680   | 3120   | 2500   | 1950   | 1700   |
| Exterior length             |  | 19'1"  | 21'    | 21'    | 21'    | 21'    | 23'8"  | 25'5"  | 26'5"  | 29'8"  | 30'    | 30'    |
| Exterior width              |  | 7'7"   | 7'7"   | 7'7"   | 7'7"   | 7'7"   | 7'7"   | 8'     | 8'     | 8'     | 8'     | 8'     |
| Exterior height             |  | 9'9"   | 10'    | 10'    | 10'    | 9'10"  | 9'11"  | 11'    | 10'1"  | 11'    | 11'    | 11'    |
| Fresh water system          |  | 20     | 20     | 20     | 20     | 20     | 20     | 42     | 42     | 42     | 42     | 42     |
| Gray water holding tank     |  | 22     | 34     | 22     | 22     | 22     | 22     | 38     | 38     | 38     | 38     | 38     |
| Black water holding tank    |  | 22     | 30     | 22     | 22     | 22     | 22     | 30     | 30     | 30     | 38     | 38     |
| Refrigerator                |  | 5'     | 5'     | 5'     | 5      | 5'     | 5'     | 6'     | 6'     | 6'     | 6'     | 6'     |
| Propane tank LPG            |  | 10 gal | 15 gal | 15 gal |
|                             |  |        |        |        |        |        |        |        |        |        |        |        |

|                             |            |             | _           |             |            |             |            |            |             |             |            |            |              |
|-----------------------------|------------|-------------|-------------|-------------|------------|-------------|------------|------------|-------------|-------------|------------|------------|--------------|
|                             | 283<br>FKS | 283<br>FKWS | 283<br>FKS+ | 290<br>BHCK | 291<br>RLS | 329<br>BR2S | 299<br>RKS | 320<br>QBS | 325<br>FKDS | 350<br>FLDS | 375<br>FLS | 398<br>FLS | 398<br>BR2DS |
|                             |            |             |             |             |            |             |            |            |             |             |            |            |              |
| Gross vehicle weight rating | 8100       | 8100        | 11000       | 11000       | 11000      | 11500       | 11500      | 11500      | 11500       | 11500       | 13500      | 13500      | 13500        |
| Dry hitch weight            | 1110       | 1150        | 1250        | 900         | 950        | 950         | 1110       | 950        | 1000        | 1100        | 1050       | 1650       | 1700         |
| Unloaded vehicle weight     | 6340       | 6500        | 7100        | 7100        | 7100       | 7350        | 7100       | 7235       | 7375        | 7950        | 8925       | 9290       | 9400         |
| Cargo carrying capacity     | 1760       | 1600        | 3900        | 3900        | 3900       | 4150        | 4400       | 3765       | 3765        | 3550        | 4575       | 4210       | 4100         |
| Exterior length             | 30'6"      | 30'6"       | 33'4"       | 33'4"       | 33'4"      | 34'2"       | 34'5"      | 34'5"      | 34'5"       | 36'         | 41'6"      | 44'        | 44'          |
| Exterior width              | 8'         | 8'          | 8'          | 8'          | 8'         | 8'          | 8'         | 8'         | 8'          | 8'          | 8'         | 8'         | 8'           |
| Exterior height             | 11'        | 11'         | 11'         | 11'         | 11'        | 11'         | 11'        | 11'        | 11'         | 11'         | 11'        | 11'        | 11'          |
| Fresh water system          | 42         | 42          | 42          | 42          | 42         | 42          | 42         | 42         | 42          | 42          | 42         | 42         | 42           |
| Gray water holding tank     | 38         | 38          | 38          | 38          | 38         | 38          | 38         | 38         | 38          | 38          | 38         | 38         | 38           |
| Black water holding tank    | 30         | 38          | 38          | 38          | 38         | 38          | 38         | 38         | 30          | 38          | 38         | 38         | 38           |
| Refrigerator                | 6'         | 6'          | 6'          | 6'          | 6'         | 6'          | 6'         | 6'         | 6'          | 6'          | 6'         | 6'         | 6'           |
| Propane tank LPG            | 15 ga      | 15 gal      | 15 gal      | 15 gal      | 15 gal     | 15 gal      | 15 gal     | 15 gal     | 15 gal      | 15 gal      | 15 gal     | 15 gal     | 15 gal       |

## **Travel Trailer Floorplans**





NEEDINA DISTORACI

S'USBATE

290 BHCK

10

299 RKS

SOFA

HATTON, BEDT

OUTSIDE RITCHEN WITH REFRIG, COORTOP, SDIK





QUEEN BED



CON HIVERE ADDED

291 RLS




TABLE

HOLAR

ENT CENTER

0 0 0





CLOSET WITH SLIDEN DOORS

ARD TV W

CLOSET WITH SLIDING

Q.

OVERHEAD STORAGE

MARD ENT CENTER WITH DRAWIES BELOW

375 FLS

Đ.

398 FLS



Design your interior with flat screen TV's, fireplace, King-U dinette or free standing table & chairs, rocker recliners, window treatments, appliances, wardrobe slide or entertainment slide.



Exterior options do not stop with metal or fiberglass siding. Choose from electric stabilizer jacks, electric tongue jack, electric awning, rear ladder, outside entertainment, outside grill with some models offering outdoor kitchens.

# 5th Wheel Floorplans



8









-






















## **5th Wheel Specifications**

|               | 199 RB | 219 RKS | 240 RLS | 246 RKS | 249 BH | 2690 RETS | 255 RKS | 2790 QS |
|---------------|--------|---------|---------|---------|--------|-----------|---------|---------|
| weight rating | 4500   | 5600    | 8250    | 8200    | 7750   | 8500      | 8316    | 8930    |
| iht -         | 500    | 500     | 1000    | 980     | 775    | 1350      | 1300    | 1650    |
| icle weight   | 3450   | 4000    | 5250    | 5910    | 5120   | 6300      | 6499    | 6850    |
| g capacity    | 1050   | 1600    | 3000    | 2290    | 2630   | 2200      | 1779    | 2080    |
| n i i i       | 20'10" | 23'     | 25'4"   | 25'10"  | 26'5"  | 27'       | 27'8"   | 28'     |
|               | 7'7"   | 7'7"    | 8'      | 8'      | 8'     | 8'        | 8'      | 7'6"    |
| t             | 10'    | 11'     | 11'2"   | 11'2"   | 10'10" | 11'8"     | 11'5"   | 12'     |
| ystem         | 20     | 30      | 42      | 42      | 42     | 42        | 42      | 42      |
| olding tank   | 30     | 33      | 38      | 38      | 30     | 38        | 30      | 38      |
| olding tank   | 30     | 30      | 33      | 33      | 33     | 38        | 33      | 38      |
|               | 5'     | 6'      | 6'      | 6'      | 6'     | 6'        | 6'      | 6'      |
| LPG           | 10 gal | 10 gal  | 15gal   | 15 gal  | 10 gal | 15gal     | 10 gal  | 15gal   |

|           | 257 BHS | 257 RBS | 262 RKS | 262 RLS | 289 RLS | 289 BHS | 295 RLT |  |
|-----------|---------|---------|---------|---------|---------|---------|---------|--|
| nt rating | 8600    | 8600    | 12000   | 12000   | 12000   | 12000   | 12000   |  |
| it rating | 1500    | 1500    | 1800    | 1800    | 1820    | 2100    | 2200    |  |
| reight    | 6800    | 6800    | 6950    | 7200    | 8100    | 8400    | 8900    |  |
| acity     | 1800    | 1800    | 5050    | 4800    | 3900    | 3600    | 3100    |  |
|           | 28'4"   | 28'4"   | 28'7"   | 28'8"   | 30'7"   | 30'7"   | 32'2"   |  |
|           | 8'      | 8'      | 8'      | 8'      | 8'      | 8'      | 8'      |  |
|           | 12'     | 12'     | 12'     | 12'     | 12'     | 12'     | 12'     |  |
|           | 48      | 48      | 48      | 48      | 48      | 48      | 48      |  |
| tank      | 38      | 38      | 38      | 38      | 38      | 38      | 38      |  |
| tank      | 33      | 33      | 33      | 33      | 33      | 33      | 33      |  |
|           | 6'      | 6'      | 6'      | 6'      | 6'      | 6'      | 6'      |  |
|           | 15gal   |  |

Gross vehicle weight rating Dry hitch weight Unloaded vehicle weight Cargo carrying capacity Exterior length Exterior width Exterior height Fresh water system Gray water holding tank Black water holding tank Refrigerator Propane tank LPG

Gross vehicle weight ratio Dry hitch weight Unloaded vehicle weight Cargo carrying capacity Exterior length Exterior width Exterior height Fresh water system Gray water holding tank Black water holding tank Refrigerator

Propane tank LPG

P 9 0

50 Amp Service •

- 10

- 2nd Air Conditioner ۲
- Ceiling Fan (in some models) ۲
- **Enclosed Underbelly** •
- Day/Night Shades •
- **Deluxe Pillow Top Mattress**
- Deluxe Swivel Chair (on some models)
- Drawer Under Dinette Seat
- Electric Fifth Wheel Jacks
- **Electric Tongue Jack** •
- Fantastic Fan
- Fiberglass Sides, Front And Back
- Fireplace •
- Foam Core Insulation (not with fiberglass) •
- Folding TV Shelf
- Free Standing Dinette With 2 or 4 Chairs
- Gas, Electric Water Heater With DSI Ignition
- Heated and Enclosed Holding Tanks

### Options

2

- Holding Tank Flush Out ٠
- Insulated and Tinted Windows ۲
- Large King-U Shape Dinette ۰
- Lend-A-Hand Assist Handle ۲
- Low Profile Air Conditioner •
- Mirrored Sliding Closet Doors (on most ۲ models)
- **Outside Shower** •
- Phone Hook-Up ٠
- Prewired for Satellite ٠
- **Quilted Bedspread** ۰
- Rack And Ladder ٠
- Range Top Cover ٠
- Roof Vents and Power Bath Vent ٠
- Bedroom Slide ٠
- **Entertainment Slide** •
- Wardrobe Slide ۲

- Sky Light in Bathroom  $\bullet$
- Solid Oak Refrigerator Front •
- Washer / Dryer Prep or Installed (some models) •
- Twin Beds
- **Two Security Lights**
- Water Filter System
- Water Heater By-Pass ٠





Dinette booth, King-U shape dinette or free standing table, it is your choice



Outdoor kitchen is available on some models



Washer/dryer, bed size, refrigerator size, built-in dresser, and closet fronts are all options.





## ALLEN CAMPER MFG. CO., INC.

Our company has maintained high quality standards since 1958. The finished product reflects the dedication and craftsmanship of our employees.



29981 State Hwy 1 East Allen, OK 74825 www.allencampermfg.com info@allencampermfg.com

Making every mile an adventure.

Manufacturer's notice: All specifications contained herein are based on the latest product information at time of printing. Allen Camper Mfg. Co., Inc. reserves the right to make changes in colors, materials, equipment and specifications at any time and assumes no responsibility for any errors in this brochure.

Your Idle-Time / Outpost Dealer