



Image International Manufacturing, Inc.
7130 Seacrest Boulevard
Lantana, Florida 33462
USA

MATERIAL SAFETY DATA SHEET

I. GENERAL PRODUCT INFORMATION

Product Name: **I Peel Acne Lift Peel Solution**
Principle Active Ingredients: Salicylic acid, Glycolic acid
Principle Hazardous Ingredients: This material is nonhazardous as defined by the OSHA hazard communication standard.

II. PHYSICAL & CHEMICAL PROPERTIES

Boiling Point (°F):	N/A	Odor:	Citrus
Vapor Pressure:	N/A	Specific Gravity:	Approximately 1.0
Vapor Density:	N/A	Melting Point:	N/A
Solubility in Water:	Partially Soluble	pH:	1.5-3.0
Appearance:	Gel	Microbial Plate Count:	< 10
Color:	Clear/ milky		

III. HEALTH HAZARD DATA

Toxicity: Not Determined
Effects of Overexposure: Not Determined

Emergency First Aid Procedures:

Inhalation:	Not Determined
Ingestion:	Not Determined
Skin Contact:	Not Determined.
Eye Contact:	Wash with clean water. If irritation persists, contact physician.

IV. REACTIVITY DATA

Stability: Stable
Conditions to Avoid: None known
Hazardous Polymerization: Will not occur.

V. FLAMMABILITY and EXPLOSION HAZRDS

Flash Point (°F): N/A
Flammable Limits LEL: N/A
Flammable Limits UEL: N/A

Extinguishing Media:	Water Spray, Dry Chemical, Foam, CO2
Special Fire Fighting Procedures:	None Determined
Unusual Fire and Explosion Hazards:	None Known

VI. ENVIRONMENTAL PROTECTION PROCEDURES

Spill Protection:	Pick up excess with inert absorbent material and place into a proper waste container.
Waste Disposal Method:	Flush with hot water. Dispose of in accordance with Federal, State, and Local Regulations.

VII. D.O.T. HAZARDOUS MATERIAL INFORMATION

Proper Shipping Name:	I Peel Acne Lift Peel Solution
Hazard Class:	Not regulated as a hazardous material.
Required Packaging:	Nonhazardous. Special packaging not required.
Required Labels:	No transportation hazard labels or placards required.

VIII. REMARKS

ANY ANALYTICAL VALUES PROVIDED IN THIS MSDS ARE TYPICAL VALUES AND SHOULD NOT BE CONSIDERED AS GUARANTEES OF ANY SPECIFIC LOT.

The data supplied in this MSDS relates only to the specific material designated herein and does not relate to use in combinations with any other materials or any process. This information is supplied in good faith and based on technical data which Image Intl believes to be reliable and accurate. No warranty either expressed or implied is made.



Image International Manufacturing, Inc.
7130 Seacrest Boulevard
Lantana, Florida 33462
USA

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: I PEEL BETA LIFT PEEL SOLUTION

PRODUCT CODE: 230-71

SECTION 1- HAZARDOUS INGREDIENTS/ SARA III INFORMATION:

COMPONENT	CAS #	% BY WEIGHT
ALCOHOL, DENATURED (SYNONYM: ETHANOL, ETHYL ALCOHOL, AND ALCOHOL)	64-17-5	45 - 55 %

SECTION 2-FIRST AID MEASURES:

ROUTES OF ENTRY: INHALATION, SKIN, AND INGESTION

HEALTH HAZARDS (ACUTE AND CHRONIC): LONG TERM REPEATED ORAL EXPOSURE TO ETHANOL MAY RESULT IN THE DEVELOPMENT OF PROGRESSIVE LIVER INJURY WITH FIBROSIS. MAY AGGRAVATE EXISTING SKIN DERMATITIS.

SIGNS AND SYMPTOMS OF EXPOSURE:

INGESTION: MAY CAUSE DIZZINESS, FAINTNESS, DROWSINESS, DECREASED AWARENESS AND RESPONSIVENESS, ABDOMINAL DISCOMFORT, NAUSEA, VOMITING, STAGGERING GAIT, LACK OF COORDINATION, AND COMA.

SKIN: NO HARMFUL EFFECTS WITH NORMAL SKIN. POTENTIALLY HARMFUL AMOUNTS OF MATERIAL MAY BE ABSORBED ACROSS MARKEDLY DAMAGED SKIN WHEN CONTACT IS SUSTAINED. PROLONGED OR REPEATED CONTACT MAY CAUSE DEFATTING AND DRYING OF THE SKIN.

INHALATION: HIGH VAPOR CONCENTRATIONS MAY CAUSE BURNING SENSATION IN THE NOSE AND THROAT, AND STINGING AND WATERING IN THE EYES. AT HIGH CONCENTRATIONS, EFFECTS SIMILAR TO INGESTION MAY OCCUR.

EYES: MAY CAUSE IRRITATION, EXPERIENCED AS STINGING WITH EXCESS BLINKING AND TEAR PRODUCTION. EXCESS REDNESS OF THE CONJUNCTIVA MAY OCCUR.

EMERGENCY AND FIRST AID PROCEDURES:

INGESTION: IF PATIENT IS FULLY CONSCIOUS, GIVE TWO GLASSES OF WATER. INDUCE VOMITING. ONLY MEDICAL OR EXPERIENCED FIRST AID PERSONNEL SHOULD DO THIS. OBTAIN MEDICAL ATTENTION WITHOUT DELAY.

SKIN: WASH WITH SOAP AND WATER

INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. IF BREATHING IS DIFFICULT, QUALIFIED PERSONNEL MAY GIVE OXYGEN. OBTAIN MEDICAL ATTENTION.

EYES: IMMEDIATELY FLUSH EYES WITH WATER AND CONTINUE WASHING FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF WORN. OBTAIN MEDICAL ATTENTION IF DISCOMFORT PERSISTS.

SECTION 3- FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT: FOR ETHANOL: 57° TAG CLOSED CUP, 70°F TAG OPEN CUP

FLAMMABILITY CLASS: FLAMMABLE LIQUID (CLASS 3)

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: 3.3% (ETHANOL) UPPER: 19.0% (ETHANOL)

EXTINGUISHING MEDIA: CARBON DIOXIDE, DRY CHEMICAL AND ALCOHOL FOAM

SPECIAL FIREFIGHTING PROCEDURES: USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS AND STRUCTURES. USE WATER SPRAY TO DISPERSE VAPORS; RE-IGNITION IS POSSIBLE. FIREFIGHTERS SHOULD WEAR NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. COOL EXPOSED CONTAINERS WITH WATER AFTER EXTINGUISHING FIRE.

UNUSUAL FIRE AND EXPLOSION HAZARD: VAPORS FORM FROM ETHANOL AND MAY TRAVEL OR BE MOVED BY AIR CURRENTS AND IGNITED BY PILOT LIGHTS, OTHER FLAMES, SMOKING, SPARKS, HEATERS, ELECTRICAL EQUIPMENT, STATIC OR OTHER IGNITION SOURCES AT

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: I PEEL BETA LIFT PEEL SOLUTION

PRODUCT CODE: 230-71

LOCATIONS DISTANT FROM PRODUCT HANDLING POINT. VAPORS FROM ETHANOL MAY SETTLE IN LOW OR CONFINED AREAS OR TRAVEL A DISTANCE TO AN IGNITION SOURCE AND FLASH BACK EXPLOSIVELY. MAY PRODUCE A FLOATING FIRE HAZARD. STATIC IGNITION CAN RESULT. ELECTRICALLY BOND AND GROUND ALL CONTAINERS AND EQUIPMENT BEFORE TRANSFER OR USE OF MATERIAL. FLAME MAY BE INVISIBLE. APPROACH FIRE WITH CAUTION.

HAZARDOUS DECOMPOSITION MATERIALS UNDER FIRE CONDITIONS: FORMALDEHYDE, OXIDES OF CARBON, SILICA

SECTION 4- ACCIDENTAL RELEASE MEASURES

FOR SMALL SPILLS & LEAKS: ABSORB WITH AN INTERT MATERIAL AND PUT SPILLED MATERIAL IN APPROPRIATE WASTE DISPOSAL
FOR LARGE SPILLS: DISPOSE OF IN COMPLIANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS

SECTION 5- PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: ANY SPILLS SHOULD BE CLEANED UP IMMEDIATELY.
WASTE DISPOSAL METHOD: OBSERVE ALL FEDERAL, STATE, AND LOCAL REGULATIONS REGARDING DISPOSAL.
OTHER PRECAUTIONS: NONE KNOWN

SECTION 6-CONTROL MEASURES

RESPIRATORY PROTECTION: NO SPECIAL REQUIREMENTS.
VENTILATION: NON APPLICABLE
PROTECTIVE GLOVES: NON APPLICABLE
EYE PROTECTION: NON APPLICABLE
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NON APPLICABLE

SECTION 7- PHYSICAL CHARACTERISTICS

WATER SOLUBILITY: SOLUBLE	SPECIFIC GRAVITY (WATER=1): NOT AVAILABLE
pH @ 25 C: 3.0 – 4.0	APPEARANCE: CLEAR/PALE PINK
BOILING POINT: >100 C	MELTING POINT: NOT AVAILABLE
VAPOR PRESSURE (mmHG) NOT AVAILABLE	VAPOR DENSITY (AIR=1): NOT AVAILABLE
PHYSICAL FORM: LIQUID	PERCENT VOLATILE BY WEIGHT: NOT AVAILABLE
ODOR: CHARACTERISTIC	FLASH POINT: N/A
EVAPORATION RATE (IPA=1): NOT AVAILABLE	

SECTION 8- STABILITY AND REACTIVITY

STABILITY: STABLE.
CONDITIONS TO AVOID: EYE CONTACT AND INGESTION.
INCOMPATIBILITY: NON APPLICABLE
HAZARDOUS DECOMPOSITION PRODUCTS: NONE.
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

SECTION 9-TOXICOLOGICAL INFORMATION:

Routes of Entry: Absorbed through skin. Eye contact. Inhalation. Ingestion.
Toxicity to Animals: Acute oral toxicity (LD50): 3543 mg/kg [Rat (Lactic Acid (CAS no. 50-21-5))].
Chronic Effects on Humans: Not available.
Other Toxic Effects on Humans: Very hazardous in case of skin contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (corrosive), of eye contact (corrosive).
Special Remarks on Toxicity to Animals: L-Lactic Acid: Lethal Dose/Conc. 50% Kill: LD50[Mouse] - Route: Intraperitoneal; Dose: 3194 mg/kg
Special Remarks on Chronic Effects on Humans: May cause adverse reproductive effects and birth defects (teratogenic) based on animal test data. No human data found.
Special Remarks on other Toxic Effects on Humans: Acute Potential Health Effects: Skin: Corrosive. Causes severe irritation. May have corrosive effects, producing skin burns.
Eyes: Corrosive. Causes severe irritation. May cause redness, pain, blurred vision, eye burns and eye/corneal damage.
Inhalation: Inhalation of vapors may be corrosive to mucous membranes of respiratory tract. Symptoms may include headache, sore throat, coughing , and shortness of breath.
Ingestion: Corrosive. Causes burns of the digestive tract (mouth, throat, and stomach). May cause diarrhea, nausea, vomiting, perspiration, and shortness of breath.
Severe cases may product cyanosis and vascular collapse.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: I PEEL BETA LIFT PEEL SOLUTION

PRODUCT CODE: 230-71

SECTION 10- ECOLOGICAL INFORMATION

TO THE BEST OF OUR KNOWLEDGE, THIS PRODUCT IS NOT A TOXIC OR ECOLOGICAL RISK.

DEGRADABILITY: NOT AVAILABLE

BIOACCUMULATION: NOT AVAILABLE

ECOTOXICITY: NOT AVAILABLE

SECTION 11-DISPOSAL CONSIDERATIONS

WASTE MUST BE DISPOSED OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL ENVIRONMENTAL CONTROL REGULATIONS.

SECTION 12-TRANSPORT INFORMATION

NOT A D.O.T. CONTROLLED MATERIAL (U.S.)

THIS PRODUCT IS NOT DANGEROUS ACCORDING TO TRANSPORTATION REGULATIONS

SECTION 13- REGULATORY INFORMATION

FOR TOPICAL COSMETIC USE ONLY

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM RATINGS (HMIS)

Federal and State Regulations: TSCA 8(b) inventory: L-(+)-Lactic acid

Other Regulations:

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada): CLASS E: Corrosive liquid.

DSCL (EEC):

R37/38- Irritating to respiratory system and skin. R41- Risk of serious damage to eyes. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28- After contact with skin, wash immediately with plenty of water. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S46- If swallowed, seek medical advice immediately and show this container or label.

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 1

Reactivity: 0

Personal Protection:

National Fire Protection Association (U.S.A.):

Health: 3

Flammability: 1

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Face shield.

SECTION 14- DISCLAIMER

NONWARRANTY- THE FACTS STATED AND THE RECOMMENDATIONS MADE HEREIN ARE BASED ON OUR OWN RESEARCH AND/ OR THE RESEARCH OF OTHERS, AND ARE BELIEVED TO BE ACCURATE. NO GUARANTEE OF THEIR ACCURACY IS MADE HOWEVER, AND UNLESS OTHERWISE EXPRESSLY PROVIDED IN WRITTEN CONTRACT, THE PRODUCTS DISCUSSED ARE SOLD WITHOUT CONDITIONS OR WARRANTIES, EXPRESSED OR IMPLIED.



Image International Manufacturing, Inc.
7130 Seacrest Boulevard
Lantana, Florida 33462
USA

MATERIAL SAFETY DATA SHEET

GENERAL PRODUCT INFORMATION

Product Name: **I Peel Degreasing Prep Solution**
Principle Active Ingredients: Water, Alcohol, Glycolic Acid, Salicylic Acid, plant extracts etc.

PHYSICAL & CHEMICAL PROPERTIES

Physical Form/Appearance :	Thin liquid
Odor:	Characteristic
Color :	Light Green
PH :	3.00-5.00
Viscosity, LVT4, 6rpm:	NA
Solubility in water :	Partial/Completely

FIRST – AID MEASURE

Eye : Immediately flush with plenty of cold water for at least 15 minutes. Get medical attention if adverse symptoms occur.

Skin : Wash skin with soap & water for at least 15 minutes .

Ingestion : Should not be ingested. If ingested, seek medical advice.

FIRE FIGHTING MEASURE

Extinguishing Media : Water spray, dry chemical, carbon dioxide (CO₂), alcohol foam.

Special Fire Fighting Measures : Wear self – contained breathing apparatus and clothing, Use water spray to keep fire- exposed containers cool. Water may be ineffective in fighting the fire.

Hazardous Combustion Products : carbon dioxide, carbon monoxide

HANDLING AND STORAGE

Personal Precautionary Measures : Avoid contact with eye and prolonged or repeated contact with skin

Storage: Store away from light and heat in tightly closed container.

STABILITY AND REACTIVITY INFORMATION

Stability : Stable; however, forms explosive peroxides on concentration.
Incompatibility : Material can react violently with strong oxidizing agents.
Hazardous Polymerization : Will not occur.

TRANSPORTATION INFORMATION

Proper shipping name : **I Peel Degreasing Prep Solution**
Hazard Class : Non Hazardous

I. REMARKS

ANY ANALYTICAL VALUES PROVIDED IN THIS MSDS ARE TYPICAL VALUES AND SHOULD NOT BE CONSIDERED AS GUARANTEES OF ANY SPECIFIC LOT.

The data supplied in this MSDS relates only to the specific material designated herein and does not relate to use in combinations with any other materials or any process. This information is supplied in good faith and based on technical data which believes to be reliable and accurate. No warranty either expressed or implied is made.



Image International Manufacturing, Inc.
7130 Seacrest Boulevard
Lantana, Florida 33462
USA

MATERIAL SAFETY DATA SHEET

I. GENERAL PRODUCT INFORMATION

Product Name: **I Peel Lightening Lift Peel Solution**

Principle Active Ingredients: Lactic Acid, Kojic Acid, Vitamin C

Principle Hazardous Ingredients: This material is nonhazardous as defined by the OSHA hazard communication standard.

II. PHYSICAL & CHEMICAL PROPERTIES

Boiling Point (°F):	N/A	Odor:	Characteristic
Vapor Pressure:	N/A	Specific Gravity:	Approximately 1.0
Vapor Density:	N/A	Melting Point:	N/A
Solubility in Water:	Partially Soluble	pH:	+/-3.0
Appearance:	Gel	Microbial Plate Count:	< 10
Color:	Off white		

III. HEALTH HAZARD DATA

Toxicity: Not Determined

Effects of Overexposure: Not Determined

Emergency First Aid Procedures:

Inhalation:	Not Determined
Ingestion:	Not Determined
Skin Contact:	Not Determined.
Eye Contact:	Wash with clean water. If irritation persists, contact physician.

IV. REACTIVITY DATA

Stability: Stable

Conditions to Avoid: None known

Hazardous Polymerization: Will not occur.

V. FLAMMABILITY and EXPLOSION HAZRDS

Flash Point (°F): N/A

Flammable Limits LEL: N/A

Flammable Limits UEL: N/A

Extinguishing Media:	Water Spray, Dry Chemical, Foam, CO2
Special Fire Fighting Procedures:	None Determined
Unusual Fire and Explosion Hazards:	None Known

VI. ENVIRONMENTAL PROTECTION PROCEDURES

Spill Protection:	Pick up excess with inert absorbent material and place into a proper waste container.
Waste Disposal Method:	Flush with hot water. Dispose of in accordance with Federal, State, and Local Regulations.

VII. D.O.T. HAZARDOUS MATERIAL INFORMATION

Proper Shipping Name:	I Peel Lightening Lift Peel Solution
Hazard Class:	Not regulated as a hazardous material.
Required Packaging:	Nonhazardous. Special packaging not required.
Required Labels:	No transportation hazard labels or placards required.

VIII. REMARKS

ANY ANALYTICAL VALUES PROVIDED IN THIS MSDS ARE TYPICAL VALUES AND SHOULD NOT BE CONSIDERED AS GUARANTEES OF ANY SPECIFIC LOT.

The data supplied in this MSDS relates only to the specific material designated herein and does not relate to use in combinations with any other materials or any process. This information is supplied in good faith and based on technical data which Image Intl believes to be reliable and accurate. No warranty either expressed or implied is made.



Image International Manufacturing, Inc.
7130 Seacrest Boulevard
Lantana, Florida 33462
USA

MATERIAL SAFETY DATA SHEET

GENERAL PRODUCT INFORMATION

Product Name: **I Peel Ormedic Lift Solution**
Principle Active Ingredients: Ascorbic Acid, Sodium Hyaluronate, Pineapple Extract, Papaya Extract.

PHYSICAL & CHEMICAL PROPERTIES

Physical Form/Appearance :	Thick Liquid
Odor:	Mango Pumpkin
Color :	Orange
PH :	1.50-3.00
Viscosity, LVT4, 6rpm:	35,000-48,000 cP
Solubility in water :	Partial/Completely

FIRST – AID MEASURE

Eye : Immediately flush with plenty of cold water for at least 15 minutes. Get medical attention if adverse symptoms occur.

Skin : Wash skin with soap & water for at least 15 minutes .

Ingestion : Should not be ingested. If ingested, seek medical advice.

FIRE FIGHTING MEASURE

Extinguishing Media : Water spray, dry chemical, carbon dioxide (CO₂), alcohol foam.

Special Fire Fighting Measures : Wear self – contained breathing apparatus and clothing, Use water spray to keep fire- exposed containers cool. Water may be ineffective in fighting the fire.

Hazardous Combustion Products : carbon dioxide, carbon monoxide

HANDLING AND STORAGE

Personal Precautionary Measures : Avoid contact with eye and prolonged or repeated contact with skin

Storage: Store away from light and heat in tightly closed container.

STABILITY AND REACTIVITY INFORMATION

Stability : Stable; however, forms explosive peroxides on concentration.
Incompatibility : Material can react violently with strong oxidizing agents.
Hazardous Polymerization : Will not occur.

TRANSPORTATION INFORMATION

Proper shipping name : **I Peel Ormedic Lift Solution**
Hazard Class : Non Hazardous

I. REMARKS

ANY ANALYTICAL VALUES PROVIDED IN THIS MSDS ARE TYPICAL VALUES AND SHOULD NOT BE CONSIDERED AS GUARANTEES OF ANY SPECIFIC LOT.

The data supplied in this MSDS relates only to the specific material designated herein and does not relate to use in combinations with any other materials or any process. This information is supplied in good faith and based on technical data which believes to be reliable and accurate. No warranty either expressed or implied is made.



Image International Manufacturing, Inc.
7130 Seacrest Boulevard
Lantana, Florida 33462
USA

MATERIAL SAFETY DATA SHEET

GENERAL PRODUCT INFORMATION

Product Name: **I Peel Perfection Lift Peel Solution**
Principle Active Ingredients: Salicylic Acid, Lactic Acid, Retinol, SD Alcohol 40B.
Principle Hazardous Identification : **Warning!**
This product has low pH and must be used under the supervision of trained professionals.

PHYSICAL & CHEMICAL PROPERTIES

Physical Form/Appearance :	Thin Liquid
Odor:	Characteristic
Color :	Yellowish
PH :	3.0
Specific Gravity:	0.900-1.00
Solubility in water :	Soluble

FIRST – AID MEASURE

Inhalation ;	Move to fresh air. Get medical attention if symptoms persist.
Eye :	Immediately flush with plenty of cold water for at least 15 minutes. Get medical attention if adverse symptoms occur.
Skin :	Wash skin with soap & water for at least 15 minutes . Remove contaminated clothing and shoes. Get medical attention if adverse symptoms occur. Wash contamination clothing before reuse. Destroy or thoroughly clean contaminated shoes.
Ingestion :	Should not be ingested. If ingested, seek medical advice.

FIRE FIGHTING MEASURE

Extinguishing Media :	Water spray, dry chemical, carbon dioxide (CO ₂), alcohol foam.
Special Fire Fighting Measures :	Wear self – contained breathing apparatus and clothing, Use water spray to keep fire- exposed containers cool. Water may be ineffective in fighting the fire.
Hazardous Combustion Products :	carbon dioxide, carbon monoxide

HANDLING AND STORAGE

Personal Precautionary Measures : Avoid contact with eye and prolonged or repeated contact with skin

Storage: Store away from heat and light. Keep container tightly closed. Keep container in a well- ventilated place.

STABILITY AND REACTIVITY INFORMATION

Stability : Stable at ambient temperature. Keep away from Heat

Hazardous Polymerization : Will not occur.

TRANSPORTATION INFORMATION

Proper shipping name : I Peel Perfection Lift Peel Solution

Hazard Class : Hazardous

I. REMARKS

ANY ANALYTICAL VALUES PROVIDED IN THIS MSDS ARE TYPICAL VALUES AND SHOULD NOT BE CONSIDERED AS GUARANTEES OF ANY SPECIFIC LOT.

The data supplied in this MSDS relates only to the specific material designated herein and does not relate to use in combinations with any other materials or any process. This information is supplied in good faith and based on technical data which believes to be reliable and accurate. No warranty either expressed or implied is made.



Image International Manufacturing, Inc.
7130 Seacrest Boulevard
Lantana, Florida 33462
USA

MATERIAL SAFETY DATA SHEET

I. GENERAL PRODUCT INFORMATION

Product Name: **I Peel Signature Face Lift Solution**

Principle Active Ingredients: Ascorbic acid, Pineapple extract, Papaya extract

Principle Hazardous Ingredients: This material is nonhazardous as defined by the OSHA hazard communication standard.

II. PHYSICAL & CHEMICAL PROPERTIES

Boiling Point (°F):	N/A	Odor:	Citrus
Vapor Pressure:	N/A	Specific Gravity:	Approximately 1.0
Vapor Density:	N/A	Melting Point:	N/A
Solubility in Water:	Partially Soluble	pH:	1.50-3.00
Appearance:	Gel	Microbial Plate Count:	< 10
Color:	Yellowish		

III. HEALTH HAZARD DATA

Toxicity: Not Determined

Effects of Overexposure: Not Determined

Emergency First Aid Procedures:

Inhalation:	Not Determined
Ingestion:	Not Determined
Skin Contact:	Wash with clean water for 15 minutes.
Eye Contact:	Wash with clean water. If irritation persists, contact physician.

IV. REACTIVITY DATA

Stability: Stable

Conditions to Avoid: None known

Hazardous Polymerization: Will not occur.

V. FLAMMABILITY and EXPLOSION HAZRDS

Flash Point (°F): N/A

Flammable Limits LEL: N/A

Flammable Limits UEL: N/A

Extinguishing Media:	Water Spray, Dry Chemical, Foam, CO2
Special Fire Fighting Procedures:	None Determined
Unusual Fire and Explosion Hazards:	None Known

VI. ENVIRONMENTAL PROTECTION PROCEDURES

Spill Protection:	Pick up excess with inert absorbent material and place into a proper waste container.
Waste Disposal Method:	Flush with hot water. Dispose of in accordance with Federal, State, and Local Regulations.

VII. D.O.T. HAZARDOUS MATERIAL INFORMATION

Proper Shipping Name:	I Peel Signature Face Lift Solution
Hazard Class:	Not regulated as a hazardous material.
Required Packaging:	Nonhazardous. Special packaging not required.
Required Labels:	No transportation hazard labels or placards required.

VIII. REMARKS

ANY ANALYTICAL VALUES PROVIDED IN THIS MSDS ARE TYPICAL VALUES AND SHOULD NOT BE CONSIDERED AS GUARANTEES OF ANY SPECIFIC LOT.

The data supplied in this MSDS relates only to the specific material designated herein and does not relate to use in combinations with any other materials or any process. This information is supplied in good faith and based on technical data which Image Intl believes to be reliable and accurate. No warranty either expressed or implied is made.



Image International Manufacturing, Inc.
7130 Seacrest Boulevard
Lantana, Florida 33462
USA

MATERIAL SAFETY DATA SHEET

I. GENERAL PRODUCT INFORMATION

Product Name: **I Peel Wrinkle Lift Peel Solution**

Principle Active Ingredients: Glycolic acid, Retinol

Principle Hazardous Ingredients: This material is nonhazardous as defined by the OSHA hazard communication standard.

II. PHYSICAL & CHEMICAL PROPERTIES

Boiling Point (°F):	N/A	Odor: Characteristic
Vapor Pressure:	N/A	Specific Gravity: Approximately 1.0
Vapor Density:	N/A	Melting Point: N/A
Solubility in Water:	Partially Soluble	pH: 2.0-3.0
Appearance:	Gel	Microbial Plate Count: < 10
Color:	Pale yellowish	

III. HEALTH HAZARD DATA

Toxicity: Not Determined

Effects of Overexposure: Not Determined

Emergency First Aid Procedures:

Inhalation:	Not Determined
Ingestion:	Not Determined
Skin Contact:	Not Determined.
Eye Contact:	Wash with clean water. If irritation persists, contact physician.

IV. REACTIVITY DATA

Stability: Stable

Conditions to Avoid: None known

Hazardous Polymerization: Will not occur.

V. FLAMMABILITY and EXPLOSION HAZRDS

Flash Point (°F): N/A

Flammable Limits LEL: N/A

Flammable Limits UEL: N/A

Extinguishing Media:	Water Spray, Dry Chemical, Foam, CO2
Special Fire Fighting Procedures:	None Determined
Unusual Fire and Explosion Hazards:	None Known

VI. ENVIRONMENTAL PROTECTION PROCEDURES

Spill Protection:	Pick up excess with inert absorbent material and place into a proper waste container.
Waste Disposal Method:	Flush with hot water. Dispose of in accordance with Federal, State, and Local Regulations.

VII. D.O.T. HAZARDOUS MATERIAL INFORMATION

Proper Shipping Name:	I Peel Wrinkle Lift Peel Solution
Hazard Class:	Not regulated as a hazardous material.
Required Packaging:	Nonhazardous. Special packaging not required.
Required Labels:	No transportation hazard labels or placards required.

VIII. REMARKS

ANY ANALYTICAL VALUES PROVIDED IN THIS MSDS ARE TYPICAL VALUES AND SHOULD NOT BE CONSIDERED AS GUARANTEES OF ANY SPECIFIC LOT.

The data supplied in this MSDS relates only to the specific material designated herein and does not relate to use in combinations with any other materials or any process. This information is supplied in good faith and based on technical data which Image Intl believes to be reliable and accurate. No warranty either expressed or implied is made.