



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/03/2018

Reviewed and Updated on: 02/09/2017

## 1 Identification

### Product identifier

**Trade name:** #1 FLEET PREP

**Product Code:** 110149

### Manufacturer/Supplier:

Fleetclean Systems  
1 Tupperware Drive Suite #3  
North Smithfield, RI 02896  
Office: 401-356-4156  
Cell: 401-261-6374

**Information department:** Chemical Department

### Emergency telephone number:

PERS: 1-800-633-8253 #9120 (Emergency Contact for Hazardous Materials Accidents, Spills, or Leaks Only)

## 2 Hazard(s) identification

### Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

### Hazard pictograms



GHS05



GHS06



GHS07



GHS08

**Signal word** Danger

### Hazard-determining components of labeling:

Hydrofluoric acid  
Sulfuric Acid  
Non-ionic Surfactant  
Alcohol Ethoxylate

(Contd. on page 2)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/03/2018

Reviewed and Updated on: 02/09/2017

Trade name: #1 FLEET PREP

(Contd. of page 1)

**Hazard statements**

Harmful if swallowed.  
 Toxic in contact with skin.  
 Causes severe skin burns and eye damage.  
 May cause an allergic skin reaction.  
 May cause cancer.

**Precautionary statements**

Do not breathe dusts or mists.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 Wash thoroughly after handling.  
 Do not eat, drink or smoke when using this product.  
 Contaminated work clothing must not be allowed out of the workplace.  
 Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 Immediately call a POISON CENTER/doctor.  
 Specific treatment (see on this label).  
 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 IF exposed or concerned: Get medical advice/attention.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 If swallowed: Rinse mouth. Do NOT induce vomiting.  
 Take off immediately all contaminated clothing and wash it before reuse.  
 Store locked up.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards****Results of PBT and vPvB assessment**

**PBT:** Not applicable.  
**vPvB:** Not applicable.

### 3 Composition/information on ingredients

**Chemical characterization: Mixtures**

**Description:** Mixture of the substances listed below with nonhazardous additions.

**Dangerous components:**

	Proprietary Surfactant Blend	≤ 2.5%
7664-93-9	Sulfuric Acid	2.5-10%
	Hydrofluoric acid	≤ 2.5%

### 4 First-aid measures

**Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.  
 Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

**After inhalation:**

Supply fresh air and to be sure call for a doctor.  
 In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/03/2018

Reviewed and Updated on: 02/09/2017

Trade name: #1 FLEET PREP

(Contd. of page 2)

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

**After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

Maintain an ANSI approved eye wash station and safety shower in the immediate vicinity capable of delivering tepid water (60-100 degrees F) for 15 minutes.

**After swallowing:**

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed** No further relevant information available.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## \* 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents:**

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**Special hazards arising from the substance or mixture** No further relevant information available.

**Advice for firefighters**

**Protective equipment:** No special measures required.

## \* 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment (safety goggles, rubber gloves). Keep unprotected persons away.

**Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## \* 7 Handling and storage

**Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

**Information about protection against explosions and fires:** No special measures required.

**Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

## \* 8 Exposure controls/personal protection

**Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/03/2018

Reviewed and Updated on: 02/09/2017

Trade name: #1 FLEET PREP

(Contd. of page 3)

**Control parameters****Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

**7664-93-9 Sulfuric Acid**

PEL	Long-term value: 1 mg/m <sup>3</sup>
REL	Long-term value: 1 mg/m <sup>3</sup>
TLV	Long-term value: 0.2* mg/m <sup>3</sup> *as thoracic fraction

**Hydrofluoric acid**

PEL	Long-term value: 3 ppm as F
REL	Long-term value: 2.5 mg/m <sup>3</sup> , 3 ppm Ceiling limit value: 5* mg/m <sup>3</sup> , 6* ppm *15-min, as F
TLV	Long-term value: 0.41 mg/m <sup>3</sup> , 0.5 ppm Ceiling limit value: 1.64 mg/m <sup>3</sup> , 2 ppm as F; Skin; BEI

**Ingredients with biological limit values:****Hydrofluoric acid**

BEI	3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Flourides (background)
	10 mg/g creatinine Medium: urine Time: end of shift Parameter: Flourides (background)

**Additional information:** The lists that were valid during the creation were used as basis.

**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Recommended filter device for short term use:**

When required, use a respirator approved by NIOSH for Hydrofluoric Acid gas or mists, as applicable. Some exposures may require a NIOSH-approved, self-contained breathing apparatus or air supplied respirator.

(Contd. on page 5)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/03/2018

Reviewed and Updated on: 02/09/2017

Trade name: #1 FLEET PREP

(Contd. of page 4)

**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**For the permanent contact gloves made of the following materials are suitable:**

Chemical Resistant, neoprene, nitrile, butyl rubber

**Eye protection:**

Tightly sealed goggles

**Body protection:**

Apron Chemical Resistant; Rubber.

## 9 Physical and chemical properties

**Information on basic physical and chemical properties****General Information****Appearance:**

**Form:** Liquid  
**Color:** Blue  
**Odor:** Pungent

**pH-value at 20 °C (68 °F):** < 3

**Change in condition**

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** Undetermined.

**Flash point:** Not Determined.

**Flammability (solid, gaseous):** Not applicable.

**Ignition temperature:**

**Decomposition temperature:** Not determined.

**Auto igniting:** Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.

**Explosion limits:**

**Lower:** Not determined.  
**Upper:** Not determined.

**Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)

**Density:** Not determined.

(Contd. on page 6)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/03/2018

Reviewed and Updated on: 02/09/2017

Trade name: #1 FLEET PREP

(Contd. of page 5)

<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

<b>Solubility in / Miscibility with Water:</b>	Fully miscible.
--	-----------------

<b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>Other information</b>	No further relevant information available.

## \* 10 Stability and reactivity

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** No dangerous decomposition products known.

## \* 11 Toxicological information

**Information on toxicological effects**

**Acute toxicity:**

**LD/LC50 values that are relevant for classification:**

Oral	LD50	1200 mg/kg (rat)
------	------	------------------

**Primary irritant effect:**

**on the skin:** Caustic effect on skin and mucous membranes.

**on the eye:**

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

**Sensitization:** Sensitization possible through skin contact.

**Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

**Carcinogenic categories**

**IARC (International Agency for Research on Cancer)**

7664-93-9	Sulfuric Acid	1
-----------	---------------	---

**NTP (National Toxicology Program)**

7664-93-9	Sulfuric Acid	K
-----------	---------------	---

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

(Contd. on page 7)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/03/2018

Reviewed and Updated on: 02/09/2017

Trade name: #1 FLEET PREP

(Contd. of page 6)

## 12 Ecological information

### Toxicity

#### Aquatic toxicity:

#### Hydrofluoric acid

EC50 270 mg/kg (daphnia)

**Persistence and degradability** No further relevant information available.

#### Behavior in environmental systems:

**Bioaccumulative potential** No further relevant information available.

**Mobility in soil** No further relevant information available.

#### Additional ecological information:

##### General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

## 13 Disposal considerations

### Waste treatment methods

#### Recommendation:

Must not be disposed of together with household garbage. Dispose of in accordance with local and regional regulations.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

### UN-Number

DOT, ADR, IMDG, IATA

UN2922

### UN proper shipping name

DOT

Corrosive liquids, toxic, n.o.s. (Hydrofluoric acid (with not more than 60% strength), Sulfuric acid)

ADR

2922 Corrosive liquids, toxic, n.o.s. (Hydrofluoric acid (with not more than 60% strength), Sulfuric acid)

IMDG, IATA

CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID (with not more than 60% strength), SULFURIC ACID)

(Contd. on page 8)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/03/2018

Reviewed and Updated on: 02/09/2017

Trade name: #1 FLEET PREP

(Contd. of page 7)

**Transport hazard class(es)****DOT**

**Class** 8 Corrosive substances  
**Label** 8, 6.1

**ADR**

**Class** 8 Corrosive substances  
**Label** 8+6.1

**IMDG**

**Class** 8 Corrosive substances  
**Label** 8/6.1

**IATA**

**Class** 8 Corrosive substances  
**Label** 8 (6.1)

**Packing group**  
**DOT, ADR, IMDG, IATA** II

**Environmental hazards:**  
**Marine pollutant:** No

**Special precautions for user** Warning: Corrosive substances  
**Danger code (Kemler):** 86  
**Segregation groups** Acids  
**Stowage Category** B  
**Stowage Code** SW2 Clear of living quarters.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

**Transport/Additional information:**

**DOT**  
**Quantity limitations** On passenger aircraft/rail: 1 L  
 On cargo aircraft only: 30 L

(Contd. on page 9)

US





# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/03/2018

Reviewed and Updated on: 02/09/2017

Trade name: #1 FLEET PREP

(Contd. of page 8)

**ADR****Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

**IMDG****Limited quantities (LQ)**

1L

**Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

**UN "Model Regulation":**

UN 2922 CORROSIVE LIQUIDS, TOXIC, N.O.S. (HYDROFLUORIC ACID (WITH NOT MORE THAN 60% STRENGTH), SULFURIC ACID), 8 (6.1), II

## 15 Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

#### Section 355 (extremely hazardous substances):

7664-93-9 | Sulfuric Acid

#### Section 313 (Specific toxic chemical listings):

7664-93-9 | Sulfuric Acid

Non-ionic Surfactant

#### TSCA (Toxic Substances Control Act):

All components of this product are listed on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

#### Proposition 65

#### Chemicals known to cause cancer:

None of the ingredients is listed.

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### Carcinogenic categories

##### EPA (Environmental Protection Agency)

None of the ingredients is listed.

##### TLV (Threshold Limit Value established by ACGIH)

7664-93-9 | Sulfuric Acid

A2

##### NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/03/2018

Reviewed and Updated on: 02/09/2017

Trade name: #1 FLEET PREP

(Contd. of page 9)

**Hazard pictograms**

GHS05 GHS06 GHS07 GHS08

**Signal word** Danger**Hazard-determining components of labeling:**

Hydrofluoric acid  
Sulfuric Acid  
Non-ionic Surfactant  
Alcohol Ethoxylate

**Hazard statements**

Harmful if swallowed.  
Toxic in contact with skin.  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
May cause cancer.

**Precautionary statements**

Do not breathe dusts or mists.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Contaminated work clothing must not be allowed out of the workplace.  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Specific treatment (see on this label).  
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF exposed or concerned: Get medical advice/attention.  
If skin irritation or rash occurs: Get medical advice/attention.  
If swallowed: Rinse mouth. Do NOT induce vomiting.  
Take off immediately all contaminated clothing and wash it before reuse.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations:****Additional classification according to Decree on Hazardous Materials:**

Carcinogenic hazardous material group III (dangerous).

**Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

\* **16 Other information**

DISCLAIMER: IMPORTANT: The information presented herein is believed to be reliable, and relates to the specific material listed and may not be valid for such material combined with other materials outside the scope of intended usage. No warranty of guarantee is made and it remains the user's responsibility to confirm by other investigation as to safe

(Contd. on page 11)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/03/2018

Reviewed and Updated on: 02/09/2017

**Trade name: #1 FLEET PREP**

(Contd. of page 10)

material application. The manufacturer shall not be liable for damage to person or property resulting from the use of this product. It is the customer's responsibility to investigate any potential allergic or health problems of all users.

**Department issuing SDS:** Chemical Department

**Date of preparation / last revision** 05/03/2018 / 31

**\* Data compared to the previous version altered.**

US