









SH5

SH7

At the end of a busy day, one longs for ease and comfort. The foundation of the SCG SR9 is down to earth simplicity. Thus, a series of easy to use, convenient and safe RFID sensor door locks was created for you to relax and be at ease in the safety of your home.



Specification

		$\overline{}$	_ ,	$\overline{}$
	Α1	~	- 1	
- 37		II NI		

FProximity Card	Mifare 14443A/15693
Frequency	13.56 MHz
	0-50 mm
Verification Time	< 1sec
Capacity	99cards

B. Configuration

	Zinc Alloy
	Antique Pewter, Bertini, Satin Nickel,
	Bright Brass, Chrome, Antique-Red
	Brass, Aged Brass, Satin Chrome
	131.7(H)*73.68(W)*73(D)(mm)
Faceplate	
Dimensions, Package	
Net weight	1300 g
Mortise	Cylindrical Latch
Door Thickness	

C Environment

Battery	1.5V Alkaline Battery 4 pcs (AA)
	More than 10,000 times of use
Waterproof	
Operating Temperature	

D. Certificate

CE RoHS Fire Proof CNS11227(60A) SGS IPX6 ISO9002

Special Features

1. Low Battery Alert

Upon operation, beeps will signal when the battery is running low.

2. Stand-alone and Wireless (easy, and effortless installation)

Independently operated lock. There is no need to connect to computer .Requires only 4 AA batteries and is protected against power failure.

3. Card Memory Function

No need to re-encode the card after battery replacement.

4. 2-Way Unlocking System

Card and mechanical key.

5. One Card Solution

Can be used in combination with other types of RFID cards and cards with similar specification

6. RFID Encryption Technology

Mifare 13.56 MHZ platform. Cards cannot be encoded without authorization. Safety is our first priority.

7. Emergency Override Key

In case of emergency, firefighters or security professionals can use the additional manual keys to unlock the doors. Each lock is equipped with 3 keys (SR9 with 2 keys).

8. Intelligent Auto-Locking Function

The door will lock automatically 1.5 seconds after it has been opened.

9. Passage Mode with Master Card


Leave doors unlocked for more convenient use.

10. Metallic exterior that gives a more delicate appearance and stronger security

11. Worldwide recognition



Dimensions (mm)



Dimensions (mm)

