

Infosafe No™ VARJK	Issue Date : February 2019	ISSUED by ACTIVEWA
--------------------	----------------------------	--------------------

Product Name **TYRE REJUVENATOR**

1. Identification

GHS Product Identifier	TYRE REJUVENATOR
Company Name	ACTIVE WASH SOLUTIONS
Address	Unit 2/4 Carboni Court, Dubbo NSW 2830 Australia
Telephone/Fax Number	Tel: 0414 344 814
Emergency phone number	0414 344 814
E-mail Address	0414 344 814
Recommended use of the chemical and restrictions on use	Used as a gloss enhancer and rejuvenator for tyres and all rubber and vinyl trims on all types of vehicles.

2. Hazard Identification

GHS classification of the substance/mixture	Aspiration Hazard: Category 1 Eye Damage/Irritation: Category 2A Skin Corrosion/Irritation: Category 2
Signal Word (s)	DANGER
Hazard Statement (s)	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation.
Precautionary statement – General	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.
Pictogram (s)	Exclamation mark, Health hazard



Precautionary statement – Prevention	P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statement – Response	P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P331 Do NOT induce vomiting. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse.
Precautionary statement – Storage	P405 Store locked up.
Precautionary statement – Disposal	P501 Dispose of contents/container: Recycle packaging by replacing cap and returning clean containers to recycler or designated collection point.

3. Composition/information on ingredients

Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	Petroleum hydrocarbon solvent		60-100 %
	Polydimethylsiloxane	63148-62-9	10-30 %
	Other ingredients determined not to be hazardous	N/A	<10%



Safety Data Sheet

infosafe
CS: 3.3.2

Page: 2 of 4

Infosafe No™ VARJK Issue Date : February 2019 ISSUED by ACTIVEWA
Product Name **TYRE REJUVENATOR**

4. First-aid measures

Inhalation	Remove from exposure, rest and keep warm. Apply artificial respiration if breathing has stopped. Unless exposure has been slight obtain medical attention.
Ingestion	If swallowed, do NOT induce vomiting. Give a glass of water to be taken slowly. Obtain medical attention.
Skin	If skin contact occurs, remove contaminated clothing and wash skin thoroughly. Wash clothing before re-use. If irritation persists obtain medical attention.
Eye contact	If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.
First Aid Facilities	Eye wash station and normal washroom facilities.
Advice to Doctor	Product is a petroleum spirit mixture. Vomiting has not been induced because of risk of aspiration into the lungs. If swallowed, may cause gastrointestinal irritation, nausea, vomiting and cramping. Possible CNS depression. Possible delayed onset of chemical pneumonitis. Contact Poisons Information Centre.

5. Fire-fighting measures

Suitable extinguishing media	Foam, dry powder or vaporising liquids.
Hazards from Combustion Products	Decomposes on heating emitting oxides of carbon.
Specific Methods	Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of decomposition. If safe to do so, remove containers from path of fire.
Specific hazards arising from the chemical	This material is a combustible liquid.

6. Accidental release measures

Spills & Disposal	Material may be slippery when spilt. Walk cautiously. Ventilate area. Wear protective equipment to prevent skin and eye contact, as outlined under personal protection in this MSDS. Bund area using sand or soil - to prevent run off into drains and waterways. Use absorbent (soil, sand, vermiculite or other inert material). Collect and seal in properly labelled containers for disposal.
------------------------------	---

7. Handling and storage

Conditions for safe storage, including any incompatibilities	Store in a cool place and out of direct sunlight. Store away from sources of heat or ignition. Store away from oxidizing agents. Keep containers closed, when not using the product. Store in original packages as approved by manufacturer.
---	--

8. Exposure controls/personal protection

Other Exposure Information	TLV-TWA: None assigned, suggested level 200 ppm, 800 mg/m3 [Manufacturer] TLV-STEL: None assigned.
Appropriate engineering controls	Use only flame proof equipment. Ensure adequate ventilation. In most circumstances natural ventilation systems are adequate unless the material is heated, reacted or otherwise changed in some type of chemical reaction, then the use of a local exhaust ventilation system is recommended.
Personal Protective Equipment	Avoid contact with the skin and eyes. Avoid breathing the vapour. Personal protection to be selected from those recommended below, as appropriate to mode of use, quantity handled and degree of hazard:- Goggles or safety glasses Gloves, PVC Always maintain a high level of personal hygiene when using this product. That is wash hands before eating, drinking, smoking or using the toilet.

9. Physical and chemical properties

Infosafe No™ VARJK Issue Date : February 2019 ISSUED by ACTIVEWA

Product Name **TYRE REJUVENATOR**

Form	Liquid
Appearance	Clear thin purple liquid
Odour	Mild kerosene like odour
Boiling Point	Greater than 100C
Solubility in Water	Insoluble in water
Specific Gravity	0.82
pH	Not Applicable
Flash Point	>90C
Flammability	Combustible liquid, flash point >90C.
Other Information	Will react with oxidising agents. Contact with strong oxidising agents may cause fire. Slippery when spilled

10. Stability and reactivity

Chemical Stability	Stable under normal use conditons.
Conditions to Avoid	Heat, flames, ignition sources and incompatibles.
Incompatible Materials	Strong alkalis, acids, oxidizing agents.
Hazardous Decomposition Products	Emits smoke and fumes when heated to decomposition.

11. Toxicological Information

Toxicology Information	No adverse health effects are expected, if the product is handled in accordance with this Material Safety Data Sheet and the product label. Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:
Ingestion	Harmful if swallowed. Vomiting, may cause this product to be aspirated into the lungs, which may lead to chemical pneumonitis.
Inhalation	May cause irritation to the nose, throat and respiratory system with effects including: Dizziness, headache and loss of co-ordination.
Skin	May cause irritation to the skin, with effects including; Redness and itchiness.
Eye	May cause irritation to the eyes, with effects including: tearing, pain, stinging and blurred vision.
Chronic Effects	Prolonged or repeated exposure or deliberately concentrating and inhaling the vapour(s) may result in lung function incapacity or death.

12. Ecological information

Ecotoxicity	In large concentrations this product is detrimental to the aquatic environment.
Persistence and degradability	Substance generally evaporates leaving a silicon oil.
Mobility	Water will carry this substance rather than dilute it.
Environmental Protection	Prevent spillages from entering drains, natural waters or the environment.

13. Disposal considerations

Waste Disposal	Refer to appropriate authority in your State. Dispose of material through a licensed waste contractor. Normally suitable for disposal by approved waste disposal agent.
-----------------------	---

14. Transport information

Transport Information	Where this material is stored, handled and used below its flashpoint it is not classified as a Dangerous Good according to the Australian Code for the
------------------------------	--



Safety Data Sheet

Infosafe No™ VARJK Issue Date : February 2019 ISSUED by ACTIVEWA

Product Name **TYRE REJUVENATOR**

Transport of Dangerous Goods by Road and Rail. However, the material is classified as a Class C1 Combustible Liquid according to AS1940.

15. Regulatory information

Poisons Schedule S5
AICS (Australia) All components listed.

16. Other Information

Date of preparation or last revision of SDS 11/02/2019

Literature References Preparation of Safety Data Sheets for hazardous Chemicals Code of Practice Standard for the Uniform Scheduling of Medicines and Poisons Australian Code for the Transport of Dangerous Goods by Road & Rail Globally Harmonised System of classification and labelling of chemicals

Signature of Preparer/Data Service Technical Manager 03 9580 2499

Technical Contact Numbers Emergency Advice All Hours:
Managing director: 0414 344 814 Mon-Fri 8am - 6pm
Poisons Information Centre: 13 1126 24hrs

Other Information This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the Workplace. Please refer to the technical datasheet (Instructions for use), and the label on the drum. The company cannot anticipate or control the individual working conditions encountered and so each user should read this SDS carefully, and if in doubt ring the Contact Point Number given below.
...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.