
Vantage
steel thickness: 2" polystyrene, insulation







MODEL PATTERNS AND LAYOUTS -

SHAKER-FLAT (19" x 15" and 40" x 15")














MODEL PATTERNS AND LAYOUTS

MODERNO (1/4" continuous lines)









Moderno Multi


Moderno Multi













CARRIAGE HOUSE

Vantage

MODEL PATTERNS AND LAYOUTS

SHAKER-FLAT (41" x 13" grouped by 4)



9'	Χ	7		

0000 0000 0000 0000 0000 0000

Shaker-Flat XSmall

16' x 7'

Shaker-Flat XSmall


SHAKER-CS (19" x 15" and 40" x 15")



9' x 7'




Shaker-CS Short



16' x 7'



Shaker-CS Long



Shaker-CS Long

DECORATIVE HARDWARE -

HANDMADE WROUGHT IRON TEXTURE




















COLORS

STANDARD



PREMIUM

Brown



CONSTRUCTION -

Triple-layer: steel + insulation + steel

1 26-gauge pre-painted galvanized steel for high durability

Terrastone

- 2" tongue and groove meeting rail to provide a weather-tight seal between sections, and rails are hemmed the entire length of the section for added strenght and safety
- 3 Polystyrene insulation pressure bonded between two layers of steel for energy efficiency
- 4 20-gauge white baked-on paint finish end stiles for a nice clean look
- 5 Full length reinforcing plates to solidly attach hinges and struts






WINDOWS (20" x 13" or 41" x 16")1-

TYPES OF GLASS



DECORATIVE INSERTS²





SIZES -

Standard widths from 8' to 20', in 1" increments. Heights from 6'6" to 8', in 3" increments. See your garage door dealer for more details on oversized doors available.

your garage door dealer

WARRANTY -

Double Stockton Arch Long

Limited lifetime against cracks, splits or rusting through. See warranty document for complete details.





LiftMaster Quiet and reliable garage door openers





- Ultra quiet
- Belt or chain drive
- 3/4 HP, AC or DC power



- · Ultra quiet
- Jackshaft
- DC power

PREMIUM SERIES®



- Quiet
- Belt or chain drive
- 1/2 HP, AC or DC power

CONTRACTOR SERIES®



- Quiet
- Belt or chain drive
- 1/2 HP, AC or DC power



1800 364-3667 Ponca City, OK midamericadoor.com garaga.com info@garaga.com



YOUR **DISTRIBUTOR**















