

SUPER CLAMPS

FEATURES

- Stainless steel construction
- 304 stainless steel bolt with 316 stainless steel nut to prevent seizing
- 360° sealing surface
- Ideal for high torque applications
- Strong, positive connections where ordinary hose clamps fail
- T-bolt design
- 3 spot welds for extra strength
- Sold in bags of 10 only
- Torque specifications: working torque 50-80 inch pounds, maximum torque 125 inch pounds
- Please note new Min-Max Diameter measurements.



SUPER CLAMPS				
PART NO	DESCRIPTION	MIN-MAX DIAMETER	MAX TORQUE	QTY
TC120	1" T-BOLT HOSE CLAMP	1.18"-1.34"	75 IN-LBS	10/BAG
TC130	11/4" T-BOLT HOSE CLAMP	1.34"-1.50"	75 IN-LBS	10/BAG
TC150	1½" T-BOLT HOSE CLAMP	1.50"-1.62"	75 IN-LBS	10/BAG
TC162	11/4" T-BOLT HOSE CLAMP	1.62"-1.87"	75 IN-LBS	10/BAG
TC181	1½" T-BOLT HOSE CLAMP	1.84"-2.12"	75 IN-LBS	10/BAG
TC193	1½" T-BOLT HOSE CLAMP	1.93"-2.24"	75 IN-LBS	10/BAG
TC206	2" T-BOLT HOSE CLAMP	2.17"-2.48"	75 IN-LBS	10/BAG
TC218	2" T-BOLT HOSE CLAMP	2.18"-2.52"	75 IN-LBS	10/BAG
TC224	2" T-BOLT HOSE CLAMP	2.24"-2.58"	75 IN-LBS	10/BAG
TC231	2" T-BOLT HOSE CLAMP	2.31"-2.65"	75 IN-LBS	10/BAG
TC250	2" T-BOLT HOSE CLAMP	2.50"-2.81"	75 IN-LBS	10/BAG
TC287	2" T-BOLT HOSE CLAMP	2.83"-3.21"	75 IN-LBS	10/BAG
TC312	3" T-BOLT HOSE CLAMP	3.24"-3.58"	75 IN-LBS	10/BAG
TC331	3" T-BOLT HOSE CLAMP	3.27"-3.65"	75 IN-LBS	10/BAG
TC343	3" T-BOLT HOSE CLAMP	3.39"-3.77"	75 IN-LBS	10/BAG
TC425	4" T-BOLT HOSE CLAMP	4.21"-4.59"	75 IN-LBS	10/BAG
TC438	4" T-BOLT HOSE CLAMP	4.28"-4.69"	125 IN-LBS	10/BAG
TC456	4" T-BOLT HOSE CLAMP	4.46"-4.87"	125 IN-LBS	10/BAG

TWO BARREL CLAMPS

- Perfect for tight, hard to reach spaces
- Minimizes parts that protrude by tightening together versus tightening away from
- · Deep socket tools not required
- 300 stainless steel construction





TWO BARREL CLAMPS				
PART NO	DESCRIPTION	MIN-MAX DIAMETER	MAX TORQUE	QTY
BC090	3/4"300 SS FLOATING BRIDGE W/LOCK WASHER	0.91"-0.98"	75 IN-LBS	1
BC114	1" 300 SS FLOATING BRIDGE W/LOCK WASHER	1.14"-1.22"	75 IN-LBS	1







NIPPLES			
PART NO	DESCRIPTION	MAX PSI	QTY
NIP025-SH	1/4" SHORT POLY NIPPLE	300	10/BAG
NIP038-SH	3/8" SHORT POLY NIPPLE	300	10/BAG
NIP050-SH	½" SHORT POLY NIPPLE	300	10/BAG
NIP050-3	½" X 3" POLY NIPPLE	300	10/BAG
NIP075-SH	3/4" SHORT POLY NIPPLE	300	10/BAG
NIP075-4	3/4" X 4" POLY NIPPLE	300	10/BAG
NIP075-6	3/4" X 6" POLY NIPPLE	300	10/BAG
NIP100-SH	1" SHORT POLY NIPPLE	300	10/BAG
NIP100-4	1" X 4" POLY NIPPLE	300	10/BAG
NIP100-6	1" X 6" POLY NIPPLE	300	10/BAG
NIP125-SH	11/4" SHORT POLY NIPPLE	300	10/BAG
NIP125-4	11/4" X 4" POLY NIPPLE	300	10/BAG
NIP125-6	11/4" X 6" POLY NIPPLE	300	10/BAG
NIP150-SH	1½" SHORT POLY NIPPLE	300	10/BAG
NIP150-3	1½" X 3" POLY NIPPLE	300	10/BAG
NIP150-4	1½" X 4" POLY NIPPLE	300	10/BAG
NIP150-5	1½" X 5" POLY NIPPLE	300	10/BAG
NIP150-6	1½" X 6" POLY NIPPLE	300	10/BAG
NIP200-SH	2" SHORT POLY NIPPLE	300	10/BAG
NIP200-4	2" X 4" POLY NIPPLE	300	10/BAG
NIP200-6	2" X 6" POLY NIPPLE	300	10/BAG
NIP300-SH	3" SHORT POLY NIPPLE	300	1
NIP300-4	3" X 4" POLY NIPPLE	300	1
NIP300-6	3" X 6" POLY NIPPLE	300	1
NIP400-SH	4" SHORT POLY NIPPLE	300	1



REDUCING NIPPLES				
PART NO	DESCRIPTION	MAX PSI	QTY	
RN050-038	½" X ¾" POLY REDUCING NIPPLE	300	10/BAG	
RN075-050	³ ⁄ ₄ " X ¹ ∕ ₂ " POLY REDUCING NIPPLE	300	10/BAG	
RN100-050	1" X ½" POLY REDUCING NIPPLE	300	10/BAG	
RN100-075	1" X ¾" POLY REDUCING NIPPLE	300	10/BAG	
RN125-075	11/4" X 3/4" POLY REDUCING NIPPLE	300	10/BAG	
RN125-100	11/4" X 1" POLY REDUCING NIPPLE	300	10/BAG	
RN150-100	1½" X 1" POLY REDUCING NIPPLE	300	10/BAG	
RN150-125	1½" X1¼" POLY REDUCING NIPPLE	300	10/BAG	
RN200-125	2" X 11/4" POLY REDUCING NIPPLE	300	10/BAG	
RN200-150	2" X 1½" POLY REDUCING NIPPLE	300	10/BAG	
RN300-200	3" X 2" POLY REDUCING NIPPLE	300	1	



	PIPE COUPLINGS		
PART NO	DESCRIPTION	MAX PSI	QTY
CPLG025	1/4" POLY PIPE COUPLING	300	10/BAG
CPLG038	3/8" POLY PIPE COUPLING	300	10/BAG
CPLG050	½" POLY PIPE COUPLING	300	10/BAG
CPLG075	3/4" POLY PIPE COUPLING	300	10/BAG
CPLG100	1" POLY PIPE COUPLING	300	10/BAG
CPLG125	11/4" POLY PIPE COUPLING	300	10/BAG
CPLG150	1½" POLY PIPE COUPLING	300	10/BAG
CPLG200	2" POLY PIPE COUPLING	300	10/BAG
CPLG300	3" POLY PIPE COUPLING	225	1



PART NO	DESCRIPTION	MAX PSI	QTY
RC100-075	1" X 3/4" POLY REDUCING COUPLING	300	10/BAG
RC150-100	1½" X 1" POLY REDUCING COUPLING	300	10/BAG
RC150-125	11/2" X11/4" POLY REDUCING COUPLING	300	10/BAG
RC200-050	2" X ½" POLY REDUCING COUPLING	300	10/BAG
RC200-100	2" X 1" POLY REDUCING COUPLING	300	10/BAG
RC200-125	2" X 11/4" POLY REDUCING COUPLING	300	10/BAG
RC200-150	2" X 1½" POLY REDUCING COUPLING	300	10/BAG



	7			
REDUCING BUSHINGS				
PART NO	DESCRIPTION	MAX PSI	QTY	
RB038-025	3/8" MPT X 1/4" FPT REDUCING BUSHING	300	10/BAG	
RB050-025	1/2" MPT X 1/4" FPT REDUCING BUSHING	300	10/BAG	
RB050-038	½" MPT X 3/8" FPT REDUCING BUSHING	300	10/BAG	
RB075-018	3/4" MPT X 1/8" FPT REDUCING BUSHING	300	10/BAG	
RB075-025	3/4" MPT X 1/4" FPT REDUCING BUSHING	300	10/BAG	
RB075-038	3/4" MPT X 3/8" FPT REDUCING BUSHING	300	10/BAG	
RB075-050	3/4" MPT X 1/2" FPT REDUCING BUSHING	300	10/BAG	
RB100-025	1" MPT X 1/4" FPT REDUCING BUSHING	300	10/BAG	
RB100-050	1" MPT X ½" FPT REDUCING BUSHING	300	10/BAG	
RB100-075	1" MPT X 3/4" FPT REDUCING BUSHING	300	10/BAG	
RB125-075	11/4" MPT X 3/4" FPT REDUCING BUSHING	300	10/BAG	
RB125-100	11/4" MPT X 1" FPT REDUCING BUSHING	300	10/BAG	
RB150-075	1½" MPT X ¾" FPT REDUCING BUSHING	300	10/BAG	
RB150-100	1½" MPT X 1" FPT REDUCING BUSHING	300	10/BAG	
RB150-125	11/2" MPT X11/4" FPT REDUCING BUSHING	300	10/BAG	
RB200-075	2" MPT X 3/4" FPT REDUCING BUSHING	300	10/BAG	
RB200-100	2" MPT X 1" FPT REDUCING BUSHING	300	10/BAG	
RB200-125	2" MPT X 11/4" FPT REDUCING BUSHING	300	10/BAG	
RB200-150	2" MPT X 1½" FPT REDUCING BUSHING	300	10/BAG	
RB300-150	3" MPT X 1½" FPT REDUCING BUSHING	300	1	
RB300-200	3" MPT X 2" FPT REDUCING BUSHING	300	1	
RB400-300	4" MPT X 3" FPT REDUCING BUSHING	300	1	

PIPE FITTINGS

- Glass reinforced polypropylene
- Heavy duty (Schedule 80)
- Lightweight with excellent strength
- NPT threads
- Excellent chemical resistance
- Where noted, parts must be ordered in bag quantities





PIPE FITTINGS

- Glass reinforced polypropylene
- Heavy duty (Schedule 80)
- Lightweight with excellent strength
- NPT threads
- Excellent chemical resistance
- Where noted, parts must be ordered in bag quantities



	PIPE CAPS		
PART NO	DESCRIPTION	MAX PSI	QTY
CAP050	½" POLY PIPE CAP	300	10/BAG
CAP075	3/4" POLY PIPE CAP	300	10/BAG
CAP100	1" POLY PIPE CAP	300	10/BAG
CAP125	11/4" POLY PIPE CAP	300	10/BAG
CAP150	1½" POLY PIPE CAP	300	10/BAG
CAP200	2" POLY PIPE CAP	300	10/BAG
CAP300	3" POLY PIPE CAP	300	1



CROSSES			
PART NO	DESCRIPTION	MAX PSI	QTY
CR025	1/4" POLY CROSS	300	10/BAG
CR038	3/8" POLY CROSS	300	10/BAG
CR050	½" POLY CROSS	300	5/BAG
CR075	3/4" POLY CROSS	300	5/BAG
CR100	1" POLY CROSS	300	5/BAG
CR125	11/4" POLY CROSS	300	1
CR150	1½" POLY CROSS	300	1
CR200	2" POLY CROSS	300	1



	PIPE PLUGS		
PART NO	DESCRIPTION	MAX PSI	QTY
PLUG025	1/4" POLY PIPE PLUG	300	10/BAG
PLUG038	3/8" POLY PIPE PLUG	300	10/BAG
PLUG050	½" POLY PIPE PLUG	300	10/BAG
PLUG075	3/4" POLY PIPE PLUG	300	10/BAG
PLUG100	1" POLY PIPE PLUG	300	10/BAG
PLUG125	1¼" POLY PIPE PLUG	300	10/BAG
PLUG150	1½" POLY PIPE PLUG	300	10/BAG
PLUG200	2" POLY PIPE PLUG	300	10/BAG
PLUG300	3" POLY PIPE PLUG	300	1



TEES				
PART NO	DESCRIPTION	MAX PSI	QTY	
TEE025	1/4" POLY TEE	300	10/BAG	
TEE038	3%" POLY TEE	300	10/BAG	
TEE050	½" POLY TEE	300	10/BAG	
TEE075	3/4" POLY TEE	300	10/BAG	
TEE100	1" POLY TEE	300	10/BAG	
TEE125	11/4" POLY TEE	300	10/BAG	
TEE150	1½" POLY TEE	300	1	
TEE200	2" POLY TEE	300	1	
TEE300	3" POLY TEE	225	1	



	HOSE BARB CROSS		
PART NO	DESCRIPTION	MAX PSI	QTY
HBC050075	½" X ¾" HOSE BARB CROSS	300	1



GAUGE PORT TEE			
PART NO	DESCRIPTION	MAX PSI	QTY
TEG075	3/4" POLY TEE W/ 1/4" FEMALE THREAD	300	10/BAG
TEG100	1" POLY TEE W/ 1/4" FEMALE THREAD	300	10/BAG







90° ELBOWS			
PART NO	DESCRIPTION	MAX PSI	QTY
EL025-90	1/4" 90° POLY ELBOW	300	10/BAG
EL038-90	3/8" 90° POLY ELBOW	300	10/BAG
EL050-90	½" 90° POLY ELBOW	300	10/BAG
EL075-90	3/4" 90° POLY ELBOW	300	10/BAG
EL100-90	1" 90° POLY ELBOW	300	10/BAG
EL125-90	11/4" 90° POLY ELBOW	300	10/BAG
EL150-90	1½" 90° POLY ELBOW	300	10/BAG
EL200-90	2" 90° POLY ELBOW	300	1
EL300-90	3" 90° POLY ELBOW	300	1



	45° STREET ELBOWS		
PART NO	DESCRIPTION	MAX PSI	QTY
SL075-45	3/4" 45° POLY STREET ELBOW	300	10/BAG
SL100-45	1" 45° POLY STREET ELBOW	300	10/BAG
SL125-45	11/4" 45° POLY STREET ELBOW	300	10/BAG
SL150-45	1½" 45° POLY STREET ELBOW	300	10/BAG
SL200-45	2" 45° POLY STREET ELBOW	225	10/BAG
SL300-45	3" 45° POLY STREET ELBOW	300	1



- Glass reinforced polypropylene
- Heavy duty (Schedule 80)
- Lightweight with excellent strength
- NPT threads
- Excellent chemical resistance
- Where noted, parts must be ordered in bag quantities







90° HOSE BARB ELBOW			
PART NO	DESCRIPTION	MAX PSI	QTY
HBB20012590	2" X 11/4" 90° POLY HOSE BARB ELBOW	300	10/BAG







90° HOSE BARB ELBOW			
PART NO	DESCRIPTION	MAX PSI	QTY
HBEL100-90	1" 90° POLY HOSE BARB ELBOW	300	10/BAG
HBEL150/100-90	1½" X 1" 90° POLY HOSE BARB ELBOW	300	1

FLEETCLEAN STATEMENT

HOSE BARBS

- Glass reinforced polypropylene
- Heavy duty (Schedule 80)
- Lightweight with excellent strength
- NPT threads
- Excellent chemical resistance
- Where noted, parts must be ordered in bag quantities



STRAIGHT HOSE BARBS			
PART NO	DESCRIPTION	MAX PSI	QTY
HB025	1/4" MALE THREAD X 1/4" HOSE BARB	300	10/BAG
HB025-038	1/4" MALE THREAD X 3/8" HOSE BARB	300	10/BAG
HB025-050	1/4" MALE THREAD X 1/2" HOSE BARB	300	10/BAG
HB038	3%" MALE THREAD X 3%" HOSE BARB	300	10/BAG
HB038-025	3/8" MALE THREAD X 1/4" HOSE BARB	300	10/BAG
HB038-050	3/8" MALE THREAD X 1/2" HOSE BARB	300	10/BAG
HB050-025	½" MALE THREAD X ¼" HOSE BARB	300	10/BAG
HB050-038	½" MALE THREAD X 3/8" HOSE BARB	300	10/BAG
HB050	½" MALE THREAD X ½" HOSE BARB	300	10/BAG
HB050-075	½" MALE THREAD X ¾" HOSE BARB	300	10/BAG
HB075-038	3/4" MALE THREAD X 3/8" HOSE BARB	300	10/BAG
HB075-050	¾" MALE THREAD X ½" HOSE BARB	300	10/BAG
HB075-058	3/4" MALE THREAD X 5/8" HOSE BARB	300	10/BAG
HB075	3/4" MALE THREAD X 3/4" HOSE BARB	300	10/BAG
HB075-100	3/4" MALE THREAD X 1" HOSE BARB	300	10/BAG
HB100-075	1" MALE THREAD X ¾" HOSE BARB	300	10/BAG
HB100	1" MALE THREAD X 1" HOSE BARB	300	10/BAG
HB100-125	1" MALE THREAD X 11/4" HOSE BARB	300	10/BAG
HB125-075	11/4" MALE THREAD X 3/4" HOSE BARB	300	10/BAG
HB125-100	11/4" MALE THREAD X 1" HOSE BARB	300	10/BAG
HB125	11/4" MALE THREAD X 11/4" HOSE BARB	300	10/BAG
HB125-150	11/4" MALE THREAD X 11/2" HOSE BARB	300	10/BAG
HB150-100	1½" MALE THREAD X 1" HOSE BARB	300	10/BAG
HB150-125	1½" MALE THREAD X 1¼" HOSE BARB	300	10/BAG
HB150	1½" MALE THREAD X 1½" HOSE BARB	300	10/BAG
HB150-200	1½" MALE THREAD X 2" HOSE BARB	300	10/BAG
HB200-150	2" MALE THREAD X 1½" HOSE BARB	300	10/BAG
HB200	2" MALE THREAD X 2" HOSE BARB	300	10/BAG
HB300	3" MALE THREAD X 3" HOSE BARB	225	1
HB400	4" MALE THREAD X 4" HOSE BARB	150	1



FEMALE HOSE BARBS			
PART NO	DESCRIPTION	MAX PSI	QTY
HBF075	3/4" FEMALE THREAD	300	10/BAG
HBF075-100	3/4" FEMALE THREAD X 1" HOSE SHANK	300	10/BAG
HBF100	1" FEMALE THREAD X 1" HOSE SHANK	300	10/BAG



90° HOSE BARBS			
PART NO	DESCRIPTION	MAX PSI	QTY
HB025-90	1/4" MALE THREAD X 1/4" 90° HOSE BARB	300	10/BAG
HB025/038-90	1/4" MALE THREAD X 3/8" 90° HOSE BARB	300	10/BAG
HB025/050-90	1/4" MALE THREAD X 1/2" 90° HOSE BARB	300	10/BAG
HB038-90	$^{3}\!\!\!/_{8}$ " MALE THREAD X $^{3}\!\!\!/_{8}$ " 90° HOSE BARB	300	10/BAG
HB050/038-90	½" MALE THREAD X ¾" 90° HOSE BARB	300	10/BAG
HB050-90	½" MALE THREAD X ½" 90° HOSE BARB	300	10/BAG
HB050/075-90	½" MALE THREAD X ¾" 90° HOSE BARB	300	10/BAG
HB075/050-90	³ ∕ ₄ " MALE THREAD X ½" 90° HOSE BARB	300	10/BAG
HB075-90	3/4" MALE THREAD X 3/4" 90° HOSE BARB	300	10/BAG
HB075/100-90	3/4" MALE THREAD X 1" 90° HOSE BARB	300	10/BAG
HB100/075-90	1" MALE THREAD X ¾" 90° HOSE BARB	300	10/BAG
HB100-90	1" MALE THREAD X 1" 90° HOSE BARB	300	10/BAG
HB100/125-90	1" MALE THREAD X 11/4" 90° HOSE BARB	300	10/BAG
HB125/100-90	11/4" MALE THREAD X 1" 90° HOSE BARB	300	10/BAG
HB125-90	11/4" MALE THREAD X 11/4" 90° HOSE BARB	300	10/BAG
HB125/150-90	11/4" MALE THREAD X 11/2" 90° HOSE BARB	300	10/BAG
HB150/125-90	1½" MALE THREAD X 1¼" 90° HOSE BARB	300	10/BAG
HB150-90	1½" MALE THREAD X 1½" 90° HOSE BARB	300	10/BAG
HB200/150-90	2" MALE THREAD X 1½" 90° HOSE BARB	300	10/BAG
HB200-90	2" MALE THREAD X 2" 90° HOSE BARB	300	10/BAG
HB300-90	3" MALE THREAD X 3" 90° HOSE BARB	225	1



316 STAINLESS STEEL HOSE BARBS			
PART NO	DESCRIPTION	MAX PSI	QTY
HB025SS	1/4" MALE THREAD X 1/4" HOSE SHANK	300	1
HB025-038SS	$\frac{1}{4}$ " MALE THREAD X $\frac{3}{8}$ " HOSE SHANK	300	1
HB025-050SS	1∕4" MALE THREAD X 1⁄2" HOSE SHANK	300	1
HB038SS	$^{3}\!\!\!/_{8}$ " MALE THREAD X $^{3}\!\!\!/_{8}$ " HOSE SHANK	300	1
HB038-050SS	$^{3}\!\!$ 8" MALE THREAD X $^{1}\!\!$ 2" HOSE SHANK	300	1
HB050SS	½" MALE THREAD X ½" HOSE SHANK	300	1
HB050-058SS	½" MALE THREAD X 5%" HOSE SHANK	300	1
HB050-075SS	½" MALE THREAD X ¾" HOSE SHANK	300	1
HB075-050SS	$^{3}\!\!4$ " MALE THREAD X $^{1}\!\!/_{2}$ " HOSE SHANK	300	1
HB075SS	¾" MALE THREAD X ¾" HOSE SHANK	300	1
HB075-100SS	3/4" MALE THREAD X 1" HOSE SHANK	300	1
HB100-075SS	1" MALE THREAD X 3/4" HOSE SHANK	300	1
HB100SS	1" MALE THREAD X 1" HOSE SHANK	300	1
HB125SS	11/4" MALE THREAD X 11/4" HOSE SHANK	300	1
HB150SS	1½" MALE THREAD X 1½" HOSE SHANK	300	1
HB200SS	2" MALE THREAD X 2" HOSE SHANK	300	1
HB300SS	3" MALE THREAD X 3" HOSE SHANK	300	1







	HOSE BARB TEES		
PART NO	DESCRIPTION	MAX PSI	QTY
HBT025	1/4" HOSE BARB TEE	300	10/BAG
HBT038	3/8" HOSE BARB TEE	300	10/BAG
HBT050-038	$\frac{1}{2}$ " χ $\frac{1}{2}$ " χ $\frac{3}{8}$ " HOSE BARB TEE	300	10/BAG
HBT050	1½" HOSE BARB TEE	300	10/BAG
HBT050-075	$\frac{1}{2}$ " X $\frac{1}{2}$ " X $\frac{3}{4}$ " HOSE BARB TEE	300	10/BAG
HBT075-050	$\frac{3}{4}$ " χ $\frac{3}{4}$ " χ $\frac{1}{2}$ " HOSE BARB TEE	300	10/BAG
HBT075	3/4" HOSE BARB TEE	300	10/BAG
HBT075-100	3/4" X 3/4" X 1" HOSE BARB TEE	300	10/BAG
HBT100-075	1" X 1" X ¾" HOSE BARB TEE	300	10/BAG
HBT100	1" HOSE BARB TEE	300	10/BAG
HBT200	2" HOSE BARB TEE	300	1
HBT300	3" HOSE BARB TEE	300	1



HOSE BARB THREADED TEES				
PART NO	DESCRIPTION	MAX PSI	QTY	
HBT100-100	1"HOSE BARB X 1"HOSE BARB X 1" MALE THREAD HOSE BARB TEE	300	10/BAG	
HBT150-100	1½" HOSE BARB X 1½" HOSE BARB X 1" MALE THREAD HOSE BARB TEE	300	1	
HBT150-150	1½" HOSE BARB X 1½" HOSE BARB X1½" MALE THREAD HOSE BARB TEE	300	1	



SS HOSE BARB THREADED TEES			
PART NO	DESCRIPTION	MAX PSI	QTY
HBT075-050SS	3/4" HOSE BARB X 3/4" HOSE BARB X 1/2" MALE THREAD HOSE BARB TEE	150	1



	HOSE MENDERS				
PART NO	DESCRIPTION	MAX PSI	QTY		
HM025	1/4" X 1/4" HOSE BARB	300	10/BAG		
HM038	3/8" X 3/8" HOSE BARB	300	10/BAG		
HM050	½" X ½" HOSE BARB	300	10/BAG		
HM075	3/4" X 3/4" HOSE BARB	300	10/BAG		
HM100	1" X 1" HOSE BARB	300	10/BAG		
HM125	11/4" X 11/4" HOSE BARB	300	10/BAG		
HM150	1½" X 1½" HOSE BARB	300	10/BAG		
HM200	2" X 2" HOSE BARB	300	10/BAG		
HM300	3" X 3" HOSE BARB	300	1		





SWIVELS				
PART NO	DESCRIPTION	MAX PSI	QTY	
SW100	1" MALE X 1" FEMALE SWIVEL	300	1	
SW150	1½" MALE X 1½" FEMALE SWIVEL	300	1	
SW220	2" FULL PORT MALE X 2" FULL PORT FEMALE SWIVEL	150	1	



PART NO	DESCRIPTION	MAX PSI	QTY
TM075/050	8 STATION MANIFOLD 3/4" INLET X 1/2" OUTLET, 1/4" GAUGE PORT	225	1

PIPE FITTINGS

FEATURES

- Glass reinforced polypropylene
- Heavy duty (Schedule 80)
- Lightweight with excellent strength
- NPT threads
- Excellent chemical resistance
- Where noted, parts must be ordered in bag quantities

Recommended procedure for sealing pipe threads:

We DO NOT recommend using pipe tape. Pipe tape enlarges the outside diameter of the male thread and may cause the female thread to split. We recommend using a pipe thread sealant. Use on clean tapered threads. Apply a thick even coat on male threads using brush applicator. For pipe diameters smaller than 1½" apply to male threads only. For 1½" and larger sizes apply to both male and female threads. Avoid applying excessive amounts. Hand tighten joints and then torque another ½ to ¾ turn until threads seal.





PIPE SEALANT				
PART NO	PART NO DESCRIPTION			
RS21	RECTORSEAL® NO. 21™ (8 OZ W/ BRUSH IN CAP-24/CASE)	1		
RSTB	RECTORSEAL® TRU-BLU™ (8 OZ W/ BRUSH IN CAP-24/CASE)	1		

PIPE SEALANT

- RectorSeal[®] No. 21[™] is slow drying, soft set multi-purpose sealant designed for use where black is preferred. 8 oz can with brush in the cap. Conforms to TT-S-1732.
- RECTORSEAL® TRU-BLU™ is fast drying, flexible set designed for high vibration environments. Teflon™has been added to enhance thread lubrication during assembly and break out. Conforms to TT-S-1732.
 *DuPont Registered Trademark

