### Sexual Abuse: The Silent Epidemic

Michael J. Alicea, MS, MSW Counseling Network, Inc.

#### **CONTENTS**

Child Sexual Abuse (Defined)

Treatment of Sex Offenders (Approaches)

Recidivism Rates (Percentages Nationwide)

Sex Offender Programs and Treatment

The Goal of Therapy

#### Child Sexual Abuse

### Child Sexual Abuse: The Silent Epidemic

- Child sexual abuse is a hidden but significant problem in every community in America.
- Experts estimate that 1 in 4 girls and 1 in 6 boys will be sexually abused before their 18th birthday.
- Less than 1 in 10 will tell.
- Individuals who are sexually abused as children are far more likely to experience psychological problems.
- Child sexual abuse does not recognize region, race, creed, socio-economic status or gender; it crosses all boundaries.

## What Adults Need to Know about Child Sexual Abuse...

- It happens more than you think.
- A lot more 1 in 4 girls and 1 in 6 boys will be sexually abused before their eighteenth birthday.
- It can happen right under your nose and you may never know less than one victim in ten will tell.
- The perpetrators aren't usually "dirty old men hiding in the bushes" 34% of those who sexually abuse children are family members.
- A further 59% are friends and acquaintances of the child and his family.

### The Personal Pain of Child Sexual Abuse...

- Adolescents and young adults with a history of childhood abuse are 3 times more likely to become depressed or suicidal.
- Women with histories of childhood abuse report a greater number of physical and psychological problems.
- 34% of children who are either physically or sexually abused, and 58% of children who are both physically and sexually abused meet the criteria for Post Traumatic Stress Syndrome. Untreated, PTSD.

#### And the Cost to Us All...

- A National Institute of Justice study estimated that each year child sexual abuse in America costs the nation \$23 billion
- Victims of child sexual abuse generally spend more on psychiatric care and medical services throughout their lives.
- Child sexual abuse causes lost potential and productivity.

### Why Don't Adults Do a Better Job?

- Child abuse statistics show that adults do not adequately protect children from child sexual abuse. There are a lot of reasons why, but the main one is THEY DON'T KNOW HOW!!!
- Research suggests that adults are unaware of effective steps they can take to protect their children from sexual abuse.
- Most do not know how to recognize signs of sexual abuse and many do not know what to do when sexual abuse is discovered.

### Effective Steps to Protect Children from Sexual Abuse:

- PREVALENCE is the percentage of the population that is affected by child sexual abuse; the general existence of child sexual abuse.
- CONSEQUENCE is the impact that child sexual abuse has on a victim/survivor and on our society over time.

### Sexual Abuse Touches Every Life When it Leads to:

- Losses of trust, decreases in self esteem, and development of shame, guilt and depression.
- Eating disorders, substance abuse, suicide, promiscuity/prostitution, and other psycho-behavioral issues.

#### Children are at Risk for Sexual Abuse:

- 30-40% of victims are abused by a family member.
- Another 50% are abused by someone outside of the family whom they know and trust.
- Approximately 40% are abused by older or larger children whom they know.
- Therefore, only 10% are abused by strangers.

### Abuse Sexual Abuse can Occur at all Ages:

- The median age for reported abuse is 9 years old.
- More than 20% of children are sexually abused before the age of 8.
- Nearly 50% of all victims of forcible sodomy, sexual assault with an object, and forcible fondling are children under 12.

#### Most Children Don't Tell:

- Evidence that a child has been sexually abused is not always obvious, and many children do not report that they have been abused.
- Over 30% of victims never disclose the experience to ANYONE.
- Young victims may not recognize their victimization as sexual abuse.
- Almost 80% initially deny abuse or are tentative in disclosing.

#### Most Children Don't Tell:

- Of those who do disclose, approximately 75% disclose accidentally.
- Of those who do disclose, more than 20% eventually recant even though the abuse occurred.
- Fabricated sexual abuse reports constitute only 1% to 4% of all reported cases. Of these reports, 75% are falsely reported by adults and 25% are reported by children.
- Children only fabricate ½% of the time.

#### Consequences of Child Sexual Abuse:

- Begin affecting children and families immediately.
- They also affect society in innumerable and negative ways.
- Effects can continue throughout the life of the survivor so the impact on society for just one survivor continues over multiple decades.
- Try to imagine the impact of 39 million survivors.

## Health and/or Behavioral Problems:

- The way a victim's family responds to abuse plays an important role in how the incident affects the victim.
- Sexually abused children who keep it a secret or who "tell" and are not believed are at greater risk than the general population for psychological, emotional, social, and physical problems often lasting into adulthood.
- Children who have been victims of sexual abuse are more likely to experience physical health problems (e.g., headaches).

## Health and/or Behavioral Problems:

- Victims of child sexual abuse report more symptoms of PTSD, depression, and more school problems than non-victims.
- Victims of child sexual abuse are more likely to experience major depressive disorder as adults.

#### Health and/or Behavioral Problems:

- Young girls who are sexually abused are more likely to develop eating disorders as adolescents.
- Adolescent victims of violent crime have difficulty in the transition to adulthood.
- Victims are more likely to suffer financial failure and physical injury, and are at risk to fail in other areas due to problem behaviors and outcomes of the victimization.

### Drug and/or Alcohol Problems:

- Victims of child sexual abuse report more substance abuse problems.
- Young girls who are sexually abused are 3 times more likely to develop psychiatric disorders or alcohol and drug abuse in adulthood.
- Among male survivors, more than 70% seek psychological treatment for issues such as substance abuse, suicidal thoughts and attempted suicide.
- Males who have been sexually abused are more likely to violently victimize others.

# Teenage Pregnancy and Promiscuity:

- Children who have been victims of sexual abuse exhibit long-term and more frequent behavioral problems, particularly inappropriate sexual behaviors.
- Women who report childhood rape are 3 times more likely to become pregnant before age 18.
- An estimated 60% of teen first pregnancies are preceded by experiences of molestation, rape, or attempted rape. The average age of their offenders is 27 years.

# Teenage Pregnancy and Promiscuity:

- Victims of child sexual abuse are more likely to be sexually promiscuous.
- More than 75% of teenage prostitutes have been sexually abused.

#### Crime:

- Adolescents who suffer violent victimization are at risk for being victims or perpetrators of felony assault, domestic violence, and property offense as adults.
- Nearly 50% of women in prison state that they were abused as children.
- Over 75% of serial rapists report they were sexually abused as youngsters.

# Most Perpetrators don't Molest only one Child:

- Nearly 70% of child sex offenders have occurred between 1 and 9 victims; at least 20% have 10 to 40 victims.
- An average serial child molester may have as many as 400 victims in his lifetime.

### Treatment of Sex Offenders

## The Major Goal of Treatment for Sex Offenders:

- The prevention of sexual offenses in the future,
- The type of treatment which is most likely to succeed is an individually-tailored approach; and,
- The most common approach has been Group Therapy.

### The Most Common Treatment Approach:

- Group Therapy
- Highly moralistic approach that often reflects the judgmental emotional response of the society

# The Effectiveness of the Therapeutic Treatment (Measured by):

- Contribution to restoration of:
  - Emotional health
  - Normal functioning; and the restoration of,
  - Well-being of the individual
- Goal:
  - Prevention of sexual offenses in the future

# Factors In Providing Treatment When a Person is Accused of Sexual Abuse:

- The accusation is either true or it is not true and the accused may admit or deny the accusation.
- Plea bargaining
- Dropping of charges for insufficient evidence
- Dismissal by stipulation in family court
- Admission of guilt
- Admission of a mistake by the social service agency; and,
- Acquittal by the criminal court along with a finding of abuse by family court

### Events that Confront the Therapist (For People Entering Sex Offender Treatment Programs):

- Determining what is to be treated,
- There are many permutations of the interaction of truth or falsity,
- Denial and admission,
- Substantiated or unsubstantiated allegations

### For those Convicted of Sexual Crimes:

- Probation with mandated treatment and perhaps some jail time is the most common disposition,
- In criminal court, the defendant may be offered a plea bargain in which he is put on probation in exchange for entering a treatment program

#### For those Convicted of Sexual Crimes:

- Entering sexual offender treatment will mean avoiding highly aversive consequences such as:
  - Imprisonment,
  - Loss of relationships with children,
  - Loss of career or job,
  - Financial ruin through an expensive trial; and,
  - Embarrassing publicity.

### The Subtleties of Entering a Sexual Offender Treatment Means (For the Offender):

- That apparently everybody wins, however there is a:
  - Negative effect upon the process of therapy
  - A poorer treatment outcome can be anticipated
  - Treatment becomes a sentence rather than a therapy

### The Therapist is given the Power to:

- Judge when the treatment has been successfully completed; and,
- To determine when discharge is granted
- This puts the therapist in the role of the jailer
- Therapist who serves both as helper-therapist and as informer for the law becomes a "double agent."

#### Caution to Therapist:

- The seductiveness of the powerful level of control available to a therapist can cause the therapy to be destructive and damaging.
- Countertransference by a therapist must be actively considered, examined, and dealt with when found to be present.

### Prerequisite for Sex Offender in Therapy:

- An admission of guilt is required before being admitted into a program of treatment
- It cannot be a general, bland admission
- It must be specific, detailed, given regularly in group, and may include an admission and apology to the victim
- **CAUTION TO THERAPIST:** 
  - Complications and potential hindrances to successful treatment are possible.

### Recidivism Rates

### Does Treatment Reduce Recidivism?

- The recidivism rates for the treated groups are not consistently better than the nontreated groups,
- An examination of 42 empirical studies of sex offender recidivism report ed that the recidivism rates ranged from 0% to over 50%. They found little consensus about the continuance of sexual offenses following treatment and conclude that there is no evidence that clinical treatment effectively reduces recidivism.
- There are no data at present for assessing the relative effectiveness of treatment for different types of offenders.

# 1990 Hanson, Steffy, & Gauthier Study on Recidivism:

- Examined offenders from 3 to 23 years after treatment
- The treatment was a short-term
- Multimodal program and recidivism was assessed through records of reconvictions

# 1990 Hanson, Steffy, & Gauthier Study on Recidivism:

- The researchers report showed that:
  - 44.3% of their total sample of 106 child molesters were reconvicted
  - 9.4% of the total sample being reconvicted between 10 and 23 years after being released
  - Incest perpetrators were reconvicted at the slowest rate (21%)
  - Homosexual pedophiles at the highest rate (66.7%)
  - Heterosexual pedophiles and undifferentiated offenders showing an intermediate rate (42.2% & 36.36%).

### Sexual Offenders Population in U.S. Prisons:

- An average of 10% of the prison population,
- Some jurisdictions reporting rates as high as 21%,
- In 1988, sex offenders constituted the largest single group of inmates in Minnesota,
- **■** CONCLUSION:
  - Incarceration alone is not sufficient

# Sex Offender Programs and Treatment

#### 1981 Crawford Study:

- Only castration has been found to be successful in preventing recidivism when treating persistent and dangerous offenders against children,
- The necessity to do something besides warehouse sex offenders in prison until they are released, unchanged, led people to conclude that treatment must be offered,
- Therefore, treatment programs developed to fill this need

### Traditional Sex Offender Programs:

- Insist at the onset that the perpetrator admit guilt as a condition of acceptance into the program,
- If guilt is not admitted, the probation is violated and the person may be sent to jail,
- NOTE:
  - there are a few treatment programs which do not require this threshold admission of guilt

### The Most Appropriate Form of Treatment:

- Group therapy
- Rationale:
  - Confrontation of manipulative behavior can only be done by other individuals who have been through the same dynamic
  - It is assumed that all sexual abusers are skilled at manipulation and will demonstrate manipulativeness.
  - It is also assumed they must stop being manipulative.
  - The expression of feelings is absolutely required

#### Cognitive, Learning Theory-Based Approach To Therapy Allows:

- The accused to avoid dealing with feelings of remorse, guilt, or shame which are considered to be essential parts of treatment.
- Common treatment goals include:
  - Bringing the perpetrator to the point where he admits all of his abusive behaviors,
  - Expressing guilt and remorse for them; and
  - Willingness to admit and apologize to the victim

#### The Therapist is Seen As:

- Authoritarian and allied with the justice system:
  - Effective treatment can only be accomplished in an authoritative fashion and from a position of power, Sgroi (1982),
  - Anything else invites the abuser to misuse power to suppress the allegation and undermine the child's credibility, Sgroi (1982).

#### ■ NOTE:

There is no evidence for the effectiveness of this
 type of treatment to cure sexual abuse and prevent
 recidivism

### Most Widely Used Treatment for Child Molesters:

Group therapy

#### ■ NOTE:

- Few data have been reported to indicate that changes occur within these groups, and no studies have been conducted that compare group therapy to other types of treatment.
- There is no empirical support for the belief that groups are more effective in confronting attempted deception or manipulation

### 1976 Costell, Quinsey, & Giarretto, Study:

- Recurrence of incestuous activity is unlikely after disclosure
- Treatment Directions in treating child sexual abusers include:
  - Behavior therapy with many classical and operant conditioning techniques,
  - Hypnotism,
  - Psychoanalysis,
  - Traditional talking psychotherapy,
  - Group Therapy,
  - Chemical Interventions,
  - Castration,
  - Electroconvulsive Therapy (ECT); and,
  - Psychosurgery

#### The Goal of Therapy

### The Goal of Therapy with Pedophiles:

- Manage sex offenders urges for sexual contact with children,
- Motivating them to change,
- Most pedophiles are resistant to giving up a sexual behavior pattern which they perceive as positive and rewarding
- NOTE:
  - Different treatment interventions must be planned for different types of child molesters. Such an approach has the best research support.

#### The Approach that is most Supported in the Treatment of Sex Offenders:

- Cognitive-behavioral
  - RATIONALE:
    - The therapist can construct a highly individualized and flexible treatment approach which can be changed and refined as treatment progresses.
  - IMPORTANT COMPONENT:
    - Social skills training to redress the weakness and inadequacies of child molesters in adult interactions

### The Idea of Therapy as Seen by The System:

- For some time rehabilitation has been seen negatively because the idea spread that it didn't work
- Problems that can lead to the failure of any rehabilitation effort include:
  - Hostility to change,
  - A coercive correctional system,
  - Lack of any theoretical base for the treatment program
  - Failure to implement the program fully, and
  - Inability to relate to the world beyond the institution