


For assembly of your Charming Aviary MODEL #F035 (Large) / #F036 (Extra-Large)

Follow this flight path

1



READ THESE INSTRUCTIONS!

Assembly for the #F035 or #F036 Aviary cages are the same. The only difference is the size and dimension of parts.

These assembly steps have been compiled to lead you to a successful assembly. If you still have questions, please call our Prevue Customer Service line at 1 (312) 243-3624.

2



HELPFUL TOOLS

An allen wrench is included with the hardware.

You will need a small adjustable wrench for the roof assembly.

NEEDED

3




FIND A FRIEND (or GO IT ALONE—both are OK)

If you follow these steps, cage assembly will be easy for one person. But you may find a second person's assistance useful in some steps. Look for this symbol:



4



REVIEW ALL PARTS & HARDWARE

After unpacking all components, review all parts and count the contents of the screw packets and compare the quantities against the Hardware List on the Parts List page.

Please contact Prevue if any problems or issues arise.

For assembly of your Charming Aviary MODEL #F035 (Large) / #F036 (Extra-Large)

Follow this flight path

5



CARE FOR BIRDS

CAGE PLACEMENT

Place the cage away from drafts and drafty areas and out of harsh or direct sun. Keep the cage away from strong fumes and odors.

ACTIVITY TOYS

Activity toys are vital for maintaining a bird's mental and physical health. Select a variety of toys to meet different instinctual activities—foraging, grooming, movement, sound, discovery, and more. Regularly rotate new and familiar toys through the cage. Do not overcrowd the cage environment. Periodically supervise birds at play and inspect toys for replacement or replenishment.

ACCESSORIES

Add or upgrade accessories to promote health and happiness. Add variable-shape perches. Include cozy corners for warmth. Use cage covers to quiet and calm birds at night or at high-traffic times.

TRAVEL CARRIERS

Always keep an appropriate size travel carrier on hand for travel, emergencies or temporary housing when cleaning the cage.

CUSTOMER SUPPORT

Please contact Prevue Pet Products:

PHONE 1 (312) 243-3624
ONLINE www.prevuepet.com

EMAIL customerservice@prevuepet.com These instructions are online, under the item's detail listing at www.prevuepet.com.





For more wonderful cages, toys, and accessories for dogs, cats, birds, chickens, rabbits, ferrets and small animals, visit www.prevuepet.com



MODEL #F035/#F036 CHARMING AVIARY


PARTS LIST

CUSTOMER SUPPORT

Please contact Prevue Pet Products:

PHONE 1 (312) 243-3624
ONLINE www.prevuepet.com

EMAIL customerservice@prevuepet.com





MODEL #F035/#F036 CHARMING AVIARY


PARTS LIST

CUSTOMER SUPPORT

Please contact Prevue Pet Products:

PHONE 1 (312) 243-3624 **ONLINE** www.prevuepet.com

EMAIL customerservice@prevuepet.com



HARDWARE INCLUDED:



Long Screws 12 pcs +1

(Step 1 & Step 2)



Short Screws with Nuts 7 pairs +1

(Step 4)

KEY:

R = Roof Pieces

F = Front Panel

B = Back Panel

LS = Left SIDE Pieces

RS = Right SIDE Pieces

G = Grille

T = Tray



Charming Aviary

Models: #F035 (Large) / #F036 (Extra-Large)

Instructions online at www.prevuepet.com


CUSTOMER SUPPORT


Please contact Prevue Pet Products:


PHONE 1 (312) 243-3624
ONLINE www.prevuepet.com


EMAIL customerservice@prevuepet.com


Assemble the <u>CAGE FRAME</u>.
You will need these pieces:

















Assemble the <u>ROOF</u>. You will need these pieces:






[7] SHORT with Nuts





Overlap the **R2 roof panel** with the **R1 roof panel**.

Align the holes at the center. Insert a short screw from the top, and tighten the nut from the underside.





R 1

Attach the R3 roof brace.

Make sure the top horizontal flaps are oriented toward the interior/center, and the lower horizontal flap is facing the exterior/outer edge.

Align the holes and attach with short screws from the top and nuts from the underside.





Follow the same method to attach the **R4 roof brace**.

Make sure the top horizontal flaps are oriented toward the interior/center.

4 ...continued

Tip the assembled roof into position by catching the lower horizontal flap on the R3 roof brace under the front panel frame rail.

On the back end, the vertical panel will slip straight down into place on the interior side of the frame.

