Patient Health Questionnaire (PHQ-9)

DATE.....

	Not at all	Several days	More than half the days	Nearly every day
1. Little interest or pleasure in doing things	0	1	2	3
2. Feeling down, depressed, or hopeless	0	1	2	3
3. Trouble falling or staying asleep, or sleeping too much	0	1	2	3
4. Feeling tired or having little energy	0	1	2	3
5. Poor appetite or overeating	0	1	2	3
 Feeling bad about yourself — or that you are a failure or have let yourself or your family down 	0	1	2	3
 Trouble concentrating on things, such as reading the newspaper or watching television 	0	1	2	3
 Moving or speaking so slowly that other people could have noticed. Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual 	0	1	2	3
. Thoughts that you would be better off dead, or of hurting yourself in some way	0	1	2	3
add columns		+	+	· · · · · · · · · · · · · · · · · · ·
(Healthcare professional: For interpretation of TOTAL, please refer to accompanying scoring card).	TOTAL:			
D. If you checked off <i>any</i> problems, how <i>difficult</i> have these problems made it for you to do your work, take care of things at home, or get along with other people.	Not difficult at all Somewhat difficult			
	∨e	ry difficult	•••••••••••••••••	******
	Ex	tremely dif	ficult	

Version formatted by Macarthur Foundation, Copyright © Pfizer, Inc., 1999. Developed by R Spitzer and J Williams et al. with an educational grant from Pfizer. May be reproduced for clinical use.

GAD-7 Anxiety

Over the <u>last two weeks</u> , how often have you been bothered by the following problems?	Not at all	Several days	More than half the days	Nearly every day
Feeling nervous, anxious, or on edge	0	1	2	3
Not being able to stop or control worrying	0	1	2	3
Worrying too much about different things	0	1	2	3
Trouble relaxing	0	1	2	3
5. Being so restless that it is hard to sit still	0	1	2	3
Becoming easily annoyed or irritable	0	1	2	3
Feeling afraid, as if something awful might happen	0	1	2	3

	Column totals	+	. + +	=
			Total score	
If you checked any prob things at home, or get a	plems, how difficult have the along with other people?	y made it for you to	do your work, take care o	of
Not difficult at all	Somewhat difficult	Very difficult	Extremely difficult	

Source: Primary Care Evaluation of Mental Disorders Patient Health Questionnaire (PRIME-MD-PHQ). The PHQ was developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke, and colleagues. For research information, contact Dr. Spitzer at ris8@columbia.edu. PRIME-MD® is a tracemark of Pfizer Inc. Copyright© 1999 Pfizer Inc. All rights reserved. Reproduced with permission

Scoring GAD-7 Anxiety Severity

This is calculated by assigning scores of 0, 1, 2, and 3 to the response categories, respectively, of "not at all," "several days," "more than half the days," and "nearly every day." GAD-7 total score for the seven items ranges from 0 to 21.

0-4: minimal anxiety

5-9: mild anxiety

10-14: moderate anxiety

15-21: severe anxiety

Short Mood and Feelings Questionnaire

This form is about how your child may have been feeling or acting recently.

For each question, please check how much she or he has felt or acted this way in the past two weeks.

If a sentence was true about your child most of the time, check TRUE.

If it was only sometimes true, check SOMETIMES.

If a sentence was not true about your child, check NOT TRUE.

		NOT TRUE	SOMETIMES	TRUE
1.	S/he felt miserable or unhappy	٦	3	a
2.	S/he didn't enjoy anything at all	j	C	3
3.	S/he felt so tired that s/he just sat around and did nothing	J	3	Э
4.	S/he was very restless	Э	Э	Э
5.	S/he felt s/he was no good any more	Э	3	3
6.	S/he cried a lot	Э	Э	Э
7.	S/he found it hard to think properly or concentrate	J	Э	3
8.	S/he hated him/herself	3	3	٦
9.	S/he felt s/he was a bad person	3	3	3
10.	S/he felt lonely	a	3	3
11.	S/he thought nobody really loved him/her	J	J	٥
12.	S/he thought s/he could never be as good as other kids	3	G	
13.	S/he felt s/he did everything wrong	3	g	3

Copyright Adrian Angold & Elizabeth J. Costerllo, 1987; Developed Epidemiology Program, Duke University Reproduced with permission from developer, may be reproduced for use with one's own patients.

Beck Anxiety Inventory (BAI)

Below is a list of common symptoms of anxiety. Please carefully read each item in the list. Indicate how much you have been bothered by that symptom during the past month, including today, by circling the number in the corresponding space in the column next to each symptom.

	Not At All	Mildly but it didn't bother me much	Moderately - it wasn't pleasant at times	Severely – it bothered me a lot
Numbness or tingling	O	O		
Feeling hot	Ū	ā		G
Wobbliness in legs				
Unable to relax			a	B
Fear of worst happening	П	О	П	
Dizzy or lightheaded			G	Œ
Heart pounding/racing	П			
Unsteady				
Terrified or afraid			О	
Nervous		u	i	O
Feeling of choking	O	Q		O
Hands trembling				G
Shaky / unsteady	О			
Fear of losing control				O
Difficulty in breathing				
Fear of dying		O		
Scared	O	О		0
Indigestion	D	a		
Faint / lightheaded				
Face flushed	О	D		
Hot/cold sweats				