Rio Hondo Community College Department of Public Safety – Fire Technology Rio Hondo College Fire Academy

MANIPULATIVE EXAM

EVALUATION

TOPIC: TWO PERSON 3	5' SINGLE FLY EXTENSION	LADDER	Page 1 of 2
NAME:		_ DATE: _	
RATER:	SCORE:		TIME:
	2 ND ATTEMPT: SCORE:		TIME:

INSTRUCTIONS: Utilizing two 35' extension ladders, begin on the west side of the tower. First ladder is a beam raise to the fourth-floor narrow window for rescue. When that ladder is secure, proceed back to the starting point and retrieve the second 35' extension ladder (switch positions – butt and tip). Second ladder is a flat raise to the designated taped area. When that ladder is secure, remove both ladders as they were thrown (flat and beam), return them to the starting point as they were found.

	PTS.	PTS.	PTS. 2 nd	
OPERATIONAL STEPS	POSS	Attempt	Attempt	COMMENTS
Repeat Order	5			
Address butt of ladder and	5			
walk to appropriate position				
Uses proper commands and	10 *			
executes as a team *				
Lifts in unison on execution	5			
command				
BUTT PERSON	PTS.	PTS.	PTS.	
OPERATIONAL STEPS	PIS. POSS	1 st	2^{nd}	COMMENTS
Beam Ladder	PUSS 5	Attempt	Attempt	COMMENTS
Shoulder Ladder	5			
	5			
Spot Ladder				
Raise Ladder	5			
Pivot Ladder	5			If necessary
Lean Ladder	5			
Set/reduce Ladder (looking down)	5			If necessary
Checks 4pts of contact	5			
Proper Location and Angle	10			
Tie off Ladder	5			Proper knot
Return to starting point - Address Butt of Ladder – Switch Positions	5			
Remove Ladder	5			
Removes Ladders as raised	5			Flat first then beam
Lower Ladder (Break)	5			
Shoulder Ladder	5			
Beam Ladder	5			
Ground Ladder	5			

Rio Hondo Community College Department of Public Safety – Fire Technology Rio Hondo College Fire Academy

TOPIC: TWO PERSON 35' SINGLE FLY EXTENSION LADDER

Page 2 of 2

NAME: _____ DATE: _____

TIP PERSON OPERATIONAL STEPS	PTS. POSS	PTS. 1 st Attempt	PTS. 2 nd Attempt	COMMENTS
Beam Ladder	5	-	-	
Shoulder Ladder	5			
Spot Ladder**	5			On butt persons command of "SPOT" tip person gives safety command of "clear above".
Raise Ladder	5			
Pivot Ladder (looking up)	5			If necessary
Extend Ladder (Proper Extension)	5			
Dogs Locked Ladder High	5			
Lean Ladder	5			
Set/reduce Ladder (Looking Up)	5			If necessary
Removes Ladders** as Raised	5			"Clear above, clear behind"
Retract Ladder	5			"Dogs unlocked, fingers & toes clear"
Lower Ladder**	5			"Clear above, clear behind"
Shoulder Ladder	5			
Beam Ladder	5			
Ground Ladder	5			
Possible Points: 190	Total:			Pass: 150 and above

Safety Commands = Overhead Obstructions, visual clarity, and break.

Ladder Commands = Preparatory commands and execution commands for ladder evolutions.

* Deduct 5 points for 1st improper command, 5 points for 2nd improper command, and fail for 3rd.

** Immediate failure: Not verbalizing safety commands once up, twice down.

*** Immediate failure: Instructor intervention, Loss of control of ladder, halyard, or balance.

**** Immediate failure: Failure to meet time standard of twelve (12) minutes.

Instructor Signature: _____