Material Safety Data Sheet

Satin Sport Kote



1. Product and company identification

Product name Code Material uses Manufacturer

Satin Sport Kote 228SF Wood floor finish Essential Industries, Inc. P.O. Box 12 Merton, WI 53056-0012 Phone: 262-538-1122

In case of emergency Validation date Print date Responsible name 1-800-843-6174 8/16/2010. 8/16/2010. Regulatory Affairs Department

Hazardous Material Information System (U.S.A.)

Health	1	<u>HAZARD</u> RATING
Flammability	0	4 = Extreme 3 = High
Physical hazards	0	2 = Moderate 1 = Slight
Personal protection	В	0 = Insignificant
A = Goggles B = Goggles & Gloves C = Gog	gles, Gloves & A	pron

2. Hazards identification

Emergency overview	WARNING!

HARMFUL IF INHALED OR SWALLOWED. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

Harmful by inhalation and if swallowed. Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Contains material that may cause target organ damage, based on animal data. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

Potential acute health effects due to overexposure

Inholation	May be taxing by independent of the second section and water may assure a backtible because . Conjects office to
Inhalation	May be toxic by inhalation. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Ingestion	May be toxic if swallowed.
Skin	No known significant effects or critical hazards.
Eyes	No known significant effects or critical hazards.
Potential chronic health	effects due to overexposure
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

See toxicological information (section 8)

3. Composition/information on ingredients

Name 2-butoxyethanol		CAS number 111-76-2	<u>%</u> 1 - 5		
N-methyl-2-pyrrolidone		872-50-4	1 - 5		
SARA 313 (Form R - Re	eporting requirements)				
Product name		CAS number		Concentration	
2-(2-butoxyethoxy)ethanol		112-34-5		4.04	
2-butoxyethanol		111-76-2		1.34	
N-methyl-2-pyrrolidone		872-50-4		1.2953	

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	<u>Cancer</u>	Reproductive	<u>No significant risk level</u>	<u>Max acceptable dosage</u>
N-methyl-2-pyrrolidone	No.	Yes.	No.	3200 µg/day (inhalation)

. First aid measures

Eye contact	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation	Move exposed person to fresh air. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention immediately.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Notes to physician	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5. Fire-fighting measures

Flammability of the product Extinguishing media	In a fire or if heated, a pressure increase will occur and the container may burst.
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Special exposure hazards	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hazardous thermal decomposition products	n Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective equipment for fire-fighters Flash point	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Closed cup: Not applicable

6. Control and preventive measures

Storage Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Ingredient		Exposure limits		
		OSHA PEL (United States, 11/2006). Absorbed through skin. TWA: 50 ppm 8 hour(s).		
N-methyl-2-pyrrolid	one	AIHA WEEL (United States, 1/2009). Absorbed through skin. TWA: 10 ppm 8 hour(s).		
Personal protection	<u>n</u>			
Respiratory	None required with adequate ventilation	1.		
Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.			
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.			
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.			
Methods for cleaning up				
Small spill	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.			
Waste disposal	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.			

7. Physical and chemical properties

Physical state	Liquid	Boiling/condensation point	100°C (212°F)
Color	Opaque White	Melting/freezing point	0°C (32°F)
Odor	Bland	Vapor pressure	<4 kPa (<30 mm Hg)
VOC	245 g/l (9.3%)	Vapor density	<1 [Air = 1]
рН	7.5 to 8.5	Weight per Gallon:	8.65 lbs/gal
1% pH:	Not available	Specific Gravity:	1.03 gm/ml

8. Toxicological information						
Acute toxicity						
Product/ingredient name 2-butoxyethanol N-methyl-2-pyrrolidone		Result LD50 Oral LC50 Inhalation Gas.	<mark>Species</mark> Rat Rat	Dose 250 mg/kg 450 ppm 3914 mg/kg		Exposure - 4 hours -
		LD50 Oral	Rat			
Conclusion/Summary	Not available	e				
<u>Chronic toxicity</u> Conclusion/Summary	Not available	e				
9. Transport information						
Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated	-	-	-		-

PG* : Packing group