

Folkestone and Hythe Birds

Tetrad Guide: TR23 U

(Abbotscliffe West and Church Hougham)



Introduction

The tetrad TR23 U contains a stretch of coastline inland of which can be found the eastern end of Folkestone Warren SSSI, backed by high chalk cliffs which meet the sea at Abbotscliffe. Here the shore comprises a wave cut platform and chalk boulder habitats, the latter being continually renewed from the unprotected cliff face. On the cliff tops at Abbotscliffe there are areas of chalk grassland and some scrub. Inland there are mostly arable fields and paddocks, with a few small fragments of woodland.

Map of TR23 U



Habitats and birds

Abbotscliffe has been well-watched by Dale Gibson, Ian Roberts, Mark Kennett and others since 1991 and has proven to be an excellent site for observing visual migration and for finding grounded migrants. The former Lydden Spout rifle range at the eastern extent of the tetrad is an area of open grassland with scattered scrub which attracts warblers, flycatchers, thrushes and chats, including Dartford and Grasshopper Warblers, Pied and Spotted Flycatchers, Ring Ouzel, Stonechat, Whinchat, Redstart and Black Redstart, whilst rarer visitors have included Wryneck, Red-backed and Great Grey Shrikes, Bluethroat and Siberian Stonechat.



Looking east across the former Lydden Spout rifle range at Abbotscliffe

To the west the footpath dips down into what is known locally as "Abbot's Gully". The field to the north can hold Wood Lark, Shore Lark, Richard's Pipit, Snow Bunting and Lapland Bunting depending on conditions and whether crops or stubble are in place.

To the south of the footpath there is a patch of scrub and trees below the cliff top which often holds Ring Ouzels in season. On a particularly memorable day in October 1998 an exceptional total of 500 Ring Ouzels were seen in the wider Abbotscliffe area (including TR23 Z) with a good number in the gully. Pallas's Warbler and Golden Oriole have also occurred here.

Continuing west there is an artillery placement on the cliff edge which affords shelter from the wind and provides a good vantage point for observing visual migration (the footpath along the seaward side of Abbots Cliff House also provides shelter when the wind is in the northerly quadrant and this is typically the most productive direction for large movements, which have included numerous record counts for the area).

Swifts (including a record count of 5,000 flying west on the 26th July 1993), hirundines, winter thrushes (including a record count of 2,675 Fieldfares in/west on the 14th October 1993), wagtails (including a record count of 131 Yellow Wagtails west on the 21st August 1997), pipits (including record counts of 109 Tree Pipits west on the 15th September 1993 and 2,200 Meadow Pipits west on the 22nd September 1999), finches (including record counts of 201 Redpolls east on the 27th October 2012, 639 Bramblings in/west on the 14th October 1993 and 8,190 Chaffinches east on the 18th March 2015) and buntings (including a record count of 96 Reed Buntings west on the 15th October 1998).



Looking west across grass and scrub to the west of the former Lydden Spout rifle range



Looking west across “Abbot’s Gully”

The site also affords a panoramic view for observing passing raptors and Honey Buzzard, Black and Red Kites, Marsh, Hen, Montagu's and Pallid Harriers, Osprey and Red-footed Falcon have been seen here. Other scarcities noted flying over have included Whooper Swan, White Stork, Great White Egret, Spoonbill, Glaucous Gull, Alpine Swift, Bee-eater, Hooded Crow, Bearded Tit, Red-rumped Swallow, Waxwing, Richard's and Tawny Pipits, Serin and Twite.



Looking west along the cliff tops towards Abbot's Cliff House



Bluethroat at Abbotscliffe



Shore Lark at Abbotscliffe



Looking across the English Channel from the former Lydden Spout rifle range



Looking inland towards Little Hougham Court



Grasshopper Warbler at Abbotscliffe



Dartford Warbler at Abbotscliffe



Richard's Pipit at Abbotscliffe



Lapland Bunting at Abbotscliffe



Snow Bunting at Abbotscliffe



Ring Ouzel at Abbotscliffe

On the 6th October 1996 Kent's first and to date only Isabelline Wheatear was found on the cliff-top fence in the adjacent tetrad TR23 Z and was tracked inland to a field south-west of Church Hougham, where it remained for the day, illustrating that the habitats inland from the coast can be productive for migrants.



Yellow-browed Warbler at Abbotscliffe



Isabelline Wheatear at Church Hougham




Pallid Harrier at Abbotscliffe

In October 1992 a Black-eared or Pied Wheatear was seen near Little Hougham Court but unfortunately could not be identified to species. The fields have also hosted Dotterel and Ruff, whilst they can attract large numbers of Mediterranean Gulls. The footpath that runs south from the junction of the B2011 and Hougham Court Lane passes through an area of bushes where a singing Yellow-browed Warbler was present in May 2006 (only the second spring record in the county), whilst the garden at Court Wood has produced Wood Warbler. Grey Partridge and Corn Bunting have bred in the tetrad and may still do so on occasion.

Access and parking

There is limited parking at the end of the access track past Abbot's Cliff House and it is also possible to access Abbotscliffe by parking at the eastern end of Old Dover Road and following the cliff-top footpath to the east. The main Folkestone to Dover bus route passes along the B2011.

A site map showing the key areas at Abbotscliffe, which spans TR23 U and TR23 Z, is provided below.



Bird species diversity

An overall total of 180 species have been recorded within the tetrad, which ranks as the seventh richest in diversity amongst the 31 local tetrads as the table below demonstrates. The number of breeding and wintering species relate to those recorded in the 2007-2013 BTO/KOS atlas fieldwork.

| | Total | Rank/31 |
|-------------------|-------|------------------|
| Breeding species | 55 | 10 th |
| Wintering species | 88 | 6 th |
| Species recorded | 181 | 7 th |

The full list of species that have been recorded is provided as Appendix 1.

Other Natural History

TR23 U contains part of the Folkestone Warren Site of Specific Scientific Interest (SSSI). Folkestone Warren is of considerable biological, geological and physiographical interest. The SSSI spans the coastline between Folkestone and Dover and encompasses the range of marine and terrestrial habitats associated with the chalk cliffs. These habitats support outstanding assemblages of plants and invertebrates, together with individual species which are nationally uncommon.

On the cliff tops at Abbotscliffe there are areas of chalk grassland, whilst on the chalk cliff ledges and slopes are plant species with a preference for maritime or calcareous habitats. Several are rare nationally and some with mainly continental distribution reach their northernmost point in Great Britain at this site. Their survival on this stretch of coast may be largely attributable to its warm, south facing, sheltered climate, which is comparable to that of regions several degrees latitude to the south.

Chalk is exposed for much of the length of the tetrad. The underlying gault clay creates instability in the chalk and landslips occur from time to time resulting in a mosaic of cliff ledges, scree, bare faces and undercliffs, of varying slope and aspect. This configuration is best developed in TR23 U where the cliffs are undefended.

The cliff vegetation is predominantly calcareous grassland but scrub is present on the more stable undercliffs, and there is a characteristic assemblage of plant species at the spray-line which includes such national rarities as Sea-heath *Frankenia laevis*, Curved Hard-grass *Parapholis incurva* and Golden Samphire *Inula crithmoides*. Above the sprayline, plant species typical of calcareous grassland and of maritime habitats grow side by side, resulting in plant communities which are considered rare in Europe.

Several nationally scarce plant species are represented here, including Wild Cabbage *Brassica oleracea* and the Dover variety of Nottingham Catchfly *Silene nutans var. nutans*, whilst the humid climate favours the growth of species which inland are restricted to woodlands on calcareous soils, such as Stinking Iris *Iris foetidissima* and Wood Spurge *Euphorbia amygdaloides*.

The areas of chalk grassland on the cliff tops and inland are chiefly dominated by Sheep's-fescue *Festuca ovina*, Tor-grass *Brachiopodium pinnatum* and Upright Brome *Bromus erectus*, and a variety of herb species characteristic of chalk soils are present. These include Early Spider-orchid *Ophrys sphegodes* and Horseshoe Vetch *Hippocrepis comosa*, food plant of the larvae of the Adonis blue butterfly, which breeds within the site.

The site contains one of the most important localities for marine interest between the Isle of Wight and Flamborough Head, by virtue of the combination of intertidal habitats and communities, another rare species which are present. Also of considerable interest are the plant and animal communities of the adjoining sublittoral zone.

The chalk shore at Abbotscliffe is among the better examples of its type in south-east England. It possesses full vertical shore zonations and a wide range of plant and animal assemblages characteristic of this soft rock are present on the wave cut platform and chalk boulder habitats, the latter being continually renewed from the unprotected cliff face.

Between Abbotscliffe and Shakespeare Cliff where there is an almost continuous sublittoral belt stretching to around 300 m offshore which consists of chalk bedrock overlain with chalk boulders up to 2m high. In places, clay and marl bands in the Lower Chalk are exposed, so providing a variety of different substrata for the flora and fauna. There are rich growths of algae, including kelps, and animal "turf", together with a range of larger animals.

A good selection of butterflies have been recorded at Abbotscliffe including many that are typical of downland habitats, such as Dingy Skipper, Brimstone, Wall, Marbled White, Green Hairstreak, Adonis Blue and Small Blue. Painted Lady and Clouded Yellow are regular migrants, whilst Swallowtails have been recorded on two occasions (in June 1995 and April 2007) and the only area record of Monarch was seen here in October 1995.



Dingy Skipper



Green Hairstreak




Adonis Blue



Swallowtail


Moths found at Abbotscliffe include the rare Straw Belle, which restricted to a few sites on the North Downs and one in Surrey, and Dew Moth, which also has a very restricted distribution but is present in some abundance here, with a peak count of 208 along a 2.5km stretch from Abbot's Cliff House eastwards (and so including 1km within the adjacent tetrad TR23 Z) on the 15th May 2016. A colony of *Dahlica inconspicuella* (Lesser Lichen Case-bearer), a British endemic, breeds on lichens on the cliffs and the males may be seen flying along the cliff-top in early spring sunshine.



Dew Moth at Abbotscliffe



Dahlica inconspicuella at Abbotscliffe



Six-spot and Narrow-bordered Five-spot Burnets



The Annulet at Abbotscliffe

A number of other more common day flying species may also be found, including *Elachista argentella* (Swan-feather Dwarf), *Pyrausta despicata* (Straw-barred Pearl), *Scoparia pyralella* (Meadow Grey), Six-spot and Narrow-bordered Five-spot Burnets, Burnet Companion, Mother Shipton, Common Heath, the Cinnabar, Speckled Yellow and Small Purple-barred. *Scrobipalpa ocellatella* (Beet Moth), *Aethes hartmanniana* (Scabious Conch), *Aethes williana* (Silver Carrot Conch), *Dichrorampha plumbana* (Lead-coloured Drill), *Dichrorampha sedatana* (Dingy Drill), *Pammene aurana* (Orange-spot Piercer) and *Mecyna asinalis* (Coastal Pearl) have also been noted diurnally.

A Bordered Straw was found during the day in June 2015, several Hummingbird Hawk-moths and *Udea ferrugalis* (Rusty-dot Pearls) have occurred, and there was a notable influx of *Nomophila noctuella* (Rush Veneer) in September 2016, with a peak count of 142 on the 18th. Some of the more noteworthy moths that may be encountered in their early stages include mines of *Ectoedemia erythrogenella* (Coast Bramble Pigmy) on Bramble and *Mompha miscella* (Brown Cosmet) on Common Rockrose, and larvae of *Metzneria aestivella* (Carline Neb) in Carline Thistles.

Light trapping has only been attempted at Abbotscliffe on a couple of nights but the capture of *Cochylimorpha alternana* (Kentish Conch), *Moitrelia obductella* (Kent Knot-horn), *Cynaeda dentalis* (Starry Pearl), Chalk Carpet, the Annulet and Bordered Straw certainly hint at the potential, though it is an exposed site and suitable weather conditions are infrequent.



Moitrelia obductella at Abbotscliffe



Aethes williana at Abbotscliffe

Adders, Common Lizards and Slow-worms are frequently noted. Offshore Grey Seal and Harbour Porpoise may sometimes be seen whilst in March/April 2016 a pod of up to seven Short-beaked Common Dolphins were present. The longhorn beetle *Agapanthia cardui* (first found in Britain near the Channel Tunnel terminal in 2017) was also found here in 2021.



Slow-worm at Abbotscliffe



Short-beaked Common Dolphin off Abbotscliffe

A list of all species recorded in the tetrad is provided below in Appendix 2.

General History

On the southern side of the eastern end of Old Dover Road there is a large Bronze Age bowl barrow measuring over 20m in diameter and 2m in height. It is notable for having had a cremation burial inserted at a later date.



Bronze Age bowl barrow

St Laurence Church at Church Hougham is Grade I listed and stands on a site possibly occupied since Roman times. The Church dates from the end of the 11th or the beginning of the 12th Century and is mainly Norman and Early English in its architecture. It has been restored at various times by among others Robert de Hougham, a local resident who fought in the Crusades, and it was restored extensively again in Victorian times. Inside, it is notable for two memorials in particular: a marble bust to Peter Nepueu (a Huguenot merchant who settled here from France) and the kneeling figures of William Hannington, his wife and their ten children.




St Laurence Church

Little seems to be known about the former Lydden Spout rifle range but it appears to be unrelated to Lydden Battery to the east (in TR23 Z) and to pre-date the battery (which was built in 1941). It is thought to date back to World War I and may even have been the site of an earlier musketry school. It ceased to be used in about the mid-1980s.

In the centre of the dip in Abbot's Gully there is an acoustic mirror, built in 1928. A forerunner of radar, acoustic mirrors were built on the south and north-east coasts of England between about 1916 and the 1930s. The 'listening ears' were intended to provide early warning of incoming enemy aircraft.



Acoustic mirror at Abbotscliffe in 1941



Acoustic mirror at Abbotscliffe in 2020

References

Alkham, Capel & Hougham Churches, no date. St Laurence's Church Hougham. <http://church-alkham-capel-hougham.org.uk/st-laurences-church-hougham>

Grantham, A., no date. Abbot's Cliff sound mirror. www.andrewgrantham.co.uk/soundmirrors/locations/abbots-cliff/

Kent County Council, no date. Lydden Spout Rifle Range.
<https://webapps.kent.gov.uk/KCC.ExploringKentsPast.Web.Sites.Public/SingleResult.aspx?uid=MWX51430>

The Megalithic Portal, no date. Capel-le-Ferne Bowl Barrow. www.megalithic.co.uk/article.php?sid=19586

Acknowledgements

The map image was produced from the Ordnance Survey [Get-a-map service](#) and is reproduced with kind permission of [Ordnance Survey](#).

The photograph of Dartford Warbler was taken by Phil Smith, Bluethroat by Mike Gould, Lapland Bunting by Dale Gibson, Pallid Harrier by Elliot Ranford, Dingy Skipper by Ross Newham, Swallowtail by Nigel Jarman and all others by Ian Roberts.

The watercolour of the sound mirror at Abbotscliffe in 1941 is entitled "Bombing the Channel Ports" and is by war artist Eric Ravilious. It is free to use for non-commercial purposes under the Imperial War Museum non commercial licence © IWM (Art.IWM ART LD 1588).

Lists of the other fauna and flora which have been recorded in the tetrad were kindly provided by the Kent and Medway Biological Records Centre (www.kmbrc.org.uk).

Appendix 1: Species Lists – Birds: 181 species, excluding category E species and species pairs/groups

- Recorded in winter survey 2007-2012
- Recorded in breeding survey 2008-2013 – Confirmed breeding
- Recorded in breeding survey 2008-2013 – Probable breeding
- Recorded in breeding survey 2008-2013 – Possible breeding
- Recorded in breeding survey as a non-breeder or recorded outside of survey period
- ★ Rare migrant or vagrant (less than 50 area records)

| TR23 U - Bird List | Breeding | Wintering | Other |
|------------------------|----------|-----------|-------|
| Red-legged Partridge | ● | ● | |
| Grey Partridge | ● | ● | |
| Pheasant | ● | ● | |
| Brent Goose | | ● | |
| Canada Goose | | ● | |
| ★ Barnacle Goose | | ● | |
| Greylag Goose | | ● | |
| ★ White-fronted Goose | | ● | |
| Mute Swan | | ● | |
| ★ Whooper Swan | | ● | |
| Shelduck | | ● | |
| Mallard | ● | ● | |
| Eider | | ● | |
| Common Scoter | | ● | |
| Red-breasted Merganser | | ● | |
| ★ Alpine Swift | | ● | |
| Swift | | ● | |
| Cuckoo | ● | | |
| Feral Pigeon | ● | ● | |
| Stock Dove | ● | ● | |
| Woodpigeon | ● | ● | |
| Turtle Dove | | ● | |
| Collared Dove | ● | ● | |
| Great Crested Grebe | | ● | |
| Oystercatcher | | ● | |
| Lapwing | | ● | |
| Golden Plover | | ● | |
| Grey Plover | | ● | |
| Ringed Plover | | ● | |
| ★ Dotterel | | ● | |
| Whimbrel | | ● | |
| Curlew | | ● | |
| Bar-tailed Godwit | | ● | |
| ★ Black-tailed Godwit | | ● | |
| Ruff | | ● | |
| Dunlin | | ● | |
| ★ Little Stint | | ● | |
| Woodcock | | ● | |
| Jack Snipe | | ● | |
| Snipe | | ● | |
| Common Sandpiper | | ● | |

| TR23 U - Bird List | Breeding | Wintering | Other |
|-------------------------|----------|-----------|-------|
| Hobby | | | ● |
| Peregrine | ● | ● | |
| ★ Ring-necked Parakeet | | | ● |
| ★ Red-backed Shrike | | | ● |
| ★ Great Grey Shrike | | | ● |
| ★ Woodchat Shrike | | | ● |
| ★ Golden Oriole | | | ● |
| Jay | ● | ● | |
| Magpie | ● | ● | |
| Jackdaw | ● | ● | |
| Rook | | | ● |
| Carrion Crow | ● | ● | |
| ★ Hooded Crow | | | ● |
| Raven | | | ● |
| Waxwing | | | ● |
| Coal Tit | | | ● |
| Blue Tit | ● | ● | |
| Great Tit | ● | ● | |
| ★ Bearded Tit | | | ● |
| ★ Woodlark | | | ● |
| Skylark | ● | ● | |
| ★ Shore Lark | | | ● |
| Sand Martin | | | ● |
| Swallow | ● | ● | |
| House Martin | ● | ● | |
| ★ Red-rumped Swallow | | | ● |
| Long-tailed Tit | ● | ● | |
| ★ Wood Warbler | | | ● |
| ★ Yellow-browed Warbler | | | ● |
| ★ Pallas's Warbler | | | ● |
| Willow Warbler | ● | | |
| Chiffchaff | ● | | |
| Sedge Warbler | | | ● |
| Reed Warbler | | | ● |
| Grasshopper Warbler | | | ● |
| Blackcap | ● | ● | |
| Garden Warbler | | | ● |
| Lesser Whitethroat | ● | | |
| Whitethroat | ● | | |
| ★ Dartford Warbler | | | ● |
| Firecrest | | | ● |

TR23 U - Bird List

| | Breeding | Wintering | Other |
|--------------------------|----------|-----------|-------|
| Green Sandpiper | | | ● |
| Redshank | | | ● |
| Greenshank | | | ● |
| Kittiwake | | ● | |
| Black-headed Gull | | ● | |
| Mediterranean Gull | | ● | |
| Common Gull | | ● | |
| Great Black-backed Gull | | ● | |
| ★ Glaucous Gull | | ● | |
| Herring Gull | ● | ● | |
| Lesser Black-backed Gull | | ● | |
| Sandwich Tern | | | ● |
| Common Tern | | | ● |
| Great Skua | | | ● |
| Arctic Skua | | | ● |
| ★ Little Auk | | ● | |
| Guillemot | | ● | |
| Razorbill | | ● | |
| Red-throated Diver | | ● | |
| Fulmar | ● | ● | |
| ★ White Stork | | | ● |
| Gannet | | ● | |
| Shag | | ● | |
| Cormorant | | ● | |
| ★ Spoonbill | | | ● |
| Grey Heron | | ● | |
| ★ Great White Egret | | | ● |
| Little Egret | | ● | |
| Osprey | | | ● |
| Honey Buzzard | | | ● |
| Sparrowhawk | ● | ● | |
| Marsh Harrier | | | ● |
| ★ Hen Harrier | | | ● |
| ★ Pallid Harrier | | | ● |
| ★ Montagu's Harrier | | | ● |
| Red Kite | | | ● |
| ★ Black Kite | | | ● |
| ★ White-tailed Eagle | | | ● |
| Buzzard | ● | ● | |
| Barn Owl | | | ● |
| Little Owl | ● | ● | |
| Short-eared Owl | | ● | |
| ★ Blue-cheeked Bee-eater | | | ● |
| ★ Bee-eater | | | ● |
| ★ Wryneck | | | ● |
| Great Spotted Woodpecker | ● | ● | |
| Green Woodpecker | ● | ● | |
| Kestrel | ● | ● | |
| ★ Red-footed Falcon | | | ● |
| Merlin | | | ● |

TR23 U - Bird List

| | Breeding | Wintering | Other |
|-----------------------|----------|-----------|-------|
| Goldcrest | | ● | ● |
| Wren | | ● | ● |
| Nuthatch | | | ● |
| Treecreeper | | | ● |
| Starling | | ● | ● |
| Ring Ouzel | | | ● |
| Blackbird | | ● | ● |
| Fieldfare | | | ● |
| Redwing | | | ● |
| Song Thrush | | ● | ● |
| Mistle Thrush | | ● | ● |
| Spotted Flycatcher | | | ● |
| Robin | | ● | ● |
| ★ Bluethroat | | | ● |
| Nightingale | | | ● |
| Pied Flycatcher | | | ● |
| Black Redstart | ● | | ● |
| Restart | | | ● |
| Whinchat | | | ● |
| Stonechat | | ● | ● |
| Wheatear | | | ● |
| ★ Isabelline Wheatear | | | ● |
| House Sparrow | | ● | ● |
| Tree Sparrow | | ● | ● |
| Dunnock | | ● | ● |
| Yellow Wagtail | | | ● |
| Grey Wagtail | | | ● |
| Pied Wagtail | ● | | ● |
| ★ Richard's Pipit | | | ● |
| ★ Tawny Pipit | | | ● |
| Meadow Pipit | | ● | ● |
| Tree Pipit | | | ● |
| Rock Pipit | ● | | ● |
| Chaffinch | | ● | ● |
| Brambling | | | ● |
| Bullfinch | ● | | ● |
| Greenfinch | | ● | ● |
| ★ Twite | | | ● |
| Linnet | | ● | ● |
| Lesser Redpoll | | | ● |
| Crossbill | | | ● |
| Goldfinch | | ● | ● |
| ★ Serin | | | ● |
| Siskin | | | ● |
| Lapland Bunting | | | ● |
| Snow Bunting | | | ● |
| Corn Bunting | | ● | ● |
| Yellowhammer | | ● | ● |
| Reed Bunting | ● | | ● |
| Total | | 55 | 88 |

| | |
|----------------------------------|-----|
| Confirmed breeding | 34 |
| Probable breeding | 19 |
| Possible breeding | 12 |
| Total species recorded in tetrad | 181 |

Species pairs/groups

★ Siberian/Stejneger's Stonechat 

★ Black-eared/Pied Wheatear 


Category E (escapees)

Red-tailed Hawk 

Bank Myna 

Appendix 2: Species Lists – Other Natural History

Information on other natural history has been kindly provided by the Kent and Medway Biological Records Centre (www.kmbrc.org.uk), with particular thanks to Tony Wiggs. A few additional records from other sources are also included, primarily with the Lepidoptera.



Porifera (Sponges): 14 species

| Common name | Scientific name | Last recorded |
|--------------------------|---------------------------------|---------------|
| - | <i>Amphilectus fucorum</i> | 2014 |
| - | <i>Clathria atrasanguinea</i> | 2010 |
| - | <i>Dysidea fragilis</i> | 2014 |
| Bowerbank's Halichondria | <i>Halichondria bowerbanki</i> | 2009 |
| Breadcrumb Sponge | <i>Halichondria panicea</i> | 2014 |
| Mermaid's Glove | <i>Haliclona oculata</i> | 2014 |
| - | <i>Hymeniacidon perlevis</i> | 2010 |
| - | <i>Mycale macilenta</i> | 2010 |
| - | <i>Phorbas fictitius</i> | 2014 |
| - | <i>Polymastia boletiformis</i> | 2009 |
| - | <i>Protosuberites epiphytum</i> | 2010 |
| - | <i>Suberites carnosus</i> | 2009 |
| - | <i>Suberites ficus</i> | 2013 |
| - | <i>Sycon ciliatum</i> | 2009 |

Cnidaria (Jellyfishes, Sea Anemones etc.): 16 species

| Common name | Scientific name | Last recorded |
|---------------------|----------------------------------|---------------|
| - | <i>Abietinaria abietina</i> | 2009 |
| Beadlet Anemone | <i>Actinia equina</i> | 2010 |
| - | <i>Aglaophenia pluma</i> | 2009 |
| Dead-man's Fingers | <i>Alcyonium digitatum</i> | 2009 |
| - | <i>Diadumene cincta</i> | 2014 |
| - | <i>Dynamena pumila</i> | 2010 |
| - | <i>Haleciump beanii</i> | 2014 |
| - | <i>Halopteris catharina</i> | 2013 |
| - | <i>Kirchenpaueria pinnata</i> | 2010 |
| Sea Beard | <i>Nemertesia antennina</i> | 2014 |
| - | <i>Nemertesia ramosa</i> | 2009 |
| - | <i>Sagartia ornata</i> | 2006 |
| - | <i>Sertularella gaudichaudi</i> | 2010 |
| - | <i>Sertularella mediterranea</i> | 2014 |
| Oaten Pipes Hydroid | <i>Tubularia indivisa</i> | 2014 |
| Dahlia Anemone | <i>Urticina felina</i> | 2009 |

Tunicata (Sea Squirts etc.): 6 species

| Common name | Scientific name | Last recorded |
|---------------------|-------------------------------|---------------|
| - | <i>Botrylloides leachii</i> | 2010 |
| Star Ascidian | <i>Botryllus schlosseri</i> | 2010 |
| Light Bulb Tunicate | <i>Clavelina lepadiformis</i> | 2014 |
| - | <i>Corella eumyota</i> | 2010 |
| - | <i>Lissoclinum perforatum</i> | 2010 |
| Sea Grapes | <i>Molgula manhattensis</i> | 2010 |

***Chondrichthyes* (Cartilaginous fish): 2 species**

| Common name | Scientific name | Last recorded |
|-------------|------------------------------|---------------|
| Roker | <i>Raja clavata</i> | 2006 |
| Dogfish | <i>Scyliorhinus canicula</i> | 2014 |

***Actinopterygii* (Bony fish): 11 species**

| Common name | Scientific name | Last recorded |
|-----------------------|---------------------------------|---------------|
| Common Dragonet | <i>Callionymus lyra</i> | 2010 |
| Five-bearded Rockling | <i>Ciliata mustela</i> | 2006 |
| Goldsinny | <i>Ctenolabrus rupestris</i> | 2014 |
| Rock Goby | <i>Gobius paganellus</i> | 2006 |
| Ballan Wrasse | <i>Labrus bergylta</i> | 2009 |
| Shanny | <i>Lipophrys pholis</i> | 2013 |
| Tompot Blenny | <i>Parablennius gattorugine</i> | 2014 |
| Sand Goby | <i>Pomatoschistus minutus</i> | 2013 |
| Corkwing | <i>Syphodus melops</i> | 2009 |
| Greater Pipefish | <i>Syngnathus acus</i> | 2013 |
| Leopard-spotted Goby | <i>Thorogobius ephippiatus</i> | 2014 |

***Reptilia* (Reptiles): 3 species**

| Common name | Scientific name | Last recorded |
|---------------|-------------------------|---------------|
| Adder | <i>Vipera berus</i> | 2020 |
| Slow-worm | <i>Anguis fragilis</i> | 2020 |
| Common Lizard | <i>Lacerta vivipara</i> | 2020 |

***Mammalia* (Mammals): 12 species**

| Common name | Scientific name | Last recorded |
|-----------------------------|----------------------------------|---------------|
| Brown Rat | <i>Rattus norvegicus</i> | 2006 |
| Grey Squirrel | <i>Sciurus carolinensis</i> | 2009 |
| Mole | <i>Talpa europaea</i> | 2004 |
| Hedgehog | <i>Erinaceus europaeus</i> | 2007 |
| Rabbit | <i>Oryctolagus cuniculus</i> | 2020 |
| Fox | <i>Vulpes vulpes</i> | 2021 |
| Badger | <i>Meles meles</i> | 2007 |
| Weasel | <i>Mustela nivalis</i> | 2011 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus</i> | 2014 |
| Grey Seal | <i>Halichoerus grypus</i> | 2020 |
| Harbour Porpoise | <i>Phocoena phocoena</i> | 2014 |
| Short-beaked Common Dolphin | <i>Delphinus delphis</i> | 2016 |

***Echinodermata* (Starfish, Sea Urchins etc.): 3 species**

| Common name | Scientific name | Last recorded |
|-----------------|-----------------------------|---------------|
| - | <i>Acrocnida brachiata</i> | 2009 |
| - | <i>Amphipholis squamata</i> | 2010 |
| Common Starfish | <i>Asterias rubens</i> | 2014 |

Arachnida (Spiders, Harvestmen etc.): 91 species

| Common name | Scientific name | Last recorded |
|---------------------|----------------------------------|---------------|
| - | <i>Agalenatea redii</i> | 2004 |
| - | <i>Amaurobius fenestralis</i> | 2004 |
| - | <i>Amaurobius ferox</i> | 2004 |
| - | <i>Anelosimus vittatus</i> | 2004 |
| - | <i>Antistea elegans</i> | 2004 |
| Buzzing Spider | <i>Anyphaena accentuata</i> | 2004 |
| Garden Cross Spider | <i>Araneus diadematus</i> | 2004 |
| - | <i>Araneus triguttatus</i> | 2004 |
| Water Spider | <i>Argyroneta aquatica</i> | 2004 |
| - | <i>Bathyphantes gracilis</i> | 2004 |
| - | <i>Centromerita bicolor</i> | 2004 |
| - | <i>Centromerita concinna</i> | 2004 |
| - | <i>Ceratinopsis stativa</i> | 2004 |
| - | <i>Cheiracanthium erraticum</i> | 2004 |
| - | <i>Cicurina cicur</i> | 2004 |
| - | <i>Clubiona brevipes</i> | 2004 |
| - | <i>Clubiona corticalis</i> | 2004 |
| - | <i>Clubiona reclusa</i> | 2004 |
| - | <i>Cnephalocotes obscurus</i> | 2004 |
| - | <i>Coelotes terrestris</i> | 2004 |
| - | <i>Cyclosa conica</i> | 2004 |
| - | <i>Diaeа dorsata</i> | 2004 |
| - | <i>Dicranopalpus ramosus</i> | 2004 |
| - | <i>Dictyna arundinacea</i> | 2004 |
| - | <i>Dicymbium brevisetosum</i> | 2004 |
| - | <i>Diplocephalus latifrons</i> | 2004 |
| - | <i>Diplostyla concolor</i> | 2004 |
| - | <i>Drassyllus pusillus</i> | 2004 |
| Woodlouse Spider | <i>Dysdera crocata</i> | 2004 |
| - | <i>Enoplognatha ovata</i> | 2004 |
| - | <i>Erigone atra</i> | 2004 |
| - | <i>Erigone dentipalpis</i> | 2004 |
| - | <i>Ero furcata</i> | 2004 |
| - | <i>Gibbaranea gibbosa</i> | 2004 |
| - | <i>Hahnia nava</i> | 2004 |
| - | <i>Leiobunum blackwalli</i> | 2004 |
| - | <i>Leiobunum rotundum</i> | 2004 |
| - | <i>Lepthyphantes cristatus</i> | 2004 |
| - | <i>Lepthyphantes ericaeus</i> | 2004 |
| - | <i>Lepthyphantes flavipes</i> | 2004 |
| - | <i>Lepthyphantes tenuis</i> | 2004 |
| - | <i>Lepthyphantes zimmermanni</i> | 2004 |
| - | <i>Linyphia hortensis</i> | 2004 |
| - | <i>Linyphia triangularis</i> | 2004 |
| - | <i>Macrargus rufus</i> | 2004 |
| - | <i>Mangora acalypha</i> | 2004 |
| - | <i>Marpissa muscosa</i> | 2004 |
| Thin Weblet | <i>Meioneta mollis</i> | 2004 |
| - | <i>Metellina mengei</i> | 2004 |
| - | <i>Metellina segmentata</i> | 2004 |
| - | <i>Micrargus apertus</i> | 2004 |
| - | <i>Microneta viaria</i> | 2004 |

| Common name | Scientific name | Last recorded |
|--------------------|-----------------------------------|---------------|
| - | <i>Misumena vatia</i> | 2004 |
| - | <i>Monocephalus fuscipes</i> | 2004 |
| - | <i>Nemastoma bimaculatum</i> | 2004 |
| - | <i>Neriene clathrata</i> | 2004 |
| - | <i>Neriene peltata</i> | 2004 |
| - | <i>Oedothorax apicatus</i> | 2004 |
| - | <i>Oedothorax retusus</i> | 2004 |
| - | <i>Oligolophus hansenii</i> | 2004 |
| - | <i>Ozyptila praticola</i> | 2004 |
| - | <i>Pachygnatha clercki</i> | 2004 |
| - | <i>Pachygnatha degeeri</i> | 2004 |
| - | <i>Paidiscura pallens</i> | 2004 |
| - | <i>Pardosa amentata</i> | 2004 |
| - | <i>Pardosa pullata</i> | 2004 |
| - | <i>Paroligolophus agrestis</i> | 2004 |
| - | <i>Phalangium opilio</i> | 2004 |
| - | <i>Pholcomma gibbum</i> | 2004 |
| Nursery-web Spider | <i>Pisaura mirabilis</i> | 2017 |
| - | <i>Porrhomma micropthalmum</i> | 2004 |
| - | <i>Porrhomma pygmaeum</i> | 2004 |
| - | <i>Rilaena triangularis</i> | 2004 |
| - | <i>Robertus lividus</i> | 2004 |
| Zebra Spider | <i>Salticus scenicus</i> | 2004 |
| - | <i>Steatoda grossa</i> | 2007 |
| - | <i>Tallusia experta</i> | 2004 |
| - | <i>Tapinocyba praecox</i> | 2004 |
| - | <i>Tegenaria gigantea</i> | 2004 |
| - | <i>Tetragnatha extensa</i> | 2004 |
| - | <i>Tetragnatha montana</i> | 2004 |
| - | <i>Theridion sisypium</i> | 2004 |
| - | <i>Thyreosthenius parasiticus</i> | 2004 |
| - | <i>Tibellus oblongus</i> | 2004 |
| - | <i>Trematocephalus cristatus</i> | 2004 |
| - | <i>Walckenaeria acuminata</i> | 2004 |
| - | <i>Walckenaeria antica</i> | 2004 |
| - | <i>Walckenaeria nudipalpis</i> | 2004 |
| - | <i>Xysticus cristatus</i> | 2004 |
| - | <i>Zilla diodia</i> | 2004 |

***Chilopoda* (Centipedes): 1 species**

| Common name | Scientific name | Last recorded |
|-------------|--------------------------|---------------|
| - | <i>Lithobius microps</i> | 1987 |

***Crustacea* (Crustaceans): 24 species**

| Common name | Scientific name | Last recorded |
|-----------------------|------------------------------|---------------|
| Common Pill Woodlouse | <i>Armadillidium vulgare</i> | 2017 |
| - | <i>Athanas nitescens</i> | 2006 |
| - | <i>Austrominius modestus</i> | 2010 |
| - | <i>Balanus crenatus</i> | 2010 |
| Edible Crab | <i>Cancer pagurus</i> | 2014 |
| Green Shore Crab | <i>Carcinus maenas</i> | 2010 |
| - | <i>Dynamene bidentata</i> | 2010 |

| Common name | Scientific name | Last recorded |
|-----------------------------|-------------------------------|---------------|
| - | <i>Galathea squamifera</i> | 2010 |
| - | <i>Galathea strigosa</i> | 2014 |
| Common Lobster | <i>Homarus gammarus</i> | 2014 |
| - | <i>Idotea granulosa</i> | 2006 |
| Common Spider Crab | <i>Maja brachydactyla</i> | 2014 |
| Velvet Swimming crab | <i>Necora puber</i> | 2014 |
| Common Shiny Woodlouse | <i>Oniscus asellus</i> | 1987 |
| Hermit Crab | <i>Pagurus bernhardus</i> | 2014 |
| Common Striped Woodlouse | <i>Philoscia muscorum</i> | 1987 |
| Hairy Crab | <i>Pilumnus hirtellus</i> | 2010 |
| Long-clawed Porcelain Crab | <i>Pisidia longicornis</i> | 2010 |
| Broad-clawed Porcelain Crab | <i>Porcellana platycheles</i> | 2010 |
| Common Rough Woodlouse | <i>Porcellio scaber</i> | 1987 |
| Acorn Barnacle | <i>Semibalanus balanoides</i> | 2010 |
| - | <i>Siriella clausii</i> | 2006 |
| Common Pygmy Woodlouse | <i>Trichoniscus pusillus</i> | 1987 |
| - | <i>Trichoniscus pygmaeus</i> | 1987 |

***Collembola* (Springtails): 1 species**

| Common name | Scientific name | Last recorded |
|-------------|-------------------------|---------------|
| - | <i>Anurida maritima</i> | 2006 |

***Odonata* (Damselflies and Dragonflies): 3 species**

| Common name | Scientific name | Last recorded |
|---------------------|-----------------------------|---------------|
| Large Red Damselfly | <i>Pyrrhosoma nymphula</i> | 2002 |
| Emperor Dragonfly | <i>Anax imperator</i> | 2011 |
| Common Darter | <i>Sympetrum striolatum</i> | 2014 |

***Orthoptera* (Grasshoppers and Crickets): 6 species**

| Common name | Scientific name | Last recorded |
|--------------------------|----------------------------------|---------------|
| Field Grasshopper | <i>Chorthippus brunneus</i> | 2010 |
| Meadow Grasshopper | <i>Chorthippus parallelus</i> | 2010 |
| Speckled Bush-cricket | <i>Leptophyes punctatissima</i> | 1999 |
| Oak Bush-cricket | <i>Meconema thalassinum</i> | 2006 |
| Dark Bush-cricket | <i>Pholidoptera griseoaptera</i> | 1988 |
| Great Green Bush Cricket | <i>Tettigonia viridissima</i> | 2010 |

***Dermaptera* (Earwigs): 1 species**

| Common name | Scientific name | Last recorded |
|----------------|-------------------------|---------------|
| Lesne's Earwig | <i>Forficula lesnei</i> | 1986 |

***Hemiptera* (True Bugs): 11 species**

| Common name | Scientific name | Last recorded |
|--------------------------|--------------------------------|---------------|
| Honeysuckle Whitefly | <i>Aleyrodes lonicerae</i> | 2019 |
| Red and Black Froghopper | <i>Cercopis vulnerata</i> | 2022 |
| Dock Bug | <i>Coreus marginatus</i> | 2019 |
| - | <i>Dicranoccephalus medius</i> | 1995 |
| - | <i>Dicyphus annulatus</i> | 1997 |
| Hairy Shieldbug | <i>Dolycoris baccarum</i> | 2017 |

| Common name | Scientific name | Last recorded |
|--------------------------|----------------------------------|---------------|
| - | <i>Enoplops scapha</i> | 1993 |
| Ant Damsel Bug | <i>Himacerus mirmicoides</i> | 1992 |
| Western Conifer Seed Bug | <i>Leptoglossus occidentalis</i> | 2015 |
| - | <i>Macrotylus paykulli</i> | 2006 |
| Cuckoo-Spit Insect | <i>Philaenus spumarius</i> | 2017 |

Coleoptera (Beetles): 30 species

| Common name | Scientific name | Last recorded |
|---------------------------|------------------------------------|---------------|
| 2-spot Ladybird | <i>Adalia bipunctata</i> | 2000 |
| - | <i>Agapanthia cardui</i> | 2021 |
| - | <i>Bembidion minimum</i> | 2003 |
| - | <i>Cantharis rustica</i> | 1996 |
| Rose Chafer | <i>Cetonia aurata</i> | 2016 |
| 7-spot Ladybird | <i>Coccinella septempunctata</i> | 2014 |
| Sulphur Beetle | <i>Cteniopus sulphureus</i> | 1980 |
| Nut Weevil | <i>Curculio nucum</i> | 2015 |
| - | <i>Dicheirotrichus gustavi</i> | 1999 |
| - | <i>Dyschirius salinus</i> | 2002 |
| - | <i>Eutrichapion ervi</i> | 2017 |
| - | <i>Hypera pastinacae</i> | 2002 |
| - | <i>Isomira murina</i> | 1996 |
| - | <i>Leistus rufomarginatus</i> | 1987 |
| - | <i>Liparus germanus</i> | 2020 |
| - | <i>Micropontus melanostigma</i> | 2017 |
| Wharf Borer | <i>Nacerdes melanura</i> | 1994 |
| Devil's Coach-horse | <i>Ocyphus olens</i> | 1994 |
| Swollen-thighed Beetle | <i>Oedemera nobilis</i> | 2002 |
| - | <i>Paederus littoralis</i> | 1993 |
| - | <i>Pogonus chalceus</i> | 1999 |
| Common Red Soldier Beetle | <i>Rhagonycha fulva</i> | 2019 |
| - | <i>Rhagonycha limbata</i> | 1996 |
| Strawberry Rhynchites | <i>Rhynchites germanicus</i> | 1993 |
| - | <i>Squamapion flavimanum</i> | 1986 |
| 24-spot Ladybird | <i>Subcoccinella 24-punctata</i> | 1988 |
| - | <i>Tachyporus hypnorum</i> | 1987 |
| Bloody-nosed Beetle | <i>Timarcha tenebricosa</i> | 1999 |
| - | <i>Trichosirocalus barnevillei</i> | 2017 |
| Bloody Cranesbill Weevil | <i>Zacladus exiguus</i> | 2017 |

Diptera (True Flies): 22 species

| Common name | Scientific name | Last recorded |
|--------------------|-------------------------------|---------------|
| St Marks Fly | <i>Bibio marci</i> | 1998 |
| Dark-edged Bee-fly | <i>Bombylius major</i> | 2020 |
| - | <i>Cheilosia albitarsis</i> | 1997 |
| - | <i>Cheilosia bergenstammi</i> | 1999 |
| - | <i>Cheilosia illustrata</i> | 2019 |
| Broad Centurion | <i>Chloromyia formosa</i> | 2002 |
| Marmalade Hoverfly | <i>Episyrphus balteatus</i> | 1999 |
| - | <i>Eristalis arbustorum</i> | 2002 |
| - | <i>Eristalis tenax</i> | 2002 |
| Celery Fly | <i>Euleia heraclei</i> | 2022 |
| - | <i>Eupeodes luniger</i> | 1999 |

| Common name | Scientific name | Last recorded |
|-------------|--------------------------------|---------------|
| - | <i>Helophilus trivittatus</i> | 2002 |
| - | <i>Kiefferia pericarpicola</i> | 1986 |
| - | <i>Leucozona lucorum</i> | 2000 |
| - | <i>Melanostoma mellinum</i> | 2000 |
| - | <i>Melanostoma scalare</i> | 1999 |
| - | <i>Phytomyza chaerophylli</i> | 2022 |
| - | <i>Platycheirus manicus</i> | 2000 |
| - | <i>Rhingia campestris</i> | 2000 |
| - | <i>Syrphus ribesii</i> | 1997 |
| - | <i>Syrphus vitripennis</i> | 1999 |
| - | <i>Tipula paludosa</i> | 1994 |

Lepidoptera (Butterflies): 29 species

| Common name | Scientific name | Last recorded |
|---------------------|------------------------------|---------------|
| Swallowtail | <i>Papilio machaon</i> | 2007 |
| Dingy Skipper | <i>Erynnis tages</i> | 2022 |
| Essex Skipper | <i>Thymelicus lineola</i> | 2015 |
| Small Skipper | <i>Thymelicus sylvestris</i> | 2022 |
| Large Skipper | <i>Ochlodes sylvanus</i> | 2022 |
| Orange-tip | <i>Ochlodes sylvanus</i> | 2022 |
| Large White | <i>Pieris brassicae</i> | 2021 |
| Small White | <i>Pieris rapae</i> | 2021 |
| Green-veined White | <i>Pieris napi</i> | 2013 |
| Clouded Yellow | <i>Colias croceus</i> | 2021 |
| Brimstone | <i>Gonepteryx rhamni</i> | 2016 |
| Monarch or Milkweed | <i>Danaus plexippus</i> | 1995 |
| Wall | <i>Lasiommata megera</i> | 2022 |
| Speckled Wood | <i>Pararge aegeria</i> | 2019 |
| Small Heath | <i>Coenonympha pamphilus</i> | 2022 |
| Ringlet | <i>Aphantopus hyperantus</i> | 2022 |
| Meadow Brown | <i>Maniola jurtina</i> | 2022 |
| Gatekeeper | <i>Pyronia tithonus</i> | 2022 |
| Marbled White | <i>Melanargia galathea</i> | 2022 |
| Red Admiral | <i>Vanessa atalanta</i> | 2022 |
| Painted Lady | <i>Vanessa cardui</i> | 2022 |
| Peacock | <i>Aglaia io</i> | 2019 |
| Small Tortoiseshell | <i>Aglaia urticae</i> | 2022 |
| Comma | <i>Polygonia c-album</i> | 2019 |
| Small Copper | <i>Lycaena phlaeas</i> | 2022 |
| Green Hairstreak | <i>Callophrys rubi</i> | 2021 |
| Small Blue | <i>Cupido minimus</i> | 2019 |
| Common Blue | <i>Polyommatus icarus</i> | 2022 |
| Adonis Blue | <i>Polyommatus bellargus</i> | 2020 |

Lepidoptera (Moths): 175 species

| Common name | Scientific name | Last recorded |
|-----------------------|--------------------------------------|---------------|
| Least Thorn Pigmy | <i>Stigmella perpygmaeella</i> | 2022 |
| Coast Bramble Pigmy | <i>Ectoedemia erythrogenella</i> | 2019 |
| Green Long-horn | <i>Adela reaumurella</i> | 2021 |
| Lesser Lichen Bagworm | <i>Dahlica inconspicuella</i> | 2022 |
| Ribwort Slender | <i>Aspilapteryx tringipennella</i> | 2020 |
| Hawthorn Midget | <i>Phyllonorycter corylifoliella</i> | 2018 |

| Common name | Scientific name | Last recorded |
|---------------------------|-----------------------------------|---------------|
| Nut-leaf Blister Moth | <i>Phyllonorycter coryli</i> | 2019 |
| Horse Chestnut Leaf-miner | <i>Cameraria ohridella</i> | 2022 |
| Bird-cherry Ermine | <i>Yponomeuta evonymella</i> | 2021 |
| Diamond-back Moth | <i>Plutella xylostella</i> | 2016 |
| Cocksfoot Moth | <i>Glyptipterix simpliciella</i> | 2022 |
| Apple Leaf-miner | <i>Lyonetia clerkella</i> | 2022 |
| Lesser Tawny Tubic | <i>Batia lunaris</i> | 2021 |
| Sulphur Tubic | <i>Esperia sulphurella</i> | 2022 |
| Bordered Ermel | <i>Ethmia bipunctella</i> | 2021 |
| Carline Neb | <i>Metzneria aestivella</i> | 2017 |
| Beet Moth | <i>Scrobipalpa ocellatella</i> | 2022 |
| Bugloss Case-bearer | <i>Coleophora pennella</i> | 2021 |
| Swan-feather Dwarf | <i>Elachista argentella</i> | 2022 |
| Brown-barred Dwarf | <i>Elachista subocellea</i> | 2020 |
| Brown Cosmet | <i>Mompha miscella</i> | 2022 |
| London Dowd | <i>Blastobasis lacticolella</i> | 2018 |
| White-dusted Owlet | <i>Scythris picaepennis</i> | 2011 |
| Dingy White Plume | <i>Merrifieldia baliodactylus</i> | 2015 |
| Common Plume | <i>Emmelina monodactyla</i> | 2015 |
| Common Nettle-tap | <i>Anthophila fabriciana</i> | 2016 |
| Barred Fruit-tree Tortrix | <i>Pandemis cerasana</i> | 2011 |
| Carnation Tortrix | <i>Cacoecimorpha pronubana</i> | 2022 |
| Timothy Tortrix | <i>Aphelia paleana</i> | 2022 |
| Light Brown Apple-moth | <i>Epiphyas postvittana</i> | 2011 |
| White-triangle Button | <i>Acleris holmiana</i> | 2021 |
| Viburnum Button | <i>Acleris schalleriana</i> | 2018 |
| Yellow-spot Tortrix | <i>Pseudargyrotoza conwagana</i> | 2015 |
| Kentish Conch | <i>Cochylimorpha alternana</i> | 2015 |
| Common Yellow Conch | <i>Agapeta hamana</i> | 2015 |
| Knapweed Conch | <i>Agapeta zoegana</i> | 2015 |
| Scabious Conch | <i>Aethes hartmanniana</i> | 2015 |
| Silver Carrot Conch | <i>Aethes williana</i> | 2017 |
| Long-barred Yellow Conch | <i>Aethes francillana</i> | 2015 |
| Hemp-agrimony Conch | <i>Cochylidia rupicola</i> | 2011 |
| White-bodied Conch | <i>Neocochyliis hybridella</i> | 2015 |
| Plum Tortrix | <i>Hedya pruniana</i> | 2022 |
| Barred Marble | <i>Celypha striana</i> | 2021 |
| Common Marble | <i>Celypha lacunana</i> | 2022 |
| Southern Bell | <i>Crocidosemia plebejana</i> | 2015 |
| Hoary Bell | <i>Eucosma cana</i> | 2021 |
| Bright Bell | <i>Eucosma hohenwartiana</i> | 2022 |
| Marbled Bell | <i>Eucosma campoliliana</i> | 2015 |
| White-foot Bell | <i>Epiblema foenella</i> | 2015 |
| Bramble Shoot Moth | <i>Notocelia uddmanniana</i> | 2021 |
| Lead-coloured Drill | <i>Dichrorampha plumbana</i> | 2022 |
| Dingy Drill | <i>Dichrorampha sedatana</i> | 2021 |
| Grey Gorse Piercer | <i>Cydia ulicetana</i> | 2021 |
| Rest-harrow Piercer | <i>Cydia microgrammana</i> | 2011 |
| Orange-spot Piercer | <i>Pammene aurana</i> | 2017 |
| Kent Knot-horn | <i>Moitrelia obductella</i> | 2015 |
| Rosy-striped Knot-horn | <i>Oncocera semirubella</i> | 2007 |
| Grey Knot-horn | <i>Acrobasis advenella</i> | 2021 |
| Marbled Knot-horn | <i>Acrobasis marmorea</i> | 2021 |
| Thistle Ermine | <i>Myelois circumvoluta</i> | 2021 |

| Common name | Scientific name | Last recorded |
|----------------------------------|-----------------------------------|---------------|
| False Cacao Moth | <i>Epeorus unicolorella</i> | 2021 |
| Straw-barred Pearl | <i>Pyrausta despicata</i> | 2022 |
| Small Purple & Gold | <i>Pyrausta aurata</i> | 2022 |
| Wavy-barred Sable | <i>Pyrausta nigrata</i> | 2017 |
| Sulphur Pearl | <i>Sitochroa palealis</i> | 2022 |
| Small Magpie | <i>Anania hortulata</i> | 2021 |
| Rusty-dot Pearl | <i>Udea ferrugalis</i> | 2022 |
| Coastal Pearl | <i>Mecyna asinalis</i> | 2007 |
| Long-legged China-mark | <i>Dolicharthria punctalis</i> | 1992 |
| Rush Veneer | <i>Nomophila noctuella</i> | 2022 |
| Starry Pearl | <i>Cynaeda dentalis</i> | 2022 |
| Garden Pebble | <i>Evergestis forficalis</i> | 2015 |
| Common Grey | <i>Scoparia ambigualis</i> | 2015 |
| Meadow Grey | <i>Scoparia pyralella</i> | 2022 |
| Little Grey | <i>Eudonia lacustrata</i> | 2021 |
| Garden Grass-veneer | <i>Chrysoteuchia culmella</i> | 2021 |
| Hook-streak Grass-veneer | <i>Crambus lathoniellus</i> | 2022 |
| Satin Grass-veneer | <i>Crambus perlella</i> | 2021 |
| Common Grass-veneer | <i>Agriphila tristella</i> | 2015 |
| Straw Grass-veneer | <i>Agriphila straminella</i> | 2017 |
| Elbow-stripe Grass-veneer | <i>Agriphila geniculea</i> | 2016 |
| Orange-tailed Clearwing | <i>Synanthedon andrenaeformis</i> | 2011 |
| Fiery Clearwing | <i>Pyropteron chrysidiiformis</i> | 2022 |
| Six-spot Burnet | <i>Zygaena filipendulae</i> | 2022 |
| Narrow-bordered Five-spot Burnet | <i>Zygaena lonicerae</i> | 2022 |
| The Lackey | <i>Malacosoma neustria</i> | 2021 |
| Fox Moth | <i>Macrothylacia rubi</i> | 2020 |
| The Drinker | <i>Euthrix potatoria</i> | 2019 |
| Convolvulus Hawk-moth | <i>Agrius convolvuli</i> | 2014 |
| Privet Hawk-moth | <i>Sphinx ligustri</i> | 2021 |
| Hummingbird Hawk-moth | <i>Macroglossum stellatarum</i> | 2021 |
| Elephant Hawk-moth | <i>Deilephila elpenor</i> | 2021 |
| Dwarf Cream Wave | <i>Idaea fuscovenosa</i> | 2022 |
| Small Fan-footed Wave | <i>Idaea biselata</i> | 2015 |
| Riband Wave | <i>Idaea versata</i> | 2021 |
| Sub-angled Wave | <i>Scopula nigropunctata</i> | 2022 |
| Chalk Carpet | <i>Scotopteryx bipunctaria</i> | 2021 |
| Shaded Broad-bar | <i>Scotopteryx chenopodiata</i> | 2021 |
| Red Twin-spot Carpet | <i>Xanthorhoe spadicearia</i> | 2022 |
| Yellow Shell | <i>Camptogramma bilineata</i> | 2022 |
| Common Carpet | <i>Epirrhoa alternata</i> | 2022 |
| The Mallow | <i>Larentia clavaria</i> | 2018 |
| July Highflyer | <i>Hydriomena furcata</i> | 2021 |
| Barred Straw | <i>Gandaritis pyraliata</i> | 2021 |
| Common Marbled Carpet | <i>Dysstroma truncata</i> | 2014 |
| Small Waved Umber | <i>Horisme vitalbata</i> | 2017 |
| The V-Pug | <i>Chloroclystis v-ata</i> | 2021 |
| Lime-speck Pug | <i>Eupithecia centaureata</i> | 2022 |
| Tawny Speckled Pug | <i>Eupithecia icterata</i> | 2015 |
| Treble-bar | <i>Aplocera plagiata</i> | 2014 |
| Yellow-barred Brindle | <i>Acasis viretata</i> | 2015 |
| The Magpie | <i>Abraxas grossulariata</i> | 2009 |
| Latticed Heath | <i>Chiasmia clathrata</i> | 2020 |
| Brimstone Moth | <i>Opisthograptis luteolata</i> | 2021 |

| Common name | Scientific name | Last recorded |
|------------------------|-----------------------------------|---------------|
| Speckled Yellow | <i>Pseudopanthera macularia</i> | 2022 |
| Willow Beauty | <i>Peribatodes rhomboidaria</i> | 2021 |
| The Engrailed | <i>Ectropis crepuscularia</i> | 2021 |
| Common Heath | <i>Ematurga atomaria</i> | 2022 |
| Clouded Silver | <i>Lomographa temerata</i> | 2022 |
| Light Emerald | <i>Campaea margaritaria</i> | 2016 |
| The Annulet | <i>Charissa obscurata</i> | 2015 |
| Straw Belle | <i>Aspitates gilvaria</i> | 2022 |
| Rest Harrow | <i>Aplasta ononaria</i> | 2011 |
| Common Emerald | <i>Hemithea aestivaria</i> | 2021 |
| Maple Prominent | <i>Ptilodon cucullina</i> | 2021 |
| Buff-tip | <i>Phalera bucephala</i> | 2021 |
| The Snout | <i>Hypena proboscidalis</i> | 2021 |
| Brown-tail | <i>Euproctis chrysorrhoea</i> | 2021 |
| The Vapourer | <i>Orgyia antiqua</i> | 2011 |
| Ruby Tiger | <i>Phragmatobia fuliginosa</i> | 2015 |
| Cream-spot Tiger | <i>Arctia villica</i> | 2014 |
| Jersey Tiger | <i>Euplagia quadripunctaria</i> | 2015 |
| The Cinnabar | <i>Tyria jacobaeae</i> | 2020 |
| Rosy Footman | <i>Miltochrista miniata</i> | 2021 |
| Dark/Grey Dagger | <i>Acronicta tridens/psi agg.</i> | 2021 |
| Dingy Footman | <i>Eilema griseola</i> | 2015 |
| Common Footman | <i>Eilema lurideola</i> | 2021 |
| Scarce Footman | <i>Eilema complana</i> | 2021 |
| Dew Moth | <i>Setina irrorella</i> | 2022 |
| Small Purple-barred | <i>Phytometra viridaria</i> | 2017 |
| Burnet Companion | <i>Euclidia glyphica</i> | 2021 |
| Mother Shipton | <i>Euclidia mi</i> | 2022 |
| The Spectacle | <i>Abrostola tripartita</i> | 2015 |
| Silver Y | <i>Autographa gamma</i> | 2022 |
| The Coronet | <i>Craniophora ligustri</i> | 2021 |
| Mouse Moth | <i>Amphipyra tragopoginis</i> | 2015 |
| Bordered Straw | <i>Heliothis peltigera</i> | 2015 |
| The Uncertain | <i>Hoplodrina octogenaria</i> | 2021 |
| The Rustic | <i>Hoplodrina blanda</i> | 2021 |
| Straw Underwing | <i>Thalpophila matura</i> | 2015 |
| Angle Shades | <i>Phlogophora meticulosa</i> | 2015 |
| Dusky Sallow | <i>Eremobia ochroleuca</i> | 2021 |
| Dusky Brocade | <i>Apamea remissa</i> | 2021 |
| Dark Arches | <i>Apamea monoglypha</i> | 2021 |
| Light Arches | <i>Apamea lithoxylaea</i> | 2021 |
| Common Rustic | <i>Mesapamea secalis</i> | 2021 |
| Rosy Minor | <i>Litoligia literosa</i> | 2021 |
| Cloaked Minor | <i>Mesoligia furuncula</i> | 2021 |
| Bright-line Brown-eye | <i>Lacanobia oleracea</i> | 2021 |
| Varied Coronet | <i>Hadena compta</i> | 1877 |
| White Spot | <i>Hadena albimacula</i> | <1968 |
| Smoky Wainscot | <i>Mythimna impura</i> | 2021 |
| The Clay | <i>Mythimna ferrago</i> | 2021 |
| Heart and Dart | <i>Agrotis exclamationis</i> | 2021 |
| Shuttle-shaped Dart | <i>Agrotis puta</i> | 2015 |
| Flame Shoulder | <i>Ochropleura plecta</i> | 2015 |
| Small Square-spot | <i>Diarsia rubi</i> | 2015 |
| Large Yellow Underwing | <i>Noctua pronuba</i> | 2021 |

| Common name | Scientific name | Last recorded |
|----------------------------------|----------------------------|---------------|
| Lesser Yellow Underwing | <i>Noctua comes</i> | 2021 |
| Least Yellow Underwing | <i>Noctua interjecta</i> | 2015 |
| Langmaid's Yellow Underwing | <i>Noctua janthina</i> | 2021 |
| Lesser Br.-bordered Y. Underwing | <i>Noctua janthe</i> | 2015 |
| Square-spot Rustic | <i>Xestia xanthographa</i> | 2015 |
| Setaceous Hebrew Character | <i>Xestia c-nigrum</i> | 2015 |
| Short-cloaked Moth | <i>Nola cucullatella</i> | 2021 |

Hymenoptera (Wasps, Bees and Ants): 45 species

| Common name | Scientific name | Last recorded |
|-----------------------------|--------------------------------|---------------|
| Gwynne's Mining Bee | <i>Andrena bicolor</i> | 2011 |
| Chocolate Mining Bee | <i>Andrena scotica</i> | 2019 |
| Buffish Mining Bee | <i>Andrena nigroaenea</i> | 2011 |
| Buff-banded Mining Bee | <i>Andrena simillima</i> | 1980 |
| Vestal Cuckoo Bee | <i>Bombus vestalis</i> | 2015 |
| Red-tailed Bumblebee | <i>Bombus lapidarius</i> | 2014 |
| White-tailed Bumblebee | <i>Bombus lucorum</i> | 2000 |
| Common Carder Bee | <i>Bombus pascuorum</i> | 2006 |
| Buff-tailed Bumblebee | <i>Bombus terrestris</i> | 1999 |
| Slender Bodied Digger Wasp | <i>Crabro cribrarius</i> | 2002 |
| - | <i>Ectemnius lituratus</i> | 2012 |
| Patchwork Leafcutter Bee | <i>Megachile centuncularis</i> | 2011 |
| Brown-footed Leafcutter Bee | <i>Megachile versicolor</i> | 2011 |
| Little Nomad Bee | <i>Nomada flavoguttata</i> | 2012 |
| Marsham's Nomad Bee | <i>Nomada marshamella</i> | 2001 |
| Blue Mason Bee | <i>Osmia caerulescens</i> | 2011 |
| Gold-Fringed Mason Bee | <i>Osmia aurulenta</i> | 2011 |
| Red-tailed Mason Bee | <i>Osmia bicolor</i> | 2012 |
| Red Mason Bee | <i>Osmia rufa</i> | 2011 |
| - | <i>Priocnemis perturbator</i> | 2012 |
| - | <i>Tenthredo celtica</i> | 1999 |
| - | <i>Tiphia femorata</i> | 2012 |

Nemertea (Ribbon Worms): 2 species

| Common name | Scientific name | Last recorded |
|----------------------|----------------------------|---------------|
| Football Jersey Worm | <i>Tubulanus annulatus</i> | 2009 |

Bryozoa (Moss Animals): 31 species

| Common name | Scientific name | Last recorded |
|-------------|--------------------------------|---------------|
| - | <i>Alcyonidium diaphanum</i> | 2009 |
| - | <i>Alcyonidium gelatinosum</i> | 2013 |
| - | <i>Alcyonidium hirsutum</i> | 2010 |
| - | <i>Amathia lendigera</i> | 2014 |
| - | <i>Bicellariella ciliata</i> | 2010 |
| - | <i>Bryozoa indet crusts</i> | 2014 |
| - | <i>Bugula fulva</i> | 2010 |
| - | <i>Bugula plumosa</i> | 2014 |
| - | <i>Bugula turbinata</i> | 2010 |
| - | <i>Cellepora pumicosa</i> | 2014 |
| - | <i>Celleporella hyalina</i> | 2014 |
| - | <i>Chartella papyracea</i> | 2014 |

| Common name | Scientific name | Last recorded |
|-------------|---------------------------------|---------------|
| - | <i>Cribrilina cryptoecium</i> | 2010 |
| - | <i>Crisia aculeata</i> | 2014 |
| - | <i>Cryptosula pallasiana</i> | 2010 |
| - | <i>Electra pilosa</i> | 2014 |
| - | <i>Escharella immersa</i> | 2010 |
| - | <i>Escharella variolosa</i> | 2010 |
| Hornwrack | <i>Flustra foliacea</i> | 2014 |
| - | <i>Flustrellidra hispida</i> | 2010 |
| Ross Coral | <i>Pentapora foliacea</i> | 2014 |
| - | <i>Phaeostachys spinifera</i> | 2010 |
| - | <i>Plagioecia patina</i> | 2010 |
| - | <i>Schizomavella auriculata</i> | 2010 |
| - | <i>Schizomavella hastata</i> | 2014 |
| - | <i>Schizomavella linearis</i> | 2013 |
| - | <i>Schizoporella unicornis</i> | 2010 |
| - | <i>Scruparia ambigua</i> | 2014 |
| - | <i>Scruparia chelata</i> | 2014 |
| - | <i>Scrupocellaria scruposa</i> | 2014 |

Mollusca (Molluscs): 40 species

| Common name | Scientific name | Last recorded |
|-------------------------|------------------------------------|---------------|
| - | <i>Abra alba</i> | 2006 |
| - | <i>Acanthochitona fascicularis</i> | 2010 |
| White Piddock | <i>Barnea candida</i> | 2010 |
| Little Piddock | <i>Barnea parva</i> | 2010 |
| Common Whelk | <i>Buccinum undatum</i> | 2013 |
| Painted Top Shell | <i>Calliostoma zizyphinum</i> | 2013 |
| White-lipped Snail | <i>Cepaea hortensis</i> | 1980 |
| Two-toothed Door Snail | <i>Clausilia bidentata</i> | 1985 |
| American Slipper Limpet | <i>Crepidula fornicate</i> | 2006 |
| - | <i>Crimora papillata</i> | 2009 |
| Netted Field Slug | <i>Deroceras reticulatum</i> | 1987 |
| Rounded Snail | <i>Discus rotundatus</i> | 1987 |
| Sea Lemon | <i>Doris pseudoargus</i> | 2009 |
| Garden Snail | <i>Helix aspersa</i> | 1999 |
| Wrinkled Rock Borer | <i>Hiatella arctica</i> | 2013 |
| - | <i>Lepidochitona cinerea</i> | 2010 |
| Flat Periwinkle | <i>Littorina fabalis</i> | 2006 |
| Common Periwinkle | <i>Littorina littorea</i> | 2010 |
| Flat Periwinkle | <i>Littorina obtusata</i> | 2006 |
| Rough Periwinkle | <i>Littorina saxatilis</i> | 2010 |
| Kentish Snail | <i>Monacha cantiana</i> | 1980 |
| Mouse-eared Snail | <i>Myosotella myosotis</i> | 2006 |
| Blue Mussel | <i>Mytilus edulis</i> | 2014 |
| Netted Dog Whelk | <i>Nassarius reticulatus</i> | 2013 |
| Dog Whelk | <i>Nucella lapillus</i> | 2010 |
| - | <i>Odostomia plicata</i> | 2006 |
| Common Oyster | <i>Ostrea edulis</i> | 2014 |
| Garlic Snail | <i>Oxychilus alliarius</i> | 1987 |
| Cellar Snail | <i>Oxychilus cellarius</i> | 1987 |
| Blue Rayed Limpet | <i>Patella pellucida</i> | 2010 |
| Common Limpet | <i>Patella vulgata</i> | 2010 |
| Laver Spire Shell | <i>Peringia ulvae</i> | 2006 |

| Common name | Scientific name | Last recorded |
|---------------------|--------------------------------|---------------|
| Common Piddock | <i>Pholas dactylus</i> | 2013 |
| - | <i>Polyocera quadrilineata</i> | 2009 |
| Round-mouthed Snail | <i>Pomatias elegans</i> | 1986 |
| - | <i>Rissoa parva</i> | 2006 |
| Common Cuttlefish | <i>Sepia officinalis</i> | 2006 |
| Grey Top Shell | <i>Steromphala cineraria</i> | 2010 |
| Flat Top Shell | <i>Steromphala umbilicalis</i> | 2010 |
| Pullet Carpet Shell | <i>Venerupis corrugata</i> | 2006 |

Annelida (Annelid worms): 6 species

| Common name | Scientific name | Last recorded |
|---------------|--------------------------------|---------------|
| Twin Fan Worm | <i>Bispira volutacornis</i> | 2014 |
| Sand Mason | <i>Lanice conchilega</i> | 2013 |
| Ross Worm | <i>Sabellaria spinulosa</i> | 2014 |
| Coral Worm | <i>Salmacina dysteri</i> | 2013 |
| Keelworm | <i>Spirobranchus lamarcki</i> | 2006 |
| - | <i>Spirobranchus triqueter</i> | 2006 |

Alga (Algae): 61 species

| Common name | Scientific name | Last recorded |
|-----------------|--|---------------|
| - | <i>Antithamnionella spirographidis</i> | 2013 |
| - | <i>Apoglossum ruscifolium</i> | 2010 |
| - | <i>Blidingia marginata</i> | 2010 |
| - | <i>Blidingia minima</i> | 2010 |
| - | <i>Brongniartella byssoides</i> | 2014 |
| Hen Pen | <i>Bryopsis plumosa</i> | 2014 |
| Eyelash Weed | <i>Calliblepharis ciliata</i> | 2014 |
| - | <i>Caulacanthus ustulatus</i> | 2010 |
| - | <i>Ceramium cimbricum</i> | 2014 |
| - | <i>Ceramium deslongchampsii</i> | 2010 |
| - | <i>Ceramium gaditanum</i> | 2010 |
| - | <i>Ceramium virgatum</i> | 2010 |
| - | <i>Chaetomorpha mediterranea</i> | 2010 |
| - | <i>Chondria dasypHYLLA</i> | 2014 |
| Carrageen | <i>Chondrus crispus</i> | 2010 |
| - | <i>Cladophora rupestris</i> | 2010 |
| - | <i>Cladophora sericea</i> | 2010 |
| - | <i>Colaconema daviesii</i> | 2010 |
| Coral Weed | <i>Corallina officinalis</i> | 2010 |
| - | <i>Cryptopleura ramosa</i> | 2013 |
| - | <i>Cystoclonium purpureum</i> | 2010 |
| Sea Beech | <i>Delesseria sanguinea</i> | 2014 |
| Red Rags | <i>Dilsea carnosa</i> | 2010 |
| - | <i>Dumontia contorta</i> | 2010 |
| - | <i>Erythroglossum laciniatum</i> | 2014 |
| - | <i>Erythrotrichia carnea</i> | 2010 |
| - | <i>Gelidium pusillum</i> | 2010 |
| - | <i>Gracilaria longissima</i> | 2010 |
| - | <i>Gymnogongrus crenulatus</i> | 2010 |
| Sea Mare's-tail | <i>Halurus equisetifolius</i> | 2013 |
| - | <i>Halurus flosculosus</i> | 2013 |
| - | <i>Heterosiphonia plumosa</i> | 2014 |

| Common name | Scientific name | Last recorded |
|------------------|-------------------------------------|---------------|
| - | <i>Hildenbrandia rubra</i> | 2010 |
| - | <i>Hypoglossum hypoglossoides</i> | 2014 |
| - | <i>Lomentaria articulata</i> | 2010 |
| False Irish Moss | <i>Mastocarpus stellatus</i> | 2006 |
| - | <i>Membranoptera alata</i> | 2010 |
| - | <i>Osmundea hybrida</i> | 2010 |
| Pepper Dulse | <i>Osmundea pinnatifida</i> | 2010 |
| Dulse | <i>Palmaria palmata</i> | 2010 |
| - | <i>Phyllophora crispa</i> | 2010 |
| - | <i>Phyllophora pseudoceranoides</i> | 2010 |
| - | <i>Phymatolithon lenormandii</i> | 2010 |
| - | <i>Plocamium cartilagineum</i> | 2014 |
| - | <i>Plumaria plumosa</i> | 2010 |
| - | <i>Polyides rotunda</i> | 2010 |
| - | <i>Polysiphonia atlantica</i> | 2010 |
| - | <i>Polysiphonia elongata</i> | 2010 |
| - | <i>Polysiphonia fibrillosa</i> | 2010 |
| - | <i>Polysiphonia fucoides</i> | 2010 |
| - | <i>Polysiphonia nigra</i> | 2014 |
| Purple Laver | <i>Porphyra umbilicalis</i> | 2010 |
| - | <i>Rhodomela confervoides</i> | 2010 |
| - | <i>Rhodothamniella floridula</i> | 2010 |
| - | <i>Rhodymenia holmesii</i> | 2014 |
| - | <i>Rhodymenia pseudopalmata</i> | 2014 |
| - | <i>Ulothrix flacca</i> | 2010 |
| - | <i>Ulva compressa</i> | 2010 |
| Sea Lettuce | <i>Ulva lactuca</i> | 2010 |
| - | <i>Ulva prolifera</i> | 2010 |
| - | <i>Urospora penicilliformis</i> | 2010 |

Pteridophyta (Ferns and Horsetails): 10 species

| Common name | Scientific name | Last recorded |
|-----------------------|----------------------------------|---------------|
| Black Spleenwort | <i>Asplenium adiantum-nigrum</i> | 2012 |
| Wall-rue | <i>Asplenium ruta-muraria</i> | 2012 |
| Maidenhair Spleenwort | <i>Asplenium trichomanes</i> | 2012 |
| Rustyback | <i>Ceterach officinarum</i> | 2012 |
| Broad Buckler-fern | <i>Dryopteris dilatata</i> | 1991 |
| Male-fern | <i>Dryopteris filix-mas</i> | 2015 |
| Hart's-tongue | <i>Phyllitis scolopendrium</i> | 2019 |
| Hard Shield-fern | <i>Polystichum aculeatum</i> | 2019 |
| Soft Shield-fern | <i>Polystichum setiferum</i> | 2015 |
| Bracken | <i>Pteridium aquilinum</i> | 2019 |

Conifera (Conifers): 1 species

| Common name | Scientific name | Last recorded |
|-------------|---------------------------|---------------|
| Juniper | <i>Juniperus communis</i> | 2018 |

Flowering Plants: 337 species

| Common name | Scientific name | Last recorded |
|-------------|----------------------------|---------------|
| Field Maple | <i>Acer campestre</i> | 2015 |
| Sycamore | <i>Acer pseudoplatanus</i> | 2019 |

| Common name | Scientific name | Last recorded |
|-----------------------|--|---------------|
| Yarrow | <i>Achillea millefolium</i> | 2019 |
| Horse-chestnut | <i>Aesculus hippocastanum</i> | 2019 |
| Fool's Parsley | <i>Aethusa cynapium</i> | 2019 |
| Agrimony | <i>Agrimonia eupatoria</i> | 2019 |
| Common Bent | <i>Agrostis capillaris</i> | 2015 |
| Black Bent | <i>Agrostis gigantea</i> | 2012 |
| Creeping Bent | <i>Agrostis stolonifera</i> | 2010 |
| Garlic Mustard | <i>Alliaria petiolata</i> | 2015 |
| Wild Onion | <i>Allium vineale</i> | 2018 |
| Meadow Foxtail | <i>Alopecurus pratensis</i> | 1991 |
| Scarlet Pimpernel | <i>Anagallis arvensis</i> | 2019 |
| Wood Anemone | <i>Anemone nemorosa</i> | 2012 |
| Barren Brome | <i>Anisantha sterilis</i> | 2015 |
| Stinking Chamomile | <i>Anthemis cotula</i> | 2012 |
| Sweet Vernal-grass | <i>Anthoxanthum odoratum</i> | 2010 |
| Cow Parsley | <i>Anthriscus sylvestris</i> | 2019 |
| Kidney Vetch | <i>Anthyllis vulneraria</i> | 2018 |
| Greater Burdock | <i>Arctium lappa</i> | 2019 |
| Lesser Burdock | <i>Arctium minus</i> | 2019 |
| Thyme-Leaved Sandwort | <i>Arenaria serpyllifolia</i> | 1991 |
| Horse-radish | <i>Armoracia rusticana</i> | 2019 |
| False Oat-grass | <i>Arrhenatherum elatius</i> | 2014 |
| Mugwort | <i>Artemisia vulgaris</i> | 2019 |
| Lords-and-Ladies | <i>Arum maculatum</i> | 2019 |
| Grass-leaved Orache | <i>Atriplex littoralis</i> | 1991 |
| Common Orache | <i>Atriplex patula</i> | 2019 |
| Sea-purslane | <i>Atriplex portulacoides</i> | 2018 |
| Spear-leaved Orache | <i>Atriplex prostrata</i> | 2019 |
| Wild-oat | <i>Avena fatua</i> | 2015 |
| Black Horehound | <i>Ballota nigra</i> | 2019 |
| Daisy | <i>Bellis perennis</i> | 2015 |
| Sea Beet | <i>Beta vulgaris subsp. maritima</i> | 2017 |
| Yellow-wort | <i>Blackstonia perfoliata</i> | 2019 |
| Sea Club-rush | <i>Bolboschoenus maritimus</i> | 2013 |
| Heath False-brome | <i>Brachypodium pinnatum</i> | 2019 |
| Tor-grass | <i>Brachypodium rupestre</i> | 2019 |
| False-brome | <i>Brachypodium sylvaticum</i> | 2015 |
| Rape | <i>Brassica napus</i> | 2019 |
| Wild Cabbage | <i>Brassica oleracea</i> | 2018 |
| Quaking-grass | <i>Briza media</i> | 2010 |
| Upright Brome | <i>Bromopsis erecta</i> | 2018 |
| Hungarian Brome | <i>Bromopsis inermis</i> | 1991 |
| Soft-Brome | <i>Bromus hordeaceus</i> | 2018 |
| Common Soft-brome | <i>Bromus hordeaceus subsp. hordeaceus</i> | 1991 |
| White Bryony | <i>Bryonia dioica</i> | 1999 |
| Butterfly-bush | <i>Buddleja davidii</i> | 2019 |
| Sea Rocket | <i>Cakile maritima</i> | 2018 |
| Pot Marigold | <i>Calendula officinalis</i> | 2014 |
| Hedge Bindweed | <i>Calystegia sepium</i> | 2019 |
| Bindweed | <i>Calystegia sepium x silvatica = C. x lucana</i> | 2014 |
| Large Bindweed | <i>Calystegia silvatica</i> | 2015 |
| Sea Bindweed | <i>Calystegia soldanella</i> | 1999 |

| Common name | Scientific name | Last recorded |
|---------------------------|---|---------------|
| Trailing Bellflower | <i>Campanula poscharskyana</i> | 1991 |
| Shepherd's-purse | <i>Capsella bursa-pastoris</i> | 2019 |
| Hairy Bitter-cress | <i>Cardamine hirsuta</i> | 1991 |
| Musk Thistle | <i>Carduus nutans</i> | 2018 |
| Slender Thistle | <i>Carduus tenuiflorus</i> | 1999 |
| Glaucous Sedge | <i>Carex flacca</i> | 2012 |
| False Fox-sedge | <i>Carex otrubae</i> | 1999 |
| Pendulous Sedge | <i>Carex pendula</i> | 2015 |
| Wood-sedge | <i>Carex sylvatica</i> | 2019 |
| Carline Thistle | <i>Carlina vulgaris</i> | 2019 |
| Common Knapweed | <i>Centaurea nigra sens. lat.</i> | 2019 |
| Greater Knapweed | <i>Centaurea scabiosa</i> | 2017 |
| Common Centaury | <i>Centaurium erythraea</i> | 2019 |
| Red Valerian | <i>Centranthus ruber</i> | 2013 |
| Common Mouse-ear | <i>Cerastium fontanum</i> | 2019 |
| Sticky Mouse-ear | <i>Cerastium glomeratum</i> | 1991 |
| Little Mouse-ear | <i>Cerastium semidecandrum</i> | 1991 |
| Snow-in-summer | <i>Cerastium tomentosum</i> | 2017 |
| Rosebay Willowherb | <i>Chamerion angustifolium</i> | 2019 |
| Fat-hen | <i>Chenopodium album</i> | 2019 |
| Dwarf Thistle | <i>Cirsium acaule</i> | 2019 |
| Creeping Thistle | <i>Cirsium arvense</i> | 2019 |
| Spear Thistle | <i>Cirsium vulgare</i> | 2015 |
| Traveller's-joy | <i>Clematis vitalba</i> | 2019 |
| Wild Basil | <i>Clinopodium vulgare</i> | 2019 |
| Danish Scurvygrass | <i>Cochlearia danica</i> | 2016 |
| Pignut | <i>Conopodium majus</i> | 1991 |
| Field Bindweed | <i>Convolvulus arvensis</i> | 2019 |
| Dogwood | <i>Cornus sanguinea</i> | 2019 |
| Lesser Swine-cress | <i>Coronopus didymus</i> | 2018 |
| Swine-cress | <i>Coronopus squamatus</i> | 2015 |
| Hazel | <i>Corylus avellana</i> | 2019 |
| Sea-kale | <i>Crambe maritima</i> | 2013 |
| Hawthorn | <i>Crataegus monogyna</i> | 2019 |
| Rough Hawk's-beard | <i>Crepis biennis</i> | 1991 |
| Smooth Hawk's-beard | <i>Crepis capillaris</i> | 2015 |
| Beaked Hawk's-beard | <i>Crepis vesicaria</i> | 1991 |
| Rock Samphire | <i>Crithmum maritimum</i> | 2018 |
| Crested Dog's-tail | <i>Cynosurus cristatus</i> | 1991 |
| Cock's-foot | <i>Dactylis glomerata</i> | 2019 |
| Common Spotted-orchid | <i>Dactylorhiza fuchsii</i> | 2012 |
| Wild Carrot | <i>Daucus carota subsp. <i>carota</i></i> | 2019 |
| Sea Carrot | <i>Daucus carota subsp. <i>gummifer</i></i> | 2018 |
| Tufted Hair-grass | <i>Deschampsia caespitosa</i> | 1991 |
| Foxglove | <i>Digitalis purpurea</i> | 2006 |
| Wild Teasel | <i>Dipsacus fullonum</i> | 2019 |
| Viper's-bugloss | <i>Echium vulgare</i> | 2018 |
| Common Spike-rush | <i>Eleocharis palustris</i> | 2010 |
| Sea Couch | <i>Elytrigia atherica</i> | 2013 |
| Common Couch | <i>Elytrigia repens</i> | 2015 |
| American Willowherb | <i>Epilobium ciliatum</i> | 2019 |
| Great Willowherb | <i>Epilobium hirsutum</i> | 2019 |
| Hoary Willowherb | <i>Epilobium parviflorum</i> | 2019 |
| Square-stalked Willowherb | <i>Epilobium tetragonum</i> | 2015 |

| Common name | Scientific name | Last recorded |
|--------------------------|---|---------------|
| Spindle | <i>Euonymus europaeus</i> | 2019 |
| Hemp-agrimony | <i>Eupatorium cannabinum</i> | 2018 |
| Wood Spurge | <i>Euphorbia amygdaloides</i> | 2018 |
| Sun Spurge | <i>Euphorbia helioscopia</i> | 2015 |
| Petty Spurge | <i>Euphorbia peplus</i> | 2019 |
| Eyebright | <i>Euphrasia arctica x confusa</i> | 1994 |
| Common Eyebright | <i>Euphrasia nemorosa</i> | 2017 |
| Chalk Eyebright | <i>Euphrasia pseudokernerri</i> | 2013 |
| Western Eyebright | <i>Euphrasia tetraquetra</i> | 1973 |
| Beech | <i>Fagus sylvatica</i> | 2019 |
| Black-bindweed | <i>Fallopia convolvulus</i> | 2019 |
| Japanese Knotweed | <i>Fallopia japonica</i> | 2017 |
| Fatsia japonica | <i>Fatsia japonica</i> | 2006 |
| Tall Fescue | <i>Festuca arundinacea</i> | 2017 |
| Sheep's Fescue agg. | <i>Festuca ovina</i> agg. | 1991 |
| Red Fescue | <i>Festuca rubra</i> | 2018 |
| Wild Strawberry | <i>Fragaria vesca</i> | 2015 |
| Sea-heath | <i>Frankenia laevis</i> | 2014 |
| Ash | <i>Fraxinus excelsior</i> | 2015 |
| Snowdrop | <i>Galanthus nivalis</i> | 2005 |
| Goat's-rue | <i>Galega officinalis</i> | 2018 |
| Cleavers | <i>Galium aparine</i> | 2019 |
| Hedge Bedstraw | <i>Galium mollugo</i> | 2019 |
| Marsh-bedstraw | <i>Galium palustre</i> | 1988 |
| Lady's Bedstraw | <i>Galium verum</i> | 2017 |
| Cut-leaved Crane's-bill | <i>Geranium dissectum</i> | 2019 |
| Dove's-foot Crane's-bill | <i>Geranium molle</i> | 2019 |
| Meadow Crane's-bill | <i>Geranium pratense</i> | 2012 |
| Herb-Robert | <i>Geranium robertianum</i> | 2019 |
| Bloody Crane's-bill | <i>Geranium sanguineum</i> | 2019 |
| Wood Avens | <i>Geum urbanum</i> | 2019 |
| Yellow Horned-poppy | <i>Glaucium flavum</i> | 2018 |
| Ground-ivy | <i>Glechoma hederacea</i> | 2017 |
| Floating Sweet-grass | <i>Glyceria fluitans</i> | 1988 |
| Hedera helix | <i>Hedera helix</i> | 2019 |
| Common Rock-rose | <i>Helianthemum nummularium</i> | 2021 |
| Downy Oat-grass | <i>Helictotrichon pubescens</i> | 2018 |
| Hogweed | <i>Heracleum sphondylium</i> | 2015 |
| Horseshoe Vetch | <i>Hippocrepis comosa</i> | 1991 |
| Yorkshire-fog | <i>Holcus lanatus</i> | 2019 |
| Wall Barley | <i>Hordeum murinum</i> | 2014 |
| Bluebell | <i>Hyacinthoides hispanica</i> x non- <i>scripta</i> | 1991 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | 2012 |
| Tutsan | <i>Hypericum androsaemum</i> | 2015 |
| Hairy St John's-wort | <i>Hypericum hirsutum</i> | 2015 |
| Perforate St John's-wort | <i>Hypericum perforatum</i> | 2019 |
| Cat's-ear | <i>Hypochoeris radicata</i> | 2015 |
| Ploughman's-spikenard | <i>Inula conyzae</i> | 2019 |
| Golden Samphire | <i>Inula crithmoides</i> | 2018 |
| Stinking Iris | <i>Iris foetidissima</i> | 2018 |
| Soft-rush | <i>Juncus effusus</i> | 1988 |
| Sharp-leaved Fluellen | <i>Kickxia elatine</i> | 2015 |
| Field Scabious | <i>Knautia arvensis</i> | 2019 |

| Common name | Scientific name | Last recorded |
|-----------------------------------|--------------------------------------|---------------|
| Crested Hair-grass | <i>Koeleria macrantha</i> | 1999 |
| Prickly Lettuce | <i>Lactuca serriola</i> | 2019 |
| Yellow Archangel | <i>Lamiastrum galeobdolon</i> | 2019 |
| White Dead-nettle | <i>Lamium album</i> | 2017 |
| Red Dead-nettle | <i>Lamium purpureum</i> | 2019 |
| Nipplewort | <i>Lapsana communis</i> | 2019 |
| Broad-leaved Everlasting-pea | <i>Lathyrus latifolius</i> | 2010 |
| Grass Vetchling | <i>Lathyrus nissolia</i> | 2010 |
| Meadow Vetchling | <i>Lathyrus pratensis</i> | 2019 |
| Tree-mallow | <i>Lavatera arborea</i> | 2013 |
| Autumn Hawkbit | <i>Leontodon autumnalis</i> | 2017 |
| Rough Hawkbit | <i>Leontodon hispidus</i> | 2017 |
| Swine-cress | <i>Lepidium coronopus</i> | 2019 |
| Hoary Cress | <i>Lepidium draba</i> | 2017 |
| Oxeye Daisy | <i>Leucanthemum vulgare</i> | 2015 |
| Garden Privet | <i>Ligustrum ovalifolium</i> | 1991 |
| Wild Privet | <i>Ligustrum vulgare</i> | 2019 |
| Meadow-foam | <i>Limnanthes douglasii</i> | 2001 |
| Rock Sea-lavender | <i>Limonium binervosum</i> | 2018 |
| Common Sea-lavender | <i>Limonium vulgare</i> | 2015 |
| Fairy Flax | <i>Linum catharticum</i> | 2015 |
| Flax | <i>Linum usitatissimum</i> | 2019 |
| Common Twayblade | <i>Listera ovata</i> | 2012 |
| Perennial Rye-grass | <i>Lolium perenne</i> | 2019 |
| Honeysuckle | <i>Lonicera periclymenum</i> | 2019 |
| Common Bird's-foot-trefoil | <i>Lotus corniculatus</i> | 2019 |
| Narrow-leaved Bird's-foot-trefoil | <i>Lotus tenuis</i> | 2018 |
| Honesty | <i>Lunaria annua</i> | 2019 |
| Common Mallow | <i>Malva sylvestris</i> | 2019 |
| Pineappleweed | <i>Matricaria discoidea</i> | 2019 |
| Scented Mayweed | <i>Matricaria recutita</i> | 2017 |
| Spotted Medick | <i>Medicago arabica</i> | 2019 |
| Black Medick | <i>Medicago lupulina</i> | 2019 |
| Lucerne | <i>Medicago sativa subsp. sativa</i> | 1991 |
| Wood Melick | <i>Melica uniflora</i> | 2019 |
| Tall Melilot | <i>Melilotus altissimus</i> | 2018 |
| Balm | <i>Melissa officinalis</i> | 2019 |
| Annual Mercury | <i>Mercurialis annua</i> | 2019 |
| Dog's Mercury | <i>Mercurialis perennis</i> | 2019 |
| Wall Lettuce | <i>Mycelis muralis</i> | 2019 |
| Field Forget-me-not | <i>Myosotis arvensis</i> | 2019 |
| Early Forget-me-not | <i>Myosotis ramosissima</i> | 1991 |
| Love-in-a-mist | <i>Nigella damascena</i> | 2015 |
| Red Bartsia | <i>Odontites vernus</i> | 2017 |
| Hemlock Water-dropwort | <i>Oenanthe crocata</i> | 2015 |
| Common Restharrow | <i>Ononis repens</i> | 2018 |
| Bee Orchid | <i>Ophrys apifera</i> | 2010 |
| Early Spider Orchid | <i>Ophrys sphegodes</i> | 2020 |
| Wild Marjoram | <i>Origanum vulgare</i> | 2019 |
| Common Poppy | <i>Papaver rhoeas</i> | 2019 |
| Curved Hard-grass | <i>Parapholis incurva</i> | 2018 |
| Hard-grass | <i>Parapholis strigosa</i> | 2018 |
| Pellitory-of-the-wall | <i>Parietaria judaica</i> | 2012 |
| Wild Parsnip | <i>Pastinaca sativa</i> | 2019 |

| Common name | Scientific name | Last recorded |
|----------------------------|--|---------------|
| Redshank | <i>Persicaria maculosa</i> | 2015 |
| Reed Canary-grass | <i>Phalaris arundinacea</i> | 2015 |
| Smaller Cat's-tail | <i>Phleum bertolonii</i> | 2017 |
| Timothy | <i>Phleum pratense</i> | 2018 |
| Bristly Oxtongue | <i>Picris echioides</i> | 2019 |
| Hawkweed Oxtongue | <i>Picris hieracioides</i> | 2018 |
| Mouse-ear-hawkweed | <i>Pilosella officinarum</i> | 2019 |
| Mouse-Ear-Hawkweed | <i>Pilosella x floribunda</i> | 1994 |
| Burnet-saxifrage | <i>Pimpinella saxifraga</i> | 2019 |
| Buck's-horn Plantain | <i>Plantago coronopus</i> | 2019 |
| Ribwort Plantain | <i>Plantago lanceolata</i> | 2019 |
| Greater Plantain | <i>Plantago major</i> | 2019 |
| Narrow-leaved Meadow-grass | <i>Poa angustifolia</i> | 1991 |
| Annual Meadow-grass | <i>Poa annua</i> | 2019 |
| Flattened Meadow-grass | <i>Poa compressa</i> | 2012 |
| Spreading Meadow-grass | <i>Poa humilis</i> | 1991 |
| Smooth Meadow-grass | <i>Poa pratensis</i> | 1991 |
| Rough Meadow-grass | <i>Poa trivialis</i> | 2018 |
| Common Milkwort | <i>Polygala vulgaris</i> | 2018 |
| Equal-leaved Knotgrass | <i>Polygonum arenastrum</i> | 2019 |
| Knotgrass | <i>Polygonum aviculare</i> | 2019 |
| Silverweed | <i>Potentilla anserina</i> | 2018 |
| Creeping Cinquefoil | <i>Potentilla reptans</i> | 2019 |
| Cowslip | <i>Primula veris</i> | 2012 |
| Primrose | <i>Primula vulgaris</i> | 2012 |
| Selfheal | <i>Prunella vulgaris</i> | 2019 |
| Dwarf Cherry | <i>Prunus cerasus</i> | 2006 |
| Blackthorn | <i>Prunus spinosa</i> | 2019 |
| Reflexed Meadow-Grass | <i>Puccinellia distans</i> | 1991 |
| Common Fleabane | <i>Pulicaria dysenterica</i> | 2019 |
| Pedunculate Oak | <i>Quercus robur</i> | 2015 |
| Meadow Buttercup | <i>Ranunculus acris</i> | 2017 |
| Bulbous Buttercup | <i>Ranunculus bulbosus</i> | 1991 |
| Lesser Celandine | <i>Ranunculus ficaria</i> | 2012 |
| Creeping Buttercup | <i>Ranunculus repens</i> | 2019 |
| Wild Radish | <i>Raphanus raphanistrum</i> | 2005 |
| Bastard Cabbage | <i>Rapistrum rugosum</i> | 2015 |
| Wild Mignonette | <i>Reseda lutea</i> | 2019 |
| Weld | <i>Reseda luteola</i> | 1991 |
| Water-cress | <i>Rorippa nasturtium-aquaticum</i> | 2013 |
| Field-rose | <i>Rosa arvensis</i> | 2019 |
| Dog Rose | <i>Rosa canina agg.</i> | 2019 |
| Rose | <i>Rosa canina x caesia = R. x dumalis</i> | 2015 |
| Small-flowered Sweet-briar | <i>Rosa micrantha</i> | 1999 |
| Japanese Rose | <i>Rosa rugosa</i> | 2019 |
| Wild Madder | <i>Rubia peregrina</i> | 2018 |
| Dewberry | <i>Rubus caesius</i> | 2019 |
| Blackberry | <i>Rubus fruticosus agg.</i> | 2019 |
| Common Sorrel | <i>Rumex acetosa</i> | 2019 |
| Curled Dock | <i>Rumex crispus</i> | 2019 |
| Broad-leaved Dock | <i>Rumex obtusifolius</i> | 2019 |
| Wood Dock | <i>Rumex sanguineus</i> | 2015 |
| Procumbent Pearlwort | <i>Sagina procumbens</i> | 2019 |
| Common Sallow | <i>Salix cinerea</i> | 2015 |

| Common name | Scientific name | Last recorded |
|-----------------------|---------------------------------------|---------------|
| Elder | <i>Sambucus nigra</i> | 2017 |
| Salad Burnet | <i>Sanguisorba minor subsp. minor</i> | 2017 |
| Small Scabious | <i>Scabiosa columbaria</i> | 2017 |
| Autumn Hawkbit | <i>Scorzonerae autumnalis</i> | 2019 |
| Biting Stonecrop | <i>Sedum acre</i> | 1991 |
| White Stonecrop | <i>Sedum album</i> | 2017 |
| Reflexed Stonecrop | <i>Sedum rupestre</i> | 1991 |
| Hoary Ragwort | <i>Senecio erucifolius</i> | 2018 |
| Common Ragwort | <i>Senecio jacobaea</i> | 2019 |
| Groundsel | <i>Senecio vulgaris</i> | 2019 |
| Field Madder | <i>Sherardia arvensis</i> | 2019 |
| Red Campion | <i>Silene dioica</i> | 2015 |
| Nottingham Catchfly | <i>Silene nutans</i> | 2017 |
| Bladder Campion | <i>Silene vulgaris</i> | 2018 |
| Charlock | <i>Sinapis arvensis</i> | 2019 |
| Hedge Mustard | <i>Sisymbrium officinale</i> | 2019 |
| Alexanders | <i>Smyrnium olusatrum</i> | 2017 |
| Bittersweet | <i>Solanum dulcamara</i> | 2019 |
| Early Goldenrod | <i>Solidago gigantea</i> | 2006 |
| Perennial Sow-thistle | <i>Sonchus arvensis</i> | 2013 |
| Prickly Sow-thistle | <i>Sonchus asper</i> | 2019 |
| Smooth Sow-thistle | <i>Sonchus oleraceus</i> | 2019 |
| Common Whitebeam | <i>Sorbus aria</i> | 2019 |
| Lesser Sea-spurrey | <i>Spergularia marina</i> | 2013 |
| Greater Sea-spurrey | <i>Spergularia media</i> | 2018 |
| Field Woundwort | <i>Stachys arvensis</i> | 2019 |
| Betony | <i>Stachys officinalis</i> | 2018 |
| Hedge Woundwort | <i>Stachys sylvatica</i> | 2019 |
| Greater Stitchwort | <i>Stellaria holostea</i> | 2017 |
| Common Chickweed | <i>Stellaria media</i> | 2019 |
| Lesser Chickweed | <i>Stellaria pallida</i> | 1991 |
| Annual Sea-blite | <i>Suaeda maritima</i> | 2013 |
| Black Bryony | <i>Tamus communis</i> | 2019 |
| Feverfew | <i>Tanacetum parthenium</i> | 2006 |
| Dandelion | <i>Taraxacum officinale agg.</i> | 2017 |
| Wood Sage | <i>Teucrium scorodonia</i> | 2017 |
| Large Thyme | <i>Thymus pulegioides</i> | 2018 |
| Upright Hedge-parsley | <i>Torilis japonica</i> | 2019 |
| Knotted Hedge-parsley | <i>Torilis nodosa</i> | 2019 |
| Goat's-beard | <i>Tragopogon pratensis</i> | 2019 |
| Lesser Trefoil | <i>Trifolium dubium</i> | 2015 |
| Zigzag Clover | <i>Trifolium medium</i> | 2012 |
| Red Clover | <i>Trifolium pratense</i> | 2019 |
| White Clover | <i>Trifolium repens</i> | 2019 |
| Scentless Mayweed | <i>Tripleurospermum inodorum</i> | 2019 |
| Sea Mayweed | <i>Tripleurospermum maritimum</i> | 2013 |
| Yellow Oat-grass | <i>Trisetum flavescens</i> | 2019 |
| Colt's-foot | <i>Tussilago farfara</i> | 2013 |
| Gorse | <i>Ulex europaeus</i> | 2017 |
| English Elm | <i>Ulmus procera</i> | 2015 |
| Common Nettle | <i>Urtica dioica</i> | 2019 |
| Small Nettle | <i>Urtica urens</i> | 1991 |
| Great Mullein | <i>Verbascum thapsus</i> | 2019 |
| Wall Speedwell | <i>Veronica arvensis</i> | 2015 |

| Common name | Scientific name | Last recorded |
|------------------------|----------------------------------|---------------|
| Germander Speedwell | <i>Veronica chamaedrys</i> | 2019 |
| Ivy-leaved Speedwell | <i>Veronica hederifolia</i> | 2012 |
| Wood Speedwell | <i>Veronica montana</i> | 2012 |
| Common Field-speedwell | <i>Veronica persica</i> | 2019 |
| Wayfaring-tree | <i>Viburnum lantana</i> | 2019 |
| Guilder-rose | <i>Viburnum opulus</i> | 2019 |
| Laurustinus | <i>Viburnum tinus</i> | 2017 |
| Tufted Vetch | <i>Vicia cracca</i> | 2019 |
| Narrow-leaved Vetch | <i>Vicia sativa subsp. nigra</i> | 1991 |
| Bush Vetch | <i>Vicia sepium</i> | 2019 |
| Smooth Tare | <i>Vicia tetrasperma</i> | 2015 |
| Greater Periwinkle | <i>Vinca major</i> | 2012 |
| Early Dog-violet | <i>Viola reichenbachiana</i> | 2012 |
| Rat's-tail Fescue | <i>Vulpia myuros</i> | 2015 |

Chromists: 21 species

| Common name | Scientific name | Last recorded |
|----------------|--------------------------------|---------------|
| - | <i>Cladostephus spongiosus</i> | 2010 |
| - | <i>Cutleria multifida</i> | 2010 |
| - | <i>Desmarestia ligulata</i> | 2010 |
| - | <i>Dictyota dichotoma</i> | 2014 |
| - | <i>Ectocarpus fasciculatus</i> | 2014 |
| - | <i>Elachista fucicola</i> | 2010 |
| Serrated Wrack | <i>Fucus serratus</i> | 2010 |
| Spiral Wrack | <i>Fucus spiralis</i> | 2010 |
| Bladder Wrack | <i>Fucus vesiculosus</i> | 2017 |
| - | <i>Hincksia granulosa</i> | 2010 |
| Oarweed | <i>Laminaria digitata</i> | 2010 |
| - | <i>Leathesia marina</i> | 2006 |
| - | <i>Punctaria latifolia</i> | 2010 |
| - | <i>Pylaiella littoralis</i> | 2010 |
| - | <i>Ralfsia verrucosa</i> | 2010 |
| Sugar Kelp | <i>Saccharina latissima</i> | 2010 |
| Wireweed | <i>Sargassum muticum</i> | 2010 |
| - | <i>Scytoniphon lomentaria</i> | 2010 |
| - | <i>Stragularia clavata</i> | 2010 |
| - | <i>Taonia atomaria</i> | 2006 |
| - | <i>Ulonema rhizophorum</i> | 2010 |