

Tobacco and Addiction Facts

Lecture 2

Prepared by Dr. Ibrahim AL-Jaafari

Tobacco and Addiction Facts

Smoking leads to disease and disability and harms nearly every organ of the body. Worldwide, tobacco use causes more than 7 million deaths per year. If the pattern of smoking all over the globe doesn't change, more than 8 million people a year will die from diseases related to tobacco use by 2030. (CDC)

Tobacco and Addiction Facts

Cigarette smoking is responsible for more than 480,000 deaths per year in the United States, including more than 41,000 deaths resulting from secondhand smoke exposure. This is about one in five deaths annually, or 1,300 deaths every day. (CDC)

Tobacco and Addiction Facts

On average, smokers die 10 years earlier than nonsmokers.

If smoking continues at the current rate among U.S. youth, 5.6 million of today's Americans younger than 18 years of age are expected to die prematurely from a smoking-related illness. (CDC)


Tobacco and Addiction Facts

The tobacco industry spends billions of dollars each year on cigarette and smokeless tobacco advertising and promotions.

In 2017, \$9.36 billion was spent on advertising and promotion of cigarettes. More than \$25 million every day, and more than \$1 million every hour. (CDC)

Number of deaths by risk factor, World, 2017

Total annual number of deaths by risk factor, measured across all age groups and both sexes.




Source: IHME, Global Burden of Disease (GBD)

CC BY

Share of deaths from smoking, 2017

Our World
in Data




Source: IHME, Global Burden of Disease

CC BY

Death rate from smoking, 2017

The annual number of deaths attributed to smoking per 100,000 people.

Our World
in Data




Source: IHME, Global Burden of Disease (GBD)

Note: To allow comparisons between countries and over time this metric is age-standardized.

CC BY

Death rates from smoking by age, World, 2017

Death rates are measured as the number of early deaths due to smoking per 100,000 individuals in a given demographic group.




Source: IHME, Global Burden of Disease

CC BY

Male and Female Deaths

Percentage of male and deaths due to tobacco use, all ages, 2016



تشير النتائج بأنه في عام 2016م بلغ عدد الوفيات المرتبطة بالتدخين في المملكة العربية السعودية 7,015
عدد وفيات الذكور = 5,245
عدد وفيات الإناث = 1,770


Source of information : TobaccoAtlas.org

Current Smokers, Kingdom of Saudi Arabia, 2013



Daily Shisha Smokers, Kingdom of Saudi Arabia, 2013





Good Luck for All Students

- Please do not hesitate to contact me if you have any questions.
- Dr. Ibrahim AL-Jaafari
- www.Alghamdi-Biostatistics.com
- **Email.** Bio-stat@Hotmail.com
- Mobile Number : 0553777925

سبحان الله وبحمده سبحان الله العظيم

ذكر الله أعظم ما في الوجود ،، لعل الله يرحمنا بعلم تعلمناه في الحياة
الدنيا

أستغفر الله