

NAME: _____
SURNAME: _____
DATE: _____
AGE: _____
SEX: _____

	COLORIMETRIC REACTION	
	POSITIVE	NEGATIVE
Well 1: Selective Medium for the isolation of <i>Streptococcus spp./Staphylococcus spp.</i>		
Well 2: Selective Medium for presumptive identification of <i>Streptococcus pneumoniae</i>		
Well 3: Selective Medium for presumptive identification of <i>Streptococcus pneumoniae</i>		
Well 4: Selective Medium for presumptive identification of <i>Streptococcus pyogenes</i>		
Well 5: Selective Medium for presumptive identification of <i>Streptococcus pyogenes</i>		
Well 6: Selective Medium for presumptive identification of <i>Streptococcus agalactiae</i>		
Well 7: Selective Medium for presumptive identification of <i>Haemophilus influenzae</i>		
Well 8: Selective Medium for presumptive identification of <i>Haemophilus influenzae</i>		
Well 9: Selective Medium for presumptive identification of Gram Negative bacteria		
Well 10: Selective Medium for presumptive identification of <i>Staphylococcus aureus</i>		
Well 11: Selective Medium for presumptive identification of <i>Staphylococcus aureus</i>		
Well 12: Selective Medium for presumptive identification of <i>Mycoplasma spp.</i>		
Well 13: Selective Medium for presumptive identification of <i>Mycoplasma spp.</i>		
Well 14: Selective Medium for presumptive identification of <i>Mycoplasma spp.</i>		
Well 15: Selective Medium for presumptive identification of <i>Mycoplasma spp.</i>		
Well 16: Selective Medium for presumptive identification of <i>Pseudomonas spp.</i>		
	ANTIMICROBIAL SUSCEPTIBILITY TEST	
	RESISTANT	SUSCEPTIBLE
Well 17: Culture medium containing PTZ 128/4 µg/mL		
Well 18: Culture medium containing CF 32 µg/mL		
Well 19: Culture medium containing CRO 64 µg/mL		
Well 20: Culture medium containing VAN 2 µg/mL		
Well 21: Culture medium containing CD 0,5 µg/mL		
Well 22: Culture medium containing AZM 32 µg/mL		
Well 23: Culture medium containing E 8 µg/mL		
Well 24: Culture medium containing GEN 16 µg/mL		
Well 25: Culture medium containing OFX 8 µg/mL		
Well 26: Culture medium containing SXT 4/76 µg/mL		
IDENTIFICATION OF <i>Candida spp.</i>	COLORIMETRIC REACTION	
	POSITIVE	NEGATIVE
Well 27: Culture medium for the isolation of <i>Candida spp.</i>		
Well 28: Culture medium for the isolation of <i>Candida spp.</i>		
	ANTIFUNGAL SUSCEPTIBILITY TEST	
	RESISTANT	SUSCEPTIBLE
Well 29: Culture medium containing FLC 64 µg/mL		
Well 30: Culture medium containing AMB 2 µg/mL		
Well 31: Culture medium containing KTC 1 µg/mL		
Well 32: Culture medium containing ITC 1 µg/mL		