

Page 1 of 8 PTG dL-1

Rev. Date 3/8/2018

1 - PRODUCT IDENTIFICATION

PRODUCT NAME:.....PTG dL-1

CHEMICAL NAME/SYNONYMS:.........Degreaser concentrate CHEMICAL FAMILY:.......Compounded products

CAS NUMBER: Proprietary

COMPANY: The Price Tech Group LLC **EMERGENCY PHONE:** For Chemical Emergency:

Spill, Leak, Fire, Exposure or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887

(collect calls accepted)

2 - HAZARDS IDENTIFICATION

GHS Classification and Label Elements:

Health	Physical	Environmental
Serious eye damage/eye irritation (2A) Skin corrosion/irritation (2)	Combustible liquids (4)	
Skin sensitization (1)		

Hazard Statements:

H227: Combustible liquid and vapor

H315: Causes skin irritation

H320: Causes eye irritation

H317: May cause an allergic skin reaction

Precautionary Statements:

Prevention

P210: Keep away from heat/sparks/open flames/hot surfaces

P240: Ground/bond container and receiving equipment

P241: Use explosion-proof electrical/ventilating/lighting equipment

P242: Use only non-sparking tools

P243: Take precautionary measures against static discharge

P260: Do not breathe mist or vapor

P264: Wash thoroughly after handling

P280: Wear eye protection

Response

P302+P361+P352: IF ON SKIN: Take off immediately all contaminated clothing. Wash with plenty of water

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a poison center/doctor

P363: Wash contaminated clothing before reuse

Storage

P233: Keep container tightly closed

P501: Dispose of contents and container to an approved waste disposal plant

Signal Word: Warning







3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS number(s)	GHS Classification	Concentration, %
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Serious eye damage/eye irritation: Category 2A, Skin corrosion/irritation: Category 2; H315, H318	≥35-≤45
D-Limonene	5989-27-5	Flammable liquids: Category 3; Skin corrosion/irritation: Category 2; Sensitization, skin: Category 1; Aspiration hazard: Category 1 H226, H304, H315, H317, H410	≥5-≤7
Other components		Not classified	Balance

4 - FIRST-AID MEASURES

Description of first-aid measures

General advice: Show this material safety data sheet to medical personnel. Do not leave affected person

unattended. Isolate exposed apparel for laundry before re-use.

Eye contact: Rinse eyes with water. Remove any contact lenses and continue flushing eyes with running water

for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eyes and

lids with water. Seek medical attention if irritation develops or persists.

Skin contact: Take off contaminated clothing and shoes immediately. Wash affected areas with plenty of water.

Seek medical attention if irritation develops or persists.

Ingestion: Rinse mouth with water.

Inhalation: Remove from area to fresh air. Seek medical attention if respiratory irritation develops or if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Risks: The most important known symptoms and effects are described in the labeling (section 2.2) and/or

in section 11. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling and blurred vision. Permanent eye damage including blindness could result. Prolonged or repeated skin contact may aggravate existing skin conditions. Inhalation of mists may aggravate existing

chronic respiratory conditions such as asthma, emphysema or bronchitis.

Indication of any immediate medical attention and special treatment needed

Note to physician: All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. Treat symptomatically.



5 - FIRE-FIGHTING MEASURES

Flash Point and Method: 145°F (63°C) Seta-Flash Closed Cup

Extinguishing media

Suitable extinguishing media: Alcohol resistant foam. Water fog. Dry chemical powder.

Carbon dioxide (CO₂)

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the

fire.

Special hazards arising from the substance or mixture

Special hazards during firefighting: Vapors may form explosive mixtures with air. Vapors may

travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

Container may rupture on heating

On combustion or on thermal decomposition: May include carbon oxides

Advice for firefighters

Special protective equipment for firefighters: As in any fire, wear NIOSH/MSHA approved, pressure-

demand self-contained breathing apparatus and full protective

gear.

Specific firefighting methods: No special methods required. Move containers from area if it

can be done without risk. Cool fire-exposed containers with water from side. Contain the extinguishing fluids by diking.

6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Spill area may be slippery. Wear appropriate protective equipment (See Section 8).

Environmental precautions

Avoid contact of spilled material and runoff with soil and surface waterways

Methods and material for containment and cleaning up

Recovery: Stop leak if safe to do so. Absorb spills with vermiculite, fuller's earth, or sand. Shovel up

and place in a non-metal waste container for disposal. Dike large spills with soil or sandbags to contain it and prevent its spread. Keep in suitable, properly labeled, closed

containers for disposal.

Decontamination/

cleaning: Wash non-recoverable remainder with large amounts of water. Clean contaminated

surfaces thoroughly. Recover the cleaning water for subsequent disposal.

Disposal: Dispose of in accordance with local regulations

Additional advice: Spill area may be slippery

Reference to other sections

No information available



7 - HANDLING and STORAGE

Precautions for safe handling

Technical measures: Does not require any specific or particular measures

Advice on safe handling and usage: Do not handle, store or open near an open flame, sources of heat or sources of

ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Avoid release to the environment. Wear appropriate protective equipment. Handle in accordance

with good industrial hygiene and safety practice

Conditions for safe storage, including any incompatibilities

Technical measures for storage: Does not require any specific or particular measures

Storage conditions

Recommended: Keep container tightly closed. Keep away from heat, and sunlight. Storage

temperature range: 5-30 \(\text{C}\). If material freezes, gently thaw prior to use.

Mild agitation may be required.

Incompatible products: Hazardous reactions may occur on contact with certain chemicals. Refer to the

list of incompatible materials section 10: "Incompatible materials"

Specific end use(s)

No information available

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Introductory remarks:

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should he handled in accordance with Section 13: Disposal considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers

Control parameters

Components with workplace control parameters

Components	Value	Control parameters	Basis	3			
D-Limonene	165.5 mg/m3	Time-Weighted Average	US.	NIOSH:	Pocket	Guide	to
	30 ppm	(TWA)	Chemical Hazards				

Exposure controls Control measures

Engineering measures:

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below

ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. Respiratory

protection is not required if good ventilation is maintained.

Personal protective equipment

Respiratory protection: In operations where mists are generated, wear a NIOSH/MSHA approved respirator

that has been selected by a technically qualified person for the specific work

conditions.

Hand protection: Wear long chemical resistant gloves. Observe instructions regarding

permeability and breakthrough time provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion and contact time. Gloves should be discarded and replaced if there is any indication of degradation or

chemical breakthrough.

Eye protection: Wear chemical splash goggles.

Skin and body protection: Wear footwear protecting against chemicals, and impervious clothing. Choose

body protection according to the amount and concentration of the substances in

the workplace.

Hygiene measures: Personal hygiene is an important work practice exposure control measure and

the following general measures should be taken when working with or handling

this material:

1) Do not store, use, and/or consume foods, beverages, tobacco products,

or cosmetics in areas where this material is stored.

2) Wash hands and face carefully before eating, drinking, using tobacco,

applying cosmetics, or using the toilet.

3) Wash exposed skin promptly to remove accidental splashes or contact with

material.

Protective measures: Ensure that eyewash stations and safety showers are close to the

workstation location, and that emergency equipment is immediately

accessible with instructions for use.

The protective equipment must be selected in accordance with current local standards and in following proper use instructions from the supplier of the

protective equipment.

Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and

the potential hazards, and/or risks that may occur during use.

9 - PHYSICAL / CHEMICAL PROPERTIES

Physical and chemical properties listed represent typical properties and should not be considered product specifications. Refer to product Certificate of Analysis for Product Specifications or contact The Price Tech Group LLC for additional information.

Information on basic physical and chemical properties

Appearance: Liquid
Odor: Mild citrus
Odor Threshold: No data available

pH (5% in water): 5-8

Freezing point:

Melting point/range:

Boiling point/boiling range:

No information available
No information available
No information available

Flash point: 145°F (63°C) Seta-Flash Closed Cup

Evaporation rate: No information available Flammability (solid, gas): No information available Flammability/Explosive limit: No information available Auto-ignition temperature: No information available Vapor pressure: No information available Vapor density: No information available

Density: 0.94 g/ml

Solubility: Water solubility: soluble Solubility in other solvents: Alcohols: soluble

Partition Coef.: n-octanol/water: Not applicable Surface-Active

Thermal decomposition: No information available

Viscosity: Semi-viscous

Explosive properties: No information available

Oxidizing properties: Not considered as oxidizing, Structure-activity relationship (SAR)

Other information

Ionic character: Anionic

10 - STABILITY and REACTIVITY

Reactivity: No information available

Chemical stability: Stable and non-reactive under normal conditions of use, storage and

transport

Possibility of hazardous reactions: No information available

Conditions to avoid: Avoid heat, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point.

Incompatible materials: Strong oxidizing agents **Hazardous decomposition products:** Oxides of carbon

11 - TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Acute oral: LD50 Rat >5,000 mg/kg
Acute dermal: LD50 Rabbit >5,000 mg/kg
Acute toxicity (other): No information available

Skin corrosion/irritation

Skin irritation: Causes skin irritation

Serious eye damage/eye irritation

Eye irritation: Causes eye irritation

Respiratory or skin sensitization

Sensitization: May cause an allergic skin reaction

Mutagenicity

Genotoxicity in vitro:

Genotoxicity in vivo:

No information available

No information available

Carcinogenicity

Carcinogenicity: This product does not contain any ingredient designated as

probable or suspected human carcinogens by IARC, ACGIH Toxicity for

reproduction and development

Toxicity to reproduction/fertility: No information available

Developmental toxicity/teratogenicity: No information available

Specific Target Organ Toxicity (STOT)

STOT-single exposure: No information available STOT-repeated exposure: No information available

Aspiration toxicity

Aspiration toxicity: No information available

12 - ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: Fish (acute): LC50 10-100 mg/L, 96hrs

Crustacea (acute) *Daphnia*: EC50 10-100 mg/L, 48hrs Algae (acute): EC50 10-100 mg/L, 72hrs

Aquatic toxicity: Category 3-Harmful to aquatic life

Persistence and degradability

Biodegradation: No information available

Bioaccumulative potential

Partition Coef.: n-octanol/water: No bioaccumulation is to be expected (log Pow<=4)

Bioconcentration factor (BCF): No information available

Mobility in soil

Known distribution to

environmental compartments: No information available

Results of PBT and vPvB assessment

No information available

Other adverse effects

Environmental assessment: No other adverse environmental effects (e.g. ozone depletion,

photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

13 - DISPOSAL CONSIDERATIONS

Waste treatment methods

RCRA Waste Code: Not regulated under RCRA 40CFR261

Product disposal: Observe all applicable federal, state, and local regulations

Packaging: Remove all residue when emptying

14 - TRANSPORTATION INFORMATION

DOT Hazard Classification: Not regulated (non-bulk packaging)

15 - REGULATIONS

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200 Safety, health and environmental regulations/legislation specific for the substance or mixture

Notification status:

Country	Regulatory list	Notification
USA	TSCA	Listed or in compliance with the requirements the inventory
Canada	DSL	Listed or in compliance with the requirements the inventory
EU	EINECS	Listed or in compliance with the requirements the inventory
Australia	AICS	Listed or in compliance with the requirements the inventory
China	IECSC	Listed or in compliance with the requirements the inventory
Philippines	PICCS	Listed or in compliance with the requirements the inventory

OSHA Hazard Communication Standard (26 CFR 1910.1200): Hazardous CERCLA (RQ)

Ingredient(s)	CAS#	Weight	CERCLA RQ	Section 302 TPQ
Not listed				

SARA/EPCRA Extremely Hazardous Substances (302/304/313)

Ingredient(s)	CAS#	Weight	RQ	TPQ
Not listed				

CAA (301/307/311)

Ingredient(s)	CAS#	Weight	RQ
Not listed			

CWA (301/307/311)

Ingredient(s)	CAS#	Weight	RQ
Not listed			



SARA Hazard Categories (40 CFR 370

Acute	Chronic	Fire	Pressure	Reactivity
Yes	No	Yes	No	No

State regulations

California Prop 65 Components. Carcinogens & Reproductive Toxicity (CRT): Not listed

Other regulations

WHMIS Classification

This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR

Classification: Toxic material causing other toxic effects

16 - OTHER INFORMATION

NFPA-Classification		HMIS-Classification	
Health	2 moderate	Health	2 moderate
Flammability	2 moderate	Flammability	2 moderate
Instability or Reactivity	0 insignificant	Reactivity	0 insignificant
		HMIS PPE	В
		B=Safety glasses, Gloves	

Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others and is correct to the best of our knowledge, information, and belief at the date of publication. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be held liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information. The buyer assumes all risks of the use and/or handling as such information is only given as guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification.

