

# A Level Biology A

H420/03 Unified biology

## Practice paper - Set 1

Time allowed: 1 hour 30 minutes

Yo	ou may use: a scientific calculator		
•			
•	a ruler (cm/mm)		

First name			
Last name			
Centre number	Candidate number		

#### **INSTRUCTIONS**

- Use black ink. HB pencil may be used for graphs and diagrams only.
- Complete the boxes above with your name, centre number and candidate number.
- Answer all the questions.
- Write your answer to each question in the space provided. If additional space is required, use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- · Do **not** write in the barcodes.

#### **INFORMATION**

- The total mark for this paper is **70**.
- The marks for each question are shown in brackets [ ].
- Quality of extended responses will be assessed in questions marked with an asterisk (\*).
- This document consists of 20 pages.

#### Answer all the questions.

1 Banana plants, *Musa* spp., first underwent artificial selection thousands of years ago. Early human populations discovered mutant banana plants that produced seedless, soft fruit. This mutation prevented pollen and seeds from developing.

Early human populations planted cuttings of these mutant plants. The bananas that are eaten today are descended from these cultivations.

(a)	Some scientists claim that banana crops will be extinct within a few years.
	Use the information above to justify the scientists' claim.
	[3]

(b) The apple tree, *Malus domestica*, is another species that humans have selectively bred.

Circumference and seed production, listed in Table 1.1, are two features of apple tree fruit that vary between individuals.

Complete Table 1.1 by writing the correct **word or phrase** in each box to describe the type of variation shown by each feature.

Feature	Cause of feature	Number of genes involved	Type of graph used to present data
Circumference (mm)			
Seed-containing / seedless			

Table 1.1

(c)\* The orange tree, Citrus sinensis, is another important crop plant.

Scientists applied the following treatments to commercial orange trees:

- Gibberellins were applied at various stages of development.
- Auxins were applied during development and to mature orange trees.

The treated orange trees were compared to untreated orange trees. Scientists observed that the treated trees:

- had slightly shorter roots
- grew taller
- all began to grow within two days of each other
- had fewer and shorter side branches
- retained their fruit and leaves for longer.

Suggest explanations for each of these observations.
[6]

- **2** Excretion is important in both animals and plants.
  - (a) Table 2.1 describes some processes that occur in plants.

In Table 2.1, write **YES** or **NO** in each box in the right-hand column to indicate whether or not each statement is an example of excretion.

Process	Is this an example of excretion?
Flowering plants release chemicals that attract pollinators.	
Excess chlorine and heavy metals are transferred to cells in the leaves. These substances are lost when leaves are shed by abscission.	
The common reed, <i>Phragmites australis</i> , releases acid from its roots to destroy competing species.	
Auxins are produced in apical cells and diffuse to the zone of elongation.	
Carbon dioxide produced in respiration diffuses out of leaves via stomata.	

Table 2.1 [2]

**(b)** The kidney is one of the organs of excretion in vertebrate animals.

Fig. 2.1 shows a light micrograph of a section through a kidney cortex.




Fig. 2.1

(i)	Name the parts of the kidney labelled <b>A</b> and <b>B</b> .
	A
	В
	[2]

(ii) Calculate the length of the line labelled X to Y.

Give your answer in micrometres ( $\mu m$ ) to two significant figures.

Answer = ......µm [2]

(c) Sodium ions and glucose are both reabsorbed into the blood from proximal convoluted tubules (PCTs) in the kidney.

(i)	A student designed an experiment to investigate the effect of temperature on the rate of glucose diffusion through dialysis tubing.
	State <b>two</b> factors that would need to be controlled in this experiment.
	1
	2
	[2]
(ii)	Describe the structural difference between alpha and beta glucose molecules.

(iii) Sulthiame is a drug that inhibits the enzyme carbonic anhydrase.

Fig. 2.2 shows the role of carbonic anhydrase in the PCT of the kidney.




Fig. 2.2

Using the information in Fig. 2.2, what can you conclude about the likely effect of

sulthiame on the reabsorption of sodium ions in the PCT?
[3]
h d

(d)	The measurement of kidney filtration rate provides an indication of the health of the
	kidneys.

A filtration rate of below  $60\,\mathrm{cm^3\,min^{-1}}$  for three consecutive months or more is a sign of chronic kidney disease.

A patient was found to have the following kidney filtration rates:

Month 1: 54.00 cm <sup>3</sup> min <sup>-1</sup>
Month 2: 4.85 x 10 <sup>-5</sup> m <sup>3</sup> min <sup>-1</sup>
Month 3: 1.12 cm <sup>3</sup> s <sup>-1</sup>
Month 4: 9.70 x 10 <sup>-7</sup> m <sup>3</sup> s <sup>-1</sup>

Do these results suggest the patient has chronic kidney disease?

Explain your conclusion using the information given.
[2

DNA replication and transcription are two processes that occur in the nucleus of eukaryotic

3

Detwee	n the two pr	rocesses.						
							•••••	
•••••		•••••	•••••	•••••	•••••		•••••	
•••••	•••••	••••••		•••••				
	•••••	•••••	•••••	•••••	•••••	••••••	•••••	•••••
•••••	•••••	••••••		•••••				•••••
•••••								•••••
							•••••	•••••
•••••								•••••
		•••••	•••••				•••••	
•••••		•••••					•••••	
•••••								
•••••							•••••	
							•••••	
		•••••					•••••	
•••••								
••••		•••••						

(b) DNA fragments can be separated using electrophoresis.

mass greater than the DNA band labelled Y.






Fig. 3.1

(i)	Describe how DNA can be visualised after electrophoresis has been completed.				
	[2]				
(ii)	Place a cross (X) <b>on Fig. 3.1</b> to indicate the position of a fragment of DNA with a				

[1]

- (c) (i) Mixtures of proteins can also be separated by electrophoresis.
  - Proteins are heated before being placed in the electrophoresis gel.
  - The gel contains a substance called SDS, which has a negative charge.
  - SDS binds to proteins.

	Suggest why proteins are neated before being placed in the electrophoresis gel.
	[1]
` '	Suggest why the binding of SDS to proteins is necessary for protein electrophoresis.
	[2]

**4** Peat bogs are ecosystems that contain unique communities of invertebrates, bird species, and wetland plants.

Sphagnum mosses represent a vital part of peat bog ecosystems. These species of moss require a high soil moisture content.

Almost all of the peat bogs in the UK have been affected by human activity.

The following management activities were planned in a peat bog ecosystem:

- the planting of a small area of conifer trees at the edge of the peatland
- a ban on the extraction of peat for use as compost
- reintroduction of natural sphagnum mosses
- the construction of a ditch as a flood prevention measure
- extended grazing by cattle and a large flock of sheep
- managed burning to create new growth for livestock grazing
- the construction of a boardwalk to replace several sets of footpaths

(a) (i) Suggest improvements that could be made to these plans.

	Explain why your improvements would help conservation of the peat bog ecosystem.
	[3]
(ii)	Explain why the <b>preservation</b> of peat bog ecosystems is <b>not</b> a strategy that can be used in most cases.
	[2]

**(b)** The invertebrate biodiversity of two different peat bog ecosystems was sampled. Values of Simpson's Diversity Index were calculated for both ecosystems. The results are shown in Table 4.1.

Species	Ecosystem A			Ecosystem B			
Species $n \frac{1}{n/N} \frac{(n/N)^2}{n} \frac{1}{n/N}$		n/N	$(n/N)^2$				
G. cottonae	3	0.0361	0.0013	14	0.15	0.0227	
G. servulus	1	0.0120	0.0001	12	0.13	0.0166	
C. cocksi	4	0.0482	0.0023	20	0.22	0.0462	
L. nigrifrons	24	0.2892	0.0836	25	0.27	0.0723	
E. cryptarum	yptarum 33 0.3976 0.1581		22	0.24	0.0560		
T. limbata 5 0.0602 0.0		0.0036					
S. litorea							
T. rivularis	1	0.0120	0.0001				
S. argus	4	0.0482	0.0023				
Σ =			0.2607			0.2138	
1-Σ =			0.7393			0.7862	

Table 4.1

(ii)	What can you conclude about the species evenness and richness of <b>Ecosystem A</b> in comparison to <b>Ecosystem B</b> ?	
		•••
		· • •
	[	2]

[3]

- (iii) Scientists planned to sample the biodiversity in another peat bog ecosystem. They identified three different areas within the ecosystem:
  - an area of conifer trees (800 m<sup>2</sup>)
  - a marshy area with a high water table (2400 m²)
  - a heavily grazed area (3200 m<sup>2</sup>)

Suggest the sampling strategy that the scientists should use and comment on the number of samples they should collect.
[3]

**(c)** The genetic diversity of the moss *Polytrichum commune* was analysed in two peat bog ecosystems.

Scientists measured genetic diversity by studying three gene loci. For each gene locus, they calculated the proportion of heterozygotes in each population. These values were used as a measure of genetic diversity.

The scientists sampled 72 individuals from Population A and 48 individuals from Population B.

The results of the genetic analysis are shown in Table 4.2.

	Number of heterozygous individuals				
	Locus 1	Locus 2	Locus 3		
Population A	65	69	60		
Population B	42	41	40		

Table 4.2

Using the data in Table 4.2, suggest which of the two populations of *P. commune* has the greater genetic diversity.

Explain your conclusion and show your working.

5 The rhythm and rate at which a human's heart beats can be determined by several factors.





Fig. 5.1

(a)	(i)	Describe and explain the differences between the two ECGs.
		[4]

	(ii)	An individual's cardiac output is calculated using the following equation:	
		Cardiac output = stroke volume x heart rate	
		The individual who produced ECG <b>Y</b> on Fig. 5.1 had a stroke volume of 80 cm <sup>3</sup> .	
		Calculate the cardiac output of the individual responsible for ECG Y.	
		Include appropriate units in your answer.	
		Answer	[3]
(b)		w an ECG trace <b>on Fig. 5.1</b> (next to <b>Z</b> ) to represent a recording from a patient with a opic heartbeat.	an
	Sho	w at least three cardiac cycles.	
			[2]
<b>/</b> -\	Har		
(c)		art rate can be increased by the hormone adrenaline, which binds to cardiac cells.	
	Des	scribe how adrenaline binds to cardiac cells.	
			[2]

- 6 Plants have evolved response mechanisms to a variety of abiotic and biotic stimuli.
  - (a) Flowering plants respond to changes in the length of day. The advantage of this response is that these plants begin to flower only when environmental conditions are favourable.

Karl Hamner studied the effect of exposure to light and darkness on flowering in cocklebur plants. He placed cocklebur plants in darkness for different periods of time. Some of his results are shown in Table 6.1.

Period of darkness (h)	Flash of light during the period of darkness?	Flower production	
8.5	No	Yes	
6.5	No	No	
12.5	Red light after 6 hours	No	
12.5	Red light after 6 hours, followed by a flash of far red light	Yes	
6.5	Several flashes of far red light	Yes	

#### Table 6.1

Suggest what conclusions can be drawn from the results in Table 6.1 about the effect of exposure to light and darkness on flowering in cockleburs.
[3]

(b)	Flowering plants often produce fruit.	
	State <b>one</b> hormone that promotes the ripening of fruit.	
		[1]
(c)	State <b>two responses</b> that some plants use to defend themselves from herbivory.	
		.[2]

### **END OF QUESTION PAPER**

#### **ADDITIONAL ANSWER SPACE**

If additional answer space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).




#### Copyright Information:

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material OCR will be happy to correct its mistake at the earliest possible

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.