

# GreenCourt®

## Mini-pitch systems



**NCE Sport**



**helo**  
sports  
the sports factory



# **GreenCourt<sup>®</sup>**

## What is it ?

**GreenCourt<sup>®</sup>** is the product line of our outdoor and indoor mini-pitch systems perfectly connecting sports and leisure.

Regardless if permanently installed or portable, **GreenCourt<sup>®</sup>** has the optimal solution for your intended use.

Revenue through sponsor advertising on rebound panels can provide continuing cash-flow to your organization.

**GreenCourt<sup>®</sup>** means years of experience combining continual product development with world-class service guaranteeing the best quality and safety.

We focus on recreational and elite players. **GreenCourt<sup>®</sup>** is tailored to everyone, so enjoy the many possibilities of our min-pitch system!

# Which is the right **GreenCourt**<sup>®</sup> for my project?

## Arena Pro

- I want a very rigid and weather-proof construction.
- It has to be a long-term panel system set in concrete, staying at the same place.
- Potentially I want a multifunctional solution (basketball, volleyball, etc.) and/or with more options (top net, LED lighting, etc.).

## Arena Smart

- Having a level and hard underground where the panel system can be anchored, it is possible to save foundation work costs.
- The construction shall be removable (max. 1-2 times per annum) but generally stay installed.
- It has to be a rigid and weather-proof design.

## StreetSoccer

- The weather-proof panel system shall be installed and disassembled more frequently. A space-saving transport and storage is important.
- Installation and removal shall be quick and easy (without tools).
- I want a system to be used for temporary events, festivities, fairs, etc..







# Index

	Arena Pro	Arena Smart	StreetSoccer
Robustness			
Steadiness (Stability)			
Portability			
Multi-functional options			

I have decided on a **GreenCourt®**.

The following pages show the different **GreenCourt®** systems with all sizes and options.

Go through step by step to get your desired **GreenCourt®**.

**GreenCourt®** ARENA PRO ..... 6

**GreenCourt®** ARENA SMART ..... 12

**GreenCourt®** STREETSOCCER ..... 16







# GreenCourt® Arena Pro

- highest quality and stability for a long-term use
- a permanent installation staying at the same place
- extended posts, fixed in concrete foundations
- incl. the technical creation of a foundation plan, exactly for your project
- certified by a German testing institute: robust, weather-proof, low noise
- basic lay-out:
  - surrounding panel system, approx. 100cm high, approx. 4cm thick
  - sandwich panel structure, PU hard foam with a steel coating (one side green, one side light grey)
  - basic construction made of corrosion-free aluminium
  - fully welded soccer goals, integrated into the panel system
  - one entrance door per goal, integrated into a side part
  - high-quality goal and door nets
- many possibilities (net constructions, lighting, basketball, volleyball, etc.),
- panels suitable for the application of advertising
- perfect for all ages in sports clubs, schools, recreational facilities, hotels, social and cultural facilities, on company premises and public areas



Top net construction (15 x 10 m)  
**Art.-Nr. 10-30**



Basketball construction  
**Art.-Nr. 10-18**



# GreenCourt® Arena Pro

## 1 Basic lay-out

- surrounding rebound wall system, 90° corners
- 2 soccer goals (oval goal frame profile) with one entrance door per goal (integrated into a side part)
- goal nets (mesh size 100mm), door nets (mesh size 45mm)

inside dimension of playing field	total perimeter length		
 <b>10 x 7 m</b>	34 m	with 2,4 x 1,6 m goals (1 m deep)	<b>10-01</b>
 <b>14 x 7 m</b>	42 m	with 2,4 x 1,6 m goals (1 m deep)	<b>10-02</b>
 <b>15 x 10 m</b>	50 m	with 3 x 2 m goals (1 m deep)	<b>10-03</b>
 <b>20 x 13 m</b>	66 m	with 3 x 2 m goals (1 m deep)	<b>10-04</b>
 <b>25 x 14 m</b>	78 m	with 4 x 2 m goals (1 m deep)	<b>10-05</b>
 <b>30 x 15 m</b>	90 m	with 3 x 2 m goals (1 m deep)	<b>10-06</b>
 <b>30 x 15 m</b>	90 m	with 4 x 2 m goals (1 m deep)	<b>10-07</b>
 <b>40 x 20 m</b>	120 m	with 3 x 2 m goals (1 m deep)	<b>10-08</b>
 <b>40 x 20 m</b>	120 m	with 4 x 2 m goals (1 m deep)	<b>10-09</b>

YOUR PLANNING AID FOR YOUR PERFECT **GreenCourt®** ARENA PRO

YOU CAN SIMPLY PLACE A CROSS TO MARK YOUR DESIRED OPTION

(1,2,5,6,8 ONLY ONE OPTION POSSIBLE / 3,4,7 POSSIBLE / TO COMBINE SEVERAL OPTIONS)

AND THEN GET YOUR PRICE WITH THE HELP OF YOUR PRICE LIST OR BY INQUIRING.



CIRCLE: ONLY ONE OPTION POSSIBLE



QUADRAT: SEVERAL OPTIONS CAN BE COMBINED

## 2 Side net constructions

	<b>surrounding net construction</b>	total height of 3m, mesh size 100 mm	<b>10-10</b>
	<b>surrounding net construction</b>	total height of 3m, mesh size 45 mm	<b>10-11</b>
	<b>surrounding net construction</b>	total height of 4m, mesh size 100 mm	<b>10-12</b>
	<b>surrounding net construction</b>	total height of 4m, mesh size 45 mm	<b>10-13</b>
	<b>net construction only at the short sides</b>	total height of 3m, mesh size 100 mm	<b>10-14</b>
	<b>net construction only at the short sides</b>	total height of 3m, mesh size 45 mm	<b>10-15</b>
	<b>net construction only at the short sides</b>	total height of 4m, mesh size 100mm	<b>10-16</b>
	<b>net construction only at the short sides</b>	total height of 4m, mesh size 45 mm	<b>10-17</b>
	<b>without a side net construction</b>		

other sizes: on request



### 3 Multi sport options

<input type="checkbox"/> basketball constructions on top of the goals	10-18
<input type="checkbox"/> basketball construction, installed on a long side post, without outreach	10-19
<input type="checkbox"/> volleyball multi posts, integrated into the panel system (up to a court width of 10 m)	10-20
<input type="checkbox"/> volleyball multi posts, incl. ground sockets with special lids	10-21
<input type="checkbox"/> <b>without</b> a side net construction	

### 4 Special constructions

<input type="checkbox"/> 45° de-escalation corners instead of the 90° corners	10-22
<input type="checkbox"/> anti-vandal goals (aluminium grid) instead of the standard goals	10-23
<input type="checkbox"/> wider entrance doors (1,5 m goal depth) instead of the standard doors	10-24
<input type="checkbox"/> cylinder lock mechanism in the entrance doors of the goals	10-25
<input type="checkbox"/> fold-up back part on a goal (access possibility)	10-26
<input type="checkbox"/> <b>no need</b> of a special construction	

### 5 LED-Lighting

<input type="radio"/> for 10 x 7 m / 14 x 7 m / 15 x 10 m / 20 x 13 m for 25 x 14 m / 30 x 15 m / 40 x 20 m	10-28 10-29
<input type="radio"/> <b>no need</b> of a lighting	

### 6 Top net construction

<input type="radio"/> for 10 x 7 m / 14 x 7 m / 15 x 10 m for 20 x 13m / 25 x 14m / 30 x 15m / 40 x 20m	10-30 10-31
<input type="radio"/> <b>no need</b> of a top net	

### 7 Other options

<input type="checkbox"/> advertising applied on the panels	10-32
<input type="checkbox"/> noise absorption through artificial turf on the inside of the panels	10-33
<input type="checkbox"/> powder coating of the aluminium parts	10-34
<input type="checkbox"/> <b>no need</b> of these other options	

### 8 Installation

<input type="radio"/> installation	10-35
<input type="radio"/> <b>no need</b> of an installation	





Top net construction (20 x 13 m)  
Art.-Nr. 10-31


Volleyball multi-post in ground sockets  
Art.-Nr. 10-21



Powder coating of the aluminium parts  
Art.-Nr. 10-34







- Arena Pro - special design „double court“









# GreenCourt® Arena Smart

- basic construction as Arena Pro, but free-standing, incl. special post supporting structures (approx. 0,5m outreach) instead of concreted post extensions
- no foundation work to be done if there is an appropriate underground
- system to stay installed in the long term but still able to be dismantled
- according to current standards: robust, weather-proof, low noise
- panels suitable for the application of advertising
- perfect for all ages in sports clubs, schools, recreational facilities, hotels, social and cultural facilities, on company premises and public areas








Basketball construction on the top of a goal  
**Art.-Nr. 12-18**



# GreenCourt® Arena Smart

## 1 Basic lay-out

- surrounding rebound wall system, 90° corners
- 2 soccer goals (oval goal frame profile) with one entrance door per goal (integrated into a side part)
- goal nets (mesh size 100mm), door nets (mesh size 45mm)

inside dimension of playing field	Total perimeter length		
 <b>10 x 7 m</b>	34 m	with 2,4 x 1,6 m goals (1 m deep)	<b>12-01</b>
 <b>14 x 7 m</b>	42 m	with 2,4 x 1,6 m goals (1 m deep)	<b>12-02</b>
 <b>15 x 10 m</b>	50 m	with 3 x 2 m goals (1 m deep)	<b>12-03</b>
 <b>20 x 13 m</b>	66 m	with 3 x 2 m goals (1 m deep)	<b>12-04</b>
 <b>25 x 14 m</b>	78 m	with 4 x 2 m goals (1 m deep)	<b>12-05</b>
 <b>30 x 15 m</b>	90 m	with 3 x 2 m goals (1 m deep)	<b>12-06</b>
 <b>30 x 15 m</b>	90 m	with 4 x 2 m goals (1 m deep)	<b>12-07</b>
 <b>40 x 20 m</b>	120 m	with 3 x 2 m goals (1 m deep)	<b>12-08</b>
 <b>40 x 20 m</b>	120 m	with 4 x 2 m goals (1 m deep)	<b>12-09</b>

YOUR PLANNING AID FOR YOUR PERFECT **GreenCourt®** ARENA SMART

YOU CAN SIMPLY PLACE A CROSS TO MARK YOUR DESIRED OPTION

(1,2,4,7,8 ONLY ONE OPTION POSSIBLE / 3,5,6 POSSIBLE TO COMBINE SEVERAL OPTIONS)

AND THEN GET YOUR PRICE WITH THE HELP OF YOUR PRICE LIST OR BY INQUIRING.












CIRCLE: ONLY ONE OPTION POSSIBLE



QUADRAT: SEVERAL OPTIONS CAN BE COMBINED

## 2 Side net constructions

	<b>surrounding net construction</b>	total height of 3 m, mesh size 100 mm	<b>12-10</b>
	<b>surrounding net construction</b>	total height of 3 m, mesh size 45 mm	<b>12-11</b>
	<b>surrounding net construction</b>	total height of 4 m, mesh size 100 mm	<b>12-12</b>
	<b>surrounding net construction</b>	total height of 4 m, mesh size 45 mm	<b>12-13</b>
	<b>net construction only at the short sides</b>	total height of 3 m, mesh size 100 mm	<b>12-14</b>
	<b>net construction only at the short sides</b>	total height of 3 m, mesh size 45 mm	<b>12-15</b>
	<b>net construction only at the short sides</b>	total height of 4 m, mesh size 100 mm	<b>12-16</b>
	<b>net construction only at the short sides</b>	total height of 4 m, mesh size 45 mm	<b>12-17</b>
	<b>without a side net construction</b>		

other sizes: on request



### 3 Multi sport options

<input type="checkbox"/> basketball constructions on top of the goals	12-18
<input type="checkbox"/> volleyball multi posts, incl. ground sockets with special lids	12-19
<input type="checkbox"/> <b>without</b> a side net construction	

### 4 LED-Lighting

<input type="radio"/> for 10 x 7 m / 14 x 7 m / 15 x 10 m / 20 x 13 m	12-20
<input type="radio"/> <b>no need</b> of a lighting	

### 5 Special constructions

<input type="checkbox"/> anti-vandal goals (aluminium grid) instead of the standard goals	12-21
<input type="checkbox"/> wider entrance doors (1,5 m goal depth) instead of the standard doors	12-22
<input type="checkbox"/> cylinder lock mechanism in the entrance doors of the goals	12-23
<input type="checkbox"/> <b>no need</b> of a special construction	

### 6 Other options

<input type="checkbox"/> advertising applied on the panels	12-24
<input type="checkbox"/> noise absorption through artificial turf on the inside of the panels	12-25
<input type="checkbox"/> powder coating of the aluminium parts	12-26
<input type="checkbox"/> <b>no need</b> of these other options	

### 7 Stability options

<input type="radio"/> mobile weights	12-27
<input type="radio"/> ground anchorings	12-28
<input type="radio"/> <b>no need</b> of a stability option	

### 8 Installation

<input type="radio"/> installation	12-29
<input type="radio"/> <b>no need</b> of an installation	







# GreenCourt® StreetSoccer

- mobile and flexible panel system for a temporary use
- quick installation and removal
- easy hooking-in and Velcro system, no bolted assembly
- certified by a German testing institute: robust, weather-proof, low noise
- basic lay-out:
  - surrounding panel system, approx. 90cm high, approx. 2,5cm thick
  - panels made of a plastic coated rigid foam (white)
  - basic construction made of corrosion-free aluminium
  - fully welded mini soccer goals, integrated into the panel system
  - entrance elements, integrated into panel system
- suitable for transport and storage due to a space-saving construction
- panels suitable for the application of advertising
- perfect for events, street festivals, city festivals, children's parties, company parties, club festivals, fairs, etc.









# GreenCourt® StreetSoccer

## 1 Basic lay-out

- surrounding rebound wall system, 90° corners
- soccer goals (square goal frame profile 80x80mm), without an entrance door
- goal nets (mesh size 120 mm)
- one entrance elements on each long side

Inside dimension of playing field	total perimeter length		
 <b>11 x 6 m</b>	34 m	with 1,8 x 1,2 m goals (0,7 m deep)	<b>13-01</b>
 <b>13 x 8 m</b>	42 m	with 1,8 x 1,2 m goals (0,7 m deep)	<b>13-02</b>
 <b>15 x 10 m</b>	50 m	with 1,8 x 1,2 m goals (0,7 m deep)	<b>13-03</b>
 <b>20 x 13 m</b>	66 m	with 3 x 2 m goals (1 m deep)	<b>13-04</b>

YOUR PLANNING AID FOR YOUR PERFECT **GreenCourt®** STREETSOCCER

YOU CAN SIMPLY PLACE A CROSS TO MARK YOUR DESIRED OPTION

(1 AND 2 ONLY ONE OPTION POSSIBLE / 3 POSSIBLE TO COMBINE SEVERAL OPTIONS)

AND THEN GET YOUR PRICE WITH THE HELP OF YOUR PRICE LIST OR BY INQUIRING.






CIRCLE: ONLY ONE OPTION POSSIBLE



QUADRAT: SEVERAL OPTIONS CAN BE COMBINED

## 2 Side net constructions


	<b>surrounding net construction</b>	total height of approx. 3 m, mesh size 120 mm	<b>13-05</b>
	<b>surrounding net construction</b>	total height of approx. 3m, mesh size 45mm	<b>13-06</b>
	<b>without</b> a side net construction		

## 3 Other options

<input type="checkbox"/>	foldable net hangers (goals)	<b>13-07</b>
<input type="checkbox"/>	advertising applied on the panels	<b>13-08</b>
<input type="checkbox"/>	mobile weights	<b>13-09</b>
<input type="checkbox"/>	powder coating of the aluminium parts	<b>13-10</b>

<input type="checkbox"/>	shot exercise tarpaulin for 1,8 x 1,2 m	<b>13-11</b>
<input type="checkbox"/>	shot exercise tarpaulin for 3 x 2m	<b>13-12</b>
<input type="checkbox"/>	<b>no need</b> of these other options	





mobile weights  
**Art. 13-09**



Powder coating  
**Art. 13-10**

Advertising applied on the panels  
**Art.-Nr. 13-08**





# **GreenCourt<sup>®</sup>**

Innovative mini-pitch systems

Questions please contact us at:

NCE Sport


Chris Brain

[www.ncesport.com](http://www.ncesport.com)

[cbrain@ncesportingevents.com](mailto:cbrain@ncesportingevents.com)

732-778-9105





# NEWSPAPER

## SPORT