

Gull Lake Basin Management Board ATTN: DAVID CAIRNS / JEFF SUGGETT Box 31, Grp 327, RR3 Beausejour MB ROE OCO

Date Received: 08-JUL-21 Report Date: 13-JUL-21 12:48 (MT) Version: FINAL

Client Phone: 204-799-1554

# Certificate of Analysis

Lab Work Order #: L2611384 Project P.O. #: Job Reference: C of C Numbers: Legal Site Desc:

NOT SUBMITTED 6011 LAKE MB

Hua Wo Chemistry Laboratory Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 1329 Niakwa Road East, Unit 12, Winnipeg, MB R2J 3T4 Canada | Phone: +1 204 255 9720 | Fax: +1 204 255 9721 ALS CANADA LTD Part of the ALS Group An ALS Limited Company

Environmental 🔊

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

## ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L2611384-1 6LBMB							
Sampled By: DC on 08-JUL-21 @ 11:11							
Matrix: LAKE/RIVER							
Nitrate + Nitrite							
Nitrate in Water by IC Nitrate (as N)	<0.020		0.020	mg/L		08-JUL-21	R5518841
Nitrate+Nitrite	<0.020		0.020	ing/E		00 00 21	110041
Nitrate and Nitrite as N	<0.070		0.070	mg/L		13-JUL-21	
Nitrite in Water by IC							
Nitrite (as N)	<0.010		0.010	mg/L		08-JUL-21	R5518841
Miscellaneous Parameters							
Phosphorus (P)-Total	0.0254		0.0030	mg/L		12-JUL-21	R5517411
Total Kjeldahl Nitrogen	1.90		0.20	mg/L	09-JUL-21	12-JUL-21	R5517562
Zebra Mussel veliger	0.0		0	Count/samp		09-JUL-21	R5516295
Note: No zebra mussel veligers observed.							
Total Coliform and E.coli by MPN QT97 Total Coliforms	961		1	MPN/100mL		08-JUL-21	R5516545
Escherichia Coli	<1		1	MPN/100mL		08-JUL-21	R5516545
							L

\* Refer to Referenced Information for Qualifiers (if any) and Methodology.

## **Reference Information**

### Test Method References:

LS Test Code	Matrix	Test Description	Method Reference**
I-TOTKJ-WP	Water	Total Kjeldahl Nitrogen	APHA 4500 NorgD (modified)
Aqueous samples are dig discrete analyzer with co	0	5 11	te as a catalyst. Total Kjeldahl Nitrogen is then analyzed using a
IO2+NO3-CALC-WP	Water	Nitrate+Nitrite	CALCULATION
IO2-IC-N-WP	Water	Nitrite in Water by IC	EPA 300.1 (mod)
norganic anions are ana	lyzed by lon	Chromatography with conductivity and/or UV de	etection.
IO3-IC-N-WP	Water	Nitrate in Water by IC	EPA 300.1 (mod)
norganic anions are ana	lyzed by lon	Chromatography with conductivity and/or UV de	etection.
-T-COL-WP	Water	Phosphorus, Total	APHA 4500 P PHOSPHORUS-L
This analysis is carried on the second stress of the second secon	01		'Phosphorus". Total Phosphorus is determined colourmetrically
C,EC-QT97-WP	Water	Total Coliform and E.coli by MPN QT97	APHA 9223B QT97
determined simultaneous at 35.0 +/- 0.5 degrees C	sly. The samp for 18 or 24	ble is mixed with a mixture of hydrolyzable subs	zyme Substrate Coliform Test". E. coli and Total Coliform are trates and then sealed in a 97-well packet. The packet is incubate positive responses are counted. The final results are obtained by
EBRA-ID-WP	Water	Zebra Mussel Identification	Microscopic Examination
Samples are sieved thro	ugh a 75 mic	rometer sieve and examined under a polarized	light stereoscopic microscope at 50x.
		nodifications from specified reference methods	

Laboratory Definition Code	Laboratory Location
WP	ALS ENVIRONMENTAL - WINNIPEG, MANITOBA, CANADA

### Chain of Custody Numbers:

### **GLOSSARY OF REPORT TERMS**

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample

mg/kg wwt - milligrams per kilogram based on wet weight of sample

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory. UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION. Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



## **Quality Control Report**

			Workorder:	L2611384	Re	port Date: 13-	JUL-21	Pa	ge 1 of
Client:	Box 31, G Beausejo	Grp 327, RR3 ur MB R0E (							
Contact:	DAVID C	AIRNS / JEFF							
est		Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
N-TOTKJ-WP		Water							
	R5517562								
WG3571783-1 Total Kjeldahl				98.3		%		75-125	12-JUL-21
WG3571783-1 Total Kjeldahl				<0.20		mg/L		0.2	12-JUL-21
NO2-IC-N-WP		Water							
Batch F	R5518841								
WG3571793-7 Nitrite (as N)	DUP		<b>L2611384-1</b> <0.010	<0.010	RPD-NA	mg/L	N/A	20	08-JUL-21
WG3571793-6 Nitrite (as N)	5 LCS			101.4		%		90-110	08-JUL-21
WG3571793-5 Nitrite (as N)	6 MB			<0.010		mg/L		0.01	08-JUL-21
WG3571793-8	8 MS		L2611384-1					0.01	00 302 21
Nitrite (as N)			220110041	101.8		%		75-125	08-JUL-21
NO3-IC-N-WP		Water							
Batch F	R5518841								
WG3571793-7 Nitrate (as N)			<b>L2611384-1</b> <0.020	<0.020	RPD-NA	mg/L	N/A	20	08-JUL-21
WG3571793-6 Nitrate (as N)				100.9		%		90-110	08-JUL-21
WG3571793-5 Nitrate (as N)				<0.020		mg/L		0.02	08-JUL-21
<b>WG3571793-8</b> Nitrate (as N)			L2611384-1	98.5		%		75-125	08-JUL-21
P-T-COL-WP		Water							
	R5517411								
WG3573764-1 Phosphorus (	8 LCS			96.1		%		80-120	12-JUL-21
WG3573764-1 Phosphorus (				<0.0030		mg/L		0.003	12-JUL-21
C,EC-QT97-WP		Water				J			
	R5516545								
WG3571978-1	MB			<1		MPN/100mL		1	08-JUL-21
Total Coliform	1S			<					()8_      71

### **Quality Control Report**

Workorder: L2611384

Report Date: 13-JUL-21

### Legend:

Limit	ALS Control Limit (Data Quality Objectives)
DUP	Duplicate
RPD	Relative Percent Difference
N/A	Not Available
LCS	Laboratory Control Sample
SRM	Standard Reference Material
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ADE	Average Desorption Efficiency
MB	Method Blank
IRM	Internal Reference Material
CRM	Certified Reference Material
CCV	Continuing Calibration Verification
CVS	Calibration Verification Standard
LCSD	Laboratory Control Sample Duplicate
	· · ·

#### Sample Parameter Qualifier Definitions:

Qualifier	Description
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

### Hold Time Exceedances:

All test results reported with this submission were conducted within ALS recommended hold times.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

Winnip Tel: (20 Fax: (2	29 Niakwa Rd. E.         eg. Manitoba R2J 3T4         04) 255-9720         204) 255-9721         ae: 1 800 607 7555	34-COFC K ORDER NO:					
FOR LABORATO	RY USE ONLY (SHADED AREAD)	AB NO.:					
	•	ACCEPTABLE DATE RECEIVED: 817/2021					
	Ambient Broken Leakage Inco						
		BY: <u>0 A</u> TEMP: <u>20,3 C</u>					
	1 B + C O	and the second					
Date Sampled:	<u>198</u> Time: <u>08</u> : <u>30</u> A.M. [⊉7 P.M. []	Date Required:					
Call	Love MD	Submitter's Name Printed: Drug (Carrows					
Location:	ughe MD						
(Town, Community, v	5119)	Sample Submitted By:					
Community Code Numbe	f:	Rural Municipality/LGC/UVD:					
SAMPLE TYPE DRINKING WATER Untreated Well Treated Well Non-Treated Municipal Water-Surface-Raw Water-Surface-Treate PURPOSE OF TEST Private Real Esta	NON-DRINKING WATER Sewage/Waste Water Swimming Pool Whirl Pool Other:SERVI	<b>C &amp; PRESS FIRMLY</b> NOTES & CONDITIONS         1. Quote number <u>MUST BE</u> provided to insure proper pricing.         2. Failure to properly complete all portions of this form may delay analysis         3. ALS's liability limited to cost of analysis.         CE REQUESTED         GULAR       PRIORITY         (50% SURCHARGE)       (100% SURCHARGE)					
LAB NUMBER	SAMPLE IDENTIFICATION	ALS CUSTOMER #: W10797 QUOTE #:					
		REPORT TO BE SENT TO					
··	61BMB ( bottle)	NAME: David Caims					
		COMPANY: GUILLake Basin My not Bar					
	1						
	RIA - D -IV	ADDRESS: BOX 31 GFT 327 RR3					
	Please do the	CITY/TOWN: Becuse Tour / PROV. Mb					
	Same as last year	POSTAL CODE: 10 GOCO					
	124462223	PHONE: 204-799-1554					
	Loci Providence	BY: MAIL 🗋 FAX					
	Mussell welegens	E-MAIL W g16mb16 @ gmc(1 COM					
		CC					
		NAME:					
····		ADDRESS:					
·	····	CITY/TOWN: / PROV.:					
		POSTAL CODE:					
		PHONE:					
<u></u>		BY: MAIL 🗆 FAX 🗌					
	1	(FAX NUMBER)					
A	1						
Analyses required		BILLING ADDRESS SAME AS REPORT TO					
		NAME:					
		COMPANY:					
		ADDRESS:					
		CITY/TOWN: / PROV.:					
		POSTAL CODE:					
SAMPLING INS	TRUCTIONS ON REVERSE SIDE	PAYMENT PARTICULARS (CASH NOT ACCEPTED)					
	S ENVIRONMENTAL	INVOICE NEEDED / CLIENT'S P.O. NO.					
12 - 1329 Niakwa	a Rd. E., Winnipeg, MB Canada R2J 3T4						
	20 Fax: +1 204 255 9721 www.alsglobal.com npbell Brothers Limited Company	CHEQUE Subtotal \$					
	ippen brannie Ennied Gempany	VISA G.S.T. \$					
		MASTERCARD Total \$					
		OUR POLICY IS NOT TO ACCEPT SAMPLES FROM THE PRIVATE CITIZEN WITHOUT PREPAYMENT					
S	UBMITTER COPY						
		ENTERED IN LIMS BY:					