

Folkestone and Hythe Birds

Tetrad Guide: TR23 E

(Cheriton Hill to Round Down, and Hawkinge)



Introduction

The tetrad TR23 E contains a section of the North Downs, between Cheriton Hill and Round Hill which is part of the Etchinghill to Folkestone Escarpment SSSI. Most of the Cherry Garden reservoirs lie within the tetrad. Crete Road West runs along the top of the escarpment and to the north lie farmland and part of the village of Hawkinge.


Map of TR23 E




Habitats and birds

The section of the North Downs has provided most of the interest within this tetrad. Although it has not been regularly watched during migration seasons it has produced several scarcer passage migrants such as Sedge Warbler, Garden Warbler, Firecrest, Ring Ouzel, Spotted Flycatcher and Redstart, amongst the more common species, with a Golden Oriole recorded in May 2022. A Nightingale held territory at Round Hill in May 2020 and Woodcock may sometimes be found in the wooded areas in winter.

There are a number of vantage points for observing visual migration and Woodpigeons, Stock Doves, Skylarks, Starlings, wagtails, pipits and finches may be seen in good numbers. In July 2021 a Black Stork was seen flying over and raptors have included Honey Buzzard, Red Kite, Hobby and Merlin.



Looking east along the Folkestone Downs escarpment from Cheriton Hill



Black Stork circling to the north of Crete Road West



Looking west along the Folkestone Downs escarpment towards Cheriton Hill, showing the White Horse



Looking east across fields inland of Castle Hill

The Cherry Garden reservoirs attracted a female Garganey in March 2010 and a Green Sandpiper in April 2022, whilst Common Sandpipers are occasionally noted on passage.

There is a small colony of House Martins in Hawkinge and a Hoopoe was seen there in May 2022.

Access and parking

Crete Road West runs along the top of the escarpment and has several places where it is possible to park, and this enables access to the Folkestone Escarpment which can be explored from the network of footpaths. Hawkinge is on the bus route between Folkestone and Canterbury.

Bird species diversity

An overall total of 95 species have been recorded within the tetrad, which ranks as the 26th richest in diversity amongst the 31 local tetrads as the table below demonstrates. The number of breeding and wintering species relate to those recorded in the 2007-2013 BTO/KOS atlas fieldwork.


| | Total | Rank/31 |
|-------------------|-------|------------------|
| Breeding species | 44 | 22 nd |
| Wintering species | 52 | 26 th |
| Species recorded | 95 | 26 th |

The full list of species that have been recorded is provided as Appendix 1.

Other Natural History

The tetrad contains part of the Folkestone to Etchinghill Escarpment SSSI – an extensive area of chalk grassland and scrub located on the steep escarpment above Folkestone. This site is one of the largest remaining areas of unimproved chalk downland in Kent.

TR23 E has the largest butterfly list of all the tetrads in the local area, with a total of 36. The escarpment holds Dingy Skipper, Silver-spotted Skipper, Wall, Green Hairstreak, Marbled White, Brown Argus, Adonis Blue, Small Blue and Chalk-hill Blue, whilst a population of White-letter Hairstreak has recently been discovered in elms at the foot of the slope. A Grizzled Skipper was reported at Round Hill in 2019, a Long-tailed Blue was seen at Castle Hill on the 14th September 2020 and White Admiral was added to the list in 2021 when one was seen at Castle Hill on the 13th July 2021. Brimstones are also seen regularly, as are the migrant species Clouded Yellow and Painted Lady and there is an old record of Dark Green Fritillary (from 1991).



Dingy Skippers at Cherry Garden Hill



Green Hairstreak at Folkestone Downs



Long-tailed Blue at Castle Hill



Adonis Blue at Folkestone Downs

Moths include the rare Straw Belle, which restricted to a few sites on the North Downs and one in Surrey, and several other species that are characteristic of downland, including *Acompsia schmidtiellus* (Marjoram Crest), *Thiotricha subocellea* (Eyelet Sober), *Coleophora lixella* (Downland Case-bearer), *Teleiodes sequax* (Barred Groundling), *Acleris aspersana* (Ginger Button), *Aethes tesserana* (Downland Conch), *Moitrelia obductella* (Kent Knot-horn), *Pempeliella ornatella* (Ornate Knot-horn), *Oncocera semirubella* (Rosy-striped Knot-horn), *Pyrausta cingulata* (Silver-barred Sable), *Pyrausta nigrata* (Wavy-barred Sable), Six-belted Clearwing, Sub-angled Wave, the Annulet, Chalk Carpet, Small Purple-barred, Clouded Buff, White Spot, Small Yellow Underwing and Burnet Companion.

Other moths of note have included *Caloptilia honoratella* (Pale Maple Slender), *Eudemis porphyrana* (Apple Marble), the Blackneck, Hummingbird Hawk-moth, the Gem, the Delicate and Pearly Underwing.

The south-facing slopes are perfect for Adders and other reptiles and some arthropod groups have been well-documented here, including the spiders (with over 60 species, including Wasp Spider) and the true flies (with over 500 species). In 2015 two male Red-veined Darters were seen at the Cherry Garden reservoirs.

The escarpment is home to the rare Late Spider Orchid and various other orchid species including Early Spider, Man, Bee, Fragrant and Pyramidal.



Straw Belle at Folkestone Downs



Aethes tesserana at Cherry Garden Hill



Small Yellow Underwing at Folkestone Downs



Caloptilia honoratella at Cherry Garden Hill



Late Spider Orchids at Folkestone Downs



Man Orchids at Folkestone Downs

A list of all species recorded in the tetrad is provided below in Appendix 2.

General History

Towards the southern boundary of the tetrad, just to the west of the Cherry Garden reservoirs there is a bronze age burial mound (or bowl barrow). On excavation it was found to contain remains, probably of a male, around 30 years old and about 5' 7" tall, in the centre of the barrow that were later passed to Folkestone Museum. The mound was slightly damaged by the construction of a pillbox on its summit in 1940 during World War II as part of Britain's anti-invasion preparations.

The Cherry Garden reservoirs are built into the hillside just off Crete Road West and extend into TR23 D. These were Victorian in construction, being built in about 1848. The buildings here used to house the steam pumping engines to pump water to Folkestone and underground there are two arched rooms about 88 feet long each, which were used as massive water tanks. Today the reservoirs are no longer part of the water supply for Folkestone.

The escarpment hosts a modern monument in the form of a 90m long white horse, constructed of trenches filled with limestone slabs. Planned as a Millennium Landmark, it was completed in June 2003 and was based on a design drawn by local artist Charlie Newington.



Bronze age bowl barrow and World War II pill box



Cherry Garden reservoirs

References

Folkestone to Etchinghill Escarpment SSSI 2022. www.yumpu.com/en/document/view/11350611/county-kent-site-name-folkestone-to-english-nature

The White Horse of Folkestone, no date. www.whitehorsefolkestone.co.uk/index.html

Turner, H. 1921. The Folkestone Waterworks Undertaking, 1848-1921.
<https://journals.sagepub.com/doi/abs/10.1177/146642402104200214?journalCode=rsha>

Acknowledgements

The map image was produced from the Ordnance Survey [Get-a-map service](#) and is reproduced with kind permission of [Ordnance Survey](#).

The photographs of Dingy Skipper and Long-tailed Blue were taken by Tony Poole, Green Hairstreak, Adonis Blue and Straw Belle were taken by Alfie Gay, *Aethes tesserana* was taken by Brian Harper (www.brizey.co.uk), the Small Yellow Underwing by James Hunter and all others by Ian Roberts.

Lists of the other fauna and flora which have been recorded in the tetrad were kindly provided by the Kent and Medway Biological Records Centre (www.kmbrc.org.uk).

Appendix 1: Species Lists – Birds: 95 species, excluding category E species

- Recorded in winter survey 2007-2012
- Recorded in breeding survey 2008-2013 – Confirmed breeding
- Recorded in breeding survey 2008-2013 – Probable breeding
- Recorded in breeding survey 2008-2013 – Possible breeding
- Recorded in breeding survey as a non-breeder or recorded outside of survey period
- ★ Rare migrant or vagrant (less than 50 area records)

| TR23 E - Bird List | Breeding | Wintering | Other |
|--------------------------|----------|-----------|-------|
| Red-legged Partridge | | | ● |
| Grey Partridge | | | ● |
| Pheasant | ● | ● | |
| ★ Garganey | | | ● |
| Mallard | | ● | |
| Teal | | | ● |
| Swift | ● | | |
| Cuckoo | ● | | |
| Feral Pigeon | ● | ● | |
| Stock Dove | ● | ● | |
| Woodpigeon | ● | ● | |
| Turtle Dove | | | ● |
| Collared Dove | ● | ● | |
| Moorhen | ● | ● | |
| Coot | | ● | |
| Lapwing | | ● | |
| Woodcock | | ● | |
| Common Sandpiper | | | ● |
| Green Sandpiper | | | ● |
| Black-headed Gull | | ● | |
| Mediterranean Gull | | ● | |
| Common Gull | | ● | |
| Herring Gull | | ● | |
| ★ Black Stork | | | ● |
| Cormorant | | ● | |
| Grey Heron | | | ● |
| Little Egret | | | ● |
| Honey Buzzard | | | ● |
| Sparrowhawk | ● | ● | |
| Red Kite | | | ● |
| Buzzard | | | ● |
| Tawny Owl | ● | | |
| ★ Hoopoe | | | ● |
| Great Spotted Woodpecker | ● | ● | |
| Green Woodpecker | ● | ● | |
| Kestrel | ● | ● | |
| Merlin | | | ● |
| Hobby | | | ● |
| ★ Golden Oriole | | | ● |
| Jay | ● | ● | |
| Magpie | ● | ● | |

| TR23 E - Bird List | Breeding | Wintering | Other |
|--------------------|----------|-----------|-------|
| Swallow | | | ● |
| House Martin | | | ● |
| Long-tailed Tit | ● | ● | |
| Willow Warbler | | ● | |
| Chiffchaff | ● | ● | |
| Sedge Warbler | | | ● |
| Blackcap | | | ● |
| Garden Warbler | | | ● |
| Lesser Whitethroat | | | ● |
| Whitethroat | | | ● |
| Firecrest | | | ● |
| Goldcrest | | ● | |
| Wren | ● | ● | |
| Nuthatch | | ● | |
| Treecreeper | ● | | |
| Starling | ● | ● | |
| Ring Ouzel | | | ● |
| Blackbird | ● | ● | |
| Fieldfare | | | ● |
| Redwing | | | ● |
| Song Thrush | ● | ● | |
| Mistle Thrush | | | ● |
| Spotted Flycatcher | | | ● |
| Robin | ● | ● | |
| Nightingale | | | ● |
| Redstart | | | ● |
| Wheatear | | | ● |
| House Sparrow | ● | ● | |
| Dunnock | ● | ● | |
| Yellow Wagtail | | | ● |
| Grey Wagtail | | | ● |
| Pied Wagtail | | | ● |
| Meadow Pipit | ● | ● | |
| Chaffinch | ● | ● | |
| Brambling | | | ● |
| Bullfinch | ● | ● | |
| Greenfinch | ● | ● | |
| ★ Twite | | | ● |
| Linnet | ● | | ● |
| Lesser Redpoll | | ● | |
| Goldfinch | ● | ● | |

TR23 E - Bird List

| | Breeding | Wintering | Other |
|---------------|----------|-----------|-------|
| Jackdaw | ● | ● | |
| Rook | | ● | |
| Carriion Crow | ● | ● | |
| Raven | | ● | |
| Coal Tit | | ● | |
| Marsh Tit | | | ● |
| Blue Tit | ● | ● | |
| Great Tit | ● | ● | |
| Skylark | ● | ● | |

TR23 E - Bird List


| | Breeding | Wintering | Other |
|----------------------------------|----------|-----------|-------|
| Siskin | | ● | |
| Corn Bunting | | | ● |
| Yellowhammer | ● | ● | |
| Reed Bunting | | ● | |
| Total | 44 | 52 | |
| Confirmed breeding | 16 | | |
| Probable breeding | 13 | | |
| Possible breeding | 15 | | |
| Total species recorded in tetrad | | | 95 |

Category E (escapees or deliberate releases)

| | |
|---------------------|---|
| Helmeted Guineafowl | ● |
|---------------------|---|

Appendix 2: Species Lists – Other Natural History

Information on other natural history has been kindly provided by the Kent and Medway Biological Records Centre (www.kmbrc.org.uk), with particular thanks to Tony Witts. A few additional records from other sources are also included, particularly with the Lepidoptera and the results of a Kent Botanical Recording Group field meeting in June 2022.



Amphibia (Amphibians): 2 species

| Common name | Scientific name | Last recorded |
|-------------|------------------------|---------------|
| Common Toad | <i>Bufo bufo</i> | 2020 |
| Common Frog | <i>Rana temporaria</i> | 2010 |

Reptilia (Reptiles): 4 species

| Common name | Scientific name | Last recorded |
|---------------|-------------------------|---------------|
| Adder | <i>Vipera berus</i> | 2015 |
| Grass Snake | <i>Natrix natrix</i> | 2010 |
| Slow-worm | <i>Anguis fragilis</i> | 2010 |
| Common Lizard | <i>Zootoca vivipara</i> | 2016 |

Mammalia (Mammals): 14 species

| Common name | Scientific name | Last recorded |
|-----------------------|----------------------------------|---------------|
| Wood Mouse | <i>Apodemus sylvaticus</i> | 2011 |
| Bank Vole | <i>Myodes glareolus</i> | 2011 |
| Field Vole | <i>Microtus agrestis</i> | 2011 |
| Grey Squirrel | <i>Sciurus carolinensis</i> | 2010 |
| Eurasian Common Shrew | <i>Sorex araneus</i> | 2014 |
| European Mole | <i>Talpa europaea</i> | 2014 |
| European Hedgehog | <i>Erinaceus europaeus</i> | 2010 |
| European Rabbit | <i>Oryctolagus cuniculus</i> | 2010 |
| Red Fox | <i>Vulpes vulpes</i> | 2015 |
| Eurasian Badger | <i>Meles meles</i> | 2015 |
| Common Pipistrelle | <i>Pipistrellus pipistrellus</i> | 2016 |
| Serotine | <i>Eptesicus serotinus</i> | 2016 |
| Natterer's Bat | <i>Myotis nattereri</i> | 1996 |
| Daubenton's Bat | <i>Myotis daubentonii</i> | 1996 |

Arari na (Mites and ticks): 5 species

| Common name | Scientific name | Last recorded |
|-------------|--------------------------------|---------------|
| - | <i>Eriophyes galii</i> | 1991 |
| - | <i>Eriophyes goniorthorax</i> | 1991 |
| - | <i>Eriophyes macrorhynchus</i> | 1991 |
| - | <i>Eriophyes similis</i> | 2006 |
| - | <i>Eriophyes thomasi</i> | 2006 |

Araneae (Spiders): 64 species

| Common name | Scientific name | Last recorded |
|-----------------------|-------------------------------|---------------|
| - | <i>Agyneta conigera</i> | 1988 |
| - | <i>Alopecosa pulverulenta</i> | 1988 |
| Garden Orb-Web Spider | <i>Araneus diadematus</i> | 1991 |
| Wasp Spider | <i>Argiope bruennichi</i> | 2009 |

| Common name | Scientific name | Last recorded |
|--------------------|---------------------------------|---------------|
| - | <i>Bathyphantes gracilis</i> | 1988 |
| - | <i>Bathyphantes parvulus</i> | 1988 |
| - | <i>Bathyphantes parvulus</i> | 1988 |
| - | <i>Ceratinella scabrosa</i> | 1988 |
| - | <i>Ceratinopsis stativa</i> | 1988 |
| - | <i>Clubiona diversa</i> | 1988 |
| - | <i>Clubiona neglecta</i> | 1988 |
| - | <i>Clubiona reclusa</i> | 1988 |
| - | <i>Clubiona subtilis</i> | 1988 |
| - | <i>Dismodicus bifrons</i> | 1988 |
| Woodlouse Spider | <i>Dysdera erythrina</i> | 1988 |
| - | <i>Enoplognatha thoracica</i> | 1988 |
| - | <i>Episinus angulatus</i> | 1988 |
| - | <i>Erigone dentipalpis</i> | 1988 |
| - | <i>Euophrys frontalis</i> | 1988 |
| - | <i>Gonatium rubens</i> | 1988 |
| - | <i>Hahnia nava</i> | 1988 |
| - | <i>Haplodrassus signifer</i> | 1988 |
| - | <i>Hypsosinga pygmaea</i> | 1988 |
| - | <i>Jacksonella falconeri</i> | 1988 |
| - | <i>Lepthyphantes ericaeus</i> | 1988 |
| - | <i>Lepthyphantes mengei</i> | 1988 |
| - | <i>Lepthyphantes tenuis</i> | 1988 |
| - | <i>Maso gallicus</i> | 1988 |
| - | <i>Meioneta beata</i> | 1988 |
| - | <i>Meioneta rurestris</i> | 1988 |
| - | <i>Meioneta saxatilis</i> | 1988 |
| - | <i>Metopobactrus prominulus</i> | 1988 |
| - | <i>Micaria pulicaria</i> | 1988 |
| - | <i>Micrargus herbigradus</i> | 1988 |
| Ant-Spider | <i>Myrmarachne formicaria</i> | 1988 |
| - | <i>Neon reticulatus</i> | 1988 |
| - | <i>Neottiura bimaculatum</i> | 1988 |
| - | <i>Oedothorax fuscus</i> | 1988 |
| - | <i>Ozyptila atomaria</i> | 1988 |
| - | <i>Ozyptila sanctuaria</i> | 1988 |
| - | <i>Pachygnatha degeeri</i> | 1988 |
| - | <i>Panamomops sulcifrons</i> | 1988 |
| - | <i>Pardosa nigriceps</i> | 1988 |
| - | <i>Pardosa palustris</i> | 1988 |
| - | <i>Pardosa pullata</i> | 1988 |
| - | <i>Pelecopsis parallela</i> | 1988 |
| - | <i>Peponocranium ludicum</i> | 1988 |
| - | <i>Pholcomma gibbum</i> | 1988 |
| Nursery-Web Spider | <i>Pisaura mirabilis</i> | 1988 |
| - | <i>Pocadicnemis juncea</i> | 1988 |
| - | <i>Robertus lividus</i> | 1988 |
| - | <i>Saaristoa abnormis</i> | 1988 |
| - | <i>Thanatus striatus</i> | 1988 |
| - | <i>Theridion bimaculatum</i> | 1988 |
| - | <i>Tibellus maritimus</i> | 1988 |
| - | <i>Tibellus oblongus</i> | 1988 |
| - | <i>Trachyzelotes pedestris</i> | 1988 |
| - | <i>Trochosa terricola</i> | 1988 |

| Common name | Scientific name | Last recorded |
|-------------|----------------------------------|---------------|
| - | <i>Walckenaeria antica</i> | 1988 |
| - | <i>Walckenaeria atrotibialis</i> | 1988 |
| - | <i>Walckenaeria furcillata</i> | 1988 |
| - | <i>Xysticus cristatus</i> | 1988 |
| - | <i>Xysticus erraticus</i> | 1988 |
| - | <i>Zora spinimana</i> | 1988 |

***Opiliones* (Harvestmen): 8 species**

| Common name | Scientific name | Last recorded |
|-------------|--------------------------------------|---------------|
| - | <i>Anelasmococephalus cambridgei</i> | 1991 |
| - | <i>Homalenotus quadridentatus</i> | 1991 |
| - | <i>Lophopilio palpinalis</i> | 1991 |
| - | <i>Mitopus morio</i> | 1991 |
| - | <i>Mitostoma chrysomelas</i> | 1991 |
| - | <i>Nemastoma bimaculatum</i> | 1991 |
| - | <i>Rilaena triangularis</i> | 1991 |
| - | <i>Trogulus tricarinatus</i> | 1991 |

***Chilopoda* (Centipedes): 2 species**

| Common name | Scientific name | Last recorded |
|-------------|---------------------------------|---------------|
| - | <i>Lithobius microps</i> | 1987 |
| - | <i>Necrophloeophagus flavus</i> | 1987 |

***Diplopoda* (Millipedes): 6 species**

| Common name | Scientific name | Last recorded |
|------------------------------|------------------------------|---------------|
| - | <i>Brachydesmus superus</i> | 1988 |
| - | <i>Cylindroiulus nitidus</i> | 1988 |
| Pill Millipede | <i>Glomeris marginata</i> | 2011 |
| Common Flat-backed Millipede | <i>Polydesmus angustus</i> | 1991 |
| - | <i>Polydesmus inconstans</i> | 1991 |
| - | <i>Polydesmus testaceus</i> | 1991 |

***Crustacea* (Crustaceans): 10 species**

| Common name | Scientific name | Last recorded |
|--------------------------|------------------------------------|---------------|
| Common Pill Woodlouse | <i>Armadillidium vulgare</i> | 1991 |
| -. | <i>Gammarus pulex</i> | 1991 |
| - | <i>Ligidium hypnorum</i> | 1991 |
| Common Shiny Woodlouse | <i>Oniscus asellus</i> | 1991 |
| Common Striped Woodlouse | <i>Philoscia muscorum</i> | 2011 |
| Ant Woodlouse | <i>Platyarthrus hoffmannseggii</i> | 1988 |
| - | <i>Porcellio dilatatus</i> | 1991 |
| Common Rough Woodlouse | <i>Porcellio scaber</i> | 2000 |
| Common Pygmy Woodlouse | <i>Trichoniscus pusillus</i> | 1991 |
| - | <i>Trichoniscus pygmaeus</i> | 1987 |

***Ephemeroptera* (Mayflies): 2 species**

| Common name | Scientific name | Last recorded |
|------------------|-----------------------|---------------|
| Iron Blue Mayfly | <i>Baetis muticus</i> | 1991 |
| - | <i>Baetis rhodani</i> | 1986 |

Plecoptera (Stoneflies): 1 species

| Common name | Scientific name | Last recorded |
|-------------|-------------------------|---------------|
| - | <i>Nemoura erratica</i> | 1991 |

Odonata (Damselflies and Dragonflies): 10 species

| Common name | Scientific name | Last recorded |
|-----------------------|-------------------------------|---------------|
| Banded Demoiselle | <i>Calopteryx splendens</i> | 2000 |
| Common Blue Damselfly | <i>Enallagma cyathigerum</i> | 2015 |
| Blue-tailed Damselfly | <i>Ischnura elegans</i> | 1991 |
| Brown Hawker | <i>Aeshna grandis</i> | 1996 |
| Migrant Hawker | <i>Aeshna mixta</i> | 2009 |
| Emperor Dragonfly | <i>Anax imperator</i> | 2014 |
| Broad-bodied Chaser | <i>Libellula depressa</i> | 2010 |
| Black-tailed Skimmer | <i>Orthetrum cancellatum</i> | 2010 |
| Red-veined Darter | <i>Sympetrum fonscolombii</i> | 2015 |
| Common Darter | <i>Sympetrum striolatum</i> | 2010 |

Orthoptera (Grasshoppers and Crickets): 7 species

| Common name | Scientific name | Last recorded |
|--------------------------|----------------------------------|---------------|
| Field Grasshopper | <i>Chorthippus brunneus</i> | 2000 |
| Meadow Grasshopper | <i>Chorthippus parallelus</i> | 2003 |
| Short-winged Cone-head | <i>Conocephalus dorsalis</i> | 2006 |
| Rufous Grasshopper | <i>Gomphocerippus rufus</i> | 1991 |
| Speckled Bush-cricket | <i>Leptophyes punctatissima</i> | 2000 |
| Dark Bush-cricket | <i>Pholidoptera griseoaptera</i> | 2000 |
| Great Green Bush Cricket | <i>Tettigonia viridissima</i> | 2006 |

Dermoptera (Earwigs): 1 species

| Common name | Scientific name | Last recorded |
|---------------|------------------------------|---------------|
| Common Earwig | <i>Forficula auricularia</i> | 2000 |

Hemiptera (True Bugs): 19 species

| Common name | Scientific name | Last recorded |
|--------------------------|----------------------------------|---------------|
| Common Flower Bug | <i>Anthocoris nemorum</i> | 2000 |
| - | <i>Aphrodes bicinctus</i> | 2000 |
| - | <i>Aphrophora alni</i> | 2000 |
| - | <i>Capsus ater</i> | 1991 |
| Tree Hopper | <i>Centrotus cornutus</i> | 1991 |
| - | <i>Cercopis vulnerata</i> | 1991 |
| - | <i>Conosanus obsoletus</i> | 1991 |
| - | <i>Dicyphus epilobii</i> | 1991 |
| - | <i>Eurygaster maura</i> | 2010 |
| - | <i>Euscelis incisus</i> | 2000 |
| - | <i>Eurygaster testudinaria</i> | 2022 |
| - | <i>Evacanthus interruptus</i> | 1991 |
| Woundwort Shieldbug | <i>Eysarcoris fabricii</i> | 1991 |
| Common Pondskater | <i>Gerris lacustris</i> | 1991 |
| Western Conifer Seed Bug | <i>Leptoglossus occidentalis</i> | 2016 |
| - | <i>Leptopterna ferrugata</i> | 1991 |
| - | <i>Lygocoris lucorum</i> | 1991 |

| Common name | Scientific name | Last recorded |
|---------------------|---------------------------------|---------------|
| Common Green Capsid | <i>Lygocoris pabulinus</i> | 1991 |
| - | <i>Megaloceraea recticornis</i> | 1991 |
| - | <i>Neides tipularius</i> | 1991 |
| - | <i>Neophilaenus lineatus</i> | 2000 |
| - | <i>Notostira elongata</i> | 2000 |
| Cuckoo-Spit Insect | <i>Philaenus spumarius</i> | 1991 |
| - | <i>Pithanus maerkeli</i> | 2000 |
| - | <i>Pithanus maerkelii</i> | 2000 |
| - | <i>Polymerus nigrinus</i> | 1991 |
| - | <i>Psyllopsis distinguenda</i> | 2000 |
| - | <i>Psyllopsis fraxini</i> | 1991 |
| - | <i>Stenodema laevigatum</i> | 1991 |

***Neuroptera* (Lacewings): 2 species**

| Common name | Scientific name | Last recorded |
|-----------------------|---------------------------|---------------|
| Common Green Lacewing | <i>Chrysoperla carnea</i> | 1991 |
| - | <i>Chrysoperla perla</i> | 1991 |

***Coleoptera* (Beetles): 106 species**

| Common name | Scientific name | Last recorded |
|--------------------------|------------------------------------|---------------|
| - | <i>Abax parallelepipedus</i> | 1991 |
| - | <i>Acupalpus meridianus</i> | 1988 |
| - | <i>Agriotes sputator</i> | 1988 |
| - | <i>Alaobia scapularis</i> | 1988 |
| - | <i>Anaspis maculata</i> | 1990 |
| - | <i>Anotylus sculpturatus</i> | 1988 |
| - | <i>Aphodius ater</i> | 1989 |
| - | <i>Aphodius erraticus</i> | 1989 |
| - | <i>Aphodius haemorrhoidalis</i> | 1988 |
| - | <i>Aphodius rufipes</i> | 1989 |
| - | <i>Aphthona atrovirens</i> | 1988 |
| - | <i>Aphthona herbigrada</i> | 1991 |
| - | <i>Athous bicolor</i> | 1991 |
| - | <i>Athous haemorrhoidalis</i> | 1990 |
| Spider Weevil | <i>Barypeithes araneiformis</i> | 1988 |
| Raspberry Flea Beetle | <i>Batophila rubi</i> | 1991 |
| - | <i>Bruchidius villosus</i> | 1988 |
| - | <i>Cantharis nigricans</i> | 1988 |
| - | <i>Carabus granulatus</i> | 1988 |
| Thistle Tortoise Beetle | <i>Cassida rubiginosa</i> | 1991 |
| - | <i>Catops nigricans</i> | 1988 |
| - | <i>Ceratapion carduorum</i> | 1991 |
| Cabbage Gall Weevil | <i>Ceutorhynchus assimilis</i> | 1991 |
| - | <i>Ceutorhynchus punctiger</i> | 1988 |
| - | <i>Chaetocnema hortensis</i> | 1988 |
| - | <i>Chaetophora spinosa</i> | 1988 |
| Small Nettle Weevil | <i>Cidnorhinus quadrimaculatus</i> | 1990 |
| Yellow Ants'-Nest Beetle | <i>Claviger testaceus</i> | 1989 |
| Wasp Beetle | <i>Clytus arietis</i> | 2000 |
| Orchid Beetle | <i>Dascillus cervinus</i> | 1988 |
| Lesser Stag Beetle | <i>Dorcus parallelipedus</i> | 2022 |
| - | <i>Drilus flavescens</i> | 1991 |

| Common name | Scientific name | Last recorded |
|----------------------------|--------------------------------------|---------------|
| - | <i>Drusilla canaliculata</i> | 1988 |
| - | <i>Enicmus transversus</i> | 1988 |
| - | <i>Eusphalerum luteum</i> | 1991 |
| - | <i>Falagria caesa</i> | 1988 |
| - | <i>Falagria thoracica</i> | 1988 |
| - | <i>Geostiba circellaris</i> | 1988 |
| - | <i>Geotrupes spiniger</i> | 1989 |
| - | <i>Grammoptera ruficornis</i> | 2000 |
| - | <i>Gymnetron pascuorum</i> | 1991 |
| - | <i>Haliplus lineatocollis</i> | 1991 |
| Harlequin Ladybird | <i>Harmonia axyridis</i> | 2018 |
| Ground beetle | <i>Harpalus parallelus</i> | 1991 |
| - | <i>Harpalus rufibarbis</i> | 1987 |
| - | <i>Hemicrepidius hirtus</i> | 1991 |
| - | <i>Hypera plantaginis</i> | 1988 |
| - | <i>Ischnopterapion loti</i> | 1988 |
| Glow-worm | <i>Lampyris noctiluca</i> | 1991 |
| - | <i>Leiodes badia</i> | 1988 |
| - | <i>Leiodes polita</i> | 1988 |
| - | <i>Leiosoma pyrenaeum</i> | 1988 |
| - | <i>Lesteva longoelytrata</i> | 1991 |
| - | <i>Licinus depressus</i> | 1988 |
| - | <i>Magdalis armigera</i> | 1990 |
| - | <i>Mantura matthewsi</i> | 1991 |
| - | <i>Megasternum obscurum</i> | 1988 |
| - | <i>Meligethes erythropus</i> | 1988 |
| - | <i>Meligethes lugubris</i> | 1988 |
| - | <i>Metopsia retusa</i> | 1988 |
| - | <i>Micropeplus staphylinoides</i> | 1988 |
| - | <i>Nargus anisotomoides</i> | 1988 |
| - | <i>Nargus velox</i> | 1988 |
| - | <i>Ocyphus aeneocephalus</i> | 1988 |
| - | <i>Ocyphus globulifer</i> | 1991 |
| - | <i>Ocyphus winkleri</i> | 1988 |
| - | <i>Oedemera lurida</i> | 2000 |
| Swollen-thighed Beetle | <i>Oedemera nobilis</i> | 2006 |
| - | <i>Onthophagus joannae</i> | 1988 |
| - | <i>Orthochaetes setiger</i> | 1991 |
| - | <i>Paederus littoralis</i> | 1988 |
| - | <i>Panagaeus bipustulatus</i> | 1991 |
| Celery Leaf Beetle | <i>Phaedon tumidulus</i> | 1990 |
| - | <i>Philonthus varians</i> | 1991 |
| Small Green Nettle Weevil | <i>Phyllobius roboretanus</i> | 1990 |
| Small Green Nettle Weevil | <i>Phyllobius viridiaebris</i> | 1990 |
| - | <i>Platystethus capito</i> | 1988 |
| 14-spot Ladybird | <i>Propylea quatuordecimpunctata</i> | 1991 |
| 22-spot Ladybird | <i>Psyllobora vigintiduopunctata</i> | 1991 |
| Rain-Clock | <i>Pterostichus madidus</i> | 1991 |
| - | <i>Ptomaphagus subvillosus</i> | 1988 |
| Red-headed Cardinal Beetle | <i>Pyrochroa serraticornis</i> | 2000 |
| Common Red Soldier Beetle | <i>Rhagonycha fulva</i> | 2006 |
| - | <i>Rhizophagus ferrugineus</i> | 1991 |
| Apple Fruit Rhynchites | <i>Rhynchites aequatus</i> | 2000 |
| - | <i>Rhyzobius litura</i> | 1991 |

| Common name | Scientific name | Last recorded |
|--------------------|----------------------------------|---------------|
| - | <i>Rutpela maculata</i> | 2000 |
| - | <i>Sepedophilus nigripennis</i> | 1988 |
| - | <i>Sericoderus lateralis</i> | 1988 |
| Black Snail Beetle | <i>Silpha atrata</i> | 1988 |
| Clover Weevil | <i>Sitona sulcifrons</i> | 1988 |
| - | <i>Squamapion atomarium</i> | 1988 |
| - | <i>Stenopterapion tenue</i> | 1988 |
| - | <i>Stenus brunnipes</i> | 1988 |
| - | <i>Stenus flavipes</i> | 1991 |
| - | <i>Stenus fulvicornis</i> | 1988 |
| - | <i>Stenus impressus</i> | 1988 |
| - | <i>Stenus picipennis</i> | 1991 |
| 24-spot Ladybird | <i>Subcoccinella 24-punctata</i> | 1991 |
| - | <i>Tachyporus hypnorum</i> | 1991 |
| - | <i>Trachyphloeus alternans</i> | 1988 |
| - | <i>Trachyphloeus aristatus</i> | 1988 |
| - | <i>Tychius junceus</i> | 1988 |
| - | <i>Tychius picirostris</i> | 1988 |
| - | <i>Xantholinus linearis</i> | 1988 |
| - | <i>Zyras humeralis</i> | 1988 |

Diptera (True Flies): 509 species

| Common name | Scientific name | Last recorded |
|---------------------------------|----------------------------------|---------------|
| - | <i>Achalcus cinereus</i> | 1991 |
| - | <i>Agathomyia antennata</i> | 2000 |
| - | <i>Agromyza pseudoreptans</i> | 1991 |
| - | <i>Anthomyia confusanea</i> | 2000 |
| - | <i>Anthomyia liturata</i> | 2000 |
| - | <i>Anthomyia pluvialis</i> | 2000 |
| - | <i>Anthomyia procellaris</i> | 1990 |
| - | <i>Anthomyza gracilis</i> | 1991 |
| - | <i>Anthomyza pleuralis</i> | 1991 |
| - | <i>Anthomyza ungulata</i> | 1991 |
| - | <i>Aplomya confinis</i> | 2009 |
| - | <i>Argyra diaphana</i> | 2000 |
| - | <i>Argyra leucocephala</i> | 2000 |
| - | <i>Asteia amoena</i> | 2000 |
| - | <i>Asteia concinna</i> | 2000 |
| - | <i>Atelestus pulicarius</i> | 1991 |
| - | <i>Atypophthalmus inustus</i> | 1974 |
| - | <i>Austrolimnophila ochracea</i> | 2000 |
| - | <i>Azelia cilipes</i> | 1991 |
| - | <i>Azelia nebulosa</i> | 2000 |
| - | <i>Azelia zettersteadi</i> | 1991 |
| - | <i>Baccha elongata</i> | 2000 |
| Murky-legged Black Legionnaire | <i>Beris chalybata</i> | 1991 |
| Long-horned Black Legionnaire | <i>Beris geniculata</i> | 1991 |
| Yellow-legged Black Legionnaire | <i>Beris morrisii</i> | 2000 |
| Common Orange Legionnaire | <i>Beris vallata</i> | 1991 |
| - | <i>Bibio anglicus</i> | 1991 |
| - | <i>Bibio leucopterus</i> | 1991 |
| St Marks Fly | <i>Bibio marci</i> | 2015 |
| - | <i>Blaesoxipha erythrura</i> | 2000 |

| Common name | Scientific name | Last recorded |
|---------------------------|----------------------------------|---------------|
| Dotted Bee-fly | <i>Bombylius discolor</i> | 2017 |
| Dark-edged Bee-fly | <i>Bombylius major</i> | 2013 |
| - | <i>Botanophila striolata</i> | 2000 |
| - | <i>Calamontocosis minima</i> | 1991 |
| - | <i>Calliopum aeneum</i> | 1991 |
| - | <i>Calliopum simillimum</i> | 1991 |
| Common Bluebottle | <i>Calliphora vicina</i> | 2000 |
| Orange-bearded Bluebottle | <i>Calliphora vomitoria</i> | 1991 |
| - | <i>Callomyia amoena</i> | 1991 |
| - | <i>Campichoeta punctum</i> | 2000 |
| - | <i>Campsicnemus curvipes</i> | 2000 |
| - | <i>Cerodontha biseta</i> | 2000 |
| - | <i>Cerodontha caricicola</i> | 1991 |
| - | <i>Cerodontha denticornis</i> | 2000 |
| - | <i>Cetema elongata</i> | 1991 |
| - | <i>Cetema elongatum</i> | 2000 |
| - | <i>Chaetorellia jaceae</i> | 1991 |
| - | <i>Chalarus fimbriatus</i> | 1991 |
| - | <i>Chalarus pughi</i> | 1991 |
| - | <i>Chamaemyia polystigma</i> | 1991 |
| - | <i>Chamaepsila rosae</i> | 1986 |
| - | <i>Cheilosia albitarsis</i> | 2000 |
| - | <i>Cheilosia cynocephala</i> | 1999 |
| - | <i>Cheilosia illustrata</i> | 1991 |
| - | <i>Cheilosia impressa</i> | 1991 |
| - | <i>Cheilosia pagana</i> | 1991 |
| - | <i>Cheilosia vernalis</i> | 1991 |
| - | <i>Cheilotrichia cinerascens</i> | 1991 |
| - | <i>Chelifera precatoria</i> | 1991 |
| Broad Centurion | <i>Chloromyia formosa</i> | 2000 |
| - | <i>Chlorops calceata</i> | 1991 |
| - | <i>Chlorops hypostigma</i> | 1991 |
| - | <i>Chlorops interrupta</i> | 1991 |
| - | <i>Chlorops interruptus</i> | 2000 |
| - | <i>Chlorops novakii</i> | 1991 |
| - | <i>Chlorops serena</i> | 1991 |
| - | <i>Chrysogaster hirtella</i> | 1991 |
| - | <i>Chrysogaster solstitialis</i> | 1991 |
| Little Snipefly | <i>Chrysopilus asiliformis</i> | 2000 |
| Black Snipefly | <i>Chrysopilus cristatus</i> | 1991 |
| - | <i>Chrysotoxum bicinctum</i> | 1991 |
| - | <i>Chrysotus blepharosceles</i> | 2000 |
| - | <i>Chrysotus gramineus</i> | 2000 |
| - | <i>Chrysotus neglectus</i> | 1991 |
| - | <i>Chyliza scutellata</i> | 1991 |
| - | <i>Cinochira atra</i> | 2000 |
| - | <i>Cleigastra apicalis</i> | 1991 |
| - | <i>Clusiodes albimanus</i> | 2000 |
| - | <i>Clusiodes gentilis</i> | 2000 |
| - | <i>Clusiodes verticalis</i> | 2000 |
| - | <i>Coenosia agromyzina</i> | 1991 |
| - | <i>Coenosia infantula</i> | 2000 |
| - | <i>Coenosia mollicula</i> | 1991 |
| - | <i>Cordilura albipes</i> | 1991 |

| Common name | Scientific name | Last recorded |
|--------------------|----------------------------------|---------------|
| - | <i>Cordilura pubera</i> | 1991 |
| - | <i>Coremacera marginata</i> | 2000 |
| - | <i>Cryptonevra tarsata</i> | 1991 |
| - | <i>Culex pipiens</i> | 2000 |
| - | <i>Dasineura fraxini</i> | 1991 |
| - | <i>Dasineura urticae</i> | 1987 |
| - | <i>Dasiops mucronatus</i> | 1991 |
| - | <i>Dasysyrphus lunulatus</i> | 1991 |
| - | <i>Delia brassicae</i> | 2000 |
| - | <i>Delia florilega</i> | 2000 |
| - | <i>Delia platura</i> | 2000 |
| - | <i>Diastata fuscula</i> | 2000 |
| - | <i>Diastata inornata</i> | 1991 |
| - | <i>Dicraeus fennicus</i> | 1991 |
| - | <i>Dicraeus scibilis</i> | 1991 |
| - | <i>Dicraeus styriacus</i> | 2000 |
| - | <i>Dicraeus vagans</i> | 2000 |
| - | <i>Dicraeus vallaris</i> | 1991 |
| - | <i>Dicranomyia chorea</i> | 1986 |
| - | <i>Dicranomyia fusca</i> | 2000 |
| - | <i>Dicranomyia mitis</i> | 2000 |
| - | <i>Dicranomyia modesta</i> | 2000 |
| - | <i>Dicranota bimaculata</i> | 1991 |
| - | <i>Dicranota pavida</i> | 1991 |
| Fever Fly | <i>Dilophus febrilis</i> | 1991 |
| - | <i>Dilophus femoratus</i> | 1991 |
| - | <i>Discachaeta pumila</i> | 2000 |
| - | <i>Dithryca guttularis</i> | 2000 |
| - | <i>Dixa nubilipennis</i> | 1991 |
| - | <i>Dixa submaculata</i> | 2000 |
| - | <i>Dolichocephala engeli</i> | 1991 |
| - | <i>Dolichocephala irrorata</i> | 1991 |
| - | <i>Dolichopus brevipennis</i> | 1991 |
| - | <i>Dolichopus festivus</i> | 1991 |
| - | <i>Dolichopus griseipennis</i> | 2000 |
| - | <i>Dolichopus ungulatus</i> | 1991 |
| - | <i>Drapetis ephippiata</i> | 2000 |
| - | <i>Drosophila andalusiaca</i> | 1991 |
| - | <i>Elachiptera cornuta</i> | 2000 |
| - | <i>Elachiptera diastema</i> | 2000 |
| - | <i>Elachiptera megaspis</i> | 1991 |
| - | <i>Elachiptera tuberculifera</i> | 1991 |
| - | <i>Eloeophila maculata</i> | 1986 |
| - | <i>Empis aestiva</i> | 1991 |
| - | <i>Empis caudatula</i> | 1991 |
| - | <i>Empis femorata</i> | 1991 |
| - | <i>Empis lutea</i> | 1991 |
| - | <i>Empis nuntia</i> | 1991 |
| - | <i>Empis praevia</i> | 1986 |
| - | <i>Empis tessellata</i> | 2000 |
| - | <i>Empis trigramma</i> | 1991 |
| - | <i>Epiphragma ocellare</i> | 2000 |
| - | <i>Epistrophe eligans</i> | 2000 |
| Marmalade Hoverfly | <i>Episyrrhus balteatus</i> | 2014 |

| Common name | Scientific name | Last recorded |
|-----------------|--|---------------|
| - | <i>Erioconopa trivialis</i> | 1974 |
| - | <i>Erioptera divisa</i> | 1991 |
| - | <i>Erioptera fuscuenta</i> | 1991 |
| - | <i>Erioptera hybrida</i> | 2000 |
| - | <i>Erioptera lutea form taenionota</i> | 1991 |
| - | <i>Erioptera maculata</i> | 1991 |
| - | <i>Erioptera occoecata</i> | 1991 |
| - | <i>Erioptera stictica</i> | 1991 |
| - | <i>Eriothrix rufomaculata</i> | 2000 |
| - | <i>Eristalis arbustorum</i> | 1991 |
| - | <i>Eristalis intricarius</i> | 1991 |
| - | <i>Eristalis pertinax</i> | 2000 |
| - | <i>Eristalis tenax</i> | 2000 |
| - | <i>Eudorylas obscurus</i> | 1991 |
| - | <i>Euleia heraclei</i> | 2000 |
| Lesser Bulb-Fly | <i>Eumerus tuberculatus</i> | 2000 |
| - | <i>Eupeodes corollae</i> | 2000 |
| - | <i>Euthycera fumigata</i> | 1991 |
| - | <i>Fannia armata</i> | 2000 |
| - | <i>Fannia fuscula</i> | 1991 |
| - | <i>Fannia manicata</i> | 1991 |
| - | <i>Fannia monilis</i> | 1991 |
| - | <i>Fannia rondanii</i> | 1991 |
| - | <i>Fannia serena</i> | 1991 |
| - | <i>Fannia similis</i> | 2000 |
| - | <i>Fannia sociella</i> | 2000 |
| - | <i>Fannia subsimilis</i> | 1991 |
| - | <i>Ferdinandea cuprea</i> | 2000 |
| - | <i>Geomysa breviseta</i> | 1991 |
| - | <i>Geomysa subnigra</i> | 2000 |
| - | <i>Geomysa tripunctata</i> | 2000 |
| - | <i>Geomysa venusta</i> | 2000 |
| - | <i>Gonempeda flava</i> | 1974 |
| - | <i>Gonomyia lateralis</i> | 2000 |
| - | <i>Gonomyia recta</i> | 1991 |
| - | <i>Graphomya maculata</i> | 1991 |
| - | <i>Gymnocheta viridis</i> | 1990 |
| - | <i>Haematobosca stimulans</i> | 2000 |
| - | <i>Hebecnema nigra</i> | 1991 |
| - | <i>Hebecnema umbratica</i> | 2000 |
| - | <i>Hebecnema vespertina</i> | 1991 |
| - | <i>Heleomyza serrata</i> | 1991 |
| - | <i>Helicophagella crassimargo</i> | 1991 |
| - | <i>Helicophagella rosellei</i> | 1991 |
| - | <i>Helina depuncta</i> | 2000 |
| - | <i>Helina impuncta</i> | 2000 |
| - | <i>Helina lasiophthalma</i> | 2000 |
| - | <i>Helina maculipennis</i> | 1991 |
| - | <i>Helina reversio</i> | 1991 |
| - | <i>Helius flavus</i> | 1991 |
| - | <i>Helophilus pendulus</i> | 2000 |
| - | <i>Hercostomus assimilis</i> | 1991 |
| - | <i>Hercostomus nanus</i> | 1991 |
| - | <i>Hercostomus parviflamellatus</i> | 2000 |

| Common name | Scientific name | Last recorded |
|---------------------------|----------------------------------|---------------|
| - | <i>Herina germinationis</i> | 2000 |
| - | <i>Herina lugubris</i> | 1991 |
| - | <i>Heteronychia dissimilis</i> | 1990 |
| - | <i>Heteronychia filia</i> | 2000 |
| - | <i>Hilara anglostanica</i> | 1991 |
| - | <i>Hilara brevistyla</i> | 1991 |
| - | <i>Hilara chorica</i> | 1991 |
| - | <i>Hilara cornicula</i> | 1991 |
| - | <i>Hilara fuscipes</i> | 2000 |
| - | <i>Hilara litorea</i> | 1991 |
| - | <i>Hilara longivittata</i> | 1990 |
| - | <i>Hilara thoracica</i> | 2000 |
| - | <i>Hybos culiciformis</i> | 2000 |
| - | <i>Hybos femoratus</i> | 1991 |
| - | <i>Hydrellia modesta</i> | 2000 |
| - | <i>Hydrophoria ruralis</i> | 1991 |
| - | <i>Hylemya vagans</i> | 2000 |
| - | <i>Hypophyllus crinipes</i> | 1991 |
| - | <i>Ilisia maculata</i> | 1986 |
| - | <i>Incertella antennata</i> | 1990 |
| - | <i>Jaapiella veronicae</i> | 2006 |
| - | <i>Lejogaster metallina</i> | 1991 |
| Slender-footed Robberfly | <i>Leptarthus brevirostris</i> | 1991 |
| - | <i>Leptocera fontinalis</i> | 1991 |
| - | <i>Leptocera nigra</i> | 1991 |
| Striped Slender Robberfly | <i>Leptogaster cylindrica</i> | 1991 |
| - | <i>Leptopeza flavipes</i> | 1991 |
| - | <i>Leucozona lucorum</i> | 2000 |
| - | <i>Limnophila adjuncta</i> | 2000 |
| - | <i>Limnophila lineola</i> | 1991 |
| - | <i>Limnophila maculata</i> | 1991 |
| - | <i>Limnophila nemoralis</i> agg. | 2000 |
| - | <i>Limnophora triangula</i> | 1991 |
| - | <i>Limonia chorea</i> | 1991 |
| - | <i>Limonia dumetorum</i> | 1991 |
| - | <i>Limonia duplicata</i> | 1991 |
| - | <i>Limonia flavipes</i> | 2000 |
| - | <i>Limonia fusca</i> | 1991 |
| - | <i>Limonia lucida</i> | 1991 |
| - | <i>Limonia lutea</i> | 1991 |
| - | <i>Limonia macrostigma</i> | 2000 |
| - | <i>Limonia modesta</i> | 1991 |
| - | <i>Limonia nigropunctata</i> | 1991 |
| - | <i>Limonia nubeculosa</i> | 2000 |
| - | <i>Limonia phragmitidis</i> | 1986 |
| - | <i>Limonia tripunctata</i> | 2000 |
| Southern Yellow Splinter | <i>Lipsothrix nervosa</i> | 2000 |
| - | <i>Lipsothrix remota</i> | 2000 |
| - | <i>Liriomyza amoena</i> | 2000 |
| - | <i>Liriomyza flaveola</i> | 2000 |
| - | <i>Liriomyza pedestris</i> | 2000 |
| - | <i>Lonchaea flavidipennis</i> | 1991 |
| - | <i>Lonchaea fumosa</i> | 1991 |
| - | <i>Lonchoptera bifurcata</i> | 1986 |

| Common name | Scientific name | Last recorded |
|--------------------------|----------------------------------|---------------|
| - | <i>Lonchoptera furcata</i> | 2000 |
| - | <i>Lonchoptera lutea</i> | 2000 |
| - | <i>Lotophila atra</i> | 2000 |
| Common Greenbottle | <i>Lucilia caesar</i> | 2000 |
| Richards' Greenbottle | <i>Lucilia richardsi</i> | 1991 |
| Sheep-strike Greenbottle | <i>Lucilia sericata</i> | 2000 |
| Marsh Greenbottle | <i>Lucilia silvarum</i> | 1991 |
| - | <i>Lyciella affinis</i> | 1991 |
| - | <i>Lyciella decempunctatus</i> | 1991 |
| - | <i>Lyciella decipiens</i> | 1991 |
| - | <i>Lyciella pallidiventris</i> | 1991 |
| - | <i>Lyciella platycephala</i> | 1991 |
| - | <i>Lyciella rorida</i> | 1991 |
| - | <i>Lyciella subfasciata</i> | 1991 |
| Kite-tailed Robberfly | <i>Machimus atricapillus</i> | 2000 |
| - | <i>Macquartia praefica</i> | 1990 |
| - | <i>Macquartia viridana</i> | 2000 |
| - | <i>Macrocerca centralis</i> | 2000 |
| - | <i>Medetera saxatilis</i> | 2000 |
| - | <i>Medina collaris</i> | 2000 |
| - | <i>Meiosimyza decempunctata</i> | 2000 |
| - | <i>Meiosimyza platycephala</i> | 1986 |
| - | <i>Meiosimyza rorida</i> | 1986 |
| Little Black Blowfly | <i>Melanomya nana</i> | 1991 |
| - | <i>Melanostoma mellinum</i> | 2000 |
| - | <i>Melanostoma scalare</i> | 2000 |
| Pale-palped Melinda | <i>Melinda cognata</i> | 2000 |
| - | <i>Meliscaeva auricollis</i> | 1991 |
| Greater Bulb-Fly | <i>Merodon equestris</i> | 2000 |
| - | <i>Meromyza femorata</i> | 2000 |
| - | <i>Meromyza hispanica</i> | 1991 |
| - | <i>Meromyza nigritiventris</i> | 1991 |
| - | <i>Mesembrina meridiana</i> | 2000 |
| Black-horned Gem | <i>Microchrysa polita</i> | 1991 |
| - | <i>Minettia longipennis</i> | 1991 |
| - | <i>Minettia rivosa</i> | 2000 |
| - | <i>Minettia tubifer</i> | 2000 |
| - | <i>Molophilus appendiculatus</i> | 1974 |
| - | <i>Molophilus bifidus</i> | 1974 |
| - | <i>Molophilus cinereifrons</i> | 1991 |
| - | <i>Molophilus corniger</i> | 1991 |
| - | <i>Molophilus medius</i> | 1991 |
| - | <i>Molophilus obscurus</i> | 1974 |
| - | <i>Molophilus ochraceus</i> | 2000 |
| - | <i>Molophilus serpentiger</i> | 1991 |
| - | <i>Morellia aenescens</i> | 1991 |
| - | <i>Morellia hortorum</i> | 1991 |
| - | <i>Morellia simplex</i> | 1991 |
| Face Fly | <i>Musca autumnalis</i> | 2000 |
| - | <i>Muscina levida</i> | 1991 |
| - | <i>Myathropa florea</i> | 2000 |
| - | <i>Myoleja caesio</i> | 1991 |
| - | <i>Myospila meditabunda</i> | 1991 |
| - | <i>Nanna armillata</i> | 1991 |

| Common name | Scientific name | Last recorded |
|-------------------|---------------------------------|---------------|
| - | <i>Nanna fasciata</i> | 2000 |
| - | <i>Nemopoda nitidula</i> | 2000 |
| - | <i>Neoascia podagraria</i> | 2000 |
| - | <i>Neoascia tenur</i> | 1991 |
| - | <i>Neohaplegis tarsata</i> | 1986 |
| - | <i>Neolimnomyia nemoralis</i> | 1974 |
| - | <i>Neolimonia dumetorum</i> | 2000 |
| - | <i>Neomyia viridescens</i> | 1991 |
| - | <i>Nephrotoma appendiculata</i> | 2000 |
| - | <i>Nephrotoma cornicina</i> | 2000 |
| Tiger Cranefly | <i>Nephrotoma flavescens</i> | 2000 |
| - | <i>Nephrotoma flavipalpis</i> | 1991 |
| - | <i>Nephrotoma quadrifaria</i> | 2000 |
| - | <i>Norellisoma spinimanum</i> | 1991 |
| - | <i>Ocydromia glabricula</i> | 2000 |
| - | <i>Oedalea flavipes</i> | 1990 |
| - | <i>Oedalea holmgreni</i> | 1991 |
| - | <i>Oedalea stigmatella</i> | 1991 |
| - | <i>Opacifrons coxata</i> | 1991 |
| - | <i>Opacifrons humida</i> | 1991 |
| - | <i>Opomyza germinationis</i> | 2000 |
| - | <i>Orellia falcata</i> | 1991 |
| - | <i>Orfelia nemoralis</i> | 1990 |
| - | <i>Ormosia nodulosa</i> | 2000 |
| - | <i>Oropezilla sphenoptera</i> | 2000 |
| - | <i>Orthonevra splendens</i> | 1991 |
| - | <i>Oscinella frit</i> | 2000 |
| - | <i>Oscinella hortensis</i> | 2000 |
| - | <i>Oscinella maura</i> | 2000 |
| - | <i>Oscinella nigerrima</i> | 1990 |
| - | <i>Oscinella nitidissima</i> | 2000 |
| - | <i>Oscinella vastator</i> | 1991 |
| - | <i>Oscinimorpha arcuata</i> | 2000 |
| - | <i>Oscinimorpha minutissima</i> | 2000 |
| - | <i>Oscinomorpha minutissima</i> | 1991 |
| - | <i>Otites guttatus</i> | 2000 |
| Delicate Soldier | <i>Oxyicerca nigricornis</i> | 1991 |
| Dark-winged Black | <i>Pachygaster atra</i> | 2000 |
| - | <i>Palloptera campta</i> | 1991 |
| - | <i>Palloptera saltuum</i> | 1991 |
| - | <i>Palloptera umbellatarum</i> | 1991 |
| - | <i>Palloptera ustulata</i> | 2000 |
| - | <i>Paraclusia tigrina</i> | 1991 |
| - | <i>Paradelphomyia dalei</i> | 1974 |
| - | <i>Paradelphomyia senilis</i> | 1991 |
| - | <i>Paragus haemorrhous</i> | 1991 |
| - | <i>Paroxyna lhommei</i> | 1991 |
| - | <i>Parydra coarctata</i> | 1991 |
| - | <i>Pedicia claripennis</i> | 2000 |
| - | <i>Pedicia immaculata</i> | 1991 |
| - | <i>Pegoplata aestiva</i> | 2000 |
| - | <i>Phania funesta</i> | 2000 |
| - | <i>Phaonia angelicae</i> | 1991 |
| - | <i>Phaonia errans</i> | 2000 |

| Common name | Scientific name | Last recorded |
|-----------------------------|------------------------------------|---------------|
| - | <i>Phaonia gobertia</i> | 2000 |
| - | <i>Phaonia palpata</i> | 2000 |
| - | <i>Phaonia subventa</i> | 2000 |
| - | <i>Phaonia tugariorum</i> | 2000 |
| - | <i>Phaonia valida</i> | 2000 |
| - | <i>Pherbellia albocostata</i> | 1991 |
| - | <i>Pherbellia cinerella</i> | 2000 |
| - | <i>Pherbellia dubia</i> | 2000 |
| - | <i>Pherbellia griseola</i> | 1999 |
| - | <i>Pherbellia ventralis</i> | 1991 |
| - | <i>Philygria stictica</i> | 2000 |
| - | <i>Phorbia sepia</i> | 2000 |
| - | <i>Phryxe vulgaris</i> | 2000 |
| Three-striped Woodlouse-fly | <i>Phyto melanocephala</i> | 1990 |
| - | <i>Phytomyza cecidonomia</i> | 2000 |
| - | <i>Phytomyza nigra</i> | 2000 |
| - | <i>Phytomyza ranunculi</i> | 2000 |
| - | <i>Phytomyza syngenesiae</i> | 2000 |
| - | <i>Pierretia nigriventris</i> | 2000 |
| - | <i>Piezura graminicola</i> | 1991 |
| - | <i>Pilaria discicollis</i> | 1991 |
| - | <i>Pilaria filata</i> | 1991 |
| - | <i>Pilaria fuscipennis</i> | 1991 |
| - | <i>Piophila vulgaris</i> | 1991 |
| - | <i>Pipizella varipes</i> | 2000 |
| - | <i>Pipunculus campestris</i> | 2000 |
| - | <i>Pipunculus spinipes</i> | 1991 |
| - | <i>Pipunculus thomsoni</i> | 1991 |
| - | <i>Platycheirus albimanus</i> | 2000 |
| - | <i>Platycheirus angustatus</i> | 1991 |
| - | <i>Platycheirus clypeatus agg.</i> | 1991 |
| - | <i>Platycheirus manicatus</i> | 1991 |
| - | <i>Platycheirus occultus</i> | 2000 |
| - | <i>Platycheirus scutatus</i> | 1991 |
| - | <i>Platypalpus agilis</i> | 2000 |
| - | <i>Platypalpus annulipes</i> | 2000 |
| - | <i>Platypalpus aristatus</i> | 1991 |
| - | <i>Platypalpus calceatus</i> | 2000 |
| - | <i>Platypalpus ciliaris</i> | 2000 |
| - | <i>Platypalpus cothurnatus</i> | 1991 |
| - | <i>Platypalpus exilis</i> | 2000 |
| - | <i>Platypalpus incertus</i> | 1991 |
| - | <i>Platypalpus leucocephalus</i> | 1991 |
| - | <i>Platypalpus leucothrix</i> | 2000 |
| - | <i>Platypalpus longicornis</i> | 1991 |
| - | <i>Platypalpus longiseta</i> | 1991 |
| - | <i>Platypalpus minutus</i> | 1991 |
| - | <i>Platypalpus pallidiventris</i> | 1991 |
| - | <i>Platypalpus pictitarsis</i> | 1991 |
| - | <i>Platypalpus stigma</i> | 2000 |
| - | <i>Platypalpus verralli</i> | 1991 |
| - | <i>Platystoma seminationis</i> | 1991 |
| - | <i>Poecilobothrus nobilitatus</i> | 1991 |
| - | <i>Polites lardaria</i> | 2000 |

| Common name | Scientific name | Last recorded |
|-----------------------|--------------------------------------|---------------|
| Awkward Clusterfly | <i>Pollenia rufis</i> | 2000 |
| - | <i>Portevinia maculata</i> | 1991 |
| - | <i>Pseudolimnophila lucorum</i> | 1991 |
| - | <i>Pseudolimnophila sepium</i> | 1991 |
| - | <i>Pseudolyciella pallidiventris</i> | 1986 |
| - | <i>Pseudonupedia intersecta</i> | 2000 |
| - | <i>Psila fimetaria</i> | 1991 |
| - | <i>Psila merdaria</i> | 1991 |
| - | <i>Psila nigricornis</i> | 1991 |
| - | <i>Psila pallida</i> | 1991 |
| - | <i>Psila rosae</i> | 1991 |
| - | <i>Pteromicra angustipennis</i> | 1991 |
| - | <i>Ptychoptera albimana</i> | 1991 |
| - | <i>Ptychoptera lacustris</i> | 2000 |
| Phantom Cranefly | <i>Ptychoptera longicauda</i> | 2000 |
| - | <i>Renocera pallida</i> | 1991 |
| - | <i>Rhamphomyia atra</i> | 2000 |
| - | <i>Rhamphomyia sulcata</i> | 1991 |
| - | <i>Rhamphomyia tarsata</i> | 1991 |
| - | <i>Rhaphium appendiculatum</i> | 1991 |
| - | <i>Rhaphium monotrichum</i> | 1991 |
| - | <i>Rhegmoclema coxendix</i> | 2000 |
| - | <i>Rhingia campestris</i> | 2000 |
| Pouting Woodlouse-fly | <i>Rhinophora lepida</i> | 2000 |
| - | <i>Rhypholophus bifurcatus</i> | 2000 |
| - | <i>Sapromyza quadripunctata</i> | 2000 |
| - | <i>Sapromyza sordida</i> | 1991 |
| - | <i>Scaptomyza graminum</i> | 1991 |
| - | <i>Scaptomyza pallida</i> | 2000 |
| - | <i>Scatella paludum</i> | 1991 |
| - | <i>Scathophaga furcata</i> | 1991 |
| - | <i>Scathophaga lutaria</i> | 1991 |
| - | <i>Scathophaga stercoraria</i> | 2000 |
| - | <i>Scellus notatus</i> | 1991 |
| - | <i>Schoenomyza liturella</i> | 1991 |
| - | <i>Schwenckfeldina carbonaria</i> | 2000 |
| - | <i>Sciapus longulus</i> | 2000 |
| - | <i>Sciapus platypterus</i> | 1991 |
| - | <i>Sepsis cynipsea</i> | 2000 |
| - | <i>Sepsis duplicita</i> | 1999 |
| - | <i>Sepsis flavimana</i> | 1991 |
| - | <i>Sepsis fulgens</i> | 2000 |
| - | <i>Sepsis orthocnemis</i> | 1991 |
| - | <i>Sepsis punctum</i> | 1991 |
| - | <i>Sicus ferrugineus</i> | 2000 |
| - | <i>Simulium angustitarse</i> | 1991 |
| - | <i>Siphona geniculata</i> | 1991 |
| Liverwort Snipefly | <i>Spania nigra</i> | 1991 |
| - | <i>Sphaerophoria scripta</i> | 2000 |
| - | <i>Sphegina kimakowiczi</i> | 1991 |
| Stable Fly | <i>Stomoxys calcitrans</i> | 2000 |
| Banded General | <i>Stratiomys potamida</i> | 1991 |
| - | <i>Suillia variegata</i> | 1991 |
| - | <i>Sybistroma crinipes</i> | 1986 |

| Common name | Scientific name | Last recorded |
|--------------------|------------------------------------|---------------|
| - | <i>Sylvicola fenestralis</i> | 1991 |
| - | <i>Sylvicola punctatus</i> | 2000 |
| - | <i>Symmerus annulatus</i> | 2000 |
| Limestone Snipefly | <i>Syphoromyia immaculata</i> | 1991 |
| - | <i>Symplecta hybrida</i> | 1974 |
| - | <i>Sympycnus desoutteri</i> | 1991 |
| - | <i>Syntormon pallipes</i> | 1991 |
| - | <i>Syntormon spicatus</i> | 1991 |
| - | <i>Syntormon sulcipes</i> | 1991 |
| - | <i>Syritta pipiens</i> | 2000 |
| - | <i>Syrphus ribesii</i> | 1991 |
| - | <i>Syrphus vitripennis</i> | 2000 |
| - | <i>Tachydromia aemula</i> | 1991 |
| - | <i>Tachypeza nubila</i> | 2000 |
| - | <i>Tephritis bardanae</i> | 2000 |
| - | <i>Tephritis hyoscyami</i> | 1991 |
| - | <i>Tephritis neesii</i> | 2000 |
| - | <i>Tephritis ruralis</i> | 1999 |
| - | <i>Terellia colon</i> | 2000 |
| - | <i>Tetanocera elata</i> | 1991 |
| - | <i>Tetanocera ferruginea</i> | 1991 |
| - | <i>Thaumastoptera calceata</i> | 1991 |
| - | <i>Thaumatomyia notata</i> | 1991 |
| - | <i>Thecophora atra</i> | 2000 |
| - | <i>Thricops semicinerea</i> | 1991 |
| - | <i>Tipula luna</i> | 1991 |
| - | <i>Tipula lunata</i> | 2000 |
| - | <i>Tipula oleracea</i> | 1991 |
| - | <i>Tipula paludosa</i> | 2000 |
| - | <i>Tipula pruinosa</i> | 1991 |
| - | <i>Tipula unca</i> | 1991 |
| - | <i>Tipula varipennis</i> | 2000 |
| - | <i>Tipula vernalis</i> | 2000 |
| - | <i>Trachysiphonella scutellata</i> | 2000 |
| - | <i>Triarthria setipennis</i> | 2000 |
| - | <i>Trichina elongata</i> | 1991 |
| - | <i>Tricholauxania praeusta</i> | 1991 |
| - | <i>Trichopalpus fraternus</i> | 1991 |
| - | <i>Trypetoptera punctulata</i> | 1991 |
| - | <i>Urophora cuspidata</i> | 1991 |
| - | <i>Urophora quadrifasciata</i> | 1991 |
| - | <i>Urophora stylata</i> | 2000 |
| - | <i>Verrallia aucta</i> | 1991 |
| - | <i>Xanthandrus comtus</i> | 1981 |
| - | <i>Xanthogramma pedissequum</i> | 1991 |
| - | <i>Xylota segnis</i> | 2000 |
| - | <i>Xyphosia miliaria</i> | 2009 |

Lepidoptera (Butterflies): 36 species

| Common name | Scientific name | Last recorded |
|------------------|---------------------------|---------------|
| Dingy Skipper | <i>Erynnis tages</i> | 2022 |
| Grizzled Skipper | <i>Pyrgus malvae</i> | 2019 |
| Essex Skipper | <i>Thymelicus lineola</i> | 2021 |

| Common name | Scientific name | Last recorded |
|-------------------------|-------------------------------|---------------|
| Small Skipper | <i>Thymelicus sylvestris</i> | 2015 |
| Silver-spotted Skipper | <i>Hesperi comma</i> | 2013 |
| Large Skipper | <i>Ochlodes sylvanus</i> | 2022 |
| Orange-tip | <i>Anthocharis cardamines</i> | 2017 |
| Large White | <i>Pieris brassicae</i> | 2021 |
| Small White | <i>Pieris rapae</i> | 2021 |
| Green-veined White | <i>Pieris napi</i> | 2018 |
| Clouded Yellow | <i>Colias croceus</i> | 2021 |
| Brimstone | <i>Gonepteryx rhamni</i> | 2018 |
| Wall | <i>Lasiommata megera</i> | 2022 |
| Speckled Wood | <i>Pararge aegeria</i> | 2022 |
| Small Heath | <i>Coenonympha pamphilus</i> | 2022 |
| Ringlet | <i>Aphantopus hyperantus</i> | 2022 |
| Meadow Brown | <i>Maniola jurtina</i> | 2022 |
| Gatekeeper | <i>Pyronia tithonus</i> | 2021 |
| Marbled White | <i>Melanargia galathea</i> | 2021 |
| Dark Green Fritillary | <i>Argynnis aglaja</i> | 1991 |
| White Admiral | <i>Limenitis Camilla</i> | 2021 |
| Red Admiral | <i>Vanessa atalanta</i> | 2021 |
| Painted Lady | <i>Vanessa cardui</i> | 2021 |
| Peacock | <i>Aglais io</i> | 2022 |
| Small Tortoiseshell | <i>Aglais urticae</i> | 2022 |
| Comma | <i>Polygonia c-album</i> | 2021 |
| Small Copper | <i>Lycaena phlaeas</i> | 2016 |
| Green Hairstreak | <i>Callophrys rubi</i> | 2016 |
| White-letter Hairstreak | <i>Satyrium w-album</i> | 2021 |
| Long-tailed Blue | <i>Lampides boeticus</i> | 2020 |
| Small Blue | <i>Cupido minimus</i> | 2014 |
| Holly Blue | <i>Celastrina argiolus</i> | 2017 |
| Brown Argus | <i>Aricia agestis</i> | 2019 |
| Common Blue | <i>Polyommatus icarus</i> | 2021 |
| Adonis Blue | <i>Polyommatus bellargus</i> | 2021 |
| Chalk Hill Blue | <i>Polyommatus coridon</i> | 2021 |

Lepidoptera (Moths): 360 species

| Common name | Scientific name | Last recorded |
|----------------------|--------------------------------------|---------------|
| Rose Leaf-miner | <i>Stigmella anomalella</i> | 2020 |
| Greenish Thorn Pigmy | <i>Stigmella hybnerella</i> | 2020 |
| Golden Pigmy | <i>Stigmella aurella</i> | 2021 |
| Sycamore-seed Pigmy | <i>Etainia decentella</i> | 2022 |
| Green Long-horn | <i>Adela reaumurella</i> | 2011 |
| Bordered Carl | <i>Coptotriche marginea</i> | 2022 |
| Fulvous Clothes Moth | <i>Tinea semifulvella</i> | 2022 |
| Bird's-nest Moth | <i>Tinea trinotella</i> | 2022 |
| Hawthorn Bent-wing | <i>Bucculatrix bechsteinella</i> | 2018 |
| Small Red Slender | <i>Caloptilia rufipennella</i> | 2022 |
| Maple Slender | <i>Caloptilia semifascia</i> | 2022 |
| Pale Maple Slender | <i>Caloptilia honoratella</i> | 2022 |
| Common Slender | <i>Gracillaria syringella</i> | 2022 |
| Little Slender | <i>Calybites phasianipennella</i> | 2022 |
| Hawthorn Slender | <i>Parornix anglicella</i> | 2018 |
| Hawthorn Midget | <i>Phyllonorycter corylifoliella</i> | 2020 |
| Beech Midget | <i>Phyllonorycter maestingella</i> | 2020 |

| Common name | Scientific name | Last recorded |
|---------------------------|-----------------------------------|---------------|
| Nut-leaf Blister Moth | <i>Phyllonorycter coryli</i> | 2020 |
| Horse Chestnut Leaf-miner | <i>Cameraria ohridella</i> | 2022 |
| Wainscot Smudge | <i>Ypsolopha scabrella</i> | 2022 |
| Diamond-back Moth | <i>Plutella xylostella</i> | 2022 |
| Cocksfoot Moth | <i>Glyptipterix simpliciella</i> | 2022 |
| Golden Argent | <i>Argyresthia goedartella</i> | 2022 |
| Purple Argent | <i>Argyresthia albistria</i> | 2022 |
| Apple Leaf-miner | <i>Lyonetia clerkella</i> | 2022 |
| Kent Tubic | <i>Bisigna procerella</i> | 2022 |
| Italian Tubic | <i>Metalampra italicica</i> | 2022 |
| Golden-brown Tubic | <i>Crassa unitella</i> | 2022 |
| Lesser Tawny Tubic | <i>Batia lunaris</i> | 2022 |
| Common Tubic | <i>Alabonia geoffreella</i> | 2019 |
| Long-horned Flat-body | <i>Carcina quercana</i> | 2022 |
| Dotted Ermel | <i>Ethmia dodecea</i> | 2022 |
| Comfrey Ermel | <i>Ethmia quadrillella</i> | 2022 |
| Marjoram Crest | <i>Acompsia schmidtiellus</i> | 2022 |
| Orange Crest | <i>Helcystogramma rufescens</i> | 2022 |
| Eyelet Sober | <i>Thiotricha subocellea</i> | 2022 |
| Cinerous Neb | <i>Bryotropha terrella</i> | 2022 |
| Dotted Grey Groundling | <i>Athrips mouffetella</i> | 2022 |
| Common Groundling | <i>Teleiodes vulgella</i> | 2022 |
| Barred Groundling | <i>Teleiodes sequax</i> | 2022 |
| Downland Case-bearer | <i>Coleophora lixella</i> | 2022 |
| Swan-feather Dwarf | <i>Elachista argentella</i> | 2019 |
| Hawthorn Cosmet | <i>Blastodacna hellerella</i> | 2022 |
| Dingy Dowd | <i>Blastobasis adustella</i> | 2022 |
| London Dowd | <i>Blastobasis lacticolella</i> | 2022 |
| Brown Plume | <i>Stenoptilia pterodactyla</i> | 2022 |
| White Plume | <i>Pterophorus pentadactyla</i> | 2022 |
| Dingy White Plume | <i>Merrifieldia baliodactylus</i> | 2022 |
| Hemp-agrimony Plume | <i>Adaina microdactyla</i> | 2022 |
| Common Plume | <i>Emmelina monodactyla</i> | 2018 |
| Common Nettle-tap | <i>Anthophila fabriciana</i> | 2022 |
| Red-barred Twist | <i>Ditula angustiorana</i> | 2022 |
| Large Fruit-tree Tortrix | <i>Archips podana</i> | 2022 |
| Dark Fruit-tree Tortrix | <i>Pandemis heparana</i> | 2022 |
| Timothy Tortrix | <i>Aphelia paleana</i> | 2015 |
| Light Brown Apple-moth | <i>Epiphyas postvittana</i> | 2022 |
| Green Oak Tortrix | <i>Tortrix viridana</i> | 2022 |
| White-triangle Button | <i>Acleris holmiana</i> | 2022 |
| Maple Button | <i>Acleris forsskaleana</i> | 2022 |
| Ashy Button | <i>Acleris sparsana</i> | 2022 |
| Viburnum Button | <i>Acleris schalleriana</i> | 2020 |
| Dark-streaked Button | <i>Acleris umbrana</i> | 2022 |
| Garden Rose Tortrix | <i>Acleris variegana</i> | 2022 |
| Ginger Button | <i>Acleris aspersana</i> | 2017 |
| Yellow-spot Tortrix | <i>Pseudargyrotoza conwagana</i> | 2022 |
| Common Yellow Conch | <i>Agapeta hamana</i> | 2022 |
| Knapweed Conch | <i>Agapeta zoegana</i> | 2022 |
| Marbled Conch | <i>Eupoecilia angustana</i> | 2022 |
| Yarrow Conch | <i>Aethes smethmanniana</i> | 2022 |
| Downland Conch | <i>Aethes tesserana</i> | 2022 |
| White-bodied Conch | <i>Neocochyliis hybridella</i> | 2022 |

| Common name | Scientific name | Last recorded |
|--------------------------|---------------------------------|---------------|
| Apple Marble | <i>Eudemis porphyrana</i> | 2022 |
| Barred Marble | <i>Celypha striana</i> | 2022 |
| Common Marble | <i>Celypha lacunana</i> | 2022 |
| Oak Marble | <i>Lobesia reliquana</i> | 2022 |
| Bud Moth | <i>Spilonota ocellana</i> | 2022 |
| Larch-bud Moth | <i>Spilonota laricana</i> | 2022 |
| Bright Bell | <i>Eucosma hohenwartiana</i> | 2022 |
| Marbled Bell | <i>Eucosma campoliliana</i> | 2022 |
| Common Cloaked Shoot | <i>Gypsonoma dealbana</i> | 2022 |
| Bramble Shoot Moth | <i>Notocelia uddmanniana</i> | 2022 |
| Summer Rose Bell | <i>Notocelia roborana</i> | 2022 |
| Codling Moth | <i>Cydia pomonella</i> | 2022 |
| Marbled Piercer | <i>Cydia splendana</i> | 2022 |
| Pale-bordered Piercer | <i>Grapholita janthinana</i> | 2022 |
| Regal Piercer | <i>Pammene regiana</i> | 2022 |
| Sycamore Piercer | <i>Pammene aurita</i> | 2022 |
| Rusty Oak/Birch Button | <i>Acleris ferrugana/notana</i> | 2022 |
| Kent Knot-horn | <i>Moitrelia obductella</i> | 2022 |
| Ornate Knot-horn | <i>Pempeliella ornatella</i> | 2000 |
| Rosy-striped Knot-horn | <i>Oncocera semirubella</i> | 2022 |
| Grey Knot-horn | <i>Acrobasis advenella</i> | 2022 |
| Marbled Knot-horn | <i>Acrobasis marmorea</i> | 2022 |
| Thistle Ermine | <i>Myelois circumvoluta</i> | 2000 |
| Ash-bark Knot-horn | <i>Euzophera pinguis</i> | 2022 |
| Twin-barred Knot-horn | <i>Homoeosoma sinuella</i> | 2022 |
| Ermine Knot-horn | <i>Phycitodes binaevelia</i> | 2022 |
| False Cacao Moth | <i>Ephestia unicolorella</i> | 2022 |
| Double-striped Tabby | <i>Hypsopygia glaucinalis</i> | 2022 |
| Rosy Tabby | <i>Endotricha flammealis</i> | 2022 |
| Silver-barred Sable | <i>Pyrausta cingulata</i> | 2005 |
| Straw-barred Pearl | <i>Pyrausta despicata</i> | 2022 |
| Small Purple & Gold | <i>Pyrausta aurata</i> | 2022 |
| Common Purple & Gold | <i>Pyrausta purpuralis</i> | 2022 |
| Wavy-barred Sable | <i>Pyrausta nigrata</i> | 2016 |
| Elder Pearl | <i>Anania coronata</i> | 2022 |
| Golden Pearl | <i>Anania verbascalis</i> | 2022 |
| Small Magpie | <i>Anania hortulata</i> | 2022 |
| European Corn-borer | <i>Ostrinia nubilalis</i> | 2022 |
| Rusty-dot Pearl | <i>Udea ferrugalis</i> | 2000 |
| Dusky Pearl | <i>Udea prunalis</i> | 2022 |
| Mother of Pearl | <i>Pleuroptya ruralis</i> | 2022 |
| Rush Veneer | <i>Nomophila noctuella</i> | 2022 |
| Box-tree Moth | <i>Cydalima perspectalis</i> | 2022 |
| Dark Bordered Pearl | <i>Evergestis limbata</i> | 2022 |
| Base-lined Grey | <i>Scoparia basistrigalis</i> | 2022 |
| Common Grey | <i>Scoparia ambigualis</i> | 2022 |
| Meadow Grey | <i>Scoparia pyralella</i> | 2022 |
| Little Grey | <i>Eudonia lacustrata</i> | 2022 |
| Bulrush Veneer | <i>Calamotropha paludella</i> | 2022 |
| Garden Grass-veneer | <i>Chrysoteuchia culmella</i> | 2022 |
| Inlaid Grass-veneer | <i>Crambus pascuella</i> | 2000 |
| Hook-streak Grass-veneer | <i>Crambus lathonellus</i> | 2019 |
| Satin Grass-veneer | <i>Crambus perlella</i> | 2022 |
| Common Grass-veneer | <i>Agriphila tristella</i> | 2016 |

| Common name | Scientific name | Last recorded |
|--------------------------|----------------------------------|---------------|
| Barred Grass-veneer | <i>Agriphila inquinatella</i> | 2000 |
| Straw Grass-veneer | <i>Agriphila straminella</i> | 2017 |
| Orange Swift | <i>Triodia sylvina</i> | 2000 |
| Common Swift | <i>Korscheltellus lupulina</i> | 2016 |
| Ghost Moth | <i>Hepialus humuli</i> | 2015 |
| Leopard Moth | <i>Zeuzera pyrina</i> | 2000 |
| Six-belted Clearwing | <i>Bembecia ichneumoniformis</i> | 2021 |
| Six-spot Burnet | <i>Zygaena filipendulae</i> | 2022 |
| Oak Hook-tip | <i>Watsonalla binaria</i> | 2022 |
| Pebble Hook-tip | <i>Drepana falcata</i> | 2022 |
| Chinese Character | <i>Cilix glaucata</i> | 2022 |
| Peach Blossom | <i>Thyatira batis</i> | 2022 |
| Buff Arches | <i>Habrosyne pyritooides</i> | 2022 |
| Figure of Eighty | <i>Tethea ocularis</i> | 2015 |
| Satin Lutestring | <i>Tetheella fluctuosa</i> | 2015 |
| Oak Eggar | <i>Lasiocampa quercus</i> | 2022 |
| Fox Moth | <i>Macrothylacia rubi</i> | 2000 |
| The Drinker | <i>Euthrix potatoria</i> | 2022 |
| Eyed Hawk-moth | <i>Smerinthus ocellata</i> | 2000 |
| Poplar Hawk-moth | <i>Laothoe populi</i> | 2022 |
| Privet Hawk-moth | <i>Sphinx ligustri</i> | 2022 |
| Hummingbird Hawk-moth | <i>Macroglossum stellatarum</i> | 2016 |
| Elephant Hawk-moth | <i>Deilephila elpenor</i> | 2022 |
| Small Elephant Hawk-moth | <i>Deilephila porcellus</i> | 2000 |
| Least Carpet | <i>Idaea rusticata</i> | 2022 |
| Small Dusty Wave | <i>Idaea seriata</i> | 2000 |
| Satin Wave | <i>Idaea subsericeata</i> | 2000 |
| Single-dotted Wave | <i>Idaea dimidiata</i> | 2022 |
| Small Fan-footed Wave | <i>Idaea biselata</i> | 2022 |
| Riband Wave | <i>Idaea versata</i> | 2022 |
| Sub-angled Wave | <i>Scopula nigropunctata</i> | 2022 |
| Mullein Wave | <i>Scopula marginepunctata</i> | 2000 |
| Cream Wave | <i>Scopula floslactata</i> | 2000 |
| Maiden's Blush | <i>Cyclophora punctaria</i> | 2000 |
| Chalk Carpet | <i>Scotopteryx bipunctaria</i> | 2019 |
| Shaded Broad-bar | <i>Scotopteryx chenopodiata</i> | 2015 |
| The Gem | <i>Nycterosea obstipata</i> | 2000 |
| Garden Carpet | <i>Xanthorhoe fluctuata</i> | 2000 |
| Red Twin-spot Carpet | <i>Xanthorhoe spadicearia</i> | 2022 |
| Ruddy Carpet | <i>Catarhoe rubidata</i> | 2022 |
| Yellow Shell | <i>Camptogramma bilineata</i> | 2019 |
| Common Carpet | <i>Epirrhoa alternata</i> | 2022 |
| Wood Carpet | <i>Epirrhoa rivata</i> | 2022 |
| The Streamer | <i>Anticlea derivata</i> | 2000 |
| July Highflyer | <i>Hydriomena furcata</i> | 2022 |
| Pine Carpet | <i>Pennithera firmata</i> | 2016 |
| Barred Yellow | <i>Cidaria fulvata</i> | 2016 |
| Purple Bar | <i>Cosmorrhoe ocellata</i> | 2022 |
| The Phoenix | <i>Eulithis prunata</i> | 2022 |
| Barred Straw | <i>Gandaritis pyraliata</i> | 2022 |
| Small Phoenix | <i>Ecliptopera silaceata</i> | 2022 |
| Red-Green Carpet | <i>Chloroclysta siterata</i> | 2018 |
| Common Marbled Carpet | <i>Dysstroma truncata</i> | 2018 |
| Dark Marbled Carpet | <i>Dysstroma citrata</i> | 2000 |

| Common name | Scientific name | Last recorded |
|-----------------------|---------------------------------|---------------|
| Green Carpet | <i>Colostygia pectinataria</i> | 2000 |
| Winter Moth | <i>Operophtera brumata</i> | 2000 |
| November Moth | <i>Epirrita dilutata</i> | 2018 |
| Small Yellow Wave | <i>Hydrelia flammeolaria</i> | 2000 |
| Dark Umber | <i>Philereme transversata</i> | 2022 |
| Small Waved Umber | <i>Horisme vitalbata</i> | 2022 |
| The Fern | <i>Horisme tersata</i> | 2022 |
| Cryptic Fern | <i>Horisme radicaria</i> | 2022 |
| Pretty Chalk Carpet | <i>Melanthis procellata</i> | 2022 |
| The Rivulet | <i>Perizoma affinitata</i> | 2000 |
| Small Rivulet | <i>Perizoma alchemillata</i> | 2022 |
| Barred Rivulet | <i>Perizoma bifaciata</i> | 2000 |
| Double-striped Pug | <i>Gymnoscelis rufifasciata</i> | 2022 |
| The V-Pug | <i>Chloroclystis v-ata</i> | 2022 |
| Green Pug | <i>Pasiphila rectangulata</i> | 2022 |
| Haworth's Pug | <i>Eupithecia haworthiata</i> | 2022 |
| White-spotted Pug | <i>Eupithecia tripunctaria</i> | 2022 |
| Lime-speck Pug | <i>Eupithecia centaureata</i> | 2022 |
| Wormwood Pug | <i>Eupithecia absinthiata</i> | 2022 |
| Mottled Pug | <i>Eupithecia exigua</i> | 2000 |
| Treble-bar | <i>Aplocera plagiata</i> | 2020 |
| Yellow-barred Brindle | <i>Acasis viretata</i> | 2022 |
| Clouded Border | <i>Lomaspilis marginata</i> | 2022 |
| Scorched Carpet | <i>Ligdia adustata</i> | 2022 |
| Peacock Moth | <i>Macaria notata</i> | 2022 |
| Brimstone Moth | <i>Opisthograptis luteolata</i> | 2022 |
| Speckled Yellow | <i>Pseudopanthera macularia</i> | 2014 |
| Large Thorn | <i>Ennomos autumnaria</i> | 2006 |
| Early Thorn | <i>Selenia dentaria</i> | 2022 |
| Scalloped Oak | <i>Crocallis elinguaria</i> | 2022 |
| Swallow-tailed Moth | <i>Ourapteryx sambucaria</i> | 2022 |
| Feathered Thorn | <i>Colotois pennaria</i> | 2018 |
| Brindled Beauty | <i>Lycia hirtaria</i> | 2000 |
| Peppered Moth | <i>Biston betularia</i> | 2022 |
| Waved Umber | <i>Menophra abruptaria</i> | 2000 |
| Willow Beauty | <i>Peribatodes rhomboidaria</i> | 2016 |
| Mottled Beauty | <i>Alcis repandata</i> | 2022 |
| The Engrailed | <i>Ectropis crepuscularia</i> | 2022 |
| Common Heath | <i>Ematurga atomaria</i> | 2022 |
| Common White Wave | <i>Cabera pusaria</i> | 2000 |
| White-pinion Spotted | <i>Lomographa bimaculata</i> | 2000 |
| Clouded Silver | <i>Lomographa temerata</i> | 2022 |
| Light Emerald | <i>Campaea margaritaria</i> | 2000 |
| The Annulet | <i>Charissa obscurata</i> | 2020 |
| Straw Belle | <i>Aspitates gilvaria</i> | 2022 |
| Small Emerald | <i>Hemistola chrysoprasaria</i> | 2022 |
| Common Emerald | <i>Hemithea aestivaria</i> | 2022 |
| Pebble Prominent | <i>Notodonta ziczac</i> | 2022 |
| Coxcomb Prominent | <i>Ptilodon capucina</i> | 2015 |
| Maple Prominent | <i>Ptilodon cucullina</i> | 2022 |
| Buff-tip | <i>Phalera bucephala</i> | 2015 |
| Straw Dot | <i>Rivula sericealis</i> | 2022 |
| The Snout | <i>Hypena proboscidalis</i> | 2022 |
| Brown-tail | <i>Euproctis chrysorrhoea</i> | 2022 |

| Common name | Scientific name | Last recorded |
|------------------------|-----------------------------------|---------------|
| Yellow-tail | <i>Euproctis similis</i> | 2015 |
| Buff Ermine | <i>Spilosoma lutea</i> | 2022 |
| White Ermine | <i>Spilosoma lubricipeda</i> | 2000 |
| Muslin Moth | <i>Diaphora mendica</i> | 2000 |
| Clouded Buff | <i>Diacrisia sannio</i> | 2019 |
| Ruby Tiger | <i>Phragmatobia fuliginosa</i> | 2022 |
| Garden Tiger | <i>Arctia caja</i> | 2006 |
| Cream-spot Tiger | <i>Arctia villica</i> | 2006 |
| The Cinnabar | <i>Tyria jacobaeae</i> | 2016 |
| Rosy Footman | <i>Miltochrista miniata</i> | 2022 |
| Four-spotted Footman | <i>Lithosia quadra</i> | 2000 |
| Buff Footman | <i>Eilema depressa</i> | 2022 |
| Dingy Footman | <i>Eilema griseola</i> | 2022 |
| Common Footman | <i>Eilema lurideola</i> | 2022 |
| Scarce Footman | <i>Eilema complana</i> | 2022 |
| The Fan-foot | <i>Herminia tarsipennalis</i> | 2022 |
| Small Fan-foot | <i>Herminia grisealis</i> | 2000 |
| The Blackneck | <i>Lygephila pastinum</i> | 2022 |
| Small Purple-barred | <i>Phytometra viridaria</i> | 2022 |
| Beautiful Hook-tip | <i>Laspeyria flexula</i> | 2022 |
| Burnet Companion | <i>Euclidia glyphica</i> | 2022 |
| Mother Shipton | <i>Euclidia mi</i> | 2019 |
| The Spectacle | <i>Abrostola tripartita</i> | 2022 |
| Dark Spectacle | <i>Abrostola triplasia</i> | 2000 |
| Burnished Brass | <i>Diachrysia chrysitis</i> | 2022 |
| Silver Y | <i>Autographa gamma</i> | 2021 |
| Plain Golden Y | <i>Autographa jota</i> | 2022 |
| Marbled White Spot | <i>Deltote pygarga</i> | 2022 |
| Nut-tree Tussock | <i>Colocasia coryli</i> | 2022 |
| Dark/Grey Dagger | <i>Acronicta tridens/psi agg.</i> | 2022 |
| The Sycamore | <i>Acronicta aceris</i> | 2022 |
| The Miller | <i>Acronicta leporina</i> | 2015 |
| Knot Grass | <i>Acronicta rumicis</i> | 2022 |
| Poplar Grey | <i>Subacronicta megacephala</i> | 2022 |
| The Coronet | <i>Craniophora ligustris</i> | 2022 |
| Small Yellow Underwing | <i>Panemeria tenebrata</i> | 2016 |
| Copper Underwing | <i>Amphipyra pyramididea</i> | 2022 |
| Mouse Moth | <i>Amphipyra tragopoginis</i> | 2000 |
| Early Grey | <i>Xylocampa areola</i> | 2000 |
| Bordered Sallow | <i>Pyrrhia umbra</i> | 2000 |
| Tree-lichen Beauty | <i>Cryphia algae</i> | 2022 |
| Marbled Beauty | <i>Bryophila domestica</i> | 2022 |
| Marbled Green | <i>Nyctobrya muralis</i> | 2000 |
| Mottled Rustic | <i>Caradrina morpheus</i> | 2000 |
| Pale Mottled Willow | <i>Caradrina clavipalpis</i> | 2000 |
| The Uncertain | <i>Hoplodrina octogenaria</i> | 2022 |
| The Rustic | <i>Hoplodrina blanda</i> | 2022 |
| Vine's Rustic | <i>Hoplodrina ambigua</i> | 2000 |
| Treble Lines | <i>Charanyca trigrammica</i> | 2016 |
| Brown Rustic | <i>Rusina ferruginea</i> | 2000 |
| Straw Underwing | <i>Thalpophila matura</i> | 2000 |
| Angle Shades | <i>Phlogophora meticulosa</i> | 2000 |
| Small Angle Shades | <i>Euplexia lucipara</i> | 2022 |
| Dusky Sallow | <i>Eremobia ochroleuca</i> | 2022 |

| Common name | Scientific name | Last recorded |
|---------------------------|--------------------------------|---------------|
| Frosted Orange | <i>Gortyna flavago</i> | 2000 |
| Rosy Rustic | <i>Hydraecia micacea</i> | 2000 |
| Flounced Rustic | <i>Luperina testacea</i> | 2000 |
| Fen Wainscot | <i>Arenostola phragmitidis</i> | 2022 |
| Dusky Brocade | <i>Apamea remissa</i> | 2016 |
| Clouded-bordered Brindle | <i>Apamea crenata</i> | 2000 |
| Slender Brindle | <i>Apamea scolopacina</i> | 2022 |
| Dark Arches | <i>Apamea monoglypha</i> | 2022 |
| Light Arches | <i>Apamea lithoxylaea</i> | 2022 |
| Reddish Light Arches | <i>Apamea sublustris</i> | 2000 |
| Common Rustic | <i>Mesapamea secalis</i> | 2022 |
| Lesser Common Rustic | <i>Mesapamea didyma</i> | 2000 |
| Rosy Minor | <i>Litoglia literosa</i> | 2022 |
| Cloaked Minor | <i>Mesoligia furuncula</i> | 2022 |
| Tawny Marbled Minor | <i>Oligia latruncula</i> | 2000 |
| Rufous Minor | <i>Oligia versicolor</i> | 2000 |
| Middle-barred Minor | <i>Oligia fasciuncula</i> | 2000 |
| Barred Sallow | <i>Tiliacea aurago</i> | 2000 |
| Pink-barred Sallow | <i>Xanthia togata</i> | 2000 |
| The Sallow | <i>Cirrhia icteritia</i> | 2000 |
| The Brick | <i>Agrochola circellaris</i> | 2018 |
| Lunar Underwing | <i>Omphaloscelis lunosa</i> | 2000 |
| The Dun-bar | <i>Cosmia trapezina</i> | 2022 |
| Lunar-spotted Pinion | <i>Cosmia pyralina</i> | 2022 |
| Centre-barred Sallow | <i>Atethmia centrago</i> | 2000 |
| Deep-brown Dart | <i>Aporophyla lutulenta</i> | 2000 |
| Black Rustic | <i>Aporophyla nigra</i> | 2000 |
| Feathered Ranunculus | <i>Polymixis lichenea</i> | 2000 |
| Clouded Drab | <i>Orthosia incerta</i> | 2000 |
| Common Quaker | <i>Orthosia cerasi</i> | 2000 |
| Powdered Quaker | <i>Orthosia gracilis</i> | 2000 |
| Hebrew Character | <i>Orthosia gothica</i> | 2000 |
| Feathered Gothic | <i>Tholera decimalis</i> | 2000 |
| Light Brocade | <i>Lacanobia w-latinum</i> | 2000 |
| Pale-shouldered Brocade | <i>Lacanobia thalassina</i> | 2000 |
| Bright-line Brown-eye | <i>Lacanobia oleracea</i> | 2016 |
| Dot Moth | <i>Melanchra persicariae</i> | 2022 |
| Broom Moth | <i>Ceramica pisi</i> | 2000 |
| The Shears | <i>Hada plebeja</i> | 2022 |
| Cabbage Moth | <i>Mamestra brassicae</i> | 2000 |
| Broad-barred White | <i>Hecatera bicolorata</i> | 2000 |
| White Spot | <i>Hadena albimacula</i> | 2017 |
| Brown-line Bright-eye | <i>Mythimna conigera</i> | 2000 |
| Common Wainscot | <i>Mythimna pallens</i> | 2000 |
| Smoky Wainscot | <i>Mythimna impura</i> | 2022 |
| The Delicate | <i>Mythimna vitellina</i> | 2000 |
| White-point | <i>Mythimna albipuncta</i> | 2000 |
| The Clay | <i>Mythimna ferrago</i> | 2022 |
| L-album Wainscot | <i>Mythimna l-album</i> | 2000 |
| Shoulder-striped Wainscot | <i>Leucania comma</i> | 2022 |
| Pearly Underwing | <i>Peridroma saucia</i> | 2000 |
| Heart and Dart | <i>Agrotis exclamationis</i> | 2016 |
| Turnip Moth | <i>Agrotis segetum</i> | 2000 |
| Heart and Club | <i>Agrotis clavis</i> | 2016 |

| Common name | Scientific name | Last recorded |
|----------------------------------|------------------------------|---------------|
| Shuttle-shaped Dart | <i>Agrotis puta</i> | 2022 |
| Dark Sword-grass | <i>Agrotis ipsilon</i> | 2000 |
| The Flame | <i>Axylia putris</i> | 2022 |
| Flame Shoulder | <i>Ochropleura plecta</i> | 2022 |
| Small Square-spot | <i>Diarsia rubi</i> | 2000 |
| Red Chestnut | <i>Cerastis rubricosa</i> | 2000 |
| Large Yellow Underwing | <i>Noctua pronuba</i> | 2022 |
| Broad-bordered Yellow Underwing | <i>Noctua fimbriata</i> | 2022 |
| Lesser Yellow Underwing | <i>Noctua comes</i> | 2022 |
| Least Yellow Underwing | <i>Noctua interjecta</i> | 2022 |
| Lesser Br.-bordered Y. Underwing | <i>Noctua janthe</i> | 2022 |
| Green Arches | <i>Anaplectoides prasina</i> | 2000 |
| Square-spot Rustic | <i>Xestia xanthographa</i> | 2000 |
| Setaceous Hebrew Character | <i>Xestia c-nigrum</i> | 2022 |
| Double Square-spot | <i>Xestia triangulum</i> | 2022 |
| Autumnal Rustic | <i>Eugnorisma glareosa</i> | 2000 |
| Kent Black Arches | <i>Meganola albula</i> | 2022 |
| Short-cloaked Moth | <i>Nola cucullatella</i> | 2022 |
| Least Black Arches | <i>Nola confusalis</i> | 2000 |

Trichoptera (Caddis Flies): 4 species

| Common name | Scientific name | Last recorded |
|-------------|-------------------------------------|---------------|
| - | <i>Agapetus fuscipes</i> | 1991 |
| - | <i>Chaetopteryx villosa</i> | 1991 |
| - | <i>Crunoecia irrorata</i> | 1991 |
| - | <i>Polycentropus flavomaculatus</i> | 1991 |

Hymenoptera (Wasps, Bees and Ants): 89 species

| Common name | Scientific name | Last recorded |
|-----------------------------|------------------------------|---------------|
| - | <i>Aglaostigma fulvipes</i> | 1991 |
| - | <i>Allantus cinctus</i> | 1991 |
| - | <i>Allantus rufocinctus</i> | 1991 |
| Big-headed Mining Bee | <i>Andrena bucephala</i> | 1991 |
| Short-fringed Mining Bee | <i>Andrena dorsata</i> | 2000 |
| Orange-tailed Mining Bee | <i>Andrena haemorrhoa</i> | 2000 |
| Common Mini-miner | <i>Andrena minutula</i> | 1974 |
| Shiny-margined Mini-miner | <i>Andrena saundersella</i> | 1990 |
| Chocolate Mining Bee | <i>Andrena scotica</i> | 1990 |
| - | <i>Aneugmenus temporalis</i> | 1991 |
| Western Honey Bee | <i>Apis mellifera</i> | 2014 |
| - | <i>Arge cyanocrocea</i> | 2000 |
| - | <i>Arge ustulata</i> | 1991 |
| Field Digger Wasp | <i>Argogorytes mystaceus</i> | 2000 |
| - | <i>Athalia circularis</i> | 2000 |
| - | <i>Athalia cordata</i> | 1991 |
| - | <i>Athalia rosae</i> | 1991 |
| - | <i>Bethylus fuscicornis</i> | 2000 |
| - | <i>Blennocampa pusilla</i> | 1991 |
| Tree Bumblebee | <i>Bombus hypnorum</i> | 2016 |
| Small Garden Bumble Bee | <i>Bombus hortorum</i> | 1974 |
| Large Red-tailed Bumble Bee | <i>Bombus lapidarius</i> | 2000 |
| White-tailed Bumble Bee | <i>Bombus lucorum</i> | 1974 |

| Common name | Scientific name | Last recorded |
|--------------------------|------------------------------------|---------------|
| Common Carder Bee | <i>Bombus pascuorum</i> | 2000 |
| Early Bumble Bee | <i>Bombus pratorum</i> | 1974 |
| Red-shanked Carder-bee | <i>Bombus ruderarius</i> | 1974 |
| Buff-tailed Bumble Bee | <i>Bombus terrestris</i> | 1974 |
| Wheat Stem Borer | <i>Cephus pygmeus</i> | 2000 |
| - | <i>Claremontia alternipes</i> | 1991 |
| Slender Digger Wasp | <i>Crossocerus elongatulus</i> | 1985 |
| - | <i>Crossocerus podagricus</i> | 2000 |
| - | <i>Dineura stilata</i> | 1991 |
| Robin's Pin-Cushion Gall | <i>Diplolepis rosae</i> | 2006 |
| - | <i>Dolerus aeneus</i> | 2000 |
| - | <i>Dolerus niger</i> | 1991 |
| - | <i>Dolerus nigratus</i> | 2000 |
| - | <i>Dolerus picipes</i> | 2000 |
| - | <i>Dolerus puncticollis</i> | 2000 |
| - | <i>Dolerus sanguinicollis</i> | 1991 |
| - | <i>Ectemnius continuus</i> | 2000 |
| - | <i>Ectemnius lapidarius</i> | 2000 |
| - | <i>Formica cunicularia</i> | 1987 |
| Negro Ant | <i>Formica fusca</i> | 2000 |
| Bronze Furrow Bee | <i>Halictus tumulorum</i> | 2000 |
| - | <i>Halidamia affinis</i> | 1991 |
| - | <i>Hartigia linearis</i> | 2000 |
| - | <i>Hoplocampa crataegi</i> | 2000 |
| - | <i>Hoplocampa pectoralis</i> | 2000 |
| Common Furrow Bee | <i>Lasioglossum calceatum</i> | 1974 |
| Chalk Furrow Bee | <i>Lasioglossum fulvicorne</i> | 2000 |
| Green Furrow Bee | <i>Lasioglossum morio</i> | 1974 |
| Smeathman's Furrow Bee | <i>Lasioglossum smeathmanellum</i> | 1974 |
| - | <i>Lasius alienus</i> | 2000 |
| Yellow Meadow Ant | <i>Lasius flavus</i> | 2000 |
| Jet Ant | <i>Lasius fuliginosus</i> | 2000 |
| Small Black Ant | <i>Lasius niger</i> | 2000 |
| - | <i>Leptothorax nylanderi</i> | 1991 |
| - | <i>Liposthenus latreillei</i> | 2006 |
| - | <i>Loderus vestigialis</i> | 2000 |
| - | <i>Macrophyia annulata</i> | 2000 |
| - | <i>Macrophyia duodecimpunctata</i> | 1991 |
| Clover Blunthorn Bee | <i>Melitta leporina</i> | 2000 |
| - | <i>Monophadonus pallescens</i> | 1991 |
| Grass Ant | <i>Myrmecina graminicola</i> | 1991 |
| - | <i>Myrmica lobicornis</i> | 1991 |
| Red Ant | <i>Myrmica rubra</i> | 1991 |
| - | <i>Myrmica ruginodis</i> | 2000 |
| - | <i>Myrmica sabuleti</i> | 1991 |
| - | <i>Myrmica scabrinodis</i> | 2000 |
| - | <i>Nematus lucidus</i> | 1991 |
| Fabricius' Nomad Bee | <i>Nomada fabriciana</i> | 2000 |
| Flavous Nomad Bee | <i>Nomada flava</i> | 2000 |
| Little Nomad Bee | <i>Nomada flavoguttata</i> | 1991 |
| Marsham's Nomad Bee | <i>Nomada marshamella</i> | 2000 |
| Gold-Fringed Mason Bee | <i>Osmia aurulenta</i> | 1974 |
| - | <i>Priophorus pallipes</i> | 1991 |
| - | <i>Priophorus pilicornis</i> | 1991 |

| Common name | Scientific name | Last recorded |
|----------------|---------------------------------|---------------|
| - | <i>Pristiphora crassicornis</i> | 1990 |
| - | <i>Pristiphora punctifrons</i> | 1991 |
| - | <i>Rhogogaster punctulata</i> | 1991 |
| - | <i>Rhopalum clavipes</i> | 1990 |
| - | <i>Selandria serva</i> | 1991 |
| Westwood's Ant | <i>Stenamma westwoodi</i> | 1991 |
| - | <i>Tenthredo celtica</i> | 2000 |
| - | <i>Tenthredopsis nassata</i> | 2000 |
| - | <i>Tenthredopsis tessellata</i> | 1990 |
| - | <i>Tomostethus nigritus</i> | 1991 |
| - | <i>Trypoxyton medium</i> | 1990 |
| Hornet | <i>Vespa crabro</i> | 2017 |

Mecoptera (Scorpion Flies): 2 species

| Common name | Scientific name | Last recorded |
|-------------|--------------------------|---------------|
| - | <i>Panorpa communis</i> | 2000 |
| - | <i>Panorpa germanica</i> | 2000 |

Turbellaria (Flatworms): 1 species

| Common name | Scientific name | Last recorded |
|-------------|-------------------------|---------------|
| - | <i>Polycelis felina</i> | 1991 |

Mollusca (Molluscs): 27 species

| Common name | Scientific name | Last recorded |
|--------------------------|------------------------------|---------------|
| Smooth Glass Snail | <i>Aegopinella nitidula</i> | 1991 |
| Copse Snail | <i>Arianta arbustorum</i> | 1991 |
| Hedgehog Slug | <i>Arion intermedius</i> | 1987 |
| White-lipped Snail | <i>Cepaea hortensis</i> | 1986 |
| Striped Snail | <i>Cernuella virgata</i> | 2006 |
| Slippery Moss Snail | <i>Cochlicopa lubrica</i> | 1991 |
| Common Garden Snail | <i>Cornu aspersum</i> | 2011 |
| Netted Field Slug | <i>Deroceras reticulatum</i> | 1986 |
| Rounded Snail | <i>Discus rotundatus</i> | 1991 |
| Common Garden Snail | <i>Helix aspersa</i> | 1991 |
| Common Chrysalis Snail | <i>Lauria cylindracea</i> | 1991 |
| - | <i>Lymnaea palustris</i> | 1991 |
| Kentish Snail | <i>Monacha cantiana</i> | 1991 |
| Garlic Snail | <i>Oxylilus alliarius</i> | 1988 |
| Cellar Snail | <i>Oxylilus cellarius</i> | 1987 |
| Draparnaud's Glass Snail | <i>Oxylilus draparnaudi</i> | 1988 |
| Pfeiffer's Amber Snail | <i>Oxyloma pfeifferi</i> | 1991 |
| Round-mouthed Snail | <i>Pomatias elegans</i> | 2011 |
| Dwarf Snail | <i>Punctum pygmaeum</i> | 1988 |
| Moss Chrysalis Snail | <i>Pupilla muscorum</i> | 1988 |
| Rock Snail | <i>Pyramidula rupestris</i> | 1988 |
| Hairy Snail | <i>Trichia hispida</i> | 1991 |
| Strawberry Snail | <i>Trichia striolata</i> | 1986 |
| Ribbed Grass Snail | <i>Vallonia costata</i> | 1988 |
| Eccentric Grass Snail | <i>Vallonia excentrica</i> | 1988 |
| Common Whorl Snail | <i>Vertigo pygmaea</i> | 1988 |
| Winter Semi-slug | <i>Vitrina pellucida</i> | 1988 |

Charphyta (Stoneworts): 1 species

| Common name | Scientific name | Last recorded |
|-------------------|----------------------|---------------|
| Bristly Stonewort | <i>Chara hispida</i> | 1977 |

Lichens: 31 species

| Common name | Scientific name | Last recorded |
|----------------------|---------------------------------|---------------|
| - | <i>Buellia punctata</i> | 1991 |
| - | <i>Candelariella vitellina</i> | 1991 |
| - | <i>Cladonia coniocraea</i> | 1991 |
| - | <i>Diploicia canescens</i> | 1991 |
| - | <i>Enterographa crassa</i> | 1991 |
| Oak Moss | <i>Evernia prunastri</i> | 1991 |
| - | <i>Haematomma elatinum</i> | 1991 |
| Dark Crottle | <i>Hypogymnia physodes</i> | 1991 |
| - | <i>Lecanora chlarotera</i> | 1991 |
| - | <i>Lecanora expallens</i> | 1991 |
| - | <i>Lecidella elaeochroma</i> | 1991 |
| - | <i>Lepraria incana</i> | 1991 |
| - | <i>Parmelia caperata</i> | 1991 |
| - | <i>Parmelia glabratula</i> | 1991 |
| - | <i>Parmelia subaurifera</i> | 1991 |
| - | <i>Parmelia subrudecta</i> | 1991 |
| Netted Shield Lichen | <i>Parmelia sulcata</i> | 1991 |
| - | <i>Pertusaria albescens</i> | 1991 |
| - | <i>Pertusaria amara</i> | 1991 |
| - | <i>Pertusaria leioplaca</i> | 1991 |
| - | <i>Pertusaria pertusa</i> | 1991 |
| - | <i>Phaeophyscia orbicularis</i> | 1991 |
| - | <i>Physcia adscendens</i> | 1991 |
| - | <i>Physcia caesia</i> | 1991 |
| - | <i>Physcia tenella</i> | 1991 |
| - | <i>Physconia grisea</i> | 1991 |
| - | <i>Platismatia glauca</i> | 1991 |
| - | <i>Ramalina farinacea</i> | 1991 |
| - | <i>Xanthoria candelaria</i> | 1991 |
| Common Orange Lichen | <i>Xanthoria parietina</i> | 1991 |
| - | <i>Xanthoria polycarpa</i> | 1991 |
| - | <i>Buellia punctata</i> | 1991 |

Liverworts: 5 species

| Common name | Scientific name | Last recorded |
|-------------------------|-----------------------------|---------------|
| Great Scented Liverwort | <i>Conocephalum conicum</i> | 1991 |
| Bifid Crestwort | <i>Lophocolea bidentata</i> | 1991 |
| Forked Veilwort | <i>Metzgeria furcata</i> | 1991 |
| Endive Pellia | <i>Pellia endiviifolia</i> | 1991 |
| Wall Scalewort | <i>Porella platyphylla</i> | 1991 |

Mosses: 44 species

| Common name | Scientific name | Last recorded |
|-------------------------------|-----------------------------------|---------------|
| Creeping Feather-moss | <i>Amblystegium serpens</i> | 1991 |
| Lesser Bird's-claw Beard-moss | <i>Barbula convoluta</i> | 1991 |
| Fallacious Beard-moss | <i>Barbula fallax</i> | 1991 |
| HornsChuck's Beard-moss | <i>Barbula hornschuchiana</i> | 1991 |
| Bird's-claw Beard-moss | <i>Barbula unguiculata</i> | 1991 |
| Rough-stalked Feather-moss | <i>Brachythecium rutabulum</i> | 1991 |
| - | <i>Bryum bicolor</i> | 1991 |
| Capillary Thread-moss | <i>Bryum capillare</i> | 1991 |
| Crimson-tuber Thread-moss | <i>Bryum rubens</i> | 1991 |
| Pointed Spear-moss | <i>Calliergon cuspidatum</i> | 1991 |
| Redshank | <i>Ceratodon purpureus</i> | 1991 |
| Beech Feather-moss | <i>Cirriphyllum crassinervium</i> | 1991 |
| Hair-pointed Feather-moss | <i>Cirriphyllum piliferum</i> | 1991 |
| Curled Hook-moss | <i>Cratoneuron commutatum</i> | 1991 |
| Chalk Comb-moss | <i>Ctenidium molluscum</i> | 1991 |
| Common Pincushion | <i>Dicranoweisia cirrata</i> | 1991 |
| Common Feather-moss | <i>Eurhynchium praelongum</i> | 1991 |
| Common Striated Feather-moss | <i>Eurhynchium striatum</i> | 1991 |
| Swartz's Feather-moss | <i>Eurhynchium swartzii</i> | 1991 |
| Maidenhair Pocket-moss | <i>Fissidens adianthoides</i> | 1991 |
| Common name | Scientific name | Last recorded |
| Lesser Pocket-moss | <i>Fissidens bryoides</i> | 1991 |
| Rock Pocket-moss | <i>Fissidens cristatus</i> | 1991 |
| Common Pocket-moss | <i>Fissidens taxifolius</i> | 1991 |
| Common Cord-moss | <i>Funaria hygrometrica</i> | 1991 |
| Yellow Feather-moss | <i>Homalothecium lutescens</i> | 1991 |
| Silky Wall Feather-moss | <i>Homalothecium sericeum</i> | 1991 |
| - | <i>Hypnum cupressiforme</i> | 1991 |
| Mamillate Plait-moss | <i>Hypnum mammillatum</i> | 1991 |
| Swan's-neck Thyme-moss | <i>Mnium hornum</i> | 1991 |
| Flat Neckera | <i>Neckera complanata</i> | 1991 |
| Crisped Neckera | <i>Neckera crispa</i> | 1991 |
| Wood Bristle-moss | <i>Orthotrichum affine</i> | 1991 |
| White-tipped Bristle-moss | <i>Orthotrichum diaphanum</i> | 1991 |
| Wavy Beard-moss | <i>Oxystegus sinuosus</i> | 1991 |
| Hart's-tongue Thyme-moss | <i>Plagiomnium undulatum</i> | 1991 |
| Neat Feather-moss | <i>Pseudoscleropodium purum</i> | 1991 |
| Tender Feather-moss | <i>Rhynchosstiella tenella</i> | 1991 |
| Clustered Feather-moss | <i>Rhynchosstegium confertum</i> | 1991 |
| English Rock-bristle | <i>Seligeria paucifolia</i> | 1991 |
| Fox-tail Feather-moss | <i>Thamnobryum alopecurum</i> | 1991 |
| - | <i>Ulota crispa</i> | 1991 |
| Crisp Beardless-moss | <i>Weissia longifolia</i> | 1991 |
| Small-mouthed Beardless-moss | <i>Weissia microstoma</i> | 1991 |
| Green Yoke-moss | <i>Zygodon viridissimus</i> | 1991 |

Pteridophyta (Ferns and Horsetails): 8 species

| Common name | Scientific name | Last recorded |
|--------------------|-----------------------------|---------------|
| Broad Buckler-fern | <i>Dryopteris dilatata</i> | 1974 |
| Male-fern | <i>Dryopteris filix-mas</i> | 2015 |
| Field Horsetail | <i>Equisetum arvense</i> | 2013 |

| Common name | Scientific name | Last recorded |
|------------------|--------------------------------|---------------|
| Great Horsetail | <i>Equisetum telmateia</i> | 1974 |
| Adder's-tongue | <i>Ophioglossum vulgatum</i> | 1974 |
| Hart's-tongue | <i>Phyllitis scolopendrium</i> | 1999 |
| Soft Shield-fern | <i>Polystichum setiferum</i> | 1999 |
| Bracken | <i>Pteridium aquilinum</i> | 1974 |

Flowering Plants: 359 species

| Common name | Scientific name | Last recorded |
|-----------------------|--|---------------|
| Field Maple | <i>Acer campestre</i> | 2014 |
| Sycamore | <i>Acer pseudoplatanus</i> | 2022 |
| Yarrow | <i>Achillea millefolium</i> | 2022 |
| Monk's-hood | <i>Aconitum napellus</i> | 2013 |
| Moschatel | <i>Adoxa moschatellina</i> | 2017 |
| Ground-elder | <i>Aegopodium podagraria</i> | 2022 |
| Agrimony | <i>Agrimonia eupatoria</i> | 2022 |
| Common Bent | <i>Agrostis capillaris</i> | 2013 |
| Creeping Bent | <i>Agrostis stolonifera</i> | 2014 |
| Bugle | <i>Ajuga reptans</i> | 1974 |
| Garlic Mustard | <i>Alliaria petiolata</i> | 2022 |
| Ramsons | <i>Allium ursinum</i> | 2017 |
| Black-grass | <i>Alopecurus myosuroides</i> | 2022 |
| Meadow Foxtail | <i>Alopecurus pratensis</i> | 1974 |
| Pyramidal Orchid | <i>Anacamptis pyramidalis</i> | 2022 |
| Scarlet Pimpernel | <i>Anagallis arvensis</i> | 2015 |
| Wild Angelica | <i>Angelica sylvestris</i> | 1974 |
| Barren Brome | <i>Anisantha sterilis</i> | 2022 |
| Sweet Vernal-grass | <i>Anthoxanthum odoratum</i> | 2004 |
| Cow Parsley | <i>Anthriscus sylvestris</i> | 2022 |
| Kidney Vetch | <i>Anthyllis vulneraria</i> | 2022 |
| Parsley Piert | <i>Aphanes arvensis agg.</i> | 1991 |
| Fool's-water-cress | <i>Apium nodiflorum</i> | 1974 |
| Thyme-Leaved Sandwort | <i>Arenaria serpyllifolia</i> | 1974 |
| Slender Sandwort | <i>Arenaria serpyllifolia subsp. leptoclados</i> | 2013 |
| Lesser Burdock | <i>Arctium minus</i> | 2022 |
| False Oat-grass | <i>Arrhenatherum elatius</i> | 2022 |
| Mugwort | <i>Artemisia vulgaris</i> | 2022 |
| Lords-and-Ladies | <i>Arum maculatum</i> | 2017 |
| Squinancywort | <i>Asperula cynanchica</i> | 2022 |
| Wild-oat | <i>Avena fatua</i> | 1991 |
| Downy Oat-grass | <i>Avenula pubescens</i> | 2022 |
| Black Horehound | <i>Ballota nigra</i> | 2013 |
| Daisy | <i>Bellis perennis</i> | 2022 |
| Betony | <i>Betonica officinalis</i> | 2022 |
| Yellow-wort | <i>Blackstonia perfoliata</i> | 2022 |
| Borage | <i>Borago officinalis</i> | 2006 |
| Tor-grass | <i>Brachypodium pinnatum agg.</i> | 2022 |
| False-brome | <i>Brachypodium sylvaticum</i> | 2022 |
| Rape | <i>Brassica napus</i> | 2001 |
| Wild Cabbage | <i>Brassica oleracea</i> | 1991 |
| Quaking-grass | <i>Briza media</i> | 2022 |
| Upright Brome | <i>Bromopsis erecta</i> | 2022 |
| Hairy-brome | <i>Bromopsis ramosa</i> | 2022 |

| Common name | Scientific name | Last recorded |
|----------------------------------|--------------------------------------|---------------|
| Soft-Brome | <i>Bromus hordeaceus</i> | 2022 |
| Rye Brome | <i>Bromus secalinus</i> | 2014 |
| White Bryony | <i>Bryonia dioica</i> | 2022 |
| Butterfly-bush | <i>Buddleja davidii</i> | 2014 |
| Hedge Bindweed | <i>Calystegia sepium</i> | 2001 |
| Harebell | <i>Campanula rotundifolia</i> | 2006 |
| Nettle-leaved Bellflower | <i>Campanula trachelium</i> | 2001 |
| Shepherd's-purse | <i>Capsella bursa-pastoris</i> | 2015 |
| Hairy Bitter-cress | <i>Cardamine hirsuta</i> | 2015 |
| Welted Thistle | <i>Carduus crispus</i> | 2013 |
| Musk Thistle | <i>Carduus nutans</i> | 2014 |
| Slender Thistle | <i>Carduus tenuiflorus</i> | 2022 |
| Lesser Pond-sedge | <i>Carex acutiformis</i> | 1974 |
| Spring-sedge | <i>Carex caryophyllea</i> | 2017 |
| Glaucous Sedge | <i>Carex flacca</i> | 2013 |
| False Fox-sedge | <i>Carex otrubae</i> | 1974 |
| Greater Tussock-sedge | <i>Carex paniculata</i> | 1991 |
| Pendulous Sedge | <i>Carex pendula</i> | 1999 |
| Remote Sedge | <i>Carex remota</i> | 1974 |
| Carline Thistle | <i>Carlina vulgaris</i> | 2022 |
| Hornbeam | <i>Carpinus betulus</i> | 1974 |
| Fern-grass | <i>Catapodium rigidum</i> | 2022 |
| Common Knapweed | <i>Centaurea nigra</i> | 2013 |
| Greater Knapweed | <i>Centaurea scabiosa</i> | 2022 |
| Common Centaury | <i>Centaurium erythraea</i> | 2022 |
| Seaside Centaury | <i>Centaurium littorale</i> | 2013 |
| Lesser Centaury | <i>Centaurium pulchellum</i> | 2022 |
| Red Valerian | <i>Centranthus ruber</i> | 2022 |
| Common Mouse-ear | <i>Cerastium fontanum</i> | 2013 |
| Snow-in-summer | <i>Cerastium tomentosum</i> | 2001 |
| Small Toadflax | <i>Chaenorhinum minus</i> | 2013 |
| Rough Chervil | <i>Chaerophyllum temulum</i> | 1991 |
| Rosebay Willowherb | <i>Chamerion angustifolium</i> | 1991 |
| Greater Celandine | <i>Chelidonium majus</i> | 2022 |
| Opposite-leaved Golden-saxifrage | <i>Chrysosplenium oppositifolium</i> | 1991 |
| Enchanter's-nightshade | <i>Circaeа lutetiana</i> | 2006 |
| Dwarf Thistle | <i>Cirsium acaule</i> | 2022 |
| Creeping Thistle | <i>Cirsium arvense</i> | 2022 |
| Woolly Thistle | <i>Cirsium eriophorum</i> | 2022 |
| Marsh Thistle | <i>Cirsium palustre</i> | 1974 |
| Slender Thistle | <i>Cirsium tenuiflorus</i> | 2022 |
| Spear Thistle | <i>Cirsium vulgare</i> | 2013 |
| Traveller's-joy | <i>Clematis vitalba</i> | 2022 |
| Wild Basil | <i>Clinopodium vulgare</i> | 2022 |
| Field Bindweed | <i>Convolvulus arvensis</i> | 2022 |
| Dogwood | <i>Cornus sanguinea</i> | 2022 |
| Swine-cress | <i>Coronopus squamatus</i> | 2013 |
| Hazel | <i>Corylus avellana</i> | 2011 |
| Wall Cotoneaster | <i>Cotoneaster horizontalis</i> | 2013 |
| Entire-leaved Cotoneaster | <i>Cotoneaster integrifolius</i> | 2013 |
| Himalayan Cotoneaster | <i>Cotoneaster simonsii</i> | 2013 |
| Hawthorn | <i>Crataegus monogyna</i> | 2013 |
| Smooth Hawk's-beard | <i>Crepis capillaris</i> | 2022 |
| Northern Hawk's-beard | <i>Crepis mollis</i> | 1981 |

| Common name | Scientific name | Last recorded |
|-----------------------------|--------------------------------------|---------------|
| Beaked Hawk's-beard | <i>Crepis vesicaria</i> | 2013 |
| Ivy-leaved Toadflax | <i>Cymbalaria muralis</i> | 2015 |
| Hound's-tongue | <i>Cynoglossum officinale</i> | 2022 |
| Crested Dog's-tail | <i>Cynosurus cristatus</i> | 2022 |
| Cock's-foot | <i>Dactylis glomerata</i> | 2022 |
| Common Spotted-orchid | <i>Dactylorhiza fuchsii</i> | 2022 |
| Heath-grass | <i>Danthonia decumbens</i> | 1991 |
| Carrot | <i>Daucus carota</i> | 2013 |
| Wild Teasel | <i>Dipsacus fullonum</i> | 2022 |
| Viper's-bugloss | <i>Echium vulgare</i> | 1986 |
| Bearded Couch | <i>Elymus caninus</i> | 1974 |
| Common Couch | <i>Elytrigia repens</i> | 2001 |
| Great Willowherb | <i>Epilobium hirsutum</i> | 2013 |
| Spear-leaved Willowherb | <i>Epilobium lanceolatum</i> | 2022 |
| Broad-leaved Willowherb | <i>Epilobium montanum</i> | 2022 |
| Hoary Willowherb | <i>Epilobium parviflorum</i> | 2022 |
| Square-stalked Willowherb | <i>Epilobium tetragonum</i> | 2022 |
| Spindle | <i>Euonymus europaeus</i> | 2001 |
| Hemp-agrimony | <i>Eupatorium cannabinum</i> | 1991 |
| Dwarf Spurge | <i>Euphorbia exigua</i> | 2022 |
| Sun Spurge | <i>Euphorbia helioscopia</i> | 2001 |
| Petty Spurge | <i>Euphorbia peplus</i> | 2022 |
| Common Eyebright | <i>Euphrasia nemorosa</i> | 2006 |
| Chalk Eyebright | <i>Euphrasia pseudokerneri</i> | 2014 |
| Beech | <i>Fagus sylvatica</i> | 2011 |
| Black-bindweed | <i>Fallopia convolvulus</i> | 2009 |
| Tall Fescue | <i>Festuca arundinacea</i> | 1991 |
| Sheep's-fescue | <i>Festuca ovina</i> | 2013 |
| Meadow Fescue | <i>Festuca pratensis</i> | 2001 |
| Red Fescue | <i>Festuca rubra</i> | 2022 |
| Dropwort | <i>Filipendula vulgaris</i> | 1991 |
| Wild Strawberry | <i>Fragaria vesca</i> | 1974 |
| Ash | <i>Fraxinus excelsior</i> | 2022 |
| Snowdrop | <i>Galanthus nivalis</i> | 2015 |
| Red Hemp-nettle | <i>Galeopsis angustifolia</i> | 2006 |
| Cleavers | <i>Galium aparine</i> | 2015 |
| Hedge Bedstraw | <i>Galium mollugo</i> | 2022 |
| Upright Hedge Bedstraw | <i>Galium mollugo subsp. erectum</i> | 2015 |
| Lady's Bedstraw | <i>Galium verum</i> | 2013 |
| Autumn Gentian | <i>Gentianella amarella</i> | 2014 |
| Long-stalked Crane's-bill | <i>Geranium columbinum</i> | 2022 |
| Cut-leaved Crane's-bill | <i>Geranium dissectum</i> | 2022 |
| Small-flowered Crane's-bill | <i>Geranium pusillum</i> | 1991 |
| Herb-Robert | <i>Geranium robertianum</i> | 2022 |
| Pencilled Crane's-bill | <i>Geranium versicolor</i> | 2001 |
| Wood Avens | <i>Geum urbanum</i> | 2015 |
| Yellow Horned-poppy | <i>Glaucium flavum</i> | 1991 |
| Ground-ivy | <i>Glechoma hederacea</i> | 2022 |
| Chalk Fragrant Orchid | <i>Gymnadenia conopsea</i> | 2022 |
| Ivy | <i>Hedera helix</i> | 2015 |
| Atlantic Ivy | <i>Hedera hibernica</i> | 2014 |
| Common Rock-rose | <i>Helianthemum nummularium</i> | 2022 |
| Meadow Oat-grass | <i>Helictotrichon pratense</i> | 2022 |
| Downy Oat-grass | <i>Helictotrichon pubescens</i> | 2004 |

| Common name | Scientific name | Last recorded |
|-------------------------------|----------------------------------|---------------|
| Hogweed | <i>Heracleum sphondylium</i> | 2022 |
| Horseshoe Vetch | <i>Hippocrepis comosa</i> | 2022 |
| Hoary Mustard | <i>Hirschfeldia incana</i> | 1991 |
| Yorkshire-fog | <i>Holcus lanatus</i> | 2022 |
| Wall Barley | <i>Hordeum murinum</i> | 2022 |
| Meadow Barley | <i>Hordeum secalinum</i> | 2022 |
| Bluebell | <i>Hyacinthoides non-scripta</i> | 1999 |
| Henbane | <i>Hyoscyamus niger</i> | 2006 |
| Tutsan | <i>Hypericum androsaemum</i> | 1974 |
| Hairy St John's-wort | <i>Hypericum hirsutum</i> | 2022 |
| Imperforate St John's-wort | <i>Hypericum maculatum</i> | 2006 |
| Perforate St John's-wort | <i>Hypericum perforatum</i> | 2013 |
| Square-stalked St John's-wort | <i>Hypericum tetrapterum</i> | 1974 |
| Holly | <i>Ilex aquifolium</i> | 1999 |
| Ploughman's-spikenard | <i>Inula conyzae</i> | 2014 |
| Stinking Iris | <i>Iris foetidissima</i> | 2022 |
| Turkish Iris | <i>Iris orientalis</i> | 2001 |
| Yellow Iris | <i>Iris pseudacorus</i> | 1991 |
| Hard Rush | <i>Juncus inflexus</i> | 1974 |
| Sharp-leaved Fluellen | <i>Kickxia elatine</i> | 2009 |
| Round-leaved Fluellen | <i>Kickxia spuria</i> | 1974 |
| Field Scabious | <i>Knautia arvensis</i> | 2022 |
| Crested Hair-grass | <i>Koeleria macrantha</i> | 2022 |
| Prickly Lettuce | <i>Lactuca serriola</i> | 1991 |
| Yellow Archangel | <i>Lamiastrum galeobdolon</i> | 2014 |
| White Dead-nettle | <i>Lamium album</i> | 2017 |
| Red Dead-nettle | <i>Lamium purpureum</i> | 2017 |
| Nipplewort | <i>Lapsana communis</i> | 2022 |
| Yellow Vetchling | <i>Lathyrus aphaca</i> | 2006 |
| Grass Vetchling | <i>Lathyrus nissolia</i> | 2001 |
| Meadow Vetchling | <i>Lathyrus pratensis</i> | 2022 |
| Autumn Hawkbit | <i>Leontodon autumnalis</i> | 2003 |
| Rough Hawkbit | <i>Leontodon hispidus</i> | 2022 |
| Lesser Hawkbit | <i>Leontodon saxatilis</i> | 1991 |
| Hoary Cress | <i>Lepidium draba</i> | 2022 |
| Oxeye Daisy | <i>Leucanthemum vulgare</i> | 2013 |
| Wild Privet | <i>Ligustrum vulgare</i> | 2022 |
| Purple Toadflax | <i>Linaria purpurea</i> | 2015 |
| Common Toadflax | <i>Linaria vulgaris</i> | 2022 |
| Fairy Flax | <i>Linum catharticum</i> | 2022 |
| Common Twayblade | <i>Listera ovata</i> | 2016 |
| Common Gromwell | <i>Lithospermum officinale</i> | 2022 |
| Perennial Rye-grass | <i>Lolium perenne</i> | 2022 |
| Common Bird's-foot-trefoil | <i>Lotus corniculatus</i> | 2022 |
| Honesty | <i>Lunaria annua</i> | 2001 |
| Scarlet Pimpernel | <i>Lysimachia arvensis</i> | 2022 |
| Musk-mallow | <i>Malva moschata</i> | 2006 |
| Common Mallow | <i>Malva sylvestris</i> | 2014 |
| Pineappleweed | <i>Matricaria discoidea</i> | 2022 |
| Scented Mayweed | <i>Matricaria recutita</i> | 1991 |
| Black Medick | <i>Medicago lupulina</i> | 2022 |
| Tall Melilot | <i>Melilotus altissimus</i> | 1991 |
| Ribbed Melilot | <i>Melilotus officinalis</i> | 2013 |
| Annual Mercury | <i>Mercurialis annua</i> | 2015 |

| Common name | Scientific name | Last recorded |
|----------------------------|-------------------------------------|---------------|
| Dog's Mercury | <i>Mercurialis perennis</i> | 2022 |
| Field Forget-me-not | <i>Myosotis arvensis</i> | 2015 |
| Red Bartsia | <i>Odontites vernus</i> | 2022 |
| Evening-Primrose | <i>Oenothera biennis x cambrica</i> | 2009 |
| Common Restharrow | <i>Ononis repens</i> | 2022 |
| Spiny Restharrow | <i>Ononis spinosa</i> | 1991 |
| Bee Orchid | <i>Ophrys apifera</i> | 2022 |
| Late Spider-orchid | <i>Ophrys fuciflora</i> | 2022 |
| Early Spider-orchid | <i>Ophrys sphegodes</i> | 2013 |
| Man Orchid | <i>Orchis anthropophora</i> | 2022 |
| Wild Marjoram | <i>Origanum vulgare</i> | 2022 |
| Bedstraw Broomrape | <i>Orobanche caryophyllacea</i> | 1991 |
| Common Broomrape | <i>Orobanche minor</i> | 2004 |
| Pink-sorrel | <i>Oxalis articulata</i> | 2022 |
| Common Poppy | <i>Papaver rhoeas</i> | 2022 |
| Opium Poppy | <i>Papaver somniferum</i> | 1991 |
| Wild Parsnip | <i>Pastinaca sativa</i> | 1991 |
| Green Alkanet | <i>Pentaglottis sempervirens</i> | 2022 |
| Redshank | <i>Persicaria maculosa</i> | 2001 |
| Winter Heliotrope | <i>Petasites fragrans</i> | 2022 |
| Corn Parsley | <i>Petroselinum segetum</i> | 2007 |
| Smaller Cat's-tail | <i>Phleum bertolonii</i> | 2013 |
| Timothy | <i>Phleum pratense</i> | 2022 |
| Bristly Oxtongue | <i>Picris echioides</i> | 2015 |
| Hawkweed Oxtongue | <i>Picris hieracioides</i> | 2022 |
| Mouse-ear-hawkweed | <i>Pilosella officinarum</i> | 2013 |
| Greater Burnet-saxifrage | <i>Pimpinella major</i> | 2001 |
| Burnet-saxifrage | <i>Pimpinella saxifraga</i> | 2013 |
| Buck's-horn Plantain | <i>Plantago coronopus</i> | 2015 |
| Ribwort Plantain | <i>Plantago lanceolata</i> | 2015 |
| Greater Plantain | <i>Plantago major</i> | 2022 |
| Hoary Plantain | <i>Plantago media</i> | 2022 |
| Narrow-leaved Meadow-grass | <i>Poa angustifolia</i> | 1974 |
| Annual Meadow-grass | <i>Poa annua</i> | 2017 |
| Early Meadow-grass | <i>Poa infirma</i> | 2015 |
| Wood Meadow-grass | <i>Poa nemoralis</i> | 2013 |
| Smooth Meadow-grass | <i>Poa pratensis</i> | 2013 |
| Rough Meadow-grass | <i>Poa trivialis</i> | 2022 |
| Common Milkwort | <i>Polygala vulgaris</i> | 2022 |
| Equal-leaved Knotgrass | <i>Polygonum arenastrum</i> | 2006 |
| Knotgrass | <i>Polygonum aviculare</i> | 2022 |
| Silverweed | <i>Potentilla anserina</i> | 2022 |
| Creeping Cinquefoil | <i>Potentilla reptans</i> | 2022 |
| Salad Burnet | <i>Poterium sanguisorba</i> | 2022 |
| Cowslip | <i>Primula veris</i> | 2022 |
| Primrose | <i>Primula vulgaris</i> | 2015 |
| Selfheal | <i>Prunella vulgaris</i> | 2015 |
| Wild Cherry | <i>Prunus avium</i> | 1974 |
| Cherry Plum | <i>Prunus cerasifera</i> | 2011 |
| Dwarf Cherry | <i>Prunus cerasus</i> | 2001 |
| Wild Plum | <i>Prunus domestica</i> | 2006 |
| Blackthorn | <i>Prunus spinosa</i> | 2022 |
| Common Fleabane | <i>Pulicaria dysenterica</i> | 2014 |
| Evergreen Oak | <i>Quercus ilex</i> | 2011 |

| Common name | Scientific name | Last recorded |
|----------------------------|---------------------------------|---------------|
| Pedunculate Oak | <i>Quercus robur</i> | 2022 |
| Meadow Buttercup | <i>Ranunculus acris</i> | 2001 |
| Bulbous Buttercup | <i>Ranunculus bulbosus</i> | 2022 |
| Lesser Celandine | <i>Ranunculus ficaria</i> | 2017 |
| Creeping Buttercup | <i>Ranunculus repens</i> | 2015 |
| Wild Mignonette | <i>Reseda lutea</i> | 2022 |
| Weld | <i>Reseda luteola</i> | 1974 |
| Yellow-rattle | <i>Rhinanthus minor</i> | 1974 |
| Red Currant | <i>Ribes rubrum</i> | 2001 |
| Gooseberry | <i>Ribes uva-crispa</i> | 2001 |
| Field-rose | <i>Rosa arvensis</i> | 2014 |
| Dog-rose | <i>Rosa canina</i> | 2022 |
| Small-flowered Sweet-briar | <i>Rosa micrantha</i> | 2013 |
| Sweet-briar | <i>Rosa rubiginosa</i> | 2006 |
| Dewberry | <i>Rubus caesius</i> | 2004 |
| Bramble | <i>Rubus fruticosus agg.</i> | 2014 |
| Bramble | <i>Rubus ulmifolius</i> | 2003 |
| Bramble | <i>Rubus vigorosus</i> | 2006 |
| Common Sorrel | <i>Rumex acetosa</i> | 2015 |
| Curled Dock | <i>Rumex crispus</i> | 2013 |
| Greek Dock | <i>Rumex cristatus</i> | 2013 |
| Broad-leaved Dock | <i>Rumex obtusifolius</i> | 2022 |
| Wood Dock | <i>Rumex sanguineus</i> | 2015 |
| Procumbent Pearlwort | <i>Sagina procumbens</i> | 2015 |
| Goat Willow | <i>Salix caprea</i> | 1974 |
| Dwarf Elder | <i>Sambucus ebulus</i> | 1991 |
| Elder | <i>Sambucus nigra</i> | 2022 |
| Salad Burnet | <i>Sanguisorba minor</i> | 2014 |
| Sanicle | <i>Sanicula europaea</i> | 2017 |
| Soapwort | <i>Saponaria officinalis</i> | 2022 |
| Small Scabious | <i>Scabiosa columbaria</i> | 2022 |
| Tall Fescue | <i>Schedonorus arundinaceus</i> | 2022 |
| Water Figwort | <i>Scrophularia auriculata</i> | 1974 |
| White Stonecrop | <i>Sedum album</i> | 2015 |
| Hoary Ragwort | <i>Senecio erucifolius</i> | 2022 |
| Common Ragwort | <i>Senecio jacobaea</i> | 2013 |
| Groundsel | <i>Senecio vulgaris</i> | 2015 |
| Field Madder | <i>Sherardia arvensis</i> | 2022 |
| Red Campion | <i>Silene dioica</i> | 2013 |
| Bladder Campion | <i>Silene vulgaris</i> | 2022 |
| Charlock | <i>Sinapis arvensis</i> | 2013 |
| Hedge Mustard | <i>Sisymbrium officinale</i> | 2017 |
| Alexanders | <i>Smyrnium olusatrum</i> | 2014 |
| Bittersweet | <i>Solanum dulcamara</i> | 2022 |
| Early Goldenrod | <i>Solidago gigantea</i> | 1991 |
| Goldenrod | <i>Solidago virgaurea</i> | 1994 |
| Prickly Sow-thistle | <i>Sonchus asper</i> | 2013 |
| Smooth Sow-thistle | <i>Sonchus oleraceus</i> | 2022 |
| Swedish Whitebeam | <i>Sorbus intermedia</i> | 2013 |
| Branched Bur-reed | <i>Sparganium erectum</i> | 1974 |
| Betony | <i>Stachys officinalis</i> | 1974 |
| Hedge Woundwort | <i>Stachys sylvatica</i> | 2022 |
| Greater Stitchwort | <i>Stellaria holostea</i> | 2006 |
| Common Chickweed | <i>Stellaria media</i> | 2015 |

| Common name | Scientific name | Last recorded |
|--------------------------|----------------------------------|---------------|
| Lesser Chickweed | <i>Stellaria pallida</i> | 2015 |
| Devil's-bit Scabious | <i>Succisa pratensis</i> | 2014 |
| Black Bryony | <i>Tamus communis</i> | 2022 |
| Dandelion | <i>Taraxacum officinale agg.</i> | 2015 |
| Wood Sage | <i>Teucrium scorodonia</i> | 1974 |
| Lesser Meadow-rue | <i>Thalictrum minus</i> | 2022 |
| Wild Thyme | <i>Thymus drucei</i> | 2022 |
| Large Thyme | <i>Thymus pulegioides</i> | 2013 |
| Garden Thyme | <i>Thymus vulgaris</i> | 1994 |
| Upright Hedge-parsley | <i>Torilis japonica</i> | 2022 |
| Knotted Hedge-parsley | <i>Torilis nodosa</i> | 1991 |
| Salsify | <i>Tragopogon porrifolius</i> | 2017 |
| Goat's-beard | <i>Tragopogon pratensis</i> | 2022 |
| Hop Trefoil | <i>Trifolium campestre</i> | 2001 |
| Lesser Trefoil | <i>Trifolium dubium</i> | 2022 |
| Alsike Clover | <i>Trifolium hybridum</i> | 2022 |
| Red Clover | <i>Trifolium pratense</i> | 2013 |
| White Clover | <i>Trifolium repens</i> | 2022 |
| Scentless Mayweed | <i>Tripleurospermum inodorum</i> | 1991 |
| Yellow Oat-grass | <i>Trisetum flavescens</i> | 2022 |
| Bread Wheat | <i>Triticum aestivum</i> | 2022 |
| Colt's-foot | <i>Tussilago farfara</i> | 1974 |
| Gorse | <i>Ulex europaeus</i> | 2015 |
| Wych Elm | <i>Ulmus glabra</i> | 2001 |
| English Elm | <i>Ulmus procera</i> | 1974 |
| Common Nettle | <i>Urtica dioica</i> | 2015 |
| Keeled-fruited Cornsalad | <i>Valerianella carinata</i> | 2001 |
| Vervain | <i>Verbena officinalis</i> | 2013 |
| Wall Speedwell | <i>Veronica arvensis</i> | 2013 |
| Brooklime | <i>Veronica beccabunga</i> | 2017 |
| Germander Speedwell | <i>Veronica chamaedrys</i> | 2022 |
| Slender Speedwell | <i>Veronica filiformis</i> | 2015 |
| Ivy-Leaved Speedwell | <i>Veronica hederifolia</i> | 2015 |
| Wood Speedwell | <i>Veronica montana</i> | 2001 |
| Common Field-speedwell | <i>Veronica persica</i> | 2015 |
| Grey Field-speedwell | <i>Veronica polita</i> | 2015 |
| Thyme-leaved Speedwell | <i>Veronica serpyllifolia</i> | 2014 |
| Wayfaring-tree | <i>Viburnum lantana</i> | 2013 |
| Tufted Vetch | <i>Vicia cracca</i> | 2022 |
| Common Vetch | <i>Vicia sativa</i> | 2004 |
| Bush Vetch | <i>Vicia sepium</i> | 2015 |
| Field Pansy | <i>Viola arvensis</i> | 2001 |
| Hairy Violet | <i>Viola hirta</i> | 1994 |
| Sweet Violet | <i>Viola odorata</i> | 2022 |
| Common Dog-violet | <i>Viola riviniana</i> | 1974 |