

Border Light




ALUMINIUM CHANNEL FOR BORDER LIGHT

3,5 Meter length

Ordercode: 080-057
EAN: 8714984903364
Color: Aluminium

Length: 3500mm
Width: 29mm
Height: 36,5mm

IP Rate: IP67
Carton Quantity: 12x




END CAP FOR ALUMINIUM CHANNEL

10pcs in a bag

Ordercode: 080-111
EAN: 8714984904231
Color: Aluminium

IP Rate: IP67
Carton Quantity: 1



BRACKET FOR BORDER LIGHT - FOR SHORT LINES

2 pieces with screw

Ordercode: 080-110
EAN: 8714984904040

IP Rate: IP67
Carton Quantity: 1

LEDVERLICHTING SOEST BV

market leader in LED
and decorative lighting

WWW.LEDVERLICHTINGSHOP.NL


Cove Light



Cove Light is used world wide in hotels, restaurants, shops, luxury yachts and living rooms. Tronix is specialized in Cove Light and offers 4 product lines:



For the highest light intensity or for replacement of fluorescent lighting, Cove Light SMD Flat, available as Single 6*12mm is the right choice. This Cove Light is available in different colours, all with a high light output. Big advantage compare to flex tape for example, is the maximum length in one line (+ 20 meter). Cutting distance is 20cm, the rope contains 36 LED p/meter and the power consumption is only 3,6 Watt p/meter. Cove Light SMD works on 24V.




The same Cove Light we also offer in 11*18mm RGB, so that you can create any imaginable color. The maximum length in one line for this model is 20 meter, the cutting distance is also 20cm and this rope contains 36 LED p/meter as well. Power consumption is 6 Watt p/meter. Cove Light SMD works on 24V.



Tronix offers 2 special models of UV channel for SMD Cove Light, namely the UV20 and UV40. UV20 is for single color only, UV40 for both models, UV20 and UV40. Of course you can use flex tape in these channels as well.



Marine Cove Light is specially designed for use on yachts. The defuse LED line, flexible rope and small dimensions making this rope light the perfect solution for that kind of environment. Marine Cove Light contains 78 LED p/meter and the cutting distance is only 8,3cm. Marine Cove Light works on 24V.



Cove Light Round has a modest light intensity for use in luxury yachts and living rooms. It is based on rope light (13mm round rope) but with a higher quantity of LED (60 LED p/meter compare to 36 LED p/meter for regular rope light) and has a diffuse coating over his surface, to avoid shading.

Cove Light Single Color 6*12mm



SINGLE COLOUR COVELIGHT 6 X 12MM WHITE

30 meter roll

Ordercode: 075-041
EAN: 8714984009875
Color: White
Input: 24V
Power p/m: 3,6 Watt

Color temp: 5000
Length: 30 meter
Width: 12mm
Height: 6mm
Max. length: 30 meter

Cutting length: 20cm
LED distance: 19mm
IP rate: IP44
Carton Quantity: 1




SINGLE COLOUR COVELIGHT 6 X 12MM WARM WHITE

30 meter roll

Ordercode: 075-048
EAN: 8714984009882
Color: Warm White
Input: 24V
Power p/m: 3,6 Watt

Color temp: 3000
Length: 30 meter
Width: 12mm
Height: 6mm
Max. length: 30 meter

Cutting length: 20cm
LED distance: 19mm
IP rate: IP44
Carton Quantity: 1



SINGLE COLOUR COVELIGHT 6 X 12MM BLUE

30 meter roll

Ordercode: 075-042
EAN: 8714984009899
Color: Blue
Input: 24V
Power p/m: 3,6 Watt

Length: 30 meter
Width: 12mm
Height: 6mm
Max. length: 30 meter

Cutting length: 20cm
LED distance: 19mm
IP rate: IP44
Carton Quantity: 1



SINGLE COLOUR COVELIGHT 6 X 12MM GREEN

30 meter roll

Ordercode: 075-043
EAN: 8714984009905
Color: Green
Input: 24V
Power p/m: 3,6 Watt

Length: 30 meter
Width: 12mm
Height: 6mm
Max. length: 30 meter

Cutting length: 20cm
LED distance: 19mm
IP rate: IP44
Carton Quantity: 1



SINGLE COLOUR COVELIGHT 6 X 12MM RED

30 meter roll

Ordercode: 075-044
EAN: 8714984009912
Color: Red
Input: 24V
Power p/m: 3,6 Watt

Length: 30 meter
Width: 12mm
Height: 6mm
Max. length: 30 meter

Cutting length: 20cm
LED distance: 19mm
IP rate: IP44
Carton Quantity: 1

Cove Light Single Color 6*12mm



SINGLE COLOUR COVELIGHT 6 X 12MM AMBER

30 meter roll

Ordercode: 075-046
EAN: 8714984009929
Color: Amber
Input: 24V
Power p/m: 3,6 Watt

Length: 30 meter
Width: 12mm
Height: 6mm
Max. length: 30 meter

Cutting length: 20cm
LED distance: 19mm
IP rate: IP44
Carton Quantity: 1



SINGLE COLOUR COVELIGHT 6 X 12MM WHITE HIGH BRIGHT

30 meter roll

Ordercode: 075-071
EAN: 8714984904002
Color: White
Input: 24V
Power p/m: 3,6 Watt

Color temp: 5000
Length: 30 meter
Width: 12mm
Height: 6mm
Max. length: 30 meter

Cutting length: 20cm
LED distance: 19mm
IP rate: IP44
Carton Quantity: 1



SINGLE COLOUR COVELIGHT 6 X 12MM WARM WHITE HIGH BRIGHT

30 meter roll

Ordercode: 075-078
EAN: 8714984903609
Color: Warm White
Input: 24V
Power p/m: 3,6 Watt

Color temp: 2700
Length: 30 meter
Width: 12mm
Height: 6mm
Max. length: 30 meter

Cutting length: 20cm
LED distance: 19mm
IP rate: IP44
Carton Quantity: 1



END CAP

for 6 x 12mm Cove light

Ordercode: 076-006
EAN: 8714984009936

IP rate: IP44
Carton Quantity: 100



MOUNTING CLIP

for 6 x 12mm Cove light

Ordercode: 076-007
EAN: 8714984009943

IP rate: IP44
Carton Quantity: 100

Cove Light Single Color 6*12mm



CONNECTOR

for 6 x 12mm Cove Light

Ordercode: 076-008
EAN: 8714984009950

IP rate: IP44
Carton Quantity: 5



2 (CORNER) CONNECTOR

for 6 x 12mm Cove Light
with 15cm wire between the plugs

Ordercode: 076-009
EAN: 8714984009967

IP rate: IP44
Carton Quantity: 5



POWER CABLE WITH 2 PIN PLUG 1 METER

for 6 x 12mm Cove Light
to DC use 076-015

Ordercode: 076-010
EAN: 8714984901445

Length: 1 meter

IP rate: IP44
Carton Quantity: 5




POWER CABLE WITH STRIPED WIRE 1 METER

for 6 x 12mm Cove Light

Ordercode: 076-017
EAN: 8714984905245

Length: 1 meter

IP rate: IP44
Carton Quantity: 5



ALUMINIUM CHANNEL 2 METER

for 6 x 12mm Cove Light

Ordercode: 076-011
EAN: 8714984902237

Length: 2 meter

IP rate: IP44
Carton Quantity: 25

Cove Light Single Color 6*12mm



PET CHANNEL 1 METER

for 6 x 12mm Cove Light
with double sided tape on the back

Ordercode: 076-016
EAN: 8714984905122

IP rate: IP44
Carton Quantity: 50



CONVERTER CABLE 10CM FROM 2 PIN TO DC PLUG

for 6 x 12mm Cove Light

Ordercode: 076-015
EAN: 8714984904026

IP rate: IP44
Carton Quantity: 1



Ledverlichting Soest BV

market leader in LED and decorative lighting

Cove Light RGB 11*18mm



RGB COLOUR COVELIGHT 11 X 18MM

50 meter roll
Price per meter

Ordercode: 075-025
EAN: 8714984008854
Color: RGB
Input: 24V
Power p/m: 7,2 Watt

Length: 1 meter
Width: 18mm
Height: 11mm
Max. length: 20 meter

Cutting length: 20cm
LED distance: 19mm
IP rate: IP44
Carton Quantity: 50 m roll



END CAP

for 11 x 18mm RGB Covelight

Ordercode: 076-001
EAN: 8714984008878

IP rate: IP44
Carton Quantity: 100



MOUNTING CLIP

for 11 x 18mm RGB Covelight

Ordercode: 076-002
EAN: 8714984008885

IP rate: IP44
Carton Quantity: 100



CONNECTOR

for 11 x 18mm RGB Covelight

Ordercode: 076-003
EAN: 8714984008892

IP rate: IP44
Carton Quantity: 5



2 (CORNER) CONNECTOR

for 11 x 18mm RGB Covelight
with 29cm wire between the plugs

Ordercode: 076-004
EAN: 8714984008908

IP rate: IP44
Carton Quantity: 5

Cove Light RGB 11*18mm



POWER CABLE WITH STRIPED WIRE 1 METER

for 11 x 18mm RGB Covelight

Ordercode: 076-005
EAN: 8714984009417

IP rate: IP44
Carton Quantity: 5




POWER CABLE WITH STRIPED WIRE 5 METER

for 11 x 18mm RGB Covelight

Ordercode: 076-013
EAN: 8714984901452

IP rate: IP44
Carton Quantity: 5



ALUMINIUM CHANNEL 2 METER

for 11 x 18mm RGB Covelight

Ordercode: 076-014
EAN: 8714984902244

IP rate: IP44
Carton Quantity: 25



PET CHANNEL 1 METER

for 11 x 18mm RGB Covelight
with double sided tape on the back

Ordercode: 076-018
EAN: 8714984905757

IP rate: IP44
Carton Quantity: 50

Cove Light UV Channel



UV20 CHANNEL 2 METER WHITE

for 6 x 12mm Covelight or Flex Tape
excluding lexan cover

Ordercode: 076-100
EAN: 8714984902251
Color: White RAL 9010

Length: 2 meter
Width: 47mm
Height: 24mm

IP rate: IP44
Carton Quantity: 20



UV20 CHANNEL 2 METER ALU

for 6 x 12mm Covelight or Flex Tape
excluding lexan cover

Ordercode: 076-101
EAN: 8714984908628
Color: Aluminium

Length: 2 meter
Width: 47mm
Height: 24mm

IP rate: IP44
Carton Quantity: 10




UV20 CHANNEL 6 METER ALU

for 6 x 12mm Covelight or Flex Tape
excluding lexan cover

Ordercode: 076-102
EAN: 8714984902268
Color: Aluminium

Length: 6 meter
Width: 47mm
Height: 24mm

IP rate: IP44
Carton Quantity: 10



UV20 END CAP

2pcs in a bag

Ordercode: 076-104
EAN: 8714984902275

IP rate: IP44
Carton Quantity: 1



UV20 LEXAN COVER FROSTED 2 METER

Excluding channel

Ordercode: 076-105
EAN: 8714984902817

Length: 2 meter
Width: 5mm
Height: 20mm

IP rate: IP44
Carton Quantity: 1

Cove Light UV Channel



UV20 LEXAN COVER FROSTED 3 METER

Excluding channel

Ordercode: 076-106
EAN: 8714984902794

Length: 3 meter
Width: 5mm
Height: 20mm

IP rate: IP44
Carton Quantity: 1



UV40 CHANNEL 2 METER WHITE

For cove light or flex tape
Excluding lexan cover

Ordercode: 076-110
EAN: 8714984902282
Color: White RAL 9010

Length: 2 meter
Width: 47mm
Height: 45mm

IP rate: IP44
Carton Quantity: 12



UV40 CHANNEL 2 METER ALU

For cove light or flex tape
Excluding lexan cover

Ordercode: 076-111
EAN: 8714984908635
Color: Aluminium

Length: 2 meter
Width: 47mm
Height: 45mm

IP rate: IP44
Carton Quantity: 10




UV40 CHANNEL 6 METER ALU

For cove light or flex tape
Excluding lexan cover

Ordercode: 076-112
EAN: 8714984902299
Color: Aluminium

Length: 6 meter
Width: 47mm
Height: 45mm

IP rate: IP44
Carton Quantity: 10



UV40 END CAP

2pcs in a bag

Ordercode: 076-114
EAN: 8714984902305
Color: Grey

IP rate: IP44
Carton Quantity: 1

Cove Light UV Channel



UV40 LEXAN COVER FROSTED 2 METER

Ordercode: 076-115
EAN: 8714984902824

Length: 2 meter
Width: 40mm
Height: 5mm

IP rate: IP44
Carton Quantity: 1



UV40 LEXAN COVER FROSTED 3 METER

Ordercode: 076-116
EAN: 8714984902800

Length: 3 meter
Width: 40mm
Height: 5mm

IP rate: IP44
Carton Quantity: 1

Ledverlichting Soest BV

market leader in LED
and decorative lighting

www.ledverlichtingshop.nl

Cove Light Marine




MARINE COVELIGHT WARM WHITE

20 meter roll

Ordercode: 075-038
EAN: 8714984905641
Input: 24V
Power p/m: 4,68 Watt

Color temp: 2700
Length: 20 meter
Width: 9mm
Height: 15mm
Max. length: 20 meter

Cutting length: 8,3cm
IP rate: IP67
Carton Quantity: 1



ACCESORY KIT FOR MARINE COVELIGHT

Power cable, splice connector, heat shrinking tube and end cap

Ordercode: 075-100
EAN: 8714984905658

IP rate: IP67
Carton Quantity: 1



ALUMINIUM (U) CHANNEL FOR MARINE COVELIGHT

1 meter length

Ordercode: 075-101
EAN: 8714984905665

Length: 1 meter

IP rate: IP67
Carton Quantity: 1



Cove Light Round



LED COVE LIGHT ROUND 13MM WHITE

45 meter roll

Power Cable included

Ordercode: 075-001
EAN: 8714984007697
Color: White
Input: 230V
Power p/m: 5,34 Watt

Color temp: 5000
Length: 45 meter
Width: ø 13mm
Max. length: 45 meter

Cutting length: 1 meter
LED distance: 1,67cm
IP rate: IP44
Carton Quantity: 1



LED COVE LIGHT ROUND 13MM BLUE

45 meter roll

Power Cable included

Ordercode: 075-002
EAN: 8714984050754
Color: Blue
Input: 230V
Power p/m: 5,34 Watt

Length: 45 meter
Width: ø 13mm
Max. length: 45 meter

Cutting length: 1 meter
LED distance: 1,67cm
IP rate: IP44
Carton Quantity: 1



LED COVE LIGHT ROUND 13MM WARM WHITE

45 meter roll

Power Cable included

Ordercode: 075-008
EAN: 8714984008090
Color: Warm White
Input: 230V
Power p/m: 5,34 Watt

Color temp: 3000
Length: 45 meter
Width: ø 13mm
Max. length: 45 meter

Cutting length: 1 meter
LED distance: 1,67cm
IP rate: IP44
Carton Quantity: 1



LED COVE LIGHT ROUND 13MM WARM WHITE 120V

45 meter roll

Power Cable included

Ordercode: 075-018
EAN: 8714984050914
Color: Warm White
Input: 230V
Power p/m: 5,34 Watt

Color temp: 3000
Length: 45 meter
Width: ø 13mm
Max. length: 45 meter

Cutting length: 1 meter
LED distance: 1,67cm
IP rate: IP44
Carton Quantity: 1



for accessories led cove light round, please check accessories of led Rope light 13mm on chapter 10.

LED Festoon Light




LED FESTOON LIGHT, FOR HIGH LIGHT OUTPUT COVE LIGHT
Choose you own LED distance and LED bulb to create any imaginable cove light

- ① Mount the socket on the cable on the desired distance and choose way of mounting (nail clip or channel).




- ② Insert the Festoon lamp.




- ③ Use terminal to extend two cables when needed (optional).



- ④ Install End Cap (avoid short circuit)



- ⑤ Connect the power



LED Festoon Light



FESTOON CABLE 10 METER

white cable - without socket

Ordercode: 075-120
EAN: 8714984908369

Length: 10 meter

IP Rate: IP20
Carton Quantity: 1



SOCKET

Ordercode: 075-125
EAN: 8714984908376

IP Rate: IP20
Carton Quantity: 1



LED BULB 0,5 WATT

24V, Warm White 3000K

Ordercode: 075-130
EAN: 8714984908413
Voltage: 24V
Power: 0,5 Watt

Kelvin: 3000K
Lumen: 20
Length: 42mm
Width: 12mm

Height: 8,7mm
LED: Epistar
IP Rate: IP20
Carton Quantity: 1



LED BULB 1 WATT

24V, Warm White 3000K

Ordercode: 075-131
EAN: 8714984908420
Voltage: 24V
Power: 1,1 Watt

Kelvin: 3000K
Lumen: 55
Length: 42mm
Width: 12mm

Height: 8,7mm
LED: Epistar
IP Rate: IP20
Carton Quantity: 1



ENDCAP

Ordercode: 075-126
EAN: 8714984908383

IP Rate: IP20
Carton Quantity: 1

LED Festoon Light



PVC CHANNEL 1 METER

Color white

Ordercode: 075-127
EAN: 8714984908390

Length: 1 meter

IP Rate: IP20
Carton Quantity: 1



NAIL CLIP


Ordercode: 075-128
EAN: 8714984908406

IP Rate: IP20
Carton Quantity: 1

Ledverlichting Soest BV

market leader in LED and decorative lighting






FLEX TAPE WHITE 60 LED P/METER

For indoor use - including 3M adhesive tape
6500K

Ordercode: 127-001
EAN: 8714984051331
Input: 12V
Power: 24 Watt
PCB color: Brown
LED Qty: 300

LED distance: 1,67cm
Cutting distance: 5cm
Beam: 120°
Lumen p/meter: 265
Length: 5m
Width: 8mm

Height: 2,4mm
Max. to connect: 5 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 3528
Carton Quantity: 5




FLEX TAPE WARM WHITE 60 LED P/METER

For indoor use - including 3M adhesive tape
3000K

Ordercode: 127-008
EAN: 8714984008717
Input: 12V
Power: 24 Watt
PCB color: Brown
LED Qty: 300

LED distance: 1,67cm
Cutting distance: 5cm
Beam: 120°
Lumen p/meter: 235
Length: 5m
Width: 8mm

Height: 2,4mm
Max. to connect: 5 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 3528
Carton Quantity: 5



FLEX TAPE BLUE 60 LED P/METER


For indoor use - including 3M adhesive tape

Ordercode: 127-002
EAN: 8714984051348
Input: 12V
Power: 24 Watt
PCB color: Brown
LED Qty: 300

LED distance: 1,67cm
Cutting distance: 5cm
Beam: 120°
Length: 5m
Width: 8mm

Height: 2,4mm
Max. to connect: 5 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 3528
Carton Quantity: 5

Flex Tape




FLEX TAPE GREEN 60 LED P/METER

For indoor use - including 3M adhesive tape

Ordercode: 127-003
EAN: 8714984051355
Input: 12V
Power: 24 Watt
PCB color: Brown
LED Qty: 300

LED distance: 1,67cm
Cutting distance: 5cm
Beam: 120°
Length: 5m
Width: 8mm

Height: 2,4mm
Max. to connect: 5 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 3528
Carton Quantity: 5



FLEX TAPE RED 60 LED P/METER

For indoor use - including 3M adhesive tape

Ordercode: 127-004
EAN: 8714984051362
Input: 12V
Power: 24 Watt
PCB color: Brown
LED Qty: 300

LED distance: 1,67cm
Cutting distance: 5cm
Beam: 120°
Length: 5m
Width: 8mm

Height: 2,4mm
Max. to connect: 5 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 3528
Carton Quantity: 5




FLEX TAPE YELLOW 60 LED P/METER

For indoor use - including 3M adhesive tape

Ordercode: 127-005
EAN: 8714984051379
Input: 12V
Power: 24 Watt
PCB color: Brown
LED Qty: 300

LED distance: 1,67cm
Cutting distance: 5cm
Beam: 120°
Length: 5m
Width: 8mm

Height: 2,4mm
Max. to connect: 5 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 3528
Carton Quantity: 5



SPLICE CONNECTOR

To connect two separate units

Ordercode: 127-204
EAN: 8714984905764

IP Rate: IP20
Carton Quantity: 10



POWER CABLE

20cm cable

Ordercode: 127-205
EAN: 8714984905771

Connection Type: striped wire
IP Rate: IP20
Carton Quantity: 10



FLEX TAPE WHITE 30 LED P/METER HIGH BRIGHT

For indoor use - including 3M adhesive tape

6500K

Ordercode: 127-011
EAN: 8714984903333
Input: 12V
Power: 30 Watt
PCB color: Brown
LED Qty: 150

LED distance: 3,34cm
Cutting distance: 10cm
Beam: 120°
Lumen p/meter: 540
Length: 5m
Width: 11,7 mm

Height: 2,5mm
Max. to connect: 5 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 5050
Carton Quantity: 3



FLEX TAPE WARM WHITE 30 LED P/METER HIGH BRIGHT


For indoor use - including 3M adhesive tape

3000K

Ordercode: 127-018
EAN: 8714984903340
Input: 12V
Power: 30 Watt
PCB color: Brown
LED Qty: 150

LED distance: 3,34cm
Cutting distance: 10cm
Beam: 120°
Lumen p/meter: 390
Length: 5m
Width: 11,7 mm

Height: 2,5mm
Max. to connect: 5 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 5050
Carton Quantity: 3




FLEX TAPE RGB 30 LED P/METER

For indoor use - including 3M adhesive tape

Ordercode: 127-000
EAN: 8714984051393
Input: 12V
Power: 36 Watt
PCB color: Brown
LED Qty: 150

LED distance: 3,34cm
Cutting distance: 10cm
Beam: 120°
Length: 5m
Width: 11,7mm

Height: 2,5mm
Max. to connect: 5 meter
Connection Type: Plug connection
IP Rate: IP20
LED: Tri Chip
Carton Quantity: 3



FLEX TAPE RGB 48 LED P/METER

For indoor use - including 3M adhesive tape

Ordercode: 127-100
EAN: 8714984903357
Input: 24V
Power: 57,5 Watt
PCB color: Brown
LED Qty: 240

LED distance: 2,08cm
Cutting distance: 12,5cm
Beam: 120°
Lumen p/meter:
Length: 5m
Width: 11,7 mm

Height: 2,5mm
Max. to connect: 10 meter
Connection Type: Plug Connection
IP Rate: IP20
LED: Tri Chip
Carton Quantity: 3



CONNECTOR SET FOR 127-100 AND 127-000

Ordercode: 127-200
EAN: 8714984903944

IP Rate: IP20
Carton Quantity: 10



FLEX TAPE WARM WHITE+ 120 LED P/METER

2400K For indoor use - coating on top - including 3M adhesive tape
LED's are encapsulated for a better protection against dust, cleaning, etc.

Ordercode: 127-048
EAN: 8714984905108
Input: 24V
Power: 40 Watt
PCB color: White
LED Qty: 600

LED distance: 0,83cm
Cutting distance: 5cm
Beam: 120°
Lumen p/meter: 480
Length: 5m
Width: 8mm

Height: 3mm
Max. to connect: 10 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 3528
Carton Quantity: 30



FLEX TAPE WARM WHITE 120 LED P/METER

3000K For indoor use - coating on top - including 3M adhesive tape
LED's are encapsulated for a better protection against dust, cleaning, etc.

Ordercode: 127-058
EAN: 8714984908451
Input: 24V
Power: 40 Watt
PCB color: White
LED Qty: 600

LED distance: 0,83cm
Cutting distance: 5cm
Beam: 120°
Lumen p/meter: 480
Length: 5m
Width: 8mm

Height: 3mm
Max. to connect: 10 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 3528
Carton Quantity: 30




FLEX TAPE WHITE 120 LED P/METER

7000K For indoor use - coating on top - including 3M adhesive tape
LED's are encapsulated for a better protection against dust, cleaning, etc.

Ordercode: 127-041
EAN: 8714984908468
Input: 24V
Power: 40 Watt
PCB color: White
LED Qty: 600

LED distance: 0,83cm
Cutting distance: 5cm
Beam: 120°
Lumen p/meter: 600
Length: 5m
Width: 8mm

Height: 3mm
Max. to connect: 10 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 3528
Carton Quantity: 30



FLEX TAPE BLUE 120 LED P/METER

For indoor use - including 3M adhesive tape

Ordercode: 127-042
EAN: 8714984908765
Input: 24V
Power: 40 Watt
PCB color: White
LED Qty: 600

LED distance: 0,83cm
Cutting distance: 5cm
Beam: 120°
Length: 5m
Width: 8mm

Height: 2,5mm
Max. to connect: 10 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 3528
Carton Quantity: 30



FLEX TAPE WHITE 240 LED P/METER

For indoor use - including 3M adhesive tape
7000K

Ordercode: 127-061
EAN: 8714984909069
Input: 24V
Power: 96 Watt
PCB color: White
LED Qty: 1200

LED distance: 0,83cm
Cutting distance: 5cm
Beam: 120°
Lumen p/meter: 1300
Length: 5m
Width: 8mm

Height: 2,5mm
Max. to connect: 5 meter
Connection Type: Striped wire
IP Rate: IP20
LED: 3528
Carton Quantity: 20