



## WORKMATE

Powered by KOHLER

"POWER TO CONQUER"

Quality Skid Steer Loaders

## WORKMATE

The Viking Workmate is designed to make operators more productive. Viking Loaders achieve this by using good ergonomic mechanical design, combined with innovative hydraulic design and world class components.

Bayswater, Victoria; we use local sub-contractors and suppliers.

Please call Viking Loaders and discuss

#### **PRODUCTIVITY**

- Load Capacity
- Wheel Speed
- Arm Speed
- Machine Operation
- Dump Height
- Dual remote ports

#### **SERVICEABILITY**

- Enclosed electrics
- Accessibility for maintenance

Improve your business from as little as \$100 p/week. All with the 100% Viking Guarantee.



### **CHASSIS**



- The narrowest contractors mini skid steer loader - 950mm wide standard or 740mm wide, fitted with skinny wheels
- 16mm fabricated steel construction
- 20mm fabricated arms
- 8mm belly pan
- 1.9mm dump height
- · Low centre of gravity
- Ergonomically designed control layout
- Large operator platform-very spacious

### **HYDRAULICS**



- Innovative high performance, industrial hydraulic system
- Very efficient high flow design
- Fully integrated one piece contol valve
- Variable speed trencher control valve
- Single high pressure pump
- Twin- High flow & low flow remote auxiliary ports
- 500 hr hyd service interval
- · Individual wheel motor access
- Large 5kw thermo hydraulic cooler with

#### **ENGINE**



- Optional, 23hp (Carburetor) or 27hp (EFI) V-twin Air Cooled Petrol Engine, application tested and international warranty approval
- Easy access for maintenance
- · Full-pressure lubrication, delivering positive lube to engine component, up to 25-degree of operation

### **COMPONENTS**



- · Hinged Bonnet for easy access
- · Cartridge airfilter
- Billet steel Hubs
- · Pivoting grill assembly
- · Plastic moulded fuel tank
- Built for Australian conditions





# POWER TO CONQUER Quality Skid Steer Loaders

See below for some of the many attachments for the Workmate























## "POWER TO CONQUER"

Quality Skid Steer Loaders

PERFORMANCE Hydraulics		
Pump Size	11.3 cc (Carburetor)	
T dilip Gize	12 cc (EFI)	
Hydraulic Pressure	3200 psi	
Hydraulic Capacity	40 litres	
Max Travel Speed	8 km/h	
Rate Lift Capacity	365kg	
Wheel Motors	4 x 470cu	
ENGINE	1 X 11 000	
Petrol options	Kohler 23hp Carburetor	
	Kohler 27hp EFI	
Fuel Tank	25 Lt	
DIMENSIONAL SPECIFICATIO		
A. Overall Width	950mm with 8.5 " wheel	
	900mm with 10" wheel	
	740mm with 8.5"(skinny)	
B. Overall Length	1600mm	
C. Overall Height	985mm	
D. Max. Operating Height	2165mm	
E. Angle of Departure	20 degrees	
F. Wheel Base	800mm	
G. Ground Clearance	120mm (8" tyre)	
H. Max. Pin Height	1990mm	
Dump Height - Std Bucket	1940mm	
Dump Height (4 in 1 bucket)	1900mm	/ • /
Height to Hinge Pin	1985mm	/ */
	Tyre size standard	
Tyre Size	18" x 8.5" x 8" or	
	19" x 8" x 10" big wheel	
	(optional)	La Balan
Filtration	Replaceable catridge	₩ H
		000
Machine Mass	750kg wet	000
Angle alarm sensor	Optional	
Security Immobiliser	Optional	
		Windows Williams
WARRANTY		Londing
Engine Warranty	24 months or 2000hrs	
Product Warranty	2 years or 1000hrs	
	E	
	<b>†</b>	G ,

# Viking Mini Loaders Pty. Ltd. Sales and Service 03 9720 2264 www.vikingminiloaders.com.au

Factory 25 / 172 Canterbury Road, Bayswater Victoria 3153

Fax: 03 9720 2265

Email: sales@vikingminiloaders.com.au

DEALER STAMP