

The image shows a modern interior space with a large, light-colored wooden floor made of wide, rustic planks in a herringbone pattern. In the background, there is a long, low cabinet with glass doors and a dark shelving unit. The overall aesthetic is minimalist and contemporary.

Whiteriver


wood for living

ENGINEERED WOOD FLOORING

product quality & environment

In today's fast moving environment consumer's tastes and trends are constantly changing and here at Whiteriver we endeavour to keep our ranges in tune with demand. We are also fully committed to following all Government and EU policy on the handling and sourcing of timber products. In Europe through the EU timber regulations we have very strong legislation that puts in place detailed check lists and audits that ensure all timber products supplied come from sustainable sources. Our product ranges are primarily based on wood species that have proven sustainable reserves which ensures you can have peace of mind when selecting one of our products.

Our company has both FSC® and PEFC Chain of Custody certification. The Forest Stewardship Council (FSC®) aims to promote environmentally appropriate, socially beneficial and environmentally viable management of the world's forests. Read more about FSC – www.fsc.org. The Programme for the Endorsement of Forest Certification (PEFC) is an international non-profit, non-governmental organisation dedicated to promoting Sustainable Forest Management (SFM) through independent third-party certification. Read more about PEFC – www.pefc.org.



Whiteriver
wood for living

Over the last two decades, Whiteriver floors have grown to become one of the most respected and recognised names in engineered flooring. Selecting only the finest hardwoods and combining them with a precision multi-layer construction, Whiteriver are a high quality choice for your interior floors. The natural look of a wood floor with the extra stability provided by the engineered construction, you truly experience the best of both worlds with a Whiteriver Engineered Wood Floor. Available in a large range of styles and species, there is something to suit every home and design taste.

index

06	Range Overview
12	Forest Collection
18	Barista Plank Collection
30	Barista Herringbone Collection
34	Monolam Collection
42	Heritage Collection
54	Prestige Collection
58	Whiteriver Herringbone Collection
64	Whiteriver Chevron Panel Collection
68	Versailles Panels
72	Historic Plank Collection
78	Historic Herringbone & Chevron Collection
82	Historic Wall Panel Collection
88	Renaissance 13mm Plank Collection
94	Renaissance 13mm Herringbone Collection
100	Renaissance 21mm Plank Collection
106	Renaissance 21mm Herringbone Collection
112	Renaissance Chevron Collection
116	Renaissance XL Collection
122	Architects and Designers
132	Grading Guidelines
134	Underlays
136	Quality and Reassurance
138	Care and Maintenance

Forest Collection



190 x 14mm Clifden Oak Smoked



180 x 14mm Cachel Oak Smoked BR



190 x 14mm Ardmore Oak Smoked-Planed



190 x 14mm Dalkey Oak Hand-Brushed



190 x 14mm Avoca Oak



190 x 14mm Lismore Oak Smoked



190 x 14mm Plank Tavern Oak



190 x 14mm Glengarra Oak Brushed



190 x 14mm Portrush Oak



190 x 14mm Erne Oak Smoked

Barista Collection



207 x 14mm Barista Oak Latte Matt Varnished



180 x 14mm Barista Oak Latte Brushed Matt Varn.



180 x 14mm Barista Oak Americano Brushed Matt Varn.



207 x 14mm Barista Oak Macchiato Brushed Matt Varn.



180 x 14mm Barista Oak Macchiato Brushed Matt Varn.



180 x 14mm Barista Oak Con Panna Brushed Matt Varn.



207 x 14mm Barista Oak Mocha Brushed Matt Varn.



180 x 14mm Barista Oak Mocha Brushed Matt Varn.



207 x 14mm Barista Espresso Brushed Matt Varn.



180 x 14mm Barista Espresso Matt Varnished.



180 x 14mm Barista Oak Crema Matt Varnished




180 x 14mm Barista Oak Napoletana Brushed Matt Varn.


Barista Herringbone



130 x 14mm Barista Oak Crema Brushed Matt Varn.



130 x 14mm Barista Oak Mocha Brushed Matt Varn.



130 x 14mm Barista Espresso Brushed Matt Varnished



130 x 14mm Barista Oak Napoletana Brushed Matt Varn.

Heritage Collection



Heritage 190 x 18mm Oak Alvero Grey Limewashed



Heritage 190 x 18mm Oak Chardin Smoked



190 x 18mm Nelson Oak



Heritage 190 x 18mm Oak Cezanne Smoked Brushed



Heritage 189 x 20mm Richmond Oak Matt



Heritage 190 x 18mm Oak Laurens




Heritage 189 x 20mm Oak Normandy



Heritage 190 x 18mm Oak Bordeaux Limewashed




Heritage 189 x 20mm Oak Monet Distressed



Heritage 190 x 18mm Oak Biarritz Brushed



Heritage 189 x 20mm Oak Renoir Brushed



Heritage 189 x 18mm Dakota Walnut

Prestige Collection




Heritage 170 x 21mm Oak Character Unfinished



Prestige 220 x 20mm Eton Oak Brushed



Prestige 220 x 20mm Nottingham Oak



Prestige 220 x 20mm Edinburgh Oak



Prestige 220 x 20mm Warwick Oak Smoked Brushed



Prestige 210 x 19mm Oak Character Unfinished

Monolam Collection



Monolam 120 x 18mm Acacia Walnut



Monolam 127 x 18mm American Cherry



Monolam 150 x 18mm Oak Crème Brushed



Monolam 127 x 18mm American Ash



Monolam 150 x 18mm European Oak



180 x 14mm European Oak 3-Strip



Monolam 127 x 18mm European Oak



Monolam 150 x 18mm European Oak Brushed



Monolam 190 x 18mm European Oak



Monolam 127 x 18mm Canadian Maple



Monolam 150 x 18mm American Walnut



Monolam 127 x 18mm American Walnut



Monolam 150 x 18mm European Smoked Oak Brushed

Whiteriver Herringbone Collection



90 x 14 x 450mm Hampton Oak Brushed




90 x 18 x 450mm Langley Oak Matt



90 x 18 x 450mm Albury Oak Matt



90 x 14 x 450mm Rhode Island Oak



90 x 18 x 450mm Daintree Oak




90 x 18 x 450mm Charleston Oak Unfinished



90 x 18 x 450mm Morrison Oak Smoked Brushed




90 x 18 x 450mm Darwin Oak Smoked



100 x 20 x 500mm Hobart Oak




90 x 18 x 450mm Brookland Oak Grey Limewashed



100 x 20 x 500mm Lawson Oak

Chevron Collection



400 x 18 x 980mm Chevron Melbourne L&R




400 x 18 x 980mm Chevron Cairns L&R



400 x 18 x 980mm Chevron Sydney L&R



400 x 18 x 980mm Chevron Auckland L&R Unfinished



400 x 18 x 980mm Chevron Queenstown L&R



400 x 18 x 980mm Chevron Perth L&R

Versailles Panels



900 x 18 x 900mm Oak Light Brushed Unfinished



900 x 18 x 900mm Oak Light BR Matt Varnished



900 x 18 x 900mm Oak Smoked BR Matt Varnished



70-230mm x 15mm Historic Columbus Pine Plank



70-230mm x 15mm Historic Charleston Pine Plank




95-135mm x 15mm Historic Madison Oak Plank



95-135mm x 15mm Historic Boston Oak Plank



95-135mm x 15mm Historic Chicago Oak Plank



50-230mm x 18mm Historic New Orleans Elm Plank



90 x 15 x 600mm Historic Charleston Pine Herringbone



115 x 15 x 575mm Historic Madison Oak Herringbone



115 x 15 x 575mm Historic Boston Oak Herringbone




90 x 15 x 600mm Historic Charleston Pine Chevron

Historic Collection



50-130mm x 4mm Historic Atlanta Pine Wall Panelling



50-130mm x 4mm Historic Charleston Pine Wall Panelling




50-130 x 4mm Historic New Amsterdam Pine Wall Panelling





50-110 x 4mm Historic Columbus Pine Wall Panelling

Renaissance Collections with compatible floor types



Renaissance XL





forest

BY WHITERIVER

The Forest Collection boasts stunning *190mm width boards which are 1900mm long, giving a fashionable wide, long plank look to your home. Your room will radiate with the warmth of the vintage yet natural wood appearance and selection of finishes available.

**Cashel Oak boards are 180mm x 1800mm*

180 190

plank





***190 x 14 x 1900mm Ardmore Oak**
Finish: Smoked, Planed, White UV Oiled
D1012013 / Grading Type: Universal



190 x 14 x 1900mm Avoca Oak
Finish: Matt Varnished
D1012019 / Grading Type: Universal



190 x 14 x 1900mm Dalkey Oak
Finish: Hand Brushed Knots & Sunken Filler, UV Oiled
D1012014 / Grading Type: Vintage



190 x 14 x 1900mm Glengarra Oak
Finish: Brushed, Matt Varnished
D1012020 / Grading Type: Universal
Compatible Herringbone: Hampton Oak 90 x 14 x 450mm See Page 60



180 x 14 x 1800mm Cashel Oak
Finish: Smoked, Brushed, Matt Varnished
D1012003 / Grading Type: Universal



190 x 14 x 1900mm Clifden Oak
Finish: Smoked, Old Style Knots Cracks & Sunken Filler, UV Oiled / D1012023 / Grading Type: Vintage



190 x 14 x 1900mm Plank Tavern Oak
Finish: Old Style Knots Cracks & Sunken Filler, UV Oiled
D1012022 / Grading Type: Vintage



190 x 14 x 1900mm Lismore Oak
Finish: Smoked, White UV Oiled
D1012021 / Grading Type: Universal
Compatible Herringbone: Rhode Island Oak 90 x 14 x 450mm See Page 60



190 x 14 x 1900mm Erne Oak
Smoked, Handscraped, Brushed, White UV Oiled
D1012015 / Grading Type: Universal



190 x 14 x 1900mm Portrush Oak
Finish: Special Treatment, Black UV Oiled
D1012024 / Grading: Nature






BARISTA

— BY WHITERIVER —

Barista is our newest collection of European manufactured engineered flooring. Warm contemporary tones are brought together in a palette of colours to stir the senses and awaken your imagination. We took the world's love affair with coffee as inspiration for the collection to bring you a selection of eight distinctive shades, from frothy light "Latte" and "Mocha" to richer "Napoletana" and "Con Panna" there's a shade to suit all tastes.





barista

BY WHITERIVER

Like choosing coffee, sometimes a “regular” is just not enough to satisfy your desire, that’s why we have added a selection of our favourite colours in a wider 207mm plank to the collection. These, as well as our standard 180mm wide boards are 2200mm long to give that sought after long board look and make a true statement in any setting. Our Barista Plank range is manufactured to the highest specification, FSC certified and perfectly suited for use with underfloor heating.



1. Top Layer


Selected European Oak protected with 5 coats of lacquer.

2. Middle Layer

Pressed laterally to the top layer which restricts natural movement for stability.


3. Bottom Layer


Pressed laterally in the opposite direction to the middle layer for further stability.



Barista Plank features a 5G click system which is suitable for floating or glue down installation.

plank





Barista Wide Plank 207 x 14 x 2200mm



Barista Oak Macchiato Brushed Matt Varnished
207 x 14 x 2200mm
D1014050 / Grading Type: Nature



Barista Oak Mocha Brushed Matt Varnished
207 x 14 x 2200mm
D1014051 / Grading Type: Nature
See Page 32 for compatible Herringbone



Barista Oak Espresso Brushed Matt Varnished
207 x 14 x 2200mm
D1014052 / Grading Type: Nature
See Page 32 for compatible Herringbone



Barista Oak Latte Brushed Matt Varnished
207 x 14 x 2200mm
D1014053 / Grading Type: Nature



Barista Plank 180 x 14 x 2200mm

Technical Data Sheets available at www.wrg.ie




*180mm Latte & Americano feature bevel on 2 sides only.



Barista Oak Mocha Brushed Matt Varnished

180 X 14 X 2200mm / D1014070

Grading Type: Universal / See Page 32 for compatible Herringbone



Barista Oak Macchiato Brushed Matt Varnished

180 x 14 x 2200mm / D1014077

Grading Type: Rustic / Character



Barista Oak Crema Matt Varnished

180 x 14 x 2200mm / D1014076

Grading Type: Nature / See Page 32 for compatible Herringbone



Barista Oak Americano Brushed Matt Varnished

180 X 14 X 2200mm / D1014075

Grading Type: Rustic / Character



Barista Oak Napoletana Brushed Matt Varnished

180 X 14 X 2200mm / D1014074


Grading Type: Nature / See Page 32 for compatible Herringbone



Barista Oak Con Panna Brushed Matt Varnished

180 X 14 X 2200mm / D1014073


Grading Type: Rustic / Character



Barista Oak Latte Brushed Matt Varnished

180 X 14 X 2200mm / D1014072

Grading Type: Universal



Barista Oak Espresso Matt Varnished


180 X 14 X 2200mm / D1014071

Grading Type: Nature / See Page 32 for compatible Herringbone



Barista Plank - **Oak Con Panna** 180 x 14 x 2200mm Brushed, Matt Varnished.





barista

BY WHITERIVER

The Herringbone design has been with us for centuries and remains a timeless classic when it comes to floor design. Today, more so than ever, the architectural design and craftsmanship that goes into each piece is in high demand for both domestic and commercial projects. Our Barista Herringbone is the perfect complement to our Barista Plank range and brings a distinctive touch of modern day sophistication to any floor. Matching planks with the same thickness allow the two formats to blend together and flow effortlessly from one room to the next.

All Barista Herringbone floors are manufactured in Europe, protected with a high quality durable matt lacquer and feature a micro bevel on each side.

130

Barista Herringbone has a drop down click system and must also be glued down.

herringbone




Barista Herringbone 130 x 14 x 725mm




Drop Down Installation System.
Not suitable for floating installation,
must be glued down directly to the subfloor.

Technical Data Sheets available at www.wrg.ie




Barista Oak Crema Brushed Matt Varnished
130 X 14 X 725mm
D1630000 / Grading Type: Nature



Barista Oak Espresso Brushed Matt Varnished
130 x 14 x 725mm
D1630001 / Grading Type: Nature



Barista Oak Napoletana Brushed Matt Varnished
130 X 14 X 725mm
D1630003 / Grading Type: Rustic / Character




Barista Oak Mocha Brushed Matt Varnished
130 X 14 X 725mm
D1630002 / Grading Type: Rustic / Character

**Please note that matching 180 x 14 x 2200mm
planks are available for all Herringbone designs.
Mocha & Espresso are also available in 207mm
wide plank, 4-6 Week lead time.*



Barista Herringbone - **Oak Napoletana** 130 x 14 x 725mm Brushed, Matt Varnished. Matching 180mm plank also available. **See Page 26**



monolam

BY WHITERIVER

Available in a variety of widths between 120mm and 190mm, the Whiteriver Monolam Collection of engineered flooring offers a fantastic selection of versatile styles to suit the most contemporary or traditional home. The 18mm board thickness features a 4mm top layer of finely selected real hardwood, finished to the highest manufacturing standards with either a multi-coat lacquer or UV oil finish. Whether you enjoy the classic timelessness of European Oak, the richness of American Walnut or the warmth of Acacia Walnut, there is something in the Monolam Collection to suit every taste.

120 125 127 150 190

plank





American Ash

With an appealing bright colouration and naturally expressive grain, American Ash is an enduring choice for wood flooring. Used for generations, it truly has an ageless beauty and original appearance.

whiteriver - monolam 18mm

Technical Data Sheets available at www.wrg.ie



127 x 18mm x RL Plank Canadian Maple
Finish: Varnished
D1210020 / Grading Type: Universal



127 x 18mm x RL Plank American Cherry
Finish: Varnished (contains sapwood)
D1210009 / Grading Type: Universal



127 x 18mm x RL American Ash
Finish: Varnished
D1210012 / Grading Type: Universal



127 x 18mm x RL Plank European Oak
Finish: Varnished
D1210016 / Grading Type: Universal



120 x 18mm x RL Plank Acacia Walnut
Finish: Varnished
D1210018 / Grading Type: Universal




127 x 18mm x RL Plank American Walnut
Finish: Varnished (contains sapwood)
D1210011 / Grading Type: Universal



Monolam - European Oak 127 x 18mm x RL Varnished. See Page 38

whiteriver - 3 - Strip 14mm



180 x 14mm x 2200mm European Oak 3-Strip
Finish: Varnished
D1212003 / Grading Type: Universal



150 x 18mm x RL European Oak
Finish: Matt Varnished / D1211011
Grading Type: Universal



150 x 18mm x RL European Oak Brushed
Finish: Matt Varnished / D1211013
Grading Type: Universal



150 x 18mm x RL Oak Crème Brushed
Finish: Matt Varnished / D1211012
Grading Type: Universal



150 x 18mm x RL American Walnut
Finish: Varnished (contains sapwood) / D1211003
Grading Type: Universal



150 x 18mm x RL European Smoked Oak Brushed
Finish: Matt Varnished / D1211005
Grading Type: Universal



190 x 18mm x RL European Oak
Finish: Varnished / D1212050
Grading Type: Universal



heritage

BY WHITERIVER

Our premium range of engineered floors, with wide plank 189mm/190mm boards, The Heritage range is a stunning collection of floors that will enhance any room with its bold dimensions. The boards are a *proud 1900mm/2200mm in length for that sought-after long board look. Boasting 18mm or 20mm thick boards with 4mm or 6mm real wood layers, they are the height of excellence in construction and design. Whether your tastes are for light floors, darker woods, lacquered or matt finishes, the Heritage range has been extended to bigger than ever before to maximise your options.


**Dakota Walnut planks are 1860mm in length.*

189

190

plank







190 x 18 x 1900mm Oak Lyon

Finish: Matt Varnished / D1213015

Grading Type: Universal

Compatible Herringbone: Langley Oak 90 x 18 x 450mm See Page 61



190 x 18 x 1900mm Oak Grenoble

Finish: Brushed, UV Oiled / D1213003

Grading Type: Universal



190 x 18 x 1900mm Oak Biarritz

Finish: Brushed, Matt Varnished / D1213004

Grading Type: Universal



190 x 18 x 1900mm Oak Cezanne

Finish: Smoked, Brushed, Matt Varnished / D1213008

Grading Type: Universal

Compatible Herringbone: Morrison Oak 90 x 18 x 450mm See Page 61



190 x 18 x 1900mm Oak Alvero Grey Limewashed

Finish: Matt Varnished / D1213010

Grading Type: Universal

Compatible Herringbone: Brookland Oak 90 x 18 x 450mm See Page 61



Oak Grenoble 190 x 18 x 1900mm Brushed UV Oiled



190 x 18 x 1900mm Oak Laurens

Finish: Smoked Extra White UV Oiled / D1213012

Grading Type: Universal

Compatible Herringbone: Darwin Oak 90 x 18 x 450mm See Page 61



189 x 18 x 1860mm Dakota Walnut

Finish: Varnished / D1213001

Grading Type: Universal



190 x 18 x 1900mm Oak Bordeaux Limewashed

Finish: Matt Varnished / D1213007

Grading Type: Universal



190 x 18 x 1900mm Select Oak

Finish: Matt Varnished / D1213009


Grading Type: Select / Prime



190 x 18 x 1900mm Oak Chardin

Finish: Light Handscraped, Black Matt Varnished
D1213011 Grading Type: Universal


Compatible Herringbone: Daintree Oak 90 x 18 x 450mm See Page 61



190 x 18 x 1900mm Nelson Oak


Finish: Special Stain, Brushed Matt Varnished
D1213019 Grading Type: Universal

Compatible Herringbone: Albury Oak 90 x 18 x 450mm See Page 60



whiteriver - heritage 20mm plank

Technical Data Sheets available at www.wrg.ie



189 x 20 x 2200mm Oak Normandy
Finish: Invisible Oiled, UV Matt Varnished / D1411020
Grading Type: Universal



189 x 20 x 2200mm Richmond Oak
Finish: Matt Varnished / D1411025
Grading Type: Universal



170 x 21 x 1900/2400mm Oak Character Unfinished
Finish: Unfinished, Sanded & Filled, Micro Bevel
Grading Type: Rustic / Character
Compatible Herringbone: Charleston Oak 90 x 50 x 450mm See Page 61




189 x 20 x 2200mm Oak Renoir
Finish: Brushed, Matt Varnished / D1411012
Grading Type: Universal



189 x 20 x 2200mm Oak Monet
Finish: Distressed, Antique Matt Varnished / D1411014
Grading Type: Universal



Heritage Collection - **Oak Normandy** 189 x 20 x 2200mm Invisible Oiled, Matt Varnished



prestige

BY WHITERIVER

Go Big. An extension of our Heritage premium range of engineered floors, the Prestige range features stunning extra large width of *220mm. All boards are 2200mm in length for that sought-after long board look. They also boast 20mm thick boards with 4mm or 6mm real wood layers. Really make the most of your spacious rooms with the Prestige collection.

**Unfinished Oak Character dimensions are 210mm x 19mm x 1950/2350mm.*

210

220

plank



whiteriver - prestige 20mm plank

Technical Data Sheets available at www.wrg.ie



210 x 19/4 x 1900 - 2400mm Oak Character U/F
Finish: Unfinished, Sanded and Filled
Grading Type: Rustic / Character



220 x 20 x 2200mm Nottingham Oak
Finish: Smoked Extra White UV Oiled / D1412011
Grading Type: Universal



220 x 20 x 2200mm Edinburgh Oak
Finish: Smoked White UV Oiled / D1412010
Grading Type: Universal




220 x 20 x 2200mm Eton Oak
Finish: Brushed, Matt Varnished / D1412002
Grading Type: Universal




220 x 20 x 2200mm Warwick Oak
Finish: Smoked, Brushed, Matt Varnished / D1412004
Grading Type: Universal



Prestige Collection - **Eton Oak** 220 x 20 x 2200mm Brushed, Matt Varnished



Dimensions
100 x 15.5mm x 600mm



Dimensions
90mm x 18mm x 450mm
90mm x 14mm x 450mm
(Hampton & Rhode Island only)

herringbone

BY WHITERIVER

Experience old world luxury with our specialty herringbone designs; for those looking for something extra special to enhance their interiors. These floors have a stable engineered construction with a 4mm real wood top layer on 18mm products and 3mm on 14mm products. Whiteriver Herringbone is also suitable for installation over underfloor heating. 20mm Herringbone products have a 5.5mm wear layer.

90

herringbone



90 x 14 x 450mm



90 x 14 x 450mm Hampton Oak
Finish: Brushed, Matt Varnished / D1610107
Grading Type: Rustic A / Nature
Compatible Plank: Glengarra Oak 190 x 14 x 1900mm See Page 15



90 x 14 x 450mm Rhode Island Oak
Finish: Smoked, White UV Oiled / D1610108
Grading Type: Rustic A / Nature
Compatible Plank: Lismore Oak 190 x 14 x 1900mm See Page 14

100 x 20 x 500mm




100 x 20 x 500mm Lawson Oak
Finish: Grey Brown UV Oiled / D1610150
Grading Type: Rustic / Character



100 x 20 x 500mm Hobart Oak
Finish: Black Brown UV Oiled / D1610151
Grading Type: Rustic / Character

Pattern Options



**Biscuit joints / false tongues are required for installation of Square Basket & Lattice Pattern*



90 x 14 x 450mm Albury Oak
Finish: Special Stain, Brushed Matt Varnished
D1610109 Grading Type: Rustic A / Nature
Compatible Plank: Nelson Oak See Page 47

Grading Guideline information Page 136



90 x 18 x 450mm Langley Oak
Finish: Matt Varnished / D1610100
Grading Type: Rustic A / Nature
Compatible plank: Oak Lyon 190 x 18 x 1900mm See Page 46



90 x 18 x 450mm Darwin Oak
Finish: Smoked, Extra White UV Oiled / D1610103
Grading Type: Rustic A / Nature
Compatible Plank: Oak Laurens 190 x 18 x 1900mm See Page 46




90 x 18 x 450mm Morrison Oak
Finish: Smoked, Brushed, Matt Varnished / D1610102
Grading Type: Rustic A / Nature
Compatible Plank: Oak Cezanne 190 x 18 x 1900mm See Page 47



90 x 18 x 450mm Charleston Oak Unfinished
Finish: Unfinished / D1610104
Grading Type: Rustic A / Nature
Compatible Plank: Oak Character Unfinished 170 x 21 x 1900/2400mm See Page 50
Compatible Plank: Oak Character Unfinished 210 x 19 x 1900/2400mm See Page 56




90 x 18 x 450mm Brookland Oak Grey Limewashed
Finish: Brushed, Matt Varnished / D1610105
Grading Type: Rustic A / Nature
Compatible Plank: Alvero Grey 190 x 18 x 1900mm See Page 47



90 x 18 x 450mm Daintree Oak
Finish: Light Handscraped, Black Matt Varnished
D1610106 Grading Type: Rustic A / Nature
Compatible Plank: Oak Chardin 190 x 18 x 1900mm See Page 47





chevron

BY WHITERIVER

The current trend for something a little different from traditional plank boards crosses over two popular formats - Herringbone and Chevron. Here, we have taken the best of our Herringbone Collection and created a select Chevron range of warm and inviting tones. The distinctive arrow pattern can be used to draw the eye to the most prominent focal point in your room.

Note: Panels are supplied in lefts and rights.

chevron panel



whiteriver - chevron panel 400 x 18 x 980mm

Technical Data Sheets available at www.wrg.ie



400 x 18 x 980mm Chevron Sydney Oak L&R
Finish: Smoked Extra White / (L)D1620201 (R)D1620202
Grading Type: Rustic A / Nature
Compatible Plank: Oak Laurens 190 x 18 x 1900 See Page 46
Compatible Herringbone: Darwin Oak 90 x 18 x 450mm See Page 61



400 x 18 x 980mm Chevron Melbourne Oak L&R
Finish: Smoked White / (L)D1620205 (R)D1620206
Grading Type: Rustic A / Nature
Compatible Plank: Edinburgh Oak 220 x 20 x 2200mm See Page 56



400 x 18 x 980mm Chevron Auckland Oak L&R
Finish: Unfinished / (L) D1620211 (R)D1620212
Grading Type: Rustic A / Nature
Compatible Plank: Oak Character Unfinished 170 x 21 x 1900/2400mm See Page 50
Compatible Plank: Oak Character Unfinished 210 x 19 x 1900/2400mm See Page 56



400 x 18 x 980mm Chevron Queenstown Oak L&R
Finish: Smoked Brushed Matt Varnished
(L)D1620209 (R)D1620210
Grading Type: Rustic A / Nature
Compatible Plank: Oak Cezanne 190 x 18 x 1900 See Page 47
Compatible Herringbone: Morrison Oak 90 x 18 x 450mm See Page 61




400 x 18 x 980mm Chevron Perth Oak L&R
Finish: Brushed Matt Varnished
(L)D1620207 (R)D1620208
Grading Type: Rustic A / Nature
Compatible Plank: Oak Biarritz 190 x 18 x 1900mm See Page 46




400 x 18 x 980mm Cairns Oak
Finish: Special Stain, Black UV Oil/Wax
(R)D1620213 (L)D1620214
Grading Type: Rustic A / Nature
Compatible Plank: Nelson Oak See Page 47

*Please note that Chevrons are supplied in left and right hand panels to achieve the arrow pattern.



Whiteriver Chevron - **Chevron Queenstown Oak** 400 x 18 x 980mm.




versailles

BY WHITERIVER

Originally commissioned by Louis XVI for the famous Palace of Versailles, these bespoke intricate floor panels are steeped in history. Individual pieces of wood are hand crafted to an exacting standard and pressed onto a birch plywood base to create each panel. Indulge your very own palace with these exquisite examples of craftsmanship - choose between matt varnished and smoked & matt varnished, or create a unique look using our unfinished panels with a colour to complement your decor.

panels



whiteriver - Versailles Panels 900 x 18 x 900mm



900 x 18 x 900mm
European Oak Light Brushed Unfinished
Birch Plywood / D1417003 (May Contain Sapwood)
Grading Type: Rustic A / Nature



900 x 18 x 900mm
European Oak Light Brushed Matt Varnished
Birch Plywood / D1417004 (May Contain Sapwood)
Grading Type: Rustic A / Nature



900 x 18 x 900mm
European Oak Smoked Brushed Matt Varnished
Birch Plywood / D1417005 (May Contain Sapwood)
Grading Type: Rustic A / Nature

Technical Data Sheets available at www.wrg.ie

Note: All panels have a birch plywood base. Levels of sapwood may vary.




Versailles Panel - **European Oak Light Brushed Matt Varnished** 900 x 18 x 900mm.

collection
HISTORIC
BY WHITERIVER

Timber has been harvested as an essential construction material for centuries. Trees grown in the Baltics, North America and China were shipped around the world to meet the growing demand of industrialisation. We have brought together a collection of salvaged woods dating back decades to create our bespoke Historic Collection. The passion and workmanship that went into the building of boats and farm buildings in the 18th & 19th centuries has been rekindled by artisan craftsmen to bring this unique part of history back to life. The imperfections of each salvaged piece enhance the overall beauty of the finished product, each blemish having its own secret past. All pieces of reclaimed wood are delicately shaped into flooring and wall panelling that is easy to install in today's modern world.





historic *reclaimed plank*

BY WHITERIVER

The bespoke nature of crafting each plank results in an individuality that cannot be replicated creating varying widths and lengths for a truly authentic look. Creating planks begins with cutting a *4mm thick veneer from reclaimed timbers and pressing them onto an FSC - certified plywood base to give an overall thickness of 15mm. A selection of our most popular finishes are complemented with matching herringbone / chevron designs - see following pages for details.

**New Orleans plank has a 6mm veneer on a FSC - certified plywood base with an overall thickness 18mm.*

Note: Plank widths vary from 70mm - 230mm / Lengths vary from 400mm - 2200mm

plank



whiteriver - historic plank collection

Note: Planks are supplied in a mix of random widths and lengths.



Historic Columbus Pine Plank
70mm-230mm x 15mm x 400-2200mm / D1810001
Finish: Unfinished / Grading: Reclaimed



Historic Charleston Pine Plank
70mm-230mm x 15mm x 400-2200mm / D1810002
Finish: Unfinished / Grading: Reclaimed



Historic Boston Oak Plank
95mm-135mm x 15mm x 400-2200mm / D1810003
Finish: Oiled / Grading: Reclaimed



Historic Chicago Oak Plank
95mm-135mm x 15mm x 400mm-2200mm / D1810004
Finish: Unfinished / Grading: Reclaimed




Historic Madison Oak Plank
95mm-135mm x 15mm x 400mm-2200mm / D1810005
Finish: Oiled / Grading: Reclaimed




Historic New Orleans Elm Plank
50mm-230mm x 18mm x 400-1800mm / D1810100
Finish: Oiled / Grading: Reclaimed





Dimensions

Boston & Madison 115 x 15 x 575mm
Charleston 90mm x 15 x 600mm



historic *reclaimed herringbone & chevron*

BY WHITERIVER

The contrasting characteristics of salvaged wood and precision cutting are fused to create stunning herringbone and chevron flooring. The creative process begins with selecting the finest materials from around the world which are shaped into extraordinary pieces of modern-day flooring by master craftsmen. Traditional methods are used throughout the process which begins with pressing 4mm veneers of history onto an FSC - certified plywood base for stability - each one cut meticulously for an exacting fit.


A selection of our Herringbone and Chevron collection is complemented with a matching plank format which is perfect for defining different spaces without compromising the overall desired effect.

herringbone & chevron





Historic Charleston Pine Herringbone
90mm x 15mm x 600mm / D1810501
Finish: Unfinished / Grading: Reclaimed



Historic Charleston Pine Chevron
90mm x 15mm x 600mm / D1810601
Finish: Unfinished / Grading: Reclaimed



Historic Boston Oak Herringbone
115mm x 15mm x 575mm / D1810502
Finish: Oiled / Grading: Reclaimed



Historic Madison Oak Herringbone
115mm x 15mm x 575mm / D1810503
Finish: Oiled / Grading: Reclaimed


Note: Matching Plank Flooring and Wall Panelling is available for Charleston. Matching Plank Flooring is available for Boston & Madison. See previous pages for details.



Historic Chevron - Charleston Pine 90 x 15 x 600mm.



The depth of grain and structure brings a unique character to every element of the Historic Collection.




historic *reclaimed panelling*

BY WHITERIVER

Steeped in history, each 4mm thick slice of reclaimed wood is selected by passionate craftsmen from solid beams of historic buildings to bring a true sense of character to any surrounding. Given the nature of rustic building methods our wall panelling is supplied in a random mix of widths and lengths which results in a stunning authentic visual effect.

Note: Panel widths vary from 50mm - 130mm / Lengths vary from 300mm - 1500mm

wall panelling



whiteriver - historic wall panelling collection



Historic Charleston Pine Wall Panelling
50mm-130mm x 4mm x 300mm-1500mm
Finish: Unfinished
Grading: Reclaimed / D1820001



Historic Columbus Pine Wall Panelling
50mm-130mm x 4mm x 300mm-1500mm
Finish: Unfinished
Grading: Reclaimed / D1820002



Historic New Amsterdam Pine Wall Panelling
50mm-130mm x 4mm x 300mm-1500mm
Finish: Lacquered
Grading: Reclaimed / D1820003



Historic Atlanta Pine Wall Panelling
50mm-130mm x 4mm x 300mm-1500mm
Finish: Oiled
Grading: Reclaimed / D1820004

Note: Matching Plank, Herringbone & Chevron Flooring is available for Charleston. Matching Plank Flooring is available for Columbus. See previous pages for details. Board widths vary from 50mm - 130mm. Board lengths vary from 300 - 1500mm

Installation: *Panelling must be left for 48 hours in room to be installed in to acclimatise to humidity. Walls should be dry, clean, structurally sound and painted. Panels can be fixed to the wall using panel adhesive and panel pins.*



Historic Wall Panelling - **Columbus Pine**

Historic Wall Panelling - **Columbus & Atlanta**




RENAISSANCE

Renaissance, literally meaning “Rebirth” in French, was a period in history between the 14th and 17th centuries which brought a new perspective of art, architecture, politics, science and literature across most of Europe.

Renaissance style focuses on symmetry, proportion and geometry and introduced standards to construction materials which have stood the test of time. Influenced by the pioneering visionaries of the period we have brought together a premium range of wide plank floors manufactured in Europe using the finest quality European Oak.





renaissance 13mm

BY WHITERIVER

The Renaissance Collection will fit into both modern and classic interiors effortlessly. Manufactured in Europe with a 9mm birch plywood and 4mm top layer construction for optimum stability. Featuring dimensions of 260mm wide and 1950/2400mm long, these boards are exceptional and expansive in their size and character.

260

plank





260 x 13/4 x 1950/2400mm Oak Alberti

Finish: Smoked, White UV Oil/Wax
D1420115 / D1420116
Grading Type: Rustic / Character
Compatible Herringbone: 13mm Oak Della Porta See Page 96



260 x 13/4 x 1950/2400mm Oak Lombardo

*Finish: Smoked, Distressed, Planed, White UV Oil/Wax
D1420117 / D1420118
Grading Type: Rustic / Character
Compatible Herringbone: 13mm Oak Rossi See Page 96



260 x 13/4 x 1950/2400mm Oak Sangallo

*Finish: Smoked, Planed, Extra White UV Oil/Wax
D1420119 / D1420120
Grading Type: Rustic / Character
Compatible Herringbone: 13mm Oak Leona See Page 96



260 x 13/4 x 1950/2400mm Oak Marcello

*Finish: Special Stain, Black UV Oil/Wax
D1420129 / D1420130
Grading Type: Rustic / Character
Compatible Herringbone: 13mm Oak Viola See Page 97



260 x 13/4 x 1950/2400mm Oak Alessandro

*Finish: Special Stain White UV Oil/Wax (DSC)
D1420121 / D1420122
Grading Type: Rustic / Character
Compatible Herringbone: 13mm Oak Cosini See Page 96



260 x 13/4 x 1950/2400mm Oak Piero

*Finish: Smoked, Distressed, Planed, Black UV Oil/Wax
D1420125 / D1420126
Grading Type: Rustic / Character
Compatible Herringbone: 13mm Oak Vico See Page 96




260 x 13/4 x 1950/2400mm Oak Lando

*Finish: Special White UV Oil / Wax
D1420127 / D1420128
Grading Type: Rustic / Character
Compatible Herringbone: 13mm Oak Bello See Page 96


**Please note that some of the 260 x 13mm Renaissance products come planed as a design feature. This results in a slightly rougher texture around knots and harder areas of the wood and a gathering of the finish in these areas.*

Renaissance Flooring is supplied in 1950mm or 2400mm lengths or a mixture of both - each pack may contain one nested row. Subject to availability.

Renaissance boards may contain sapwood.







Dimensions
120mm x 13mm x 600mm


renaissance 13mm

BY WHITERIVER

Experience old world luxury with specialty Herringbone designs in 120 x 13 x 600mm format with a 4mm top layer. The Herringbone range is manufactured in Europe to an exacting standard with compatible planks available within the collection. The unsurpassed exceptional quality and craftsmanship is guaranteed to bring a touch of luxury to any project.

120

herringbone





120 x 13 x 600mm Oak Della Porta

Finish: Smoked White UV Oil/Wax
D1620015 / Grading Type: Prime
Compatible Plank: 13mm Oak Alberti See Page 90



120 x 13 x 600mm Oak Rossi

Finish: Smoked, Distressed, White UV Oil/Wax
D1620016 / Grading Type: Rustic A / Nature
Compatible Plank: 13mm Oak Lombardo See Page 90



120 x 13 x 600mm Oak Leona

Finish: Smoked, Extra White UV Oil/Wax
D1620017 / Grading Type: Rustic A / Nature
Compatible Plank: 13mm Oak Sangallo See Page 90



120 x 13 x 600mm Oak Cosini

Finish: Special Stain White UV Oil/Wax (DSC)
D1620018 / Grading Type: Rustic A / Nature
Compatible Plank: 13mm Oak Alessandro See Page 90



120 x 13 x 600mm Oak Vico

*Finish: Smoked, Distressed Planed Black
D1620030 / Grading Type: Rustic A / Nature
Compatible Plank: 13mm Oak Piero See Page 90




120 x 13 x 600mm Oak Bello

Finish: *Finish: Special White UV Oil / Wax
D1620031 / Grading Type: Prime
Compatible Plank: 13mm Oak Lando See Page 90




120 x 13 x 600mm Oak Viola


*Finish: Special Stain, Black UV Oil/Wax / D1620032
Grading Type: Rustic A / Nature
Compatible Plank: 13mm Oak Marcello See Page 91




CLASSIC HERRINGBONE




DOUBLE HERRINGBONE




TRIPLE HERRINGBONE



BASKET WEAVE



DOUBLE BASKET WEAVE





*SQUARE BASKET

Pattern Options

**Biscuit joints / false tongues are required for installation of Square Basket Pattern*







renaissance 21mm

BY WHITERIVER

The Renaissance Collection will fit into both modern and classic interiors effortlessly. Manufactured in Europe with a birch plywood construction for optimum stability and featuring dimensions of 260mm wide and 1950/2400mm long, these boards are exceptional and expansive in their size and character. The 21mm thick planks come with a 6mm wear layer.

260

plank





260 x 21 x 1950/2400mm Oak Botticelli

Finish: Smoked, White UV Oil/Wax
D1420005 / D1420006

Grading Type: Rustic / Character
Compatible Herringbone: 21mm Oak Angelico See Page 108



260 x 21 x 1950/2400mm Oak Da Vinci

*Finish: Smoked, Distressed, Planed, White UV Oil/Wax
D1420013 / D1420014

Grading Type: Rustic / Character
Compatible Herringbone: 21mm Oak Landini See Page 108



260 x 21 x 1950/2400mm Oak Messina

*Finish: Smoked, Planed, Extra White UV Oil/Wax
D1420009 / D1420010

Grading Type: Rustic / Character
Compatible Herringbone: 21mm Oak Lippi See Page 108



260 x 21 x 1950/2400mm Oak Salvador

*Finish: Special Stain, Black UV Oil/Wax
D1420030 / D1420031

Grading Type: Rustic / Character
Compatible Herringbone: 21mm Oak Barlo See Page 109



260 x 21 x 1950/2400mm Oak Da Nola

Finish: Special Stain White UV Oil/Wax (DSC)
D1420113 / D1420114

Grading Type: Rustic / Character
Compatible Herringbone: 21mm Oak Signorelli See Page 108



260 x 21 x 1950/2400mm Oak Carvaggio

*Finish: Smoked, Distressed, Planed, Black UV Oil/Wax
D1420011 / D1420012

Grading Type: Rustic / Character
Compatible Herringbone: 21mm Oak Brandani See Page 108



260 x 21 x 1950/2400mm Oak Santino

Finish: Special Stain, White UV Oil Wax
D1420032 / D1420033

Grading Type: Rustic / Character
Compatible Herringbone: 21mm Oak Giulio See Page 108



260 x 19/4 x 1950/2400mm Oak Character


Finish: Unfinished
D1420034 / D1420035


Grading Type: Rustic / Character
Compatible Herringbone: 21mm Oak Texas See Page 109

Supplied in 1950mm or 2400mm lengths or a mixture of both - each pack may contain one nested row. Subject to availability. Renaissance boards may contain sapwood.



Renaissance Plank - **Oak Da Nola** 260 x 21 x 1950 / 2400mm.





Dimensions
120mm x 21mm x 600mm

renaissance 21mm

BY WHITERIVER

Experience old world luxury with specialty Herringbone designs in 120 x 21 x 600mm format. The Herringbone range is manufactured in Europe to an exacting standard with compatible planks available within the collection. Featuring a 6mm wear layer on a 15mm birch plywood, the unsurpassed exceptional quality and craftsmanship is guaranteed to bring a touch of luxury to any project.

120

herringbone





120 x 21 x 600mm Oak Angelico
Finish: Smoked, White UV Oil/Wax
D1620005 / Grading Type: Prime
Compatible Plank: 21mm Oak Botticelli See Page 102



120 x 21 x 600mm Oak Landini
Finish: Smoked, Distressed, White UV Oil/Wax
D1620007 Grading Type: Rustic A / Nature
Compatible Plank: 21mm Oak Da Vinci See Page 102



120 x 21 x 600mm Oak Lippi
Finish: Smoked, Extra White UV Oil/Wax
D1620001 / Grading Type: Rustic A / Nature
Compatible Plank: 21mm Oak Messina See Page 102



120 x 21 x 600mm Oak Barlo
Finish: Special Stain, Black UV Oil/Wax
D1620051 / Grading Type: Rustic A / Nature
Compatible Plank: 21mm Oak Salvador See Page 102



120 x 21 x 600mm Oak Signorelli
Finish: Special Stain White UV Oil/Wax (DSC)
D1620021 Grading Type: Rustic A / Nature
Compatible Plank: 21mm Oak Da Nola See Page 102



120 x 21 x 600mm Oak Brandani
Finish: Smoked, Distressed, Black UV Oil/Wax
D1620002 Grading Type: Rustic A / Nature
Compatible Plank: 21mm Oak Carvaggio See Page 102





120 x 21 x 600mm Oak Giulio
Finish: Special Stain, White UV Oil / Wax
D1620052 Grading Type: Prime
Compatible Plank: 21mm Oak Santino See Page 103



120 x 21 x 600mm Oak Texas
Finish: Unfinished
D1620011 / Grading Type: Prime
Compatible Plank: 21mm Oak Character See Page 103







Dimensions
120 x 13 x 525mm
120 x 21 x 525mm

renaissance

BY WHITERIVER

Experience old world luxury with specialty Chevron designs in 120 x 13/21 x 525mm. The Chevron range is manufactured in Europe to an exacting standard with compatible planks available within the collection. The unsurpassed exceptional quality and craftsmanship is guaranteed to bring a touch of luxury to any project.

120

chevron



whiteriver - renaissance chevron 120mm x 525mm
available to special order in both 13mm & 21mm (allow 6-8 weeks)

Technical Data Sheets available at www.wrg.ie



Compatible with:

- 13mm Oak Alberti Plank & 13mm Oak Della Porta Herringbone
- 21mm Oak Botticelli Plank & 21mm Oak Angelico Herringbone

Finish: Smoked, White UV Oil/Wax • Grading Type: Prime



Compatible with:

- 13mm Oak Lombardo Plank & 13mm Oak Rossi Herringbone
- 21mm Oak Da Vinci Plank & 21mm Oak Landini Herringbone


Finish: Smoked, Distressed, White UV Oil/Wax • Grading Type: Rustic A / Nature



Compatible with:

- 13mm Oak Sangallo Plank & 13mm Oak Leona Herringbone
- 21mm Oak Messina Plank & 21mm Oak Lippi Herringbone

Finish: Smoked, Extra White UV Oil/Wax • Grading Type: Rustic A / Nature



Compatible with:

- 13mm Oak Marcello Plank & 13mm Oak Viola Herringbone
- 21mm Oak Salvador Plank & 21mm Oak Barlo Herringbone

Finish: Special Stain, Black UV Oil/Wax • Grading Type: Rustic A / Nature



Compatible with:

- 13mm Oak Alessandro Plank & 13mm Oak Cosini Herringbone
- 21mm Oak Da Nola Plank & 21mm Oak Signorelli Herringbone


Finish: Special Stain White UV Oil/Wax (DSC) • Grading Type: Rustic A / Nature



Compatible with:

- 13mm Oak Piero Plank & 13mm Oak Vico Herringbone
- 21mm Oak Carvaggio Plank & 21mm Oak Brandani Herringbone


Finish: Smoked, Distressed, Black UV Oil/Wax • Grading Type: Rustic A / Nature



Compatible with:

- 13mm Oak Lando Plank & 13mm Oak Bello Herringbone
- 21mm Oak Santino Plank & 21mm Oak Giulio Herringbone

Finish: Special Stain, White UV Oil Wax • Grading Type: Prime



Compatible with:

- 21mm Oak Character Unfinished Plank
- 21mm Oak Texas Unfinished Herringbone

Finish: Unfinished • Grading Type: Prime



Renaissance Chevron - **Oak Signorelli** 120 x 21 x 525mm.

renaissance XL

BY WHITERIVER

Renaissance XL represents customisation, quality, exclusiveness, nature and sustainability, which are reflected in all of our designs. During the production process the floor elements are manufactured by hand, this way each plank has its own unique and exclusive appearance. XL floors are characterised by their unique surface. The exclusive finishing stands out because of the particularly varying heights, better known as Original Surface. XL can also be provided in a sanded variant, for an even surface - the Sanded Surface. These extraordinary floors are produced in different lengths up to as much as 4 metres long and almost 50 cm wide.

280


480

Note: Plank widths vary from 280mm - 480mm

Plank lengths vary from 2000mm - 4000mm / Plank thickness varies between products.
See individual product details on page 120.

xl







XL Oak Giovanni Original Surface
280-480 x 23 x 2000-4000mm
Finish: UV Hardened Oil/Wax
D1430001
Grading Type: Rustic / Character



XL Oak Perugino Sanded Surface
280-480 x 20 x 2000-4000mm
Finish: UV Hardened Oil/Wax
D1430002
Grading Type: Rustic / Character



XL Oak Massacio Sanded
280-480 x 20 x 2000-4000mm
Finish: UV Hardened Oil/Wax
D1430003
Grading Type: Rustic / Character



XL Oak Duccio Sanded
380 x 19 x 2000-4000mm
Finish: UV Hardened Oil/Wax
D1430004
Grading Type: Rustic / Character



XL Oak Giorgione Original Surface
280-480 x 23 x 2000-4000mm
Finish: UV Hardened Oil/Wax
D1430005
Grading Type: Rustic / Character



XL Oak Massolino Sanded
280-480 x 19 x 2000-4000mm
Finish: UV Hardened Oil/Wax
D1430006
Grading Type: Rustic / Character




XL Oak Vasari Sanded
280-480 x 20 x 2000-4000mm
Finish: UV Hardened Oil/Wax
D1430007
Grading Type: Rustic / Character



XL Oak Amadeo Sanded
380 x 19 x 2000-4000mm
Finish: UV Hardened Oil/Wax
D1430008
Grading Type: Rustic / Character

As these floors are hand-made to order, please allow a lead time of 8 weeks.

architects &
designers



architects & *designers*


We have a long tradition of working with Architects & Designers on both commercial and residential developments. Along with offering our product range which is displayed on our site, we also offer a bespoke product design service for larger projects, we have expertise dealing in both new design and protected restoration. Our company has worked on many leading projects and have expertise in the following areas.

- Hotels
- Pubs & Restaurants
- Retail
- Residential
- Health care
- College/Universities
- Student accommodation
- Museums

Recent projects of note include Lansdowne Place, Adare Manor Hotel and Golf Resort, Becton Dickinson Research Centre, Mount Juliet Estate, Hanover Quay, Tayto Park, Cliff House Hotel, Kerry Group H.Q., Carechoice Nursing Home, UCC Student Campus.

Our company is both FSC & PEFC certified and we also follow and comply with EU policy on the importation and sale of wood products. If you require any further information for product specification, or simply want to discuss our product offering we are more than happy to help you. We also have a full product showroom in Dunleer, Co. Louth, which is available by appointment. Please do not hesitate to contact us to discuss any requirements you may have. Tel: 041 686100 or sales@wrg.ie






The introduction of both colour and texture on walls through the use of wood has long been used by designers and architects. Our Renaissance Collection is available as a special order in Bfl-s1 fire rating, allowing you to create a bespoke feature in any surrounding.






Pierfonds European Oak Custom Panels



Renaissance Stair Nosings - Available to order colour matched to flooring



Underlays & Profiles


Underlay is the foundation to all professional floor installations therefore it is essential that the correct product is specified to suit conditions and customer expectations of performance. We recommend using a good quality underlay for all hard subfloors, whether they are made of cement, wood substrate, ceramic or synthetic. You consequently increase the resilience of the floor, absorb indoor and footfall sound and level minor irregularities in the subfloor. We recommend that you use polythene over concrete subfloors in addition to underlay.




3MM PE FOAM
F1010002/ F1010001
Coverage Per Roll/Pack: 15/25m2
Roll Size: 3mm x 1m x 15/25m
TOG Rating: 0.81
Impact Sound Reduction: 16db
Underfloor Heating: Not Suitable
Compressive Strength: Poor
Heat Transfer Resistance: 0.081 k/w m2




2MM CORK
F1010004
Coverage Per Roll/Pack: 20m2
Roll Size: 2mm x 1m x 20m
TOG Rating: 0.41
Impact Sound Reduction: 17db
Underfloor Heating: Yes
Compressive Strength: Good
Heat Transfer Resistance: 0.041 k/w m2




2MM HEAT MASTER PERFORATION
F1010014
Coverage Per Roll/Pack: 10m2
Roll Size: 2mm x 1m x 10m
TOG Rating: 0.35
Impact Sound Reduction: 20db
Underfloor Heating: Yes
Compressive Strength: Excellent
Heat Transfer Resistance: 0.035 k/w m2



3MM ACOUSTIC BLUE
F1010007
Coverage Per Roll/Pack: 10m2
Roll Size: 3mm x 1m x 10m
TOG Rating: 0.88
Impact Sound Reduction: 22dB
Underfloor Heating: Yes (≤ 8mm Laminate)
Compressive Strength: Very Good
Heat Transfer Resistance: 0.088 k/w m2




3MM ULTRASTRONG
F1010015
Coverage Per Roll/Pack: 10m2
Roll Size: 3mm x 1m x 10m
TOG Rating: 0.60
Impact Sound Reduction: 22db
Underfloor Heating: Yes (≤ 8mm Laminate)
Compressive Strength: Excellent
Heat Transfer Resistance: 0.060 k/w m2



3MM SOUNDMASTER
F1010012
Coverage Per Roll/Pack: 10m2
Roll Size: 3mm x 1m x 10m
TOG Rating: 0.67
Impact Sound Reduction: 20db
Underfloor Heating: Yes (≤ 8mm Laminate)
Compressive Strength: Good
Heat Transfer Resistance: 0.067 k/w m2



3MM SILENT PLUS
F1010011
Coverage Per Roll/Pack: 10m2
Roll Size: 3mm x 1m x 10m
TOG Rating: 1.20
Impact Sound Reduction: 23db
Underfloor Heating: Not Suitable
Compressive Strength: Very Good
Heat Transfer Resistance: 0.120 k/w m2



4MM GOLD PLUS EXTRA
F1010013
Coverage Per Roll/Pack: 15m2
Roll Size: 4mm x 1m x 15m
TOG Rating: 0.90
Impact Sound Reduction: 20db
Underfloor Heating: Not Suitable
Compressive Strength: Good
Heat Transfer Resistance: 0.090 k/w m2



GRIP TIGHT 50 PRO PLUS
Flexible elastic glue
One component ready to use
Trowels easily with greater spread ability
Solvent free
Superior water vapour protection
Can be wet Laid
Working time approx. 45 mins @ 18-20°C
Suitable for under floor heating
Designed for use with Seal Tight 100



SEAL TIGHT 100
One component moisture system
Solvent free, water free & isocyanates free
Suitable for up to 6% Moisture Reading Tramex Moisture Meter
Moisture Content / Excellent bond strength for difficult floors
Superior water vapour protection
Avoids blackening of hands
No flash time required, Easy clean Up
Little bubble formation
Designed for use with Grip Tight Pro Plus
Installation must be within 24 hours of application
Note: Not suitable for Liquid/Anhydrite Screeds





WHITERIVER SOLID STAIR NOSING UNFINISHED
14-21 x 30 x 2100mm
Designed to match all our plank ranges
The finishing touch to your floor




14-21 x 30 x 2100mm



EURO STEP STAIR NOSING 320
Commercial Two Piece
Code: F1625043
Colour: Silver
Length: 2700mm
Floor Thickness: 7mm - 16mm




ANODIZED STAINLESS STEEL OPTIC END PROFILE
Commercial Two Piece




Size: 12-17mm x 2000mm
Code: F1627009

Size: 17-22mm x 2000mm
Code: F1627009




ANODIZED STAINLESS STEEL OPTIC TRANSITION PROFILE
Commercial Two Piece




Size: 12-17mm x 2000mm
Code: F1627011

Size: 17-22mm x 2000mm
Code: F162712



ANODIZED STAINLESS STEEL OPTIC REDUCER PROFILE
Commercial Two Piece



Size: 12-17mm x 2000mm
Code: F1627013

Size: 17-22mm x 2000mm
Code: F162714

JOINING PROFILE Available to order in various dimensions and finishes to suit your project.



Quality and Reassurance

Whitewater Group
 10000 Highway 10 East, Suite 200
 Denver, CO 80231
 Tel: 303.751.1000
 Fax: 303.751.1001
 E-mail: info@whitewatergroup.com

WHITESTONE GROUP ENGINEERED FLOOR WARRANTY FASE I

Whitestone Group (in this FASE I)

Whitestone Group is the manufacturer of the following Whitestone Group engineered flooring products and warrants that the material and workmanship of the product of Whitestone Group engineered flooring will be in strict conformance with the specifications and standards of the product as set forth in the Whitestone Group product literature.

Whitestone Group warrants that the product is free from defects in material and workmanship.

The warranty is provided for damage due to the following causes: 1) Manufacturing defects, 2) Installation defects, 3) Damage to the product due to the use of the product in a manner not intended by Whitestone Group, 4) Damage to the product due to the use of the product in a manner not intended by Whitestone Group, 5) Damage to the product due to the use of the product in a manner not intended by Whitestone Group.

The warranty is provided for damage due to the following causes: 1) Manufacturing defects, 2) Installation defects, 3) Damage to the product due to the use of the product in a manner not intended by Whitestone Group, 4) Damage to the product due to the use of the product in a manner not intended by Whitestone Group, 5) Damage to the product due to the use of the product in a manner not intended by Whitestone Group.

Exclusions

The warranty does not cover damage caused by the following: 1) Damage to the product due to the use of the product in a manner not intended by Whitestone Group, 2) Damage to the product due to the use of the product in a manner not intended by Whitestone Group, 3) Damage to the product due to the use of the product in a manner not intended by Whitestone Group.

Whitestone Terms and Conditions

1. The warranty is provided for damage due to the following causes: 1) Manufacturing defects, 2) Installation defects, 3) Damage to the product due to the use of the product in a manner not intended by Whitestone Group, 4) Damage to the product due to the use of the product in a manner not intended by Whitestone Group, 5) Damage to the product due to the use of the product in a manner not intended by Whitestone Group.

Whitestone Installation

Proper and timely installation is essential for the proper performance and longevity of the product. The installer must follow the manufacturer's instructions and specifications for the product. The installer must ensure that the product is installed in a manner that is consistent with the manufacturer's instructions and specifications.

Whitestone Maintenance

The product should be maintained in accordance with the manufacturer's instructions and specifications. The installer must ensure that the product is maintained in a manner that is consistent with the manufacturer's instructions and specifications.

Whitestone Warranty

The warranty is provided for damage due to the following causes: 1) Manufacturing defects, 2) Installation defects, 3) Damage to the product due to the use of the product in a manner not intended by Whitestone Group, 4) Damage to the product due to the use of the product in a manner not intended by Whitestone Group, 5) Damage to the product due to the use of the product in a manner not intended by Whitestone Group.

Whitestone Contact

For more information, please contact the manufacturer at the following address: 10000 Highway 10 East, Suite 200, Denver, CO 80231. Tel: 303.751.1000. Fax: 303.751.1001. E-mail: info@whitewatergroup.com.


Whitestone Installation

Proper and timely installation is essential for the proper performance and longevity of the product. The installer must follow the manufacturer's instructions and specifications for the product. The installer must ensure that the product is installed in a manner that is consistent with the manufacturer's instructions and specifications.

Whitestone Maintenance

The product should be maintained in accordance with the manufacturer's instructions and specifications. The installer must ensure that the product is maintained in a manner that is consistent with the manufacturer's instructions and specifications.

[illegible][illegible]

		13	Declaration of performance (Regulation (EU) 2016/1675, 2016/1676)	
DPM 113				
1	Handwritten mark type name: 3-phase version			EN 12380-2:2012
2	Flare coating for internal use only (see conditions)			EN 12380-2:2012
3	Handwritten Flaming Limit: 1.1 m/s, 1.2 m/s, 1.3 m/s, 1.4 m/s, 1.5 m/s, 1.6 m/s, 1.7 m/s, 1.8 m/s, 1.9 m/s, 2.0 m/s, 2.1 m/s, 2.2 m/s, 2.3 m/s, 2.4 m/s, 2.5 m/s, 2.6 m/s, 2.7 m/s, 2.8 m/s, 2.9 m/s, 3.0 m/s, 3.1 m/s, 3.2 m/s, 3.3 m/s, 3.4 m/s, 3.5 m/s, 3.6 m/s, 3.7 m/s, 3.8 m/s, 3.9 m/s, 4.0 m/s, 4.1 m/s, 4.2 m/s, 4.3 m/s, 4.4 m/s, 4.5 m/s, 4.6 m/s, 4.7 m/s, 4.8 m/s, 4.9 m/s, 5.0 m/s, 5.1 m/s, 5.2 m/s, 5.3 m/s, 5.4 m/s, 5.5 m/s, 5.6 m/s, 5.7 m/s, 5.8 m/s, 5.9 m/s, 6.0 m/s, 6.1 m/s, 6.2 m/s, 6.3 m/s, 6.4 m/s, 6.5 m/s, 6.6 m/s, 6.7 m/s, 6.8 m/s, 6.9 m/s, 7.0 m/s, 7.1 m/s, 7.2 m/s, 7.3 m/s, 7.4 m/s, 7.5 m/s, 7.6 m/s, 7.7 m/s, 7.8 m/s, 7.9 m/s, 8.0 m/s, 8.1 m/s, 8.2 m/s, 8.3 m/s, 8.4 m/s, 8.5 m/s, 8.6 m/s, 8.7 m/s, 8.8 m/s, 8.9 m/s, 9.0 m/s, 9.1 m/s, 9.2 m/s, 9.3 m/s, 9.4 m/s, 9.5 m/s, 9.6 m/s, 9.7 m/s, 9.8 m/s, 9.9 m/s, 10.0 m/s, 10.1 m/s, 10.2 m/s, 10.3 m/s, 10.4 m/s, 10.5 m/s, 10.6 m/s, 10.7 m/s, 10.8 m/s, 10.9 m/s, 11.0 m/s, 11.1 m/s, 11.2 m/s, 11.3 m/s, 11.4 m/s, 11.5 m/s, 11.6 m/s, 11.7 m/s, 11.8 m/s, 11.9 m/s, 12.0 m/s, 12.1 m/s, 12.2 m/s, 12.3 m/s, 12.4 m/s, 12.5 m/s, 12.6 m/s, 12.7 m/s, 12.8 m/s, 12.9 m/s, 13.0 m/s, 13.1 m/s, 13.2 m/s, 13.3 m/s, 13.4 m/s, 13.5 m/s, 13.6 m/s, 13.7 m/s, 13.8 m/s, 13.9 m/s, 14.0 m/s, 14.1 m/s, 14.2 m/s, 14.3 m/s, 14.4 m/s, 14.5 m/s, 14.6 m/s, 14.7 m/s, 14.8 m/s, 14.9 m/s, 15.0 m/s, 15.1 m/s, 15.2 m/s, 15.3 m/s, 15.4 m/s, 15.5 m/s, 15.6 m/s, 15.7 m/s, 15.8 m/s, 15.9 m/s, 16.0 m/s, 16.1 m/s, 16.2 m/s, 16.3 m/s, 16.4 m/s, 16.5 m/s, 16.6 m/s, 16.7 m/s, 16.8 m/s, 16.9 m/s, 17.0 m/s, 17.1 m/s, 17.2 m/s, 17.3 m/s, 17.4 m/s, 17.5 m/s, 17.6 m/s, 17.7 m/s, 17.8 m/s, 17.9 m/s, 18.0 m/s, 18.1 m/s, 18.2 m/s, 18.3 m/s, 18.4 m/s, 18.5 m/s, 18.6 m/s, 18.7 m/s, 18.8 m/s, 18.9 m/s, 19.0 m/s, 19.1 m/s, 19.2 m/s, 19.3 m/s, 19.4 m/s, 19.5 m/s, 19.6 m/s, 19.7 m/s, 19.8 m/s, 19.9 m/s, 20.0 m/s, 20.1 m/s, 20.2 m/s, 20.3 m/s, 20.4 m/s, 20.5 m/s, 20.6 m/s, 20.7 m/s, 20.8 m/s, 20.9 m/s, 21.0 m/s, 21.1 m/s, 21.2 m/s, 21.3 m/s, 21.4 m/s, 21.5 m/s, 21.6 m/s, 21.7 m/s, 21.8 m/s, 21.9 m/s, 22.0 m/s, 22.1 m/s, 22.2 m/s, 22.3 m/s, 22.4 m/s, 22.5 m/s, 22.6 m/s, 22.7 m/s, 22.8 m/s, 22.9 m/s, 23.0 m/s, 23.1 m/s, 23.2 m/s, 23.3 m/s, 23.4 m/s, 23.5 m/s, 23.6 m/s, 23.7 m/s, 23.8 m/s, 23.9 m/s, 24.0 m/s, 24.1 m/s, 24.2 m/s, 24.3 m/s, 24.4 m/s, 24.5 m/s, 24.6 m/s, 24.7 m/s, 24.8 m/s, 24.9 m/s, 25.0 m/s, 25.1 m/s, 25.2 m/s, 25.3 m/s, 25.4 m/s, 25.5 m/s, 25.6 m/s, 25.7 m/s, 25.8 m/s, 25.9 m/s, 26.0 m/s, 26.1 m/s, 26.2 m/s, 26.3 m/s, 26.4 m/s, 26.5 m/s, 26.6 m/s, 26.7 m/s, 26.8 m/s, 26.9 m/s, 27.0 m/s, 27.1 m/s, 27.2 m/s, 27.3 m/s, 27.4 m/s, 27.5 m/s, 27.6 m/s, 27.7 m/s, 27.8 m/s, 27.9 m/s, 28.0 m/s, 28.1 m/s, 28.2 m/s, 28.3 m/s, 28.4 m/s, 28.5 m/s, 28.6 m/s, 28.7 m/s, 28.8 m/s, 28.9 m/s, 29.0 m/s, 29.1 m/s, 29.2 m/s, 29.3 m/s, 29.4 m/s, 29.5 m/s, 29.6 m/s, 29.7 m/s, 29.8 m/s, 29.9 m/s, 30.0 m/s, 30.1 m/s, 30.2 m/s, 30.3 m/s, 30.4 m/s, 30.5 m/s, 30.6 m/s, 30.7 m/s, 30.8 m/s, 30.9 m/s, 31.0 m/s, 31.1 m/s, 31.2 m/s, 31.3 m/s, 31.4 m/s, 31.5 m/s, 31.6 m/s, 31.7 m/s, 31.8 m/s, 31.9 m/s, 32.0 m/s, 32.1 m/s, 32.2 m/s, 32.3 m/s, 32.4 m/s, 32.5 m/s, 32.6 m/s, 32.7 m/s, 32.8 m/s, 32.9 m/s, 33.0 m/s, 33.1 m/s, 33.2 m/s, 33.3 m/s, 33.4 m/s, 33.5 m/s, 33.6 m/s, 33.7 m/s, 33.8 m/s, 33.9 m/s, 34.0 m/s, 34.1 m/s, 34.2 m/s, 34.3 m/s, 34.4 m/s, 34.5 m/s, 34.6 m/s, 34.7 m/s, 34.8 m/s, 34.9 m/s, 35.0 m/s, 35.1 m/s, 35.2 m/s, 35.3 m/s, 35.4 m/s, 35.5 m/s, 35.6 m/s, 35.7 m/s, 35.8 m/s, 35.9 m/s, 36.0 m/s, 36.1 m/s, 36.2 m/s, 36.3 m/s, 36.4 m/s, 36.5 m/s, 36.6 m/s, 36.7 m/s, 36.8 m/s, 36.9 m/s, 37.0 m/s, 37.1 m/s, 37.2 m/s, 37.3 m/s, 37.4 m/s, 37.5 m/s, 37.6 m/s, 37.7 m/s, 37.8 m/s, 37.9 m/s, 38.0 m/s, 38.1 m/s, 38.2 m/s, 38.3 m/s, 38.4 m/s, 38.5 m/s, 38.6 m/s, 38.7 m/s, 38.8 m/s, 38.9 m/s, 39.0 m/s, 39.1 m/s, 39.2 m/s, 39.3 m/s, 39.4 m/s, 39.5 m/s, 39.6 m/s, 39.7 m/s, 39.8 m/s, 39.9 m/s, 40.0 m/s, 40.1 m/s, 40.2 m/s, 40.3 m/s, 40.4 m/s, 40.5 m/s, 40.6 m/s, 40.7 m/s, 40.8 m/s, 40.9 m/s, 41.0 m/s, 41.1 m/s, 41.2 m/s, 41.3 m/s, 41.4 m/s, 41.5 m/s, 41.6 m/s, 41.7 m/s, 41.8 m/s, 41.9 m/s, 42.0 m/s, 42.1 m/s, 42.2 m/s, 42.3 m/s, 42.4 m/s, 42.5 m/s, 42.6 m/s, 42.7 m/s, 42.8 m/s, 42.9 m/s, 43.0 m/s, 43.1 m/s, 43.2 m/s, 43.3 m/s, 43.4 m/s, 43.5 m/s, 43.6 m/s, 43.7 m/s, 43.8 m/s, 43.9 m/s, 44.0 m/s, 44.1 m/s, 44.2 m/s, 44.3 m/s, 44.4 m/s, 44.5 m/s, 44.6 m/s, 44.7 m/s, 44.8 m/s, 44.9 m/s, 45.0 m/s, 45.1 m/s, 45.2 m/s, 45.3 m/s, 45.4 m/s, 45.5 m/s, 45.6 m/s, 45.7 m/s, 45.8 m/s, 45.9 m/s, 46.0 m/s, 46.1 m/s, 46.2 m/s, 46.3 m/s, 46.4 m/s, 46.5 m/s, 46.6 m/s, 46.7 m/s, 46.8 m/s, 46.9 m/s, 47.0 m/s, 47.1 m/s, 47.2 m/s, 47.3 m/s, 47.4 m/s, 47.5 m/s, 47.6 m/s, 47.7 m/s, 47.8 m/s, 47.9 m/s, 48.0 m/s, 48.1 m/s, 48.2 m/s, 48.3 m/s, 48.4 m/s, 48.5 m/s, 48.6 m/s, 4			

ENGINEERED FLOORING INSTALLATION GUIDE

Owner/Installer responsibility. READ CAREFULLY PRIOR TO INSTALLATION

Read this information carefully. It contains important information that will help you understand the requirements for the successful installation of the flooring. It is your responsibility to read this information carefully and to follow the instructions. Failure to follow the instructions may result in damage to the flooring and void the warranty.

NOTE: IT IS RECOMMENDED THAT YOU EMPLOY A PROFESSIONAL FLOORING CONTRACTOR WHO CARRIES A LICENSE AND INSURANCE TO PROTECT YOUR INVESTMENT. IT IS YOUR RESPONSIBILITY TO OBTAIN THE SERVICES OF THE CONTRACTOR AND TO OBTAIN THE NECESSARY PERMITS AND APPROVALS FROM THE LOCAL BUILDING DEPARTMENT.

NOTE: 1. Only One Year - Job Site Protection

Acclimation and Storage

Engineered flooring must be acclimated to the job site for at least 72 hours prior to installation. The floor must be kept clean and free of debris. The flooring should be stored in a dry, well-ventilated area. The flooring should be kept in its original packaging until it is ready to be installed. The flooring should be kept in a dry, well-ventilated area. The flooring should be kept in its original packaging until it is ready to be installed.

Sub Floor Preparation and Cleanliness

The sub floor must be clean, dry, and free of debris. The sub floor must be level. The sub floor must be free of any moisture. The sub floor must be free of any oil or grease. The sub floor must be free of any other contaminants. The sub floor must be free of any other contaminants.

INSTALLATION - Job Site Protection

General Layout and Design

The flooring should be installed in a dry, well-ventilated area. The flooring should be kept in its original packaging until it is ready to be installed. The flooring should be kept in a dry, well-ventilated area. The flooring should be kept in its original packaging until it is ready to be installed.

Tools and Materials

The following tools and materials are required for the installation of the flooring:

- Trowel
- Utility Knife
- Hammer
- Nail Gun
- Saw
- Sandpaper
- Primer
- Adhesive
- Spreader
- Roller
- Vacuum
- Broom
- Dust Mask
- Safety Glasses
- Work Gloves
- Hard Hat
- First Aid Kit
- Fire Extinguisher
- Ladder
- Scaffolding
- Plywood
- Bricks
- Blocks
- Spacers
- Trim
- Molding
- Baseboard
- Crown Molding
- Quarter Round
- Bullnose
- End Cap
- Transition
- Threshold
- Door Sweep
- Weatherstripping
- Caulk
- Grout
- Sealant
- Paint
- Primer
- Stain
- Finish
- Varnish
- Polyurethane
- Wax
- Polish
- Cleaner
- Disinfectant
- Degreaser
- Abrasive
- Buffing Wheel
- Polishing Pad
- Buffing Machine
- Polishing Machine
- Buffing Compound
- Polishing Compound
- Buffing Paste
- Polishing Paste
- Buffing Cream
- Polishing Cream
- Buffing Lotion
- Polishing Lotion
- Buffing Oil
- Polishing Oil
- Buffing Wax
- Polishing Wax
- Buffing Sealant
- Polishing Sealant
- Buffing Finish
- Polishing Finish
- Buffing Coat
- Polishing Coat
- Buffing Layer
- Polishing Layer
- Buffing Film
- Polishing Film
- Buffing Sheet
- Polishing Sheet
- Buffing Roll
- Polishing Roll
- Buffing Bag
- Polishing Bag
- Buffing Box
- Polishing Box
- Buffing Can
- Polishing Can
- Buffing Jar
- Polishing Jar
- Buffing Bottle
- Polishing Bottle
- Buffing Tub
- Polishing Tub
- Buffing Bucket
- Polishing Bucket
- Buffing Pail
- Polishing Pail
- Buffing Tray
- Polishing Tray
- Buffing Dish
- Polishing Dish
- Buffing Bowl
- Polishing Bowl
- Buffing Pan
- Polishing Pan
- Buffing Pot
- Polishing Pot
- Buffing Kettle
- Polishing Kettle
- Buffing Sifter
- Polishing Sifter
- Buffing Strainer
- Polishing Strainer
- Buffing Sieve
- Polishing Sieve
- Buffing Screen
- Polishing Screen
- Buffing Filter
- Polishing Filter
- Buffing Mesh
- Polishing Mesh
- Buffing Net
- Polishing Net
- Buffing Cloth
- Polishing Cloth
- Buffing Rag
- Polishing Rag
- Buffing Towel
- Polishing Towel
- Buffing Napkin
- Polishing Napkin
- Buffing Paper
- Polishing Paper
- Buffing Card
- Polishing Card
- Buffing Tag
- Polishing Tag
- Buffing Label
- Polishing Label
- Buffing Mark
- Polishing Mark
- Buffing Sign
- Polishing Sign
- Buffing Banner
- Polishing Banner
- Buffing Flag
- Polishing Flag
- Buffing Pennant
- Polishing Pennant
- Buffing Bunting
- Polishing Bunting
- Buffing Streamer
- Polishing Streamer
- Buffing Balloon
- Polishing Balloon
- Buffing Pump
- Polishing Pump
- Buffing Valve
- Polishing Valve
- Buffing Plug
- Polishing Plug
- Buffing Cap
- Polishing Cap
- Buffing Cover
- Polishing Cover
- Buffing Case
- Polishing Case
- Buffing Box
- Polishing Box
- Buffing Can
- Polishing Can
- Buffing Jar
- Polishing Jar
- Buffing Bottle
- Polishing Bottle
- Buffing Tub
- Polishing Tub
- Buffing Bucket
- Polishing Bucket
- Buffing Pail
- Polishing Pail
- Buffing Tray
- Polishing Tray
- Buffing Dish
- Polishing Dish
- Buffing Bowl
- Polishing Bowl
- Buffing Pan
- Polishing Pan
- Buffing Pot
- Polishing Pot
- Buffing Kettle
- Polishing Kettle
- Buffing Sifter
- Polishing Sifter
- Buffing Strainer
- Polishing Strainer
- Buffing Sieve
- Polishing Sieve
- Buffing Screen
- Polishing Screen
- Buffing Filter
- Polishing Filter
- Buffing Mesh
- Polishing Mesh
- Buffing Net
- Polishing Net
- Buffing Cloth
- Polishing Cloth
- Buffing Rag
- Polishing Rag
- Buffing Towel
- Polishing Towel
- Buffing Napkin
- Polishing Napkin
- Buffing Paper
- Polishing Paper
- Buffing Card
- Polishing Card
- Buffing Tag
- Polishing Tag
- Buffing Label
- Polishing Label
- Buffing Mark
- Polishing Mark
- Buffing Sign
- Polishing Sign
- Buffing Banner
- Polishing Banner
- Buffing Flag
- Polishing Flag
- Buffing Pennant
- Polishing Pennant
- Buffing Bunting
- Polishing Bunting
- Buffing Streamer
- Polishing Streamer
- Buffing Balloon
- Polishing Balloon
- Buffing Pump
- Polishing Pump
- Buffing Valve
- Polishing Valve
- Buffing Plug
- Polishing Plug
- Buffing Cap
- Polishing Cap
- Buffing Cover
- Polishing Cover
- Buffing Case
- Polishing Case
- Buffing Box
- Polishing Box
- Buffing Can
- Polishing Can
- Buffing Jar
- Polishing Jar
- Buffing Bottle
- Polishing Bottle
- Buffing Tub
- Polishing Tub
- Buffing Bucket
- Polishing Bucket
- Buffing Pail
- Polishing Pail
- Buffing Tray
- Polishing Tray
- Buffing Dish
- Polishing Dish
- Buffing Bowl
- Polishing Bowl
- Buffing Pan
- Polishing Pan
- Buffing Pot
- Polishing Pot
- Buffing Kettle
- Polishing Kettle
- Buffing Sifter
- Polishing Sifter
- Buffing Strainer
- Polishing Strainer
- Buffing Sieve
- Polishing Sieve
- Buffing Screen
- Polishing Screen
- Buffing Filter
- Polishing Filter
- Buffing Mesh
- Polishing Mesh
- Buffing Net
- Polishing Net
- Buffing Cloth
- Polishing Cloth
- Buffing Rag
- Polishing Rag
- Buffing Towel
- Polishing Towel
- Buffing Napkin
- Polishing Napkin
- Buffing Paper
- Polishing Paper
- Buffing Card
- Polishing Card
- Buffing Tag
- Polishing Tag
- Buffing Label
- Polishing Label
- Buffing Mark
- Polishing Mark
- Buffing Sign
- Polishing Sign
- Buffing Banner
- Polishing Banner
- Buffing Flag
- Polishing Flag
- Buffing Pennant
- Polishing Pennant
- Buffing Bunting
- Polishing Bunting
- Buffing Streamer
- Polishing Streamer
- Buffing Balloon
- Polishing Balloon
- Buffing Pump
- Polishing Pump
- Buffing Valve
- Polishing Valve
- Buffing Plug
- Polishing Plug
- Buffing Cap
- Polishing Cap
- Buffing Cover
- Polishing Cover
- Buffing Case
- Polishing Case
- Buffing Box
- Polishing Box
- Buffing Can
- Polishing Can
- Buffing Jar
- Polishing Jar
- Buffing Bottle
- Polishing Bottle
- Buffing Tub
- Polishing Tub
- Buffing Bucket
- Polishing Bucket
- Buffing Pail
- Polishing Pail
- Buffing Tray
- Polishing Tray
- Buffing Dish
- Polishing Dish
- Buffing Bowl

[illegible][illegible]

Whiteriver have a long tradition of quality products. We offer you brand-name quality and we invest in developing our products to meet the most stringent quality requirements. This lead in knowledge and experience makes all the difference in our products. So much effort comes with a price, but this price is value for money. It is not by chance that we hold the leading position in the market. If you require any information regarding our products, please feel free to contact our office on tel +353 (0) 41 6861000 or to download it from our website www.wrg.ie.

We wish you many years of enjoyment with our flooring products.

- Technical datasheets
- CE certificates
- Declaration of Performance
- Underfloor heating
- Installation instructions
- Warranties
- Floor aftercare & maintenance
(Residential and Commercial)



Renaissance XL - Oak Giovanni (Extra Wide) 280-480 x 23 x 2000-4000mm. See Page 120

Grading Guidelines

Truth of the Grain.

Trees are as individualistic as people and therefore no two are the same. It is this characteristic that makes timber floors an attractive choice and interesting feature in any setting. Grading guidelines will vary between manufacturers as well as between different species and we feel it is important to outline some of the typical variances to be found within our ranges.

We have put together the following examples of Oak grading as a guide to highlight some of the characteristics you can expect to see across different floors. It is important to note that these images are typical characteristics and will vary within their own grades as choosing veneers is done by visual inspection and is not an exact science. There will always be a level of inconsistency in grading across any given area therefore it is important that your installer inspects each board prior to fitting, ensuring that any falling outside the grading limitations are removed within standard cutting allowances.

We cannot guarantee showroom samples and images within our brochures or website will be an exact match – selection prior to installation is the sole responsibility of the installer and end user.

PLANK PRODUCTS



Select / Prime

As the name suggests, this high grade will have little or no knots – any knots contained in the finished product will be minimal in size. Sapwood imperfections and fillers are kept to a minimum and colour matched to blend with the grain of the wood. Overall colour variation is consistent.



Sapwood

Sapwood is the outer part of a tree's stem or branch which allows essential water and sap to flow as it continues to grow. In most species it has a lighter appearance to the rest of the tree as it naturally contains a higher level of moisture during growth. The level of sapwood in our flooring ranges is controlled within our grading guidelines and also depends on the surface treatment of the final product. Natural oiled or clear varnished finishes will mask the appearance of sapwood while smoking and white oiling may highlight the sapwood as it reacts to the finishing process.



Nature

Nature grading contains some knots, but less than Universal grade, some sapwood and some colour variation. Knot sizes are restricted so it tends to have an overall calmer appearance than Universal grading. Knots are filled to match the natural timber however may vary between boards and batches.



Vintage

Quantity and size of knots will be significantly more evident in this grade. Maximum size of broken knots, 45mm. The boards will contain both heartwood and sapwood and have a higher degree of natural colour variation as a result. Allowable sapwood to be less 30% of the board width and less than 30% in volume. Growth ring and end crack defects will be more obvious and sunken filled to match the natural timber however may vary between boards and batches. Width of cracks 10mm maximum



Universal

Universal grading contains a mixture of prime, nature and rustic/character grading. Different species will have different characteristics e.g. european oak grading tends to include it's fair share of knotting so there will be a more limited amount of prime/ nature boards within universal grading. The boards will contain both heartwood and sapwood and have a degree of natural colour variation as a result. Knots are filled to match the natural timber however may vary between boards and batches.



Knots & Fillers

Knots are created when a branch grows out from the crown of the tree and can also be an indication of a dormant bud. The tree naturally grows around knots hence the flowing effect of the grain around them. The amount and size of knots in our flooring is controlled within our grading guidelines. During the manufacturing process it may be necessary to fill knots to achieve a consistent surface finish – the colour and depth of the filler is determined by the overall design of the final product.



Rustic / Character

Quantity and size of knots will be significantly more evident in this grade. The boards will contain both heartwood and sapwood and have a higher degree of natural colour variation as a result. Growth ring and end crack defects will be more obvious and filled to match the natural timber however may vary between boards and batches.



Rustic A / Nature (Herringbone & Chevron Panels)

This grading contains some knots, some sapwood and some colour variation. Maximum knot size is restricted to c25mm so it tends to have an overall balanced appearance due to fewer knots. Knots are filled to match the natural timber however may vary between boards and batches.



Medullary Rays

Medullary Rays are natural cellular structures within the tree and can appear as a sporadic formation of stretch like marks within the timber.

**Note: "Sunken" filler is a feature of our Forest Clifden, Tavern and Dalkey floors where the filler is set below the overall surface of the board for a rustic finish.*

Engineered Care & Maintenance

Caring for your Varnished Floor



Intensive Active
Cleaner
500ml



Parquet Natural
Cleaner
500ml



Aqua Shield
1000ml

REGULAR CLEANING & CARE

Dry cleaning:

It is usually sufficient to dry-clean prefinished surfaces with a mop, brush or vacuum. Heel streaks or grease stains can be easily removed with clean & green® active.

Damp cleaning:

For protection of the prefinished surface a treatment is necessary. Your floor should be cleaned regularly depending on the wear and tear of the surface with clean & green® natural diluted in water. Add ½ dosage cap of clean & green® natural to 5 litres (1.3 gal.) of water. Then wipe the surface with a well-wrung, slightly damp cloth. Don't clean the floor surface too damp, always avoid letting water stand on the surface. By polishing the floor with a cloth afterwards, you can optimize the shine of your floor's surface. Steam cleaning machines are not suitable for cleaning prefinished flooring.

INTENSIVE CARE

Damp cleaning:

As the floor will be subject to high traffic, the floor surface will need to be deep-cleaned periodically, depending on dirt build-up. Please use clean & green® active for deep cleaning. Add ½ dosage cap of clean & green® active to 5 litres (1.3 gal.) of water. Then wipe the surface with a well-wrung, slightly damp cloth. Do not clean the floor too damp, always avoid letting water stand on the surface. If required, repeat the process.

REFRESHING

To optically refresh the floor and improve durability, we recommend that you use Clean & Green AquaShield. Start by thoroughly cleaning the floor (dust-free). We recommend Clean & Green Active for this job. Clean & Green AquaShield is applied on diluted with a rectangular/square cotton cover mop. Evenly apply the AquaShield in overlapping lines. Wait about two hours before subjecting the floor to traffic and load. The application of Clean & Green AquaShield can lead to changes in the gloss level.

Caring for your UV Oiled / Waxed Floors



WOCA Soap
Avg. Coverage: 320-400m²/L



Woca Wood Cleaner/
Stripper
Avg. Coverage: 2 00-300m²/L



Maintenance
Paste/Gel
Avg. Coverage: 20-30m²/L

REGULAR CLEANING & CARE

UV Oil Wax floors require ongoing regular cleaning with WOCA Soap to maintain and build up surface protection. This is especially important in first 3-6 months to build up and saturate the surface with soap. Higher traffic areas e.g hallways, kitchen areas will require frequent cleaning. White/Grey tone floors will also require more frequent care. It is recommended to always work with 2 buckets, 1 with soap water and 1 with rinsing water. Mix 125ml of soap with 5ltrs of luke warm water. Clean the floor with the minimum quantity of water. Steam cleaning machines are not suitable for use on all engineered/solid wood flooring.

INTENSIVE CARE

Use Woca Wood Cleaner the day before the WOCA Soap is first applied. N.B. Woca Wood Cleaner is a high strength intensive cleaner and is not for general/regular cleaning. Mix 125 ml. of Intensive Wood Cleaner with 2.5 L warm water. Use Intensive Wood Cleaner in the same way as for normal washing and leave to work for 5 minutes before wiping down with clean water. Intensive Wood Cleaner leaves soaped, oiled and wax-treated surfaces completely free of protection, so they should be re-oiled/waxed or soaped afterwards.

REFRESHING

Clean the surface with Intensive Wood Cleaner as per above. After cleaning, leave the surface to dry for at least 8 hours at 20°C. Apply an appropriate amount of paste to a red/white Hand Scrubber and distribute over the surface in a thin, even coat. Continue polishing until the wood seems saturated and the surface has a uniform appearance. For larger areas (floor larger than 10m²) it would be advantageous to use a polishing machine. If the wood does not seem fully saturated after 4-6 hours, it would be advantageous to repolish, with less paste than the first treatment, but following the same procedure. Wait 4-6 hours before using the surface.





www.wrg.ie