MERLYN



Your shower, your space™

THE IONIC COLLECTION | APRIL 2018



Contents

Introduction

The Merlyn Ionic Collection

Product

- 80 Essence Frameless Frameless elegance
- 22 Essence Framed Precision engineered
- Wetroom Panels Flexibility for your space
- 42 Express The ultimate easy fit solution
- 54 Source Affordable shower enclosures
- SecureSeal 61 The ultimate leak-free bath screen
- **Bath Screens** Simple shapes
- 72 TouchStone Trays Strong and durable
- Merlyn Upstand Tray

Technical Section

Product Information 77

The Merlyn Ionic Collection Your Shower, Your Space

The Merlyn Ionic Collection features an extensive range of shower enclosures, trays and bath screens to suit every bathroom and every budget.

We spent many years researching our customers, installers and plumbers in the UK and Ireland. From this research we developed a range that is stylish, innovative, fast and easy to fit. The Ionic collection pairs precision engineering with the highest quality standards.

This range offers fantastic choice and functionality, you can be sure to find an enclosure to suit your bathroom space and budget. From the contemporary frameless Essence to the framed classic Express this collection has been developed to meet the highest quality standards while maintaining a very stylish look and feel. Create your beautiful bathroom today by selecting a Merlyn Ionic shower enclosure.



















Choose your Style

Products

| | Shape | Essence Frameless | Essence Framed |
|---------------------|-------------|----------------------|-------------------|
| Sliding Door | Rectangular | | |
| Quadrant Door | Curved | | |
| Hinged Door | Rectangular | | _ |
| Pivot Door | Square | | |
| Bifold Door | Square | _ | _ |
| Shower Wall/Walk In | Rectangular | | _ |
| Corner Entry | Square | _ | _ |
| Inline Panel | _ | | _ |
| Bathscreen | _ | _ | _ |
| Easy Fit System | _ | | _ |
| Glass Thickness | _ | 8mm | 8mm |
| Height | _ | 2000mm | 1900mm |
| Guarantee | _ | 20 Years | 20 Years |



CE & EN Information

The CE marking on Ionic enclosures is a declaration that the product complies with the essential requirements of the relevant European health, safety and environmental protection legislation to EN Standards – EN14428. Confirmation of CE approval and Declaration of Performance (DOP) is available on our website: www.ionicbymerlyn.com.

For further information see Technical Section on page 76.

| Wetrooms Panels | Express | Source | SecureSeal | Bath Screens |
|--------------------|----------|---------|------------|-----------------|
| _ | | | _ | _ |
| _ | | | _ | _ |
| _ | _ | _ | _ | _ |
| _ | | | _ | _ |
| _ | | | _ | _ |
| | _ | _ | _ | _ |
| _ | _ | _ | _ | _ |
| _ | | _ | _ | _ |
| _ | _ | _ | | |
| _ | | | _ | _ |
| 8mm | 6mm | 6mm | 6mm | 4, 6 & 8mm |
| 2000mm | 1900mm | 1850mm | 1500mm | 1400-1500mm |
| 20 Years | 20 Years | 5 Years | Lifetime | Lifetime |




Merlyn treats products in the lonic Collection with a special protective coating to ensure the glass maintains its sparkle. This comes as standard on Essence, Express, Wetroom Panels and most of our Bath Screen range. Mershield Stayclear acts as a protective coating which when applied to glass, helps the glass to remain shiny and new without the need for tiresome cleaning. When cleaned correctly it helps prevent the build up of limescale and soap deposits making the shower glass "Easy to Clean". Please see tips for keeping the glass in pristine condition.

Without Mershield Stayclear Protective Coating

Without Mershield Stayclear protection water and soap deposits cling to the glass surface causing a build up of grime, requiring more vigorous cleaning.

With Mershield Stayclear Protective Coating

The Mershield Stayclear coating provides a larger contact angle for the water droplet on the surface and makes the drops smaller than drops falling on an untreated surface. This ensures the droplets roll away much faster down the surface, minimising deposits left behind.



Mershield Stayclear coating



Mershield Stayclear coating creates a smooth layer over the surface of natural glass, lowering surface friction, making it easier for water, soap and lime deposits to run off the glass.

Tips on how to keep your glass in pristine condition

| It is important to clean your glass after every use – wipe down with a soft cloth. | Ensure that any residual water on the glass is removed after every use. |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| Install the enclosure in a well ventilated area. | Clean the glass regularly using soapy water. |
| Do not allow limescale to build up in hard water areas. | DO NOT use abrasive products on any surfaces. |

Keep up to date with lonic at www.ionicbymerlyn.com



Follow us on Facebook, Twitter and YouTube to keep up to date on our special offers and news.







Essence Frameless








Frameless Elegance

Ionic Essence is truly unique in its appearance with its fusion between stylish beauty and precision engineering. We have spent a great deal of time developing this range that not only to last.

Some additional features include concealed rollers to ensure discreet seals to help retain its frameless look, extra strong rollers that have gone through rigorous testing procedures to ensure this product fits as seamlessly as possible for the installer.

Features





Reversible*

Concealed fixings

Exclusive Essence fixings kit provided

Chrome double handle

Design Details



Branded glass clamp













Frameless Elegance

The attention to detail is evident throughout this range with many additional clever features that ensure it is practical and functional while also maintaining its frameless elegance.






























Minimalist designer rail with concealed rollers both inside and outside




Chrome double handle

Sliding Door in a Recess



Technical Details

A = Door Opening B = Fixed Panel



| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|------|-------------------------|------------|---------------------|---------------------|
| 1000 | 950-990 | A0104A0 | 753.20 | 903.84 |
| 1100 | 1050-1090 | A0104B0 | 753.20 | 903.84 |
| 1200 | 1150-1190 | A0104IH | 753.20 | 903.84 |
| 1400 | 1350-1390 | A0104DH | 798.90 | 958.68 |
| 1700 | 1650-1690 | A0104HH | 913.20 | 1095.84 |
| | | | | |

| Size | Α | В | |
|------|-----|-----|--|
| 1000 | 365 | 465 | |
| 1100 | 415 | 515 | |
| 1200 | 465 | 565 | |
| 1400 | 565 | 665 | |
| 1700 | 565 | 965 | |

























Minimalist designer rail with concealed rollers both inside and outside




Chrome double handle

Sliding Door with a Side Panel



Technical Details

A = Door Opening B = Fixed Panel



Please Note: The door needs to close against the side panel.

| Size | Α | В |
|------|-----|-----|
| 1000 | 350 | 465 |
| 1100 | 400 | 515 |
| 1200 | 450 | 565 |
| 1400 | 550 | 665 |
| 1700 | 550 | 965 |

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT | | | |
|---------------|-------------------------|------------|---------------------|---------------------|--|--|--|
| 1000 | 940-965 | A0104A0 | 753.20 | 903.84 | | | |
| 1100 | 1040-1065 | A0104B0 | 753.20 | 903.84 | | | |
| 1200 | 1140-1165 | A0104IH | 753.20 | 903.84 | | | |
| 1400 | 1340-1365 | A0104DH | 798.90 | 958.68 | | | |
| 1700 | 1640-1665 | A0104HH | 913.20 | 1095.84 | | | |
| Optional Side | Optional Side Panel | | | | | | |
| 800 | 760-785 | A0107I0 | 410.30 | 492.36 | | | |
| 900 | 860-885 | A0107J0 | 433.20 | 519.84 | | | |






















Hinge & Inline Panel in a Recess



Technical Details

A = Door Opening B = Door Swing C = Inline Panel



Please Note: Side Panel should only be used with + sizes (not standard sizes).

| Size | А | В | С |
|-------|-----|-----|-----|
| 760 | 440 | 460 | 160 |
| 800 | 440 | 460 | 200 |
| +008 | 480 | 500 | 200 |
| 900 | 490 | 510 | 250 |
| 900+ | 530 | 550 | 250 |
| 1000 | 540 | 560 | 300 |
| 1000+ | 580 | 600 | 300 |
| 1100 | 590 | 610 | 350 |
| 1100+ | 630 | 650 | 350 |
| 1200 | 590 | 610 | 450 |
| 1200+ | 630 | 650 | 450 |
| 1400 | 590 | 610 | 650 |
| 1400+ | 630 | 650 | 650 |
| 1500 | 590 | 610 | 750 |
| 1500+ | 630 | 650 | 750 |

| | | | | ************************************** |
|-------|-------------------------|------------|---------------------|----------------------------------------|
| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
| 760 | 720-760 | A0111F0 | 649.20 | 779.04 |
| 800 | 760-800 | A0111C0 | 649.20 | 779.04 |
| +008 | 800-840 | A0111M0 | 649.20 | 779.04 |
| 900 | 860-900 | A0111D0 | 649.20 | 779.04 |
| 900+ | 900-940 | A0111N0 | 649.20 | 779.04 |
| 1000 | 960-1000 | A0111E0 | 683.50 | 820.20 |
| 1000+ | 1000-1040 | A0111O0 | 683.50 | 820.20 |
| 1100 | 1060-1100 | A0111JH | 723.50 | 868.20 |
| 1100+ | 1100-1140 | A0111JF | 723.50 | 868.20 |
| 1200 | 1160-1200 | A0111GH | 723.50 | 868.20 |
| 1200+ | 1200-1240 | A0111GF | 723.50 | 868.20 |
| 1400 | 1360-1400 | A0111HH | 776.10 | 931.32 |
| 1400+ | 1400-1440 | A0111HF | 776.10 | 931.32 |
| 1500 | 1460-1500 | A0111KH | 833.20 | 999.84 |
| 1500+ | 1500-1540 | A0111KF | 833.20 | 999.84 |
| | | | | |






















Hinge & Inline Panel with Side Panel



Technical Details

A = Door Opening

B = Door Swing C = Inline Panel



Please Note: Side Panel should only only be used with + sizes (not standard sizes).

| Size | А | В | С |
|-------|-----|-----|-----|
| +008 | 480 | 500 | 200 |
| 900+ | 530 | 550 | 250 |
| 1000+ | 580 | 600 | 300 |
| 1100+ | 630 | 650 | 350 |
| 1200+ | 630 | 650 | 450 |
| 1400+ | 630 | 650 | 650 |
| 1500+ | 630 | 650 | 750 |

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|--------------|-------------------------|------------|---------------------|---------------------|
| +008 | 770-790 | A0111M0 | 649.20 | 779.04 |
| 900+ | 870-890 | A0111N0 | 649.20 | 779.04 |
| 1000+ | 970-990 | A0111O0 | 683.50 | 820.20 |
| 1100+ | 1070-1090 | A0111JF | 723.50 | 868.20 |
| 1200+ | 1170-1190 | A0111GF | 723.50 | 868.20 |
| 1400+ | 1370-1390 | A0111HF | 776.10 | 931.32 |
| 1500+ | 1470-1490 | A0111KF | 833.20 | 999.84 |
| Optional Sig | de Panel | | | |
| 800 | 750-790 | A0107G0 | 376.00 | 451.20 |
| 900 | 850-890 | A0107H0 | 398.90 | 478.68 |
| | | | | |




















Discreet deflector seal on luna rail for increased water retention



Essence Frameless


1 Door Offset Quadrant



Technical Details

A = Door Opening B = Straight Panel

C = Curved Panel



| Size | Adjustment (Min-Max) | Handed | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|----------|-------------------------|------------|------------|---------------------|---------------------|
| 1200x900 | 860-885 / 1160-1185 | Left Hand | A0101KH | 1141.80 | 1370.16 |
| 1200×900 | 860-885 / 1160-1185 | Right Hand | A0101LH | 1141.80 | 1370.16 |

























1 Door Quadrant




Technical Details

A = Door Opening B = Straight Panel

C = Curved Panel

| Size | Adjustment (Min-Max) | Handed | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|---------|-------------------------|------------|------------|---------------------|---------------------|
| 900x900 | 860-885 | Left Hand | A0101MH | 1027.50 | 1233.00 |
| 900x900 | 860-885 | Right Hand | A0101NH | 1027.50 | 1233.00 |



Essence Framed







Precision Engineered

Ionic Essence Framed is a stylish 8mm range, precision engineered to suit every bathroom space. Some of the main features of this range include the solid "Clunk" which highlights the quality of these enclosures. Colour matched chrome magnetic seals and concealed fittings to ensure it looks great all around and quick release double rollers which makes it hassle-free to clean


Features











Design Details











Precision Engineered

The framed beauty of this range delivers on functionality while maintaining the Ionic principle: built to last.











1900mm















Sliding Door with or without a Side Panel



Technical Details

A = Door Opening B = Fixed Panel



| Size | Α | В |
|------|-----|-----|
| 1000 | 360 | 380 |
| 1100 | 410 | 430 |
| 1200 | 460 | 480 |
| 1400 | 560 | 580 |
| 1700 | 560 | 880 |

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|---------------|-------------------------|------------|---------------------|---------------------|
| 1000 | 930-990 | DWH04A0 | 519.10 | 622.92 |
| 1100 | 1030-1090 | DWH04BI | 519.10 | 622.92 |
| 1200 | 1130-1190 | DWH04C0 | 519.10 | 622.92 |
| 1400 | 1330-1390 | DWH04DH | 599.80 | 719.76 |
| 1700 | 1630-1690 | DWH04EH | 692.50 | 831.00 |
| Optional Side | Panel | | | |
| 760 | 720-750 | DWH07B0 | 241.80 | 290.16 |
| 800 | 760-790 | DWH07D0 | 241.80 | 290.16 |
| 900 | 860-890 | DWH07E0 | 285.10 | 342.12 |























Essence Framed

2 Door Quadrant



Technical Details

A = Door Opening B = Fixed Panel



| Size | Α | В |
|------|-----|-----|
| 800 | 370 | 180 |
| 900 | 520 | 280 |
| 1000 | 520 | 380 |

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|------|-------------------------|------------|---------------------|---------------------|
| 800 | 750-780 | DWH02A0 | 649.10 | 778.92 |
| 900 | 850-880 | DWH02B0 | 649.10 | 778.92 |
| 1000 | 950-980 | DWH02CH | 735.80 | 882.96 |
















Reversible



Concealed fixing



Chrome finish including top cover caps

Essence Framed

1 Door Quadrants



Technical Details

1 Door Quadrant

A = Door Opening B = Straight Panel


C = Curved Panel



| Size | Α | В | С |
|------|-----|-----|-----|
| 900 | 450 | 330 | 460 |

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT | | |
|--------------|-------------------------|------------|---------------------|---------------------|--|--|
| 1 Door Quad | rant | | | | | |
| 900 | 850-880 | DWH03DH | 718.50 | 862.20 | | |
| 1 Door Offse | 1 Door Offset Quadrant | | | | | |
| 1000x800 | 750-780 / 950-980 | DWH03BH | 744.50 | 893.40 | | |
| 1200×800 | 750-780 / 1150-1180 | DWH03CH | 744.50 | 893.40 | | |
| 1200x900 | 850-880 / 1150-1180 | DWH03EH | 744.50 | 893.40 | | |

1 Door Offset Quadrant



| Size | Α | В | С |
|----------|-----|-----|-----|
| 1000x800 | 394 | 430 | 430 |
| 1200x800 | 394 | 630 | 430 |
| 1200x900 | 450 | 630 | 460 |










1900mm












Pivot Door with or without Side Panel



Technical Details

A = Door Opening



| Size | Α |
|------|-----|
| 760 | 433 |
| 800 | 473 |
| 900 | 573 |

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|---------------|-------------------------|------------|---------------------|---------------------|
| 760 | 690-750 | DWH06B0 | 432.50 | 519.00 |
| 800 | 730-790 | DWH06D0 | 458.50 | 550.20 |
| 900 | 830-890 | DWH06E0 | 475.80 | 570.96 |
| Optional Side | Panel | | | |
| 760 | 720-750 | DWH07B0 | 241.80 | 290.16 |
| 800 | 760-790 | DWH07D0 | 241.80 | 290.16 |
| 900 | 860-890 | DWH07E0 | 285.10 | 342.12 |









1900mm



Concealed fixing






Chrome finish including top cover caps

Bifold Door



Technical Details

A = Door Opening



| Size | Α |
|------|-----|
| 760 | 436 |
| 800 | 476 |
| 900 | 576 |
| 1000 | 626 |

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT | | | |
|---------------|-------------------------|------------|---------------------|---------------------|--|--|--|
| 760 | 690-750 | DWH00B0 | 498.00 | 597.60 | | | |
| 800 | 730-790 | DWH00C0 | 498.00 | 597.60 | | | |
| 900 | 830-890 | DWH00D0 | 526.00 | 631.20 | | | |
| 1000 | 930-990 | DWH00E0 | 599.00 | 718.80 | | | |
| Optional Side | Optional Side Panel | | | | | | |
| 760 | 720-750 | DWH07B0 | 241.80 | 290.16 | | | |
| 800 | 760-790 | DWH07D0 | 241.80 | 290.16 | | | |
| 900 | 860-890 | DWH07E0 | 285.10 | 342.12 | | | |

Wetroom Panels







Flexibility for your Space

The Ionic range of Wetroom Panels offer you the choice to mix and match many combinations of shapes and sizes to any space you require. At Ionic Merlyn, we understand that every wetroom space is different, which is why we have designed a modular system of wetroom panels that can be combined to fit any area. We have broken the range down to 17 key components with additional fitting options which you can build together to make up the full wetroom of your choice. It's as simple as A, B, C.

Wetroom Panels

| Diagram Ref | | Size | Adjustment Min–Max | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|----------------|-----|-------|-----------------------|---------------|---------------------|---------------------|
| A | NEW | 300** | 275-290 | A0409J0 | 239.00 | 286.80 |
| В | NEW | 400** | 375-390 | A0409K0 | 249.00 | 298.80 |
| C | NEW | 500** | 475-490 | A0409L0 | 259.00 | 310.80 |
| D | NEW | 600** | 575-590 | A0409M0 | 269.00 | 322.80 |
| E | | 700* | 675-690 | A0409A0 | 292.60 | 351.12 |
| G | | 800* | 775-790 | A0409B0 | 292.60 | 351.12 |
| G | | 900* | 875-890 | A0409C0 | 292.60 | 351.12 |
| H | | 1000 | 975-990 | A0409D0 | 317.70 | 381.24 |
| 0 | | 1100 | 1075-1090 | A0409F0 | 341.70 | 410.04 |
| 0 | | 1200 | 1175-1190 | A0409E0 | 341.70 | 410.04 |
| K | | 1400 | 1375-1390 | A0409G0 | 398.90 | 478.68 |
| 0 | NEW | 1600 | 1575-1590 | A0409H0 | 449.00 | 538.80 |
| M | NEW | 200 | Swivel Panel | A0413H0 | 163.00 | 195.60 |
| N | | 300 | Swivel Panel | A0413G0 | 170.30 | 204.36 |
| 0 | NEW | 400 | Swivel Panel | A0413J0 | 184.00 | 220.80 |
| P | | 300 | Cube Panel | A0413F0 | 147.40 | 176.88 |
| P | | 3000 | Vertical Post | A0417C0 | 147.40 | 176.88 |

*Please Note: Panels A-G are the only panels that can be used as an end panel.
**Please Note: Panels A-D do not come with a stabilising bar / Panels E - L come with stabilising bar.

Fitting Options

| | Size | Product | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|-----|------|---------------------------|---------------|---------------------|---------------------|
| NEW | 1000 | 8mm round stabilising bar | A0417A0 | 94.61 | 113.53 |
| NEW | - | Round T Piece bracket | A04S0010 | 42.52 | 51.02 |
| NEW | 350 | Angled stabilising bar | SP08SCU12320 | 92.48 | 110.98 |
| NEW | 2000 | Corner profile | A04S0003 | 43.68 | 52.42 |

Features

Height 2015mm (including rail)

Reversible

Optional vertical post, swivel panel and cube panel available

All panels above 700mm come with a 1000mm stabilising bar

✓ New corner profile option available


Suitable for recess or corner situation

Swivel panel can be retrofitted to any 8mm shower wall

3M support post can be retro-fitted to glass thicknesses of 6mm, 8mm and 10mm


How it Works

If you wanted to make up a Walk In Wetroom for an area to fit on to a 1200mm x 800mm tray or floor. You pick a panel E (700mm) and a B (800mm), this also includes the recommended 500mm minimum opening for the Walk In.



Minimum Opening

We recommend a minimum opening of 500mm for any wetroom area.









Flexibility for your Space

With innovative sizes and panels built with luxurious 8mm glass, this range is sure to impress.



Showerwalls



| Diagram Code | | Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|-----------------|-----|-------|-------------------------|---------------|---------------------|---------------------|
| Α | NEW | 300** | 275-290 | A0409J0 | 239.00 | 286.80 |
| В | NEW | 400** | 375-390 | A0409K0 | 249.00 | 298.80 |
| С | NEW | 500** | 475-490 | A0409L0 | 259.00 | 310.80 |
| D | NEW | 600** | 575-590 | A0409M0 | 269.00 | 322.80 |
| Е | | 700* | 675-690 | A0409A0 | 292.60 | 351.12 |
| F | | 800* | 775-790 | A0409B0 | 292.60 | 351.12 |
| G | | 900* | 875-890 | A0409C0 | 292.60 | 351.12 |
| Н | | 1000 | 975-990 | A0409D0 | 317.70 | 381.24 |
| 1 | | 1100 | 1075-1090 | A0409F0 | 341.70 | 410.04 |
| J | | 1200 | 1175-1190 | A0409E0 | 341.70 | 410.04 |
| K | | 1400 | 1375-1390 | A0409G0 | 398.90 | 478.68 |
| L | NEW | 1600 | 1575-1590 | A0409H0 | 449.00 | 538.80 |
| M | NEW | 200 | Swivel Panel | A0413H0 | 163.00 | 195.60 |
| N | | 300 | Swivel Panel | A0413G0 | 170.30 | 204.36 |
| 0 | NEW | 400 | Swivel Panel | A0413J0 | 184.00 | 220.80 |
| Р | | 300 | Cube Panel | A0413F0 | 147.40 | 176.88 |
| Q | | 3000 | Vertical Post | A0417C0 | 147.40 | 176.88 |
| | | | | | | |

^{*}Please Note: Panels A-G are the only panels that can be used as an end panel.









2015mm (including rail)



Reversible



180 degree swivel on Swivel Panel



Can be used on tray or wetroom floor



Suitable for recess or corner situation



Swivel panel can be retrofitted to any 8mm Shower Wall

^{**}Please Note: Panels A-D do not come with a stabilising bar / Panels E-L come with stabilising bar.

Showerwalls with Vertical Post











2015mm (including rail)



Reversible



Can be used on tray or wetroom floor



Suitable for recess or corner situation



Swivel panel can be retrofitted to any 8mm Shower Wall



3M support post can be retro-fitted to glass thicknesses of 6mm, 8mm and 10mm

| 1 Todact Details | | | | | | | |
|------------------|-----------------|-----|-------|-------------------------|---------------|---------------------|---------------------|
| | Diagram Code | | Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
| | Α | NEW | 300** | 275-290 | A0409J0 | 239.00 | 286.80 |
| | В | NEW | 400** | 375-390 | A0409K0 | 249.00 | 298.80 |
| | С | NEW | 500** | 475-490 | A0409L0 | 259.00 | 310.80 |
| | D | NEW | 600** | 575-590 | A0409M0 | 269.00 | 322.80 |
| | Е | | 700* | 675-690 | A0409A0 | 292.60 | 351.12 |
| | F | | 800* | 775-790 | A0409B0 | 292.60 | 351.12 |
| | G | | 900* | 875-890 | A0409C0 | 292.60 | 351.12 |
| | Н | | 1000 | 975-990 | A0409D0 | 317.70 | 381.24 |
| | 1 | | 1100 | 1075-1090 | A0409F0 | 341.70 | 410.04 |
| | J | | 1200 | 1175-1190 | A0409E0 | 341.70 | 410.04 |
| | K | | 1400 | 1375-1390 | A0409G0 | 398.90 | 478.68 |
| | L | NEW | 1600 | 1575-1590 | A0409H0 | 449.00 | 538.80 |
| | Q | | 3000 | Vertical Post | A0417C0 | 147.40 | 176.88 |

^{*}Please Note: Panels A-G are the only panels that can be used as an end panel.

^{**}Please Note: Panels A-D do not come with a stabilising bar / Panels E-L come with stabilising bar.

Walk In



| Diagram Code | | Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|-----------------|-----|-------|-------------------------|---------------|---------------------|---------------------|
| Α | NEW | 300** | 275-290 | A0409J0 | 239.00 | 286.80 |
| В | NEW | 400** | 375-390 | A0409K0 | 249.00 | 298.80 |
| С | NEW | 500** | 475-490 | A0409L0 | 259.00 | 310.80 |
| D | NEW | 600** | 575-590 | A0409M0 | 269.00 | 322.80 |
| E | | 700* | 675-690 | A0409A0 | 292.60 | 351.12 |
| F | | 800* | 775-790 | A0409B0 | 292.60 | 351.12 |
| G | | 900* | 875-890 | A0409C0 | 292.60 | 351.12 |
| Н | | 1000 | 975-990 | A0409D0 | 317.70 | 381.24 |
| 1 | | 1100 | 1075-1090 | A0409F0 | 341.70 | 410.04 |
| J | | 1200 | 1175-1190 | A0409E0 | 341.70 | 410.04 |
| K | | 1400 | 1375-1390 | A0409G0 | 398.90 | 478.68 |
| L | NEW | 1600 | 1575-1590 | A0409H0 | 449.00 | 538.80 |
| | | | | | | |









2015mm (including rail)



Reversible



Can be used on tray or wetroom floor



Suitable for Recess or Corner Situation



Can be used on tray or wetroom floor

Technical Details

We recommend a minimum opening of 500mm for any wetroom panel combination.

^{*}Please Note: Panels A-G are the only panels that can be used as an end panel.

^{**}Please Note: Panels A-D do not come with a stabilising bar / Panels E-L come with stabilising bar.

Walk In with Swivel Panel











2015mm (including rail)



Reversible



180 degree swivel on Swivel Panel



Can be used on tray or wetroom floor



Suitable for Recess or Corner Situation



Swivel panel can be retrofitted to any 8mm Shower Wall

Technical Details

We recommend a minimum opening of 500mm for any wetroom panel combination.

| 1 Toddet Details | | | | | | | |
|------------------|-----------------|-----|-------|-------------------------|---------------|---------------------|---------------------|
| | Diagram Code | | Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
| | Α | NEW | 300** | 275-290 | A0409J0 | 239.00 | 286.80 |
| | В | NEW | 400** | 375-390 | A0409K0 | 249.00 | 298.80 |
| | С | NEW | 500** | 475-490 | A0409L0 | 259.00 | 310.80 |
| | D | NEW | 600** | 575-590 | A0409M0 | 269.00 | 322.80 |
| | E | | 700* | 675-690 | A0409A0 | 292.60 | 351.12 |
| | F | | 800* | 775-790 | A0409B0 | 292.60 | 351.12 |
| | G | | 900* | 875-890 | A0409C0 | 292.60 | 351.12 |
| | Н | | 1000 | 975-990 | A0409D0 | 317.70 | 381.24 |
| | 1 | | 1100 | 1075-1090 | A0409F0 | 341.70 | 410.04 |
| | J | | 1200 | 1175-1190 | A0409E0 | 341.70 | 410.04 |
| | K | | 1400 | 1375-1390 | A0409G0 | 398.90 | 478.68 |
| | L | NEW | 1600 | 1575-1590 | A0409H0 | 449.00 | 538.80 |
| | M | NEW | 200 | Swivel Panel | A0413H0 | 163.00 | 195.60 |
| | N | | 300 | Swivel Panel | A0413G0 | 170.30 | 204.36 |
| | 0 | NEW | 400 | Swivel Panel | A0413J0 | 184.00 | 220.80 |
| | | | | | | | |

^{*}Please Note: Panels A-G are the only panels that can be used as an end panel.

^{**}Please Note: Panels A-D do not come with a stabilising bar / Panels E-L come with stabilising bar.

Cube



| Diagram Code | | Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|-----------------|-----|-------|-------------------------|---------------|---------------------|---------------------|
| Α | NEW | 300** | 275-290 | A0409J0 | 239.00 | 286.80 |
| В | NEW | 400** | 375-390 | A0409K0 | 249.00 | 298.80 |
| С | NEW | 500** | 475-490 | A0409L0 | 259.00 | 310.80 |
| D | NEW | 600** | 575-590 | A0409M0 | 269.00 | 322.80 |
| E | | 700* | 675-690 | A0409A0 | 292.60 | 351.12 |
| F | | 800* | 775-790 | A0409B0 | 292.60 | 351.12 |
| G | | 900* | 875-890 | A0409C0 | 292.60 | 351.12 |
| Н | | 1000 | 975 -990 | A0409D0 | 317.70 | 381.24 |
| 1 | | 1100 | 1075-1090 | A0409F0 | 341.70 | 410.04 |
| J | | 1200 | 1175-1190 | A0409E0 | 341.70 | 410.04 |
| K | | 1400 | 1375-1390 | A0409G0 | 398.90 | 478.68 |
| L | NEW | 1600 | 1575-1590 | A0409H0 | 449.00 | 538.80 |
| Р | | 300 | Cube Panel | A0413F0 | 147.40 | 176.88 |
| | | | | | | |









2015mm (including rail)



Reversible



Can be used on tray or wetroom floor



Suitable for recess or corner situation



Can be used on tray or wetroom floor

Technical Details

We recommend a minimum opening of 500mm for any wetroom panel combination Cube Panel width: 300mm.

^{*}Please Note: Panels A-G are the only panels that can be used as an end panel.

^{**}Please Note: Panels A-D do not come with a stabilising bar / Panels E-L come with stabilising bar.

Showerwall with Corner Panel











2015mm (including rail)



Reversible



Can be used on tray or wetroom floor



Suitable for corner situation only



We recommend using a stabilising bar for all size panels with this configuration

| 1 Todact Detail | 113 | | | | |
|-----------------|-------|-------------------------|---------------|---------------------|---------------------|
| Diagram Code | Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
| A NEW | 300** | 275-290 | A0409J0 | 239.00 | 286.80 |
| B NEW | 400** | 375-390 | A0409K0 | 249.00 | 298.80 |
| C NEW | 500** | 475-490 | A0409L0 | 259.00 | 310.80 |
| D NEW | 600** | 575-590 | A0409M0 | 269.00 | 322.80 |
| E | 700* | 675-690 | A0409A0 | 292.60 | 351.12 |
| F | 800* | 775-790 | A0409B0 | 292.60 | 351.12 |
| G | 900* | 875-890 | A0409C0 | 292.60 | 351.12 |
| Н | 1000 | 975-990 | A0409D0 | 317.70 | 381.24 |
| 1 | 1100 | 1075-1090 | A0409F0 | 341.70 | 410.04 |
| J | 1200 | 1175-1190 | A0409E0 | 341.70 | 410.04 |
| K | 1400 | 1375-1390 | A0409G0 | 398.90 | 478.68 |
| L NEW | 1600 | 1575-1590 | A0409H0 | 449.00 | 538.80 |
| NEW | 2000 | Corner Profile | A04S0003 | 43.68 | 52.42 |

Please Note: Corner Profile must be used with two Showerwall Panels

^{*}Please Note: Panels A-G are the only panels that can be used as an end panel.

^{**}Please Note: Panels A-D do not come with a stabilising bar / Panels E-L come with stabilising bar.

Express

The Ultimate Easy-fit Solution

The ultimate easy-fit shower enclosure system. Express by name,



Watch our online

O3 Easy Fit Steps



Step 01 Slot and connect frame in place.



Step 02 Slide mechanism to secure profile at each corner.



Step 03 Quarter turn to lock wall and upright profiles in place, without the need for drilling through aluminium.







Features



✓ Unique easy fit system



Height 1900mm



Reversible



Quick release easy clean double rollers



Fixed panels come pre-assembled to wall profile



All rollers come pre-assembled on moving panels



Additional inline panels available to fit awkward spaces





Express by Name Express by Nature

With innovation at its core, the Ionic Express range has been designed with a unique easy-fit system which makes it the easiest fit on the market



















Smooth action extra strong rollers



Concealed fixing



Easy clean quick release rollers



Double fin seal for increased water retention



Rollers pre-assembeled on door



The Easy Fit Range means less drilling and less screws. For installation instructions see page 42.


Express

Sliding Door



Technical Details

A = Door Opening B = Fixed Panel



| Size | А | В |
|------|-----|-----|
| 1000 | 380 | 433 |
| 1100 | 430 | 483 |
| 1200 | 480 | 533 |
| 1400 | 580 | 633 |
| 1500 | 580 | 733 |
| 1600 | 580 | 833 |
| 1700 | 580 | 933 |

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT | |
|------|-------------------------|------------|---------------------|---------------------|--|
| 1000 | 950-990 | A0304A0 | 398.90 | 478.68 | |
| 1100 | 1050-1090 | A0304B0 | 398.90 | 478.68 | |
| 1200 | 1150-1190 | A0304C0 | 398.90 | 478.68 | |
| 1400 | 1350-1390 | A0304DH | 513.20 | 615.84 | |
| 1500 | 1450-1490 | A0304GH | 546.30 | 655.56 | |
| 1600 | 1550-1590 | A0304EH | 558.90 | 670.68 | |
| 1700 | 1650-1690 | A0304HH | 565.80 | 678.96 | |
| | | | | | |

| Optional Side Panel (Please add 5mm to adjustment when used with side panel) | | | | | | | | |
|------------------------------------------------------------------------------|-------------------|--------------------------|--------|--------|--|--|--|--|
| 700 | 650-670 | A0307A0 | 245.70 | 294.84 | | | | |
| 760 | 710-730 | A0307B0 | 245.70 | 294.84 | | | | |
| 800 | 750-770 | A0307D0 | 245.70 | 294.84 | | | | |
| 900 | 850-870 | A0307E0 | 270.90 | 325.08 | | | | |
| Ionic Express | Inline Panel (For | more details see page 80 |) | | | | | |
| 150 | 130-150 | A0315B0 | 204.60 | 245.52 | | | | |
| 210 | 190-210 | A0315C0 | 204.60 | 245.52 | | | | |
| 490 (New) | 470-490 | A0315D0 | 239.20 | 287.04 | | | | |

For Inline Panel size calculations please see page 80.

Please Note: Sliding Door can be paired with 2 additional Side Panels.



















Concealed fixing



20mm adjustment per wall profile




Express

Pivot Door



Technical Details

A = Door Opening



| Size | Α | В |
|------|-----|-----|
| 700 | 415 | 390 |
| 760 | 475 | 450 |
| 800 | 515 | 490 |
| 900 | 615 | 590 |
| 1000 | 715 | 690 |
| | | |

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT | |
|------------|-------------------------|----------------------|----------------------|---------------------|--|
| 700 | 650-690 | A0306A0 | 340.60 | 408.72 | |
| 760 | 710-750 | A0306B0 | 340.60 | 408.72 | |
| 800 | 750-790 | A0306D0 | 340.60 | 408.72 | |
| 900 | 850-890 | A0306E0 | 392.00 | 470.40 | |
| 1000 | 950-990 | A0306G0 | 432.00 | 518.40 | |
| Optional S | ide Panel (Please add | 5mm to door adjustme | ent when used with s | ide panel) | |
| 700 | 650-670 | A0307A0 | 245.70 | 294.84 | |
| 760 | 710-730 | A0307B0 | 245.70 | 294.84 | |
| 800 | 750-770 | A0307D0 | 245.70 | 294.84 | |
| 900 | 850-870 | A0307E0 | 270.90 | 325.08 | |
| | | | | | |

A0315B0

A0315C0

A0315D0

For Inline Panel size calculations please see page 80.

Ionic Express Inline Panel (For more details see page 80)

130-150

190-210

470-490

150

210

490 (new)

245.52

245.52

287.04

204.60

204.60

239.20

















Concealed fixing



Discreet chrome bifold hinge



20mm adjustment per wall profile



Express


Bifold Door





Technical Details

A = Door Opening



| Size | А | |
|------|-----|--|
| 760 | 475 | |
| 800 | 515 | |
| 900 | 615 | |
| 1000 | 715 | |
| | | |

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT | | |
|---------------|-----------------------------------------------------------|----------------------|----------------------|---------------------|--|--|
| 760 | 710-750 | A0300B0 | 381.80 | 458.16 | | |
| 800 | 750-790 | A0300C0 | 381.80 | 458.16 | | |
| 900 | 850-890 | A0300D0 | 408.00 | 489.60 | | |
| 1000 | 950-990 | A0300E0 | 474.30 | 569.16 | | |
| Optional Side | Panel (Please add 5 | 5mm to adjustment wh | en used with side pa | nnel) | | |
| 700 | 650-670 | A0307A0 | 245.70 | 294.84 | | |
| 760 | 710-730 | A0307B0 | 245.70 | 294.84 | | |
| 800 | 750-770 | A0307D0 | 245.70 | 294.84 | | |
| 900 | 850-870 | A0307E0 | 270.90 | 325.08 | | |
| Ionic Express | Ionic Express Inline Panel (For more details see page 80) | | | | | |
| 150 | 130-150 | A0315B0 | 204.60 | 245.52 | | |
| 210 | 190-210 | A0315C0 | 204.60 | 245.52 | | |
| 490 (New) | 470-490 | A0315D0 | 239.20 | 287.04 | | |

For Inline Panel size calculations please see page 80.















Reversible



Concealed fixing



Double fin seal for increased water retention



Easy clean quick release rollers



Smooth action extra strong rollers



Rollers pre-assembled on door

Easy Fit Steps

The Easy Fit Range means less drilling and less screws. For installation instructions see page 42.

Express

2 Door Quadrant





Technical Details

A = Door Opening

B = Fixed Panel

C = Fixed Panel





| Size | Α | В | С |
|--------------|-----------|-----|-----|
| 2 Door Offse | t Quadran | t | |
| 900x760 | 430 | 321 | 181 |
| 1000x800 | 465 | 421 | 221 |
| 1200x800 | 465 | 621 | 221 |
| 1200x900 | 540 | 621 | 321 |
| 2 Door Quad | rant | | |
| 800 | 390 | 221 | |
| 900 | 540 | 321 | |
| | | | |

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|--------------|-------------------------|------------|---------------------|---------------------|
| 2 Door Offse | t Quadrant | | | |
| 900x760 | 855-875 / 715-735 | A0302C0 | 513.20 | 615.84 |
| 1000x800 | 955-975 / 755-775 | A0302D0 | 558.90 | 670.68 |
| 1200x800 | 1155-1175 / 755-775 | A0302HH | 648.10 | 777.72 |
| 1200x900 | 1155-1175 / 855-875 | A0302IH | 668.60 | 802.32 |
| 2 Door Quad | rant | | | |
| 800 | 755-775 | A0302A0 | 456.00 | 547.20 |
| 900 | 855-875 | A0302B0 | 456.00 | 547.20 |
| | | | | |

20mm Adjustment per wall profile.











1900mm



Easy-fit system



Reversible



Concealed fixing



Double fin seal for increased water retention



water retention



Smooth action extra strong rollers



Rollers pre-assembled on door



Express


1 Door Quadrant



Technical Details

A = Door Opening B = Fixed Panel

C = Fixed Panel



| Size | А | В | С |
|------|-----|-----|-----|
| 900 | 460 | 526 | 321 |

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT | |
|------|-------------------------|------------|---------------------|---------------------|--|
| 900 | 855-875 | A0301B0 | 558.90 | 670.68 | |

Source

Affordable Shower Enclosures

Ionic Source is our exciting range of affordable 6mm shower enclosures created by Merlyn. This range has been developed to offer our customers an exceptional quality shower enclosure without the hefty price tag.

Ionic Source has a fresh, contemporary look and feel. With simple clean lines, these showers will remain timeless for years to come. Standing at 1850mm high with 6mm* toughened glass with easy fit frame, robust quick release easy clean rollers, secure clunk closing and discreet modern fittings, the attention to detail and emphasis on quality is clearly evident throughout this range.

O3 Easy Fit Steps



Step OI
Align the horizontal and vertical profiles together.



Step O2
Slot the horizontal profile
and screws into upright
using guide channel
until flush.



Step 03
Secure screws into
position using dedicated
access holes.

^{*}Bifold door has 4mm glass





Quality Without the Hefty Price-tag

With our new 3 step pre-assembled frames the lonic Source range is now easier and quicker to install than ever before.



Sliding Door




| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|------|-------------------------|------------|---------------------|---------------------|
| 1000 | 950-990 | A1204A0 | 237.20 | 284.64 |
| 1100 | 1050-1090 | A1204B0 | 237.20 | 284.64 |
| 1200 | 1150-1190 | A1204C0 | 246.70 | 296.04 |
| | | | | |

20mm Adjustment per wall profile.

| Optional Side Panels | | | | |
|----------------------|---------|---------|--------|--------|
| 760 | 730-750 | A1207B0 | 141.90 | 170.28 |
| 800 | 770-790 | A1207D0 | 141.90 | 170.28 |
| 900 | 870-890 | A1207E0 | 151.40 | 181.68 |

Technical Details

| Size | А | В |
|------|-----|-----|
| 1000 | 380 | 400 |
| 1100 | 430 | 450 |
| 1200 | 480 | 500 |



A = Door Opening B = Fixed Panel





















2 Door Quadrants









1850mm



Chrome quick release easy clean bottom rollers



Reversible



Easy fit frame



Fixing cover caps




Magnetic seals

| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|----------|-------------------------|------------|---------------------|---------------------|
| 800 | 770-790 | A1202A0 | 237.20 | 284.64 |
| 900 | 870-890 | A1202B0 | 237.20 | 284.64 |
| 1000x800 | 970-990 / 770-790 | A1202D0 | 322.90 | 387.48 |
| 1200x800 | 1170-1190 / 770-790 | A1202HH | 332.40 | 398.88 |
| 1200x900 | 1170-1190 / 870-890 | A1202IH | 341.90 | 410.28 |

20mm Adjustment per wall profile.

Technical Details

| Size | Α | В | С |
|----------|-----|-----|-----|
| 800 | 400 | 210 | 210 |
| 900 | 540 | 310 | 310 |
| 1000x800 | 470 | 410 | 210 |
| 1200x800 | 470 | 610 | 210 |
| 1200x900 | 540 | 610 | 310 |



A = Door Opening

B = Fixed Panel

C = Fixed Panel

Pivot Door




| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|---------|-------------------------|------------|---------------------|---------------------|
| 760 | 710-750 | A1206B0 | 189.50 | 227.40 |
| 800 | 750-790 | A1206D0 | 208.60 | 250.32 |
| 900 | 850-890 | A1206E0 | 227.60 | 273.12 |
| 00 1: . | . 11 (11 | | | |

20mm adjustment per wall profile.

| Optional Side Panels | | | | | |
|----------------------|---------|---------|--------|--------|--|
| 760 | 730-750 | A1207B0 | 141.90 | 170.28 | |
| 800 | 770-790 | A1207D0 | 141.90 | 170.28 | |
| 900 | 870-890 | A1207E0 | 151.40 | 181.68 | |

Technical Details

| Size | А | В | |
|------|-----|-----|--|
| 760 | 490 | 460 | |
| 800 | 530 | 500 | |
| 900 | 630 | 600 | |



A = Door Opening











Reversible



Minimalist pivot



Pre-assembled frame



Screw cover caps



Magnetic seals

Bifold Door









1850mm



Reversible



Pre-assembled frame



Smooth running action



Screw cover caps



Magnetic seals


| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|------|-------------------------|------------|---------------------|---------------------|
| 700 | 650-690 | A1200A0 | 227.60 | 273.12 |
| 760 | 710-750 | A1200B0 | 227.60 | 273.12 |
| 800 | 750-790 | A1200C0 | 237.20 | 284.64 |
| 900 | 850-890 | A1200D0 | 246.70 | 296.04 |
| | | | | |

| Optional Side Panels | | | | | |
|----------------------|---------|---------|--------|--------|--|
| 760 | 730-750 | A1207B0 | 141.90 | 170.28 | |
| 800 | 770-790 | A1207D0 | 141.90 | 170.28 | |
| 900 | 870-890 | A1207E0 | 151.40 | 181.68 | |

Technical Details

| Size | А |
|------|-----|
| 700 | 400 |
| 760 | 460 |
| 800 | 500 |
| 900 | 600 |
| | |

20mm Adjustment per wall profile.



A = Door Opening

Corner Door




| Size | Adjustment (Min-Max) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|---------|-------------------------|------------|---------------------|---------------------|
| 760/800 | 740-790 | A1212V0 | 322.90 | 387.48 |
| 900 | 870 -890 | A1212B0 | 332.40 | 398.88 |

20mm adjustment per wall profile.

Technical Details

| Size | А |
|---------|---------|
| 760/800 | 350-390 |
| 900 | 460 |



A = Door opening B = Fixed panel









Reversible



Chrome quick release easy clean bottom rollers



Easy fit frame



Screw cover caps




Magnetic seals

How SecureSeal works

01. Pull dow

01.Pull down arm from storage position.



O2. Extend screen and locate panels.



03.
Fully extend and clip into position for a secure fit and tight seal.

SecureSeal.

by MERLYN

The Ultimate Leak-free Bath Screen

The SecureSeal by Merlyn has been designed with a leak-free sealing arm which extends from the profile to create a complete seal between the bath and screen. When not in use the arm simply folds away back into the profile.

SecureSeal by Merlyn offers functional and easy to use designs to complement any bathroom space. With glass screen heights of 1500mm and 6mm glass, our SecureSeal by Merlyn range allows you to enjoy peace of mind in a leak-free shower experience for years to come.

This range has been designed with the same superb materials and unrelenting attention to detail demonstrated across all Merlyn ranges.














SecureSeal.

4 Fold















Screen Inside bath edge

A = Moving panels (screen width when folded into the bath 228mm).

 \square Recommended shower head position

4 Fold with Fixed Panel













Screen Inside bath edge

A = Moving panels (screen width whenfolded into the bath 228mm).

B = Fixed panel.

SecureSeal.

5 Fold












Screen Inside bath edge

A = Moving panels (screen width when folded into the bath 228mm).





5 Fold with Fixed Panel












Screen -Inside bath edge

- A = Moving panels (screen width when folded into the bath 228mm).
- B = Fixed panel.



Single Panel















Screen — Inside — bath edge

A = Moving panels (screen width when folded into the bath 712mm).




Single Panel with Fixed Panel














Screen Inside bath edge

- A = Moving panels (screen width when folded into the bath 712mm).
- B = Fixed panel.

Bathscreens

Simple Shapes

Ionic Bath Screens are the perfect solution for in-bath showering. Innovative design and contemporary aesthetics bring this bathroom favourite to life with modern shapes and features to enjoy for years to come.

Hydra**SEAL**

We have cureated an exciting new feature called HydraSEAL, and added to 3 of our featured bath screens. HydraSEAL acts as an extra barrier to reduce water escaping from your bathscreen during your showering experience. HydraSEAL is available on our MB1, MB2, MB3, MB3A and MB3B bath screens.
























| Size | Panels | Order Code | Price £ Exc. VAT | Price £ |
|----------|--------|---------------|---------------------|---------|
| 800×1500 | 1 | MB2 | 175.30 | 210.36 |





Door Swing: 90 Degrees in and out.


B = Radius of Screen Swing = 733mm

Screen -Inside bath edge

Screen is

reversible

Recommended shower head position



2

MB3



414.30

Screen is reversible

497.16

Door Swing: 90 Degrees in and out.

A = Fixed Panel

1150x1500

B = Radius of Screen Swing = 733mm


Screen -Inside bath edge














Screen is reversible

Door Swing: 90 Degrees in and out. A = Fixed Panel B = Radius of Screen Swing = 483mm



Recommended shower head position





Screen is reversible

Door Swing: 90 Degrees in and out.

A = Fixed Panel

B = Radius of Screen Swing = 483mm


Screen - Inside - bath edge











MB4


290.90

349.08

Screen is

reversible

850x1400





Height is 1550mm including rail.

A = Fixed Panel B = Curtain Rail

Screen -Inside bath edge


ightharpoonup Recommended shower head position












Door Swing: 90 Degrees outward swing only.

B = Radius of Screen Swing = 810mm

Screen - Inside - bath edge

ightharpoons Recommended shower head position




2

2

MB7L (L)

MB7R (R)



475.00

475.00

Screen is reversible

570.00

570.00

Door Swing:

900x1500

900x1500

180 Degrees inward only.

A = Fixed Panel

B = Radius of Screen Swing = 383mm



Two Panel Folding






| Size F | Panels | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
|-------------|--------|---------------|---------------------|---------------------|
| 1100x1500 2 | 2 | MB8 | 472.40 | 566.88 |



Folding Panels




Door Swing: 180 Degrees Radius of screen swing inwards and outwards.

Screen -Inside bath edge

Recommended shower head position

Folding Panels

1400×1500



MB9

590.80

180 Degrees Radius of Screen Swing inwards and outwards.

Inside bath edge


708.96

Touchstone Tray



Features





135mm high including tray panel kit

Compatible 90mm fast flow waste also available

✓ More than 30 sizes available

Available as low level or with tray panel kits for easy installation

Strong and Durable

Beautifully sculpted shower trays, angled and contoured to match enclosures and spaces, achieving the perfect combination of luxury, elegance and durability.

Design Details



Graduated adjustable leg and easy fit tray panel kit (Optional Extra).



90mm fast flow waste, includes hair trap and chrome cover (Optional Extra).



Graduated adjustable leg system.

Rectangular Tray





*Waste is centred on 1700x800 & 1700x900 trays.

Square Tray



TOUCHSTONE

| Rectangle Tray | | | | |
|----------------|---------------|-------------------|---------------------|---------------------|
| Tray Size | Order Code | Tray Panel Kit | Price £ Exc. VAT | Price £ Inc. VAT |
| 800x700 | S870RTTO | Kit 4 | 118.01 | 141.61 |
| 800x760 | S876RTTO | Kit 4 | 118.01 | 141.61 |
| 900x700 | S970RTTO | Kit 4 | 128.94 | 154.73 |
| 900x760 | S976RTTO | Kit 4 | 128.94 | 154.73 |
| 900x800 | S980RTTO | Kit 4 | 128.94 | 154.73 |
| 1000x700 | S107RTTO | Kit 4 | 133.15 | 159.78 |
| 1000x760 | S1076RTTO | Kit 4 | 133.15 | 159.78 |
| 1000x800 | S108RTTO | Kit 4 | 133.15 | 159.78 |
| 1000x900 | S109RTTO | Kit 4 | 138.27 | 165.92 |
| 1100x800 | S118RTTO | Kit 4 | 138.27 | 165.92 |
| 1200x700 | S127RTTO | Kit 4 | 138.27 | 165.92 |
| 1200x760 | S1276RTTO | Kit 4 | 144.86 | 173.83 |
| 1200x800 | S128RTTO | Kit 4 | 153.55 | 184.26 |
| 1200x900 | S129RTTO | Kit 4 | 164.80 | 197.76 |
| 1300x800 (New) | S138RTTO | Kit 3 | 213.89 | 256.67 |
| 1400x700 | S147RTTO | Kit 3 | 220.30 | 264.36 |
| 1400x760 | S1476RTTO | Kit 3 | 220.30 | 264.36 |
| 1400x800 | S148RTTO | Kit 3 | 220.30 | 264.36 |
| 1400x900 | S149RTTO | Kit 3 | 232.19 | 278.63 |
| 1500x700 | S157RTTO | Kit 3 | 244.79 | 293.75 |
| 1500x760 | S1576RTTO | Kit 3 | 258.47 | 310.16 |
| 1500x800 | S158RTTO | Kit 3 | 258.47 | 310.16 |
| 1500x900 | S159RTTO | Kit 3 | 272.07 | 326.48 |
| 1600×700 | S167RTTO | Kit 3 | 288.40 | 346.08 |
| 1600x800 | S168RTTO | Kit 3 | 288.40 | 346.08 |
| 1600x900 | S169RTTO | Kit 3 | 302.82 | 363.38 |
| 1685×700 | S177RTTO | Kit 3 | 312.43 | 374.92 |
| 1680x760 | S1776RTTO | Kit 3 | 322.05 | 386.46 |
| 1700x800* | S178RTTO | Kit 3 | 350.41 | 420.49 |
| 1700x900* | S179RTTO | Kit 3 | 377.44 | 452.93 |
| | | | | |

TOUCHSTONE

| Square Tray | | | | | |
|------------------------------------------|---------------|-------------------|---------------------|---------------------|--|
| Tray Size | Order Code | Tray Panel Kit | Price £ Exc. VAT | Price £ Inc. VAT | |
| 760x760 | S76SQTO | Kit 4 | 78.42 | 94.10 | |
| 800x800 | S80SQTO | Kit 4 | 87.86 | 105.43 | |
| 900x900 | S90SQTO | Kit 4 | 101.48 | 121.78 | |
| Square Tray Panel Kit – (Including Legs) | | | | | |
| Tray Size | Order Code | Tray Panel Kit | Price £ Exc. VAT | Price £ Inc. VAT | |

| Tray Size | Order Code | Tray Panel Kit | Price £ Exc. VAT | Price £ Inc. VAT | |
|----------------------------------------------|---------------|-------------------|---------------------|---------------------|--|
| 1200×900 | DRK4 | Kit 4 | 85.10 | 102.12 | |
| Rectangle Tray Panel Kits – (Including Legs) | | | | | |

| Rectangle Tray Panel Kits – (Including Legs) | | | | | |
|----------------------------------------------|---------------|-------------------|---------------------|---------------------|--|
| Tray Size | Order Code | Tray Panel Kit | Price £ Exc. VAT | Price £ Inc. VAT | |
| 1700x900 | DRK3 | Kit 3 | 85.10 | 102.12 | |
| 1200x900 | DRK4 | Kit 4 | 85.10 | 102.12 | |

| Waste Complete Only | | |
|---------------------|---------------------|---------------------|
| Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
| DWAS | 20.00 | 24.00 |

90mm fast flow waste, includes hair trap and chrome cover.



Please Note: Price and order code does not include waste, waste must be ordered separately.

Quadrant Tray



Offset Quadrant Tray



TOUCHSTONE

| Quadrant Tra | ау | | | |
|--------------|---------------|-------------------|---------------------|---------------------|
| Tray Size | Order Code | Tray Panel Kit | Price £ Exc. VAT | Price £ Inc. VAT |
| 800 | S80QTO | Kit 2 | 96.13 | 115.36 |
| 900 | S90QTO | Kit 2 | 107.45 | 128.94 |

| Quadrant Tray Panel Kits (Including Legs) | | | | |
|-------------------------------------------|---------------|-------------------|---------------------|---------------------|
| Tray Size | Order Code | Tray Panel Kit | Price £ Exc. VAT | Price £ Inc. VAT |
| 900 | DRK2 | Kit 2 | 85.10 | 102.12 |

| Waste Complete Only | | |
|---------------------|---------------------|---------------------|
| Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
| DWAS | 20.00 | 24.00 |

90mm fast flow waste, includes hair trap and chrome cover.



TOUCHSTONE

Shown as Left Hand (L) Right Hand (R) also available

| Offset Quadrant Tray | | | | | |
|----------------------|---------------|-------------------|---------------------|---------------------|--|
| Tray Size | Order Code | Tray Panel Kit | Price £ Exc. VAT | Price £ Inc. VAT | |
| Right Hand | | | | | |
| 1000x800 | S108QRTO | Kit 1 | 145.87 | 175.04 | |
| 1200x800 | S128QRTO | Kit 1 | 153.55 | 184.26 | |
| 1200x900 | S129QRTO | Kit 1 | 181.18 | 217.42 | |
| Left Hand | | | | | |
| 1000x800 | S108QLTO | Kit 1 | 145.87 | 175.04 | |
| 1200x800 | S128QLTO | Kit 1 | 153.55 | 184.26 | |
| 1200x900 | S129QLTO | Kit 1 | 181.18 | 217.42 | |

This product is handed.

Please choose (L) for Left or (R) for Right when ordering.

| Offset Quadrant Tray Panel Kit (Including Legs) | | | | | |
|-------------------------------------------------|---------------|-------------------|---------------------|---------------------|--|
| Tray Size | Order Code | Tray Panel Kit | Price £ Exc. VAT | Price £ Inc. VAT | |
| 1200x900 | DRK1 | Kit 1 | 85.10 | 102.12 | |

Please Note: Price and order code does not include waste, waste must be ordered separately.

MERLYN Upstand






Features

- ✓ Single skinned with 4 upstands
- Available with 90mm branded fast flow waste (optional extra)
- Available with tray panel kits (optional extra)
- 135mm high with tray panel set (148mm high including upstand)
- 50mm high (63mm with upstand)

Rectangular Tray Square Tray



| Rectangle Tray | | | | | |
|----------------|---------------|-------------------|---------------------|---------------------|--|
| Tray Size | Order Code | Tray Panel Kit | Price £ Exc. VAT | Price £ Inc. VAT | |
| 900x760 | S976RTUP | Kit 4 | 164.20 | 197.04 | |
| 1000x800 | S108RTUP | Kit 4 | 173.10 | 207.72 | |
| 1200x760 | S1276RTUP | Kit 4 | 188.30 | 225.96 | |
| 1200x800 | S128RTUP | Kit 4 | 199.60 | 239.52 | |
| 1200x900 | S129RTUP | Kit 4 | 214.20 | 257.04 | |

| Tray Panel Kit - Including Legs | | | | | |
|---------------------------------|---------------|-------------------|---------------------|---------------------|--|
| Tray Size | Order Code | Tray Panel Kit | Price £ Exc. VAT | Price £ Inc. VAT | |
| 1200x900 | DRK4 | Kit 4 | 85.10 | 102.12 | |


| Square Tray | | | | |
|--------------|---------------|-------------------|---------------------|---------------------|
| Tray Size | Order Code | Tray Panel Kit | Price £ Exc. VAT | Price £ Inc. VAT |
| 760 | S76SQUP | Kit 4 | 102.00 | 122.40 |
| 800 | S80SQUP | Kit 4 | 114.20 | 137.04 |
| 900 | S90SQUP | Kit 4 | 164.20 | 197.04 |
| | | | | |

| Waste Complete Only | | |
|---------------------|---------------------|---------------------|
| Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
| DWAS | 20.00 | 24.00 |

Please Note: Price and order code does not include waste, waste must be ordered separately.

90mm fast flow waste, includes hair trap and chrome cover.





PRODUCT INFORMATION

All products are manufactured in accordance with EN 14428 and utilise toughened safety glass to EN 12150.

All doors feature adjustable wall profiles to compensate for out-of-true walls and have micro adjustment features for fine tuning to obtain a perfect fit and operating action.

Aluminium sections are extruded to BS 1474 from alloys complying with BS 6463 and coated to BS 6464.

All enclosures, wetrooms and panels are Power Shower approved – will retain water under normal showering conditions.

Water retention is maintained in all products under normal showering conditions.

A selection of Ionic enclosures are frameless in design. Spray/mist may escape therefore we would recommend use of these enclosures with tiled floors.

Opened cartons can not be returned. Returns carry a £40 box charge or £60 per unit where the sale is less than 30 days old. Returns over 30 days old will not be accepted.

All products are supplied complete with full installation instructions and the necessary fixings.

Check with your dealer for accurate matching of material samples.

Product descriptions do not imply the use of precious or valuable materials.

Our policy of reviewing product design and development on a regular basis means Merlyn reserve the right to change product specifications and prices without notice.

Only shower enclosures, panels and bath screens and some trays are covered by guarantees. Please contact the Ionic sales team for more details.

Glass shattering and parts subject to wear are not covered by your guarantee.

For full details on all product ranges please contact Ionic Showering.

Trays shown in this catalogue are for illustrative purposes only.

Images are for illustrated purposes only. The colours and finishes shown in the catalogue are as accurate as possible within the limits of the printing process. The positioning of all showering heads in the brochure is for illustrative purposes only.

All descriptions, specifications and particulars contained in this brochure are intended merely to represent a general idea of the products described herein and none of these form part of any contract to give rise to any independent or collateral liability upon the company.

BATH SCREEN INFORMATION

Ionic Bath Screens are not designed to fit on baths with stepped fronts, roll top rims or integral soap dishes.

Fitting of screen on baths which have raised head rests or shapes is not recommended.

There must be no items causing obstruction with the seal and bath, as any of the above may cause leaks.

When choosing your Bath Screen, please ensure that if your bath has bath handles, that they do not interfere with the bath rim area where your screen will be placed.

When choosing an in-swing or folding Bath Screen, please ensure your swing area is not interfering with any brassware or internal shower features. Similarly, when choosing an out-swing, please ensure the out-swing area is free from any obstructions.

The Ionic MB72 Panel Hinged Bath Screen is handed so please ensure you state whether you require a right or left handed configuration when ordering.

Ionic Bath Screens are suitable for standard pressure showers and are not recommended for use with power showers.

It is recommended that the shower head position is situated on the same wall to which the Bath Screen is fixed and in the centre of the shower area.

CLEANING

It is important to clean your lonic shower door after every use.

Wipe down all the glass and metal parts with a soft cloth.

Do not allow lime scale to build up in hard water areas.

Ensure that any residual water on the glass is removed after every use.

Clean the glass regularly using soapy water.

Do not use abrasive products on any surfaces.

Install the enclosure in a well ventilated area.

For more information on Mershield Stayclear glass please see page 06 of this brochure.

INFORMATION AND MAINTENANCE

Always read the instructions on the packaging, chrome is vulnerable to acid attack and some strong household cleaners including strong disinfectants, denture cleaners, hair dyes, wine making chemicals and photographic chemicals may contain acid. These materials may have a varying effect on the surface from black spots/streaks (which cannot be removed) to pitting the surface. Contact with these materials should be avoided.

IMPORTANT SHOWER TRAY INFORMATION

Although shower door and enclosure sizes are related to tray sizes it is important to note that most shower trays are tiled down to the rim, often over an "up-stand". The finished installation space may be less than the nominal tray size.

lonic shower units are made to suit this remaining space.

The guide below may be helpful in taking measurements to determine the shower door or enclosure size required. Dimensions given in this publication are in millimetres, are approximate and may vary with adjustment. They are subject to change without notice.


Please note that when a tray is fitted it is essential that the tray is level before any doors or enclosures are fitted.

Tray upstands: ensure strong and secure joints between shower tray and walls, even in the event of floor settlement. Tiling must be finished over the recessed upstand as shown in the diagram below.


Cleaning: clean after every use with warm soapy water and wipe dry with soft cloth, never use a gritty or abrasive cleaner.

Take the measurements after the tray is installed and the walls are tiled.


Recess Location




Corner Location



Wall Location



Quadrant Location




EXTENSION PROFILES


| Essence Sliding & Quadrant Doors | | | | | |
|----------------------------------|---------------|---------------------|---------------------|--|--|
| Size (H) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT | | |
| 2000mm | A0114E0 | 61.70 | 74.04 | | |

| | | EXTRA 20mm | 2000mm |
|--|--|------------|--------|
| | | | 20 |


| Essence Hin | ge & Inline Doors | | |
|-------------|-------------------|---------------------|---------------------|
| Size (H) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
| 2000mm | A0114D0 | 61.70 | 74.04 |




| Essence Fra | med Extension Profile | | |
|-------------|-----------------------|---------------------|---------------------|
| Size (H) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT |
| 1900mm | DWH14B0 | 61.70 | 74.04 |



| Express Extension Profile | | | | |
|---------------------------|---------------|---------------------|---------------------|--|
| Size (H) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT | |
| 1900mm | A0314B0 | 56.00 | 67.20 | |



| Source Extension Profile | | | | |
|--------------------------|---------------|---------------------|---------------------|--|
| Size (H) | Order Code | Price £ Exc. VAT | Price £ Inc. VAT | |
| 1850mm | A1214C0 | 44.60 | 53.52 | |



ADDITIONAL INFO IONIC EXPRESS INLINE PANELS

| Ionic Express Pivot Door and Inline Panel | | | |
|-------------------------------------------|---------------|-----------------|-------------------------|
| Size | Order Code | Door Size mm | Inline Panel Size mm |
| 650-690 | A0306A0 | 700 | - |
| 670-710 | A030001H | 700 | EXT. |
| 710-750 | A0306B0 | 760 | - |
| 750-790 | A0306D0 | 800 | - |
| 780-840 | A030002H | 700 | 150 Inline |
| 840-900 | A030003H | 700 | 210 Inline |
| 850-890 | A0306E0 | 900 | - |
| 900-960 | A030004H | 760 | 210 Inline |
| 950-990 | A0306G0 | 1000 | - |
| 940-1000 | A030005H | 800 | 210 Inline |
| 980-1040 | A030006H | 900 | 150 Inline |
| 1040-1100 | A030007H | 900 | 210 Inline |
| 1080-1140 | A030008H | 1000 | 150 Inline |
| 1140-1200 | A030009H | 1000 | 210 Inline |
| | | | |

| Ionic Express Bifold Door and Inline Panel | | | |
|--------------------------------------------|---------------|-----------------|-------------------------|
| Size | Order Code | Door Size mm | Inline Panel Size mm |
| 710-750 | A0300B0 | 760 | - |
| 750-790 | A0300C0 | 800 | - |
| 850-890 | A0300D0 | 900 | - |
| 900-960 | A030010H | 760 | 210 Inline |
| 950-990 | A0300E0 | 1000 | - |
| 940-1000 | A030011H | 800 | 210 Inline |
| 980-1040 | A030012H | 900 | 150 Inline |
| 1040-1100 | A030013H | 900 | 210 Inline |
| 1080-1140 | A030014H | 1000 | 150 Inline |
| 1140-1200 | A030015H | 1000 | 210 Inline |

| Ionic Express Sliding Door and Inline Panel | | | |
|---------------------------------------------|---------------|-----------------|-------------------------|
| Size | Order Code | Door Size mm | Inline Panel Size mm |
| 950-990 | A0304A0 | 1000 | - |
| 1050-1090 | A0304B0 | 1100 | - |
| 1080-1140 | A030016H | 1000 | 150 Inline |
| 1140-1200 | A030017H | 1000 | 210 Inline |
| 1150-1190 | A0304C0 | 1200 | - |
| 1180-1240 | A030018H | 1100 | 150 Inline |
| 1240-1300 | A030019H | 1100 | 210 Inline |
| 1280-1340 | A030020H | 1200 | 150 Inline |
| 1340-1400 | A030021H | 1200 | 210 Inline |
| 1350-1390 | A0304DH | 1400 | - |
| 1370-1450 | A030022H | 1100 | 150 Inline + 210 Inline |
| 1450-1490 | A0304GH | 1500 | - |
| 1480-1540 | A030023H | 1400 | 150 Inline |
| 1540-1600 | A030024H | 1400 | 210 Inline |
| 1580-1640 | A030025H | 1500 | 150 Inline |
| 1640-1700 | A030026H | 1500 | 210 Inline |
| 1650-1690 | A0304HH | 1700 | - |
| 1670-1750 | A030027H | 1400 | 150 Inline + 210 Inline |
| 1730-1810 | A030028H | 1400 | 210 Inline x 2 |
| 1780-1840 | A030029H | 1700 | 150 Inline |
| 1840-1900 | A030030H | 1700 | 210 Inline |

PLEASE NOTE

Prices were correct at time of print, April 2018. V.A.T. at the rate of 20%. E&OE. Due to circumstances beyond our control, prices may be altered including changes to the rate of V.A.T.

Due to our policy of continuous improvement, we reserve the right to amend prices, specifications and designs without prior notice. Images are for illustrated purposes only. The colours and finishes shown in the catalogue are as accurate as possible with in the limits of the printing process. All descriptions, specifications and particulars contained in this brochure are intended merely to represent a general idea of the products described herein and none of these form part of any contract to give rise to any independent or collateral liability upon the company.

IONIC

MERLYN

Unit 8, Purcellsinch Industrial Park, Dublin Road, Kilkenny, Ireland, R95 HP71. T 0808 1011 429 / F 0808 1011 428 www.merlynshowering.com