



ANTI-FATIGUE MATS

SLIP-RESISTANT MATS

LOGO MATS

ENTRANCE MATS AND TILES

SPECIALTY MATS

**INDUSTRIAL MATTING
CATALOG**

2020



M + A MATTING



M+A Matting · Satisfaction Guaranteed

M+A mats are where design and function come together, where quality isn't compromised to meet a price point, and where solutions to your maintenance and décor problems come first. We promise our customers an unconditional, 100% satisfaction guarantee for the life of the product.

At M+A, we are committed to reducing our environmental impact. We are continually improving our environmental performance as an integral and fundamental part of our business strategy and operating methods. We have reduced waste going to landfills by 80% and recycle most paper, metal, cardboard, plastic, carpet, and rubber waste we generate. Our commitment is also evident in our development of dozens of mat styles that contain recycled raw materials.

For over five decades, M+A Matting has been America's leader in innovative floor protection systems, industrial safety, anti-fatigue products, and high performance entrance matting. If you are looking for better ways to minimize maintenance, prolong floor surface life, reduce cleaning costs, improve safety, or increase worker comfort, ask for M+A Matting.



TABLE OF CONTENTS

Product Feature Guide.....	2,3
Benefits of Anti-Fatigue Mats.....	4
Compression Deflection & Durometer Comparison.....	5
ESD Matting.....	6
Chemical Compatability of Nitrile Rubber.....	7
Mat Symbols.....	8,9
Mat Selector Guide.....	10,11
Product Comparisons (M+A vs The Competition).....	12,13

PAGE 14

ANTI-FATIGUE & SLIP RESISTANT MAT COLLECTION

PRODUCT NAME	MAT TYPE	PLACEMENT	PAGE#
Types of Industrial Mats & Thickness Guide			16
HOG HEAVEN®.....	Anti-Fatigue.....	Dry/Damp.....	17
CUSHION MAX™.....	Anti-Fatigue.....	Dry/Damp.....	18
HAPPY FEET®.....	Anti-Fatigue.....	Dry/Wet.....	19
HOG HEAVEN PRIME®.....	Anti-Fatigue.....	Dry/Damp.....	20
HOG HEAVEN® MARBLE.....	Anti-Fatigue.....	Dry.....	20
GETFIT STANDUP®.....	Anti-Fatigue.....	Dry/Damp.....	21
HOG HEAVEN® FASHION.....	Anti-Fatigue.....	Dry/Damp.....	21
COMPLETE COMFORT™ II.....	Anti-Fatigue.....	Dry/Wet.....	22
COMPLETE COMFORT™.....	Anti-Fatigue.....	Dry/Damp.....	23
CUSHION STATION™.....	Anti-Fatigue.....	Dry/Wet.....	24
COMFORT FLOW™ & COMFORT SCRAPE™.....	Slip-Resistant/Anti-Fatigue.....	Dry/Wet.....	25
WET STEP®.....	Slip-Resistant/Anti-Fatigue.....	Dry/Wet.....	26
KNEELING COMFORT™.....	Anti-Fatigue.....	Dry/Damp.....	27
SURE CUSHION PRODUCTS & SURE TREAD V-GROOVE.....	Floor Protection.....	Dry.....	28
TRACTION TREAD.....	Slip-Resistant.....	Dry/Damp.....	29
TRACTION TREAD SOFT.....	Slip-Resistant/Anti-Fatigue.....	Dry/Damp.....	29
CORRUGATED SWITCHBOARD & DIAMOND SWITCHBOARD.....	Non-Conductive.....	Dry.....	30
MILITARY SWITCHBOARD (DIAMOND & SMOOTH).....	Non-Conductive.....	Dry.....	31

PAGE 32

ERGONOMIC MODULAR TILE MAT COLLECTION

Site Assessment			34
M+A Modular Mats vs. The Competition			35
HOG HEAVEN III® COMFORT.....	Anti-Fatigue.....	Dry/Damp.....	36,37
HOG HEAVEN III® TRAFFIC.....	Anti-Fatigue.....	Dry/Damp.....	38
COMFORT FLOW™ HD.....	Slip-Resistant/Anti-Fatigue.....	Dry/Wet.....	39

PAGE 40

LOGO MAT, SIGN MAT & MESSAGE MAT COLLECTION

The M+A Logo Mat Program			42
BERBER IMPRESSIONS HD®.....	Scraper/Wiper.....	Indoor/Outdoor.....	43
WATERHOG IMPRESSIONS HD®.....	Scraper/Wiper.....	Indoor/Outdoor.....	43
WATERHOG® LOGO INLAY.....	Scraper/Wiper.....	Indoor/Outdoor.....	44
CLASSIC IMPRESSIONS™ HD & GRAND IMPRESSIONS HD.....	Wiper.....	Indoor.....	45
CLASSIC IMPRESSIONS™ HD CUSTOM SHAPE.....	Wiper.....	Indoor.....	46
COLORSTAR® IMPRESSIONS.....	Wiper.....	Indoor.....	46
HOG HEAVEN® IMPRESSIONS.....	Anti-Fatigue.....	Indoor.....	47
SUPERSCAPE IMPRESSIONS™.....	Scraper.....	Indoor/Outdoor.....	47

PAGE 48

INTERIOR-EXTERIOR MAT AND TILE COLLECTION

The Wonderful World of WaterHog			48,49
Preventive Maintenance, Entrance Mat Types, Slip-and-Fall Facts			50
WATERHOG®.....	Scraper/Wiper.....	Indoor/Outdoor.....	51
WATERHOG® DIAMOND.....	Scraper/Wiper.....	Indoor/Outdoor.....	52
WATERHOG® GRAND.....	Scraper/Wiper.....	Indoor/Outdoor.....	53
WATERHOG® ECO GRAND.....	Scraper/Wiper.....	Indoor/Outdoor.....	54
WATERHOG® ECO ELITE.....	Scraper/Wiper.....	Indoor/Outdoor.....	55
WATERHOG® ECO PREMIER.....	Scraper/Wiper.....	Indoor/Outdoor.....	56
WATERHOG® ECO ELITE ROLL GOODS.....	Scraper/Wiper.....	Indoor/Outdoor.....	57
WATERHOG® DIAMONDCORD.....	Scraper/Wiper.....	Indoor.....	58
WATERHOG® MASTERPIECE® SELECT.....	Scraper/Wiper.....	Indoor.....	58
WATERHOG® PLUS.....	Scraper/Wiper.....	Indoor/Outdoor.....	59
WATERHOG® LOW PROFILE.....	Scraper/Wiper.....	Indoor/Outdoor.....	59
WATERHOG® TILE.....	Scraper/Wiper.....	Indoor/Outdoor.....	60
WATERHOG® MODULAR TILE.....	Scraper/Wiper.....	Indoor/Outdoor.....	60
WATERHOG® FORKLIFT.....	Scraper/Wiper.....	Indoor/Outdoor.....	61
MELT STEP®.....	Slip-Resistant.....	Outdoor.....	62
FRONTIER.....	Scraper/Slip-Resistant.....	Indoor/Outdoor.....	63
SUPERSCAPE™ & SUPERSCAPE PLUS®.....	Scraper/Slip-Resistant.....	Indoor/Outdoor.....	63
MICROLUXX™.....	Wiper.....	Indoor.....	64
COLORSTAR®.....	Wiper.....	Indoor.....	64
ENVIRO PLUS®.....	Wiper.....	Indoor.....	65
PLUSH™.....	Wiper.....	Indoor.....	65
SURE STRIDE®.....	Slip-Resistant.....	Indoor.....	66
SURE STRIDE® PLUSH.....	Slip-Resistant.....	Indoor.....	67
CLEAN STRIDE®.....	Specialty.....	Indoor.....	68
About M+A Matting			69
MESSAGE MATS.....	Wiper.....	Indoor.....	70-71
SURE STRIDE® IMPRESSIONS.....	Specialty.....	Indoor.....	71
STICK-AND-STAND™.....	Specialty.....	Indoor.....	72
SURE STRIDE® DIRECTIONAL.....	Specialty.....	Indoor.....	72
STEPWELL™ SANITIZING MAT.....	Specialty.....	Indoor.....	73
STEPWELL™ SANITIZING TRAY.....	Specialty.....	Indoor.....	73

M+A Matting Product Feature Guide

Item	Category	Page Number													
			Wet Areas	Damp Areas	Oil/Grease Resistant	Oil/Grease Proof	Chemical Resistant	Antimicrobial Treated	Welding Safe	Electrically Conductive	Static Dissipative	Anti-Static	Non-conductive		
Anti-Fatigue															
Comfort Flow		25	X			X	X	X	X		X				
Comfort Flow HD		39	X			X	X	X	X	X					
Comfort Scrape		25	X			X	X	X	X		X				
Complete Comfort		23		X	X		X	X				X			
Complete Comfort II		22	X			X	X	X	X		X				
Cushion Max		18		X	X		X					X			
Cushion Station		24	X			X	X	X	X		X				
GetFit StandUp (fabric and designer top)		21										X			
Happy Feet		19	X			X	X		X	X					
Hog Heaven		17		X		X*	X		X	X					
Hog Heaven Fashion		21										X			
Hog Heaven Marble		20										X			
Hog Heaven Prime		20		X		X*	X		X	X					
Hog Heaven III Comfort		36, 37		X		X*	X		X	X					
Hog Heaven III Traffic		38		X		X	X		X	X					
Kneeling Comfort		27		X		X*	X		X	X					
Sure Cushion Products		28													
Traction Tread Soft		29		X	X		X	X	X		X				
Slip Resistant Matting															
Melt Step		62	X			X	X		X						
SuperScrape & SuperScrape Plus		63	X			X	X		X						
Sure Stride & Sure Stride Plush		66, 67		X				X							
Traction Tread		29		X		X	X		X	X					
Wet Step		26	X			X	X	X	X		X				
Non Conductive Matting															
Switchboard Matting		30-31											X		
Logo Mats															
Berber Impressions HD		43		X											
ColorStar Impressions		46		X									X		
Classic Impressions HD		45-46		X							X				
Hog Heaven Impressions		47		X	X		X		X						
SuperScrape Impressions		47		X	X										
WaterHog Impressions HD		43		X								X			
WaterHog Inlay		44		X								X			

*The 100% nitrile rubber surface is grease/oil proof; the nitrile-blended cushion is grease/oil resistant

The Benefits of Anti-Fatigue Mats



Anti-Fatigue mats alleviate stress to the back and legs by providing a cushioned surface to stand on.


Anti-Fatigue mats are perfect for people who have to stand or work in the same place for continual periods of time.

Anti-Fatigue mats are recommended for a wide variety of industries and are commonly placed in various applications such as:

- Production or assembly lines
- Stand Up Desks or Workstations
- Kitchens
- Cashier Desks
- Laboratories and many more

M+A Matting Anti-Fatigue mats have been shown to do the following:

- **REDUCE ENERGY CONSUMPTION BY UP TO 50%** in the supporting muscles such as those in the leg and the lower back, when compared to standing on a hard floor
- **REDUCE FATIGUE** by promoting subtle movement in the leg and calf muscles, resulting in increased blood and oxygen flow



BALANCED

- Improves structural alignment and joint function
- Improves muscular balance and prevents nerve impingement
- Reduces uneven wear and tear on joints
- Body weight evenly distributed
- Efficient natural movement
- Reduced pressure on organs

IMBALANCED

- Neck pain and headaches
- Shoulder restrictions and pain
- Arm and hand pain nerve entrapment
- Bulging discs/back pain
- Uneven pressure/knee pain
- Uneven weight distribution
- Foot and ankle pain




Safety and Ergonomics

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip-and-fall accidents (NSC).
- Compensation and medical costs associated with employee slip-and-fall accidents total approximately \$70 Billion annually (NSC).
- The average cost of a slip-and-fall injury exceeds \$12,000 (Wausau Insurance).
- The average cost to defend a slip-and-fall lawsuit is \$50,000 (NFSI).
- Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma (CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates, and absenteeism.
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue.

Testing shows that ergonomic matting can reduce worker fatigue.

Compression Deflection & Durometer (Hardness) Comparison



Compression Deflection


General Principal

1. This test was designed to assess and compare performance characteristics of a variety of industrial anti-fatigue mats submitted for testing. Two specific load levels were applied to the test samples and the results show the deflection measured. The two specific load levels performed were 20 psi, equal to a 150 pound human and 40 psi, equal to a 600 pound human.
2. Readings suggest that less than 20% deflection could be perceived as too hard and readings above 60% deflection could be perceived as too soft. It appears that between 20% and 60% deflection anti-fatigue properties can be felt.

Durometer/Hardness

General Principal

The hardness of a test sample is measured by means of a Type A Shore Durometer. The Durometer measures the penetration of its specified indenter forced into the test material under specified conditions. The lower readings indicate softer materials.



TEST RESULTS

	COMPETITOR'S
<p>Comfort Flow™ & Cushion Station™</p> <p>Comfort Flow: 43.8% deflection @20psi 55.7% deflection @40psi</p> <p>Cushion Station: 41.2% deflection @20psi 57.4% deflection @40psi</p> <p>Durometer/Hardness: Comfort Flow: 45 Cushion Station: 45</p>	<p>Traditional Industrial Red Mat</p> <p>11% deflection @20psi 22% deflection @40psi</p> <p>Durometer/Hardness: 70</p>
<p>Cushion Max</p> <p>61.7% deflection @20psi 77.5% deflection @40psi</p>	<p>PVC Foam</p> <p>38% deflection @20psi 59% deflection @40psi</p>
<p>Hog Heaven® 5/8"</p> <p>47.8% deflection @20psi 61.6% deflection @40psi</p> <p>Durometer/Hardness: 56</p>	<p>Diamond Plate 5/8"</p> <p>48% deflection @20psi 65% deflection @40psi</p> <p>Durometer/Hardness: 85</p>

ESD Matting

ESD Matting is designed to quickly drain static electricity from people to help protect sensitive equipment from damage.

ESD Matting is divided into three classifications:

- 1. Electrically Conductive** is rated 10^1 to 10^5 and accepts static electricity the quickest. This is the most often used ESD matting.
- 2. Static Dissipative** is rated 10^6 to 10^9 and is the middle range of ESD matting.
- 3. Anti-Static** is rated 10^{10} to 10^{12} and accepts static the slowest.

ESD Matting is rated in ohms, or the measure of resistance. The lower the resistance, the more quickly static is accepted by the matting, i.e., the lower the exponential, the more quickly static is accepted.

Electrically Conductive Mats	
Comfort Flow™ HD	
Surface to Surface	
50% Relative Humidity 4.6×10^4 Ohms	12% Relative Humidity 6.2×10^4 Ohms
Happy Feet®	
Surface to Surface	
50% Relative Humidity 1.9×10^4 Ohms	12% Relative Humidity 2.0×10^4 Ohms
Hog Heaven®	
Surface to Surface	
50% Relative Humidity 2.6×10^5 Ohms	12% Relative Humidity 3.0×10^5 Ohms
Hog Heaven III® Comfort	
Surface to Surface	
50% Relative Humidity 9.4×10^5 Ohms	12% Relative Humidity 9.3×10^5 Ohms
Hog Heaven III® Traffic	
Surface to Surface	
50% Relative Humidity 1.7×10^5 Ohms	12% Relative Humidity 2.0×10^5 Ohms
Traction Tread	
Surface to Surface	
50% Relative Humidity 6.2×10^4 Ohms	12% Relative Humidity 1.5×10^5 Ohms

Static Dissipative Mats	
Comfort Flow™	
Surface to Surface	
50% Relative Humidity 2.0×10^9 Ohms	12% Relative Humidity 2.5×10^9 Ohms
Comfort Scrape™	
Surface to Surface	
50% Relative Humidity 2.0×10^9 Ohms	12% Relative Humidity 2.5×10^9 Ohms
Complete Comfort™ II	
Surface to Surface	
50% Relative Humidity 3.3×10^9 Ohms	12% Relative Humidity 3.4×10^9 Ohms
Cushion Station™	
Surface to Surface	
50% Relative Humidity 3.9×10^9 Ohms	12% Relative Humidity 3.9×10^9 Ohms
Traction Tread Soft	
Surface to Surface	
50% Relative Humidity 6.0×10^9 Ohms	12% Relative Humidity 6.0×10^9 Ohms

Accessories




Ground Cords are used to allow static electricity to pass more efficiently to a ground and provide a controlled path. Use the cord to connect all ESD floor mats to a building ground. The terminal can be connected to an electrical outlet using the screw in the outlet cover.



Heel Grounders are made for workers wearing rubber soles and other insulating shoes. They allow static electricity to pass around the shoe into the ESD matting. Fasten the Heel Grounder to the heel of the shoe with the Velcro and allow the fabric strip to touch the sock or skin for best performance.



Chemical Compatibility of Nitrile Rubber Products

	Chemical Tested	Rating	Applies to these products:	
A	Aliphatic Hydrocarbons - Kerosene, Etc.	1	 Happy Feet  Hog Heaven III Traffic  Safety Scrape  Hog Heaven  Hog Heaven III Comfort  Cushion Station  Comfort Flow  Comfort Flow HD  Traction Tread  Traction Tread Soft  Hog Heaven Prime  Complete Comfort II	
B	Animal & Vegetable Oils	1		
C	Aromatic Hydrocarbons - Benzol, Toluol, Etc.	1		
D	Bleach	1		
E	Concentrated Alkali	1		
F	Cutting Oil	1		
G	Denatured Alcohol	1		
H	Diesel	1		
I	Dilute Alkali	1		
J	Engine Oil	1		
K	Gasoline	1		
L	Hydraulic Fluid Silicate Ester	1		
M	Hydraulic Fluid Water Glycol	1		
N	L.P. Gas, Fuel Oils	1		
O	Lubricating Oils - High Aniline	1		
P	Lubricating Oils - Low Aniline Point	1		
Q	Mineral Spirits	1		
R	Muriatic Acid - 30%, 20 Degrees Baume	1		
S	Phosphoric Acid	1		
T	Pine Cleaner	1		
U	Refrigerants, Ammonia	1		
V	Sodium Hydroxide, Rayon Grade, 25%	1		
W	Sulphuric Acid - 30%	1		
X	Transmission Fluid	1		
Y	WD40	1		
Z	Water	1		
AA	Window Cleaner	1		
BB	Anti-Freeze	2		
CC	Brake Fluid	2		
DD	Calcium Hypochlorite - 12%	2		
EE	Chlorine Bleach - 12.5%	2		
FF	Hydraulic Fluid - Petroleum Base	2		
GG	Steam	2		
HH	Butyl Alcohol	3		
II	Isopropyl Alcohol - 99%	3		
JJ	Acetic Acid - 56%	4		
KK	Acetone	4		
LL	Cyclohexane	4		
MM	Refrigerants, Methyl Chloride	4		

1 = Little or no effect
 2 = Minor to moderate effect
 3 = Moderate to severe effect
 4 = Not recommended

Mat Symbols



Anti-Fatigue

Ergonomic mats and floor tiles reduce fatigue by up to 50%. Anti-fatigue mats help increase blood circulation and reduce pressure on the body's musculoskeletal system. They also reduce foot arch pronation, varicose veins, and pain commonly attributed to standing for long periods of time.



Safety

Matting and tiles with highly visible, colored borders and beveled edges reduce trips and falls.



Chemical Resistant

Many M+A Matting mats are manufactured with nitrile rubber which is resistant to most commonly used chemicals. Please consult the chemical compatibility chart on page 5 for additional information.



Oily Environment

Nitrile rubber mats withstand degradation from oils and grease. These mats are suitable for use in environments with industrial oils, machine lubricants, greases, food grade oils, etc.



Wet Areas

Matting recommended for wet areas; mats with this designation will maintain all functionality even in standing water. They have openings designed to let water pass through the mat and keep the work surface dry, or are otherwise designed to be slip-resistant in wet environments.



Damp Areas

Matting that maintains slip-resistance even when surface is damp or wet temporarily.



ESD

Matting that dissipates static electricity from people to protect sensitive equipment and small static generated electric shocks.



Welding Safe


Matting that is suitable for use in locations of high temperatures and welding slag. The temperature resistant rubber can withstand temperatures up to 1742 degrees Fahrenheit from welding slag and hot metal shavings.

Mat Symbols



Anti-Slip

Uniquely designed texturized surfaces prevent slip and fall accidents. Heavy-duty rubber keeps the mats in place and prevents movement on a variety of surfaces.




Non-Conductive

Matting created for Switchboards and high voltage areas. Prevents workers from being grounded and reduces the potential for injuries caused by electrical shock.



Cart Traffic

Matting and tiles designed to withstand heavy cart traffic, and is also an ideal placement around heavy objects.



Anti-Microbial

Matting permanently treated with an anti-microbial agent that guards against degradation from micro-organisms and minimizes mats being a source of odors.



Interlocking Floor Tiles / Mats

Tiles that can be customized to fit large work areas and various shapes around work tables, machinery, conveyors, etc. Interlocking tiles may be easily reconfigured as equipment is moved.



Scraper

Scraper mats are heavy-duty mats designed to stop mud and larger particles of dirt from being tracked inside buildings.



Scraper/Wiper


Scraper/Wiper mats provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough heavy-duty commercial fabrics. They retain dust in recessed grooves while absorbing moisture in the fabric surface.




Wiper

Wiper mats are designed to stop any remaining dust and moisture. These mats are made with a variety of carpeted surfaces and colors to compliment a wide range of interiors.

Mat Selector G



Guide Industrial



Mat	Area
G,E	Cafeteria/Break
K,A	Clean Room
M,L	Dry Assembly
F,Q	Electric Panel
R, H	Entrance
C,G	Eyewash Stn.
G,C	Food Prep
I,G	Locker Room
L,M	Mail & Samples
L,P	Maintenance
M,L	Manufacturing
M,L	Molding
S,J	Offices
L,M	Quality Control
O,N	Paint
L,M	Quality Control
S,B	Reception
L,M	Rework
L,M	Shipping/Receive
M,L	Stamping
O,N	Test Lab
L,M	Tool Stores
T,U	Vestibule
L,M	Warehouse
M,L	Welding
C,D	Wet Assembly

LTR	Mat Style	Prod. #
A	Clean Stride	#412
B	Classic Solutions	#120
C	Comfort Flow	#420
D	Comfort Flow Mod. Tile	#4430
E	Comfort Scrape	#430
F	Corrugated Swtchbrd.	#781
G	Cushion Station	#370 371
H	SuperScrape	#555
I	Frontier	#437
J	GetFit StandUp	#4442
K	Happy Feet	#465
L	Hog Heaven	#424
M	HH3 Comfort Mod. Tile	#4471
N	HH3 Traffic Mod. Tile	#4477
O	Hog Heaven Marble Top	#448
P	Kneeling Comfort	#433
Q	Military Swtchbrd. Dmnd.	#789
R	SuperScrape Plus	#5558
S	ColorStar	#100
T	WaterHog	#200 280
U	WaterHog Mod. Tile	#2210

The first letter denotes **Best** choice, the second letter is a **Good** secondary option for the corresponding areas of the facility.

These are the most commonly used mats & floor tiles in industrial manufacturing facilities. The letter corresponds with the area chart to the left to help you locate the correct mat for a specific location.

Are you getting the most from your anti-fatigue mats?



Hog Heaven®



Diamond-Plate Select

vs.

Durable nitrile rubber surface; nitrile-blended foam cushion	PVC (vinyl) surface; PVC foam cushion
Slip-resistant, even when wet (0.85 wet per ASTM C1028-96)	Slippery when wet (0.17 wet per ASTM C1028-96)
Welding Safe	Not recommended for welding
Oil/grease proof surface; oil/grease resistant cushion	Not recommended for use around oil/chemicals
Electrically conductive	No anti-static benefits
Rubber borders will not ripple or curl	PVC borders will ripple & curl over time
Cushion is permanently molded to surface	Cushion is glued to surface and can delaminate
100% customer satisfaction guarantee	Limited warranties which vary by manufacturer

Do you want urethane comfort at an affordable price?



Hog Heaven Prime®



Commercial Grade Urethane


vs.

\$75.00	2' x 3' Retail Price	\$120.00
5/8"	Thickness	3/4"
53% at 20 psi, 67.4% at 40 psi	Compression Deflection	12% at 20 psi, 34% at 40 psi
-.61 grams (-1.92%)	Taber Abrasion	-1.20 grams (-3.22%)
28.44 lbs	Tensile Strength	29.47 lbs
21.7 lbs	Tear Strength	8.8 lbs
18.4 lbs	Puncture Test	18.7 lbs
Yes	Electrically Conductive	No
Yes	Welding Safe	No
Yes	Chemical Resistant	No
Yes	Slip Resistant Backing	No
100% customer satisfaction guaranteed	Warranty	Limited

Are all industrial mats the same?



Comfort Flow™



Traditional Drainable Mats

vs.

Made of durable nitrile rubber foam	Made of rubber
Grease/oil proof & chemical resistant	Claims grease/oil proof & chemical resistance <small>(not made of 100% nitrile, meaning grease/oil will degrade mat)</small>
Superior anti-fatigue properties	Minimal anti-fatigue properties
Anti-microbially treated for odor control	No anti-microbial treatment
Light weight, easy to lift, roll, and clean	Heavy, difficult to move/roll
Beveled edges allow carts to easily roll over	No beveled edges; can create tripping hazard
100% customer satisfaction guaranteed	Limited warranty

Similar cost... twice the life!



Cushion Max™




PVC Foam Cushion

vs.

Nitrile-blended closed-cell foam	PVC Foam
Durable diamond pattern surface	Ribbed surface (prone to peeling & shaving)
5/8" thickness	3/8" thickness
Drainable; can be used in wet environments	Non-drainable; not suitable for wet environments
Excellent anti-fatigue properties	Minimal anti-fatigue properties
100% customer satisfaction guaranteed	1-year warranty





M+A MATTING

**ANTI-FATIGUE,
SLIP-RESISTANT, & FLOOR
PROTECTION
MAT COLLECTION**

HOG HEAVEN®

CUSHION MAX™

HAPPY FEET®

HOG HEAVEN PRIME®

HOG HEAVEN® MARBLE

GETFIT STANDUP® MAT

HOG HEAVEN® FASHION

COMPLETE COMFORT™ II

COMPLETE COMFORT™

CUSHION STATION™

COMFORT FLOW™

COMFORT SCRAPE™

WET STEP®

KNEELING COMFORT™

SURE CUSHION RIBBED

SURE CUSHION TEXTURE

SURE CUSHION HEAVY DUTY

SURE CUSHION YELLOW BORDER

SURE TREAD V-GROOVE

TRACTION TREAD

TRACTION TREAD SOFT

CORRUGATED SWITCHBOARD

DIAMOND PLATE SWITCHBOARD

MILITARY SWITCHBOARD

MILITARY SWITCHBOARD SMOOTH



Anti-Fatigue Mats

Provide Comfort and Increase Productivity

Anti-Fatigue mats are available in a wide range of sizes, weights and materials. It has been proven that the proper use of anti-fatigue mats can enhance worker productivity. These mats are designed for use wherever workers spend time standing and will help to eliminate muscular skeletal disorders.



Slip Resistant and Safety Mats

Protect Against Slips and Falls


Slip resistant and safety mats help provide safe working areas for employees and visitors to facilities. 85% of worker's compensation claims are attributed to employees slipping on slick floors. The utilization of slip resistant mats is an ideal solution to prevent such accidents from occurring.



Flow Through Mats

Wet Area Solution

Flow through mats allow liquids to pass through them to eliminate slip hazards. Anti-fatigue properties provide comfort when standing for long periods of time. The thick rubber helps alleviate stress on the legs, feet and lower back.



Runner and Floor Protection Matting


Runner matting covers inside walkways and helps reduce slips and falls. Slips and falls are a leading cause of accidents in the workplace and providing sure footing is important to help decrease these types of accidents. Runner matting also protects the floor from parts or other objects being dropped, as well as aids in noise abatement.



Switchboard Matting

Switchboard matting protects workers from dangerous and harmful deadly shocks that can occur with electrical switchboards. This matting keeps the workers from being grounded and insulates them against high voltage. Switchboard matting is commonly referred to as non-conductive matting.

Mat Thicknesses





Hog Heaven
Caution Yellow

HOG HEAVEN®
Anti-Fatigue • Slip-Resistant

5/8" Black Border	Product No. 421
5/8" Yellow Border	Product No. 423
7/8" Black Border	Product No. 422
7/8" Yellow Border	Product No. 424

- **Comfortable** – High-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- **Safe** - Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** – Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- **Versatile** - Welding safe; grease/oil proof surface (resistant cushion); chemical resistant; ESD rating of electrically conductive
- Available in 5/8" or 7/8" thicknesses with solid black or with OSHA-approved caution yellow borders
- Can be customized with your logo, design, or message (see Hog Heaven Impressions)


SIZES

- 2' x 3'
- 3' x 5'
- 3' x 12'
- 4' x 6'
- 4.8' x 8'
- Additional lengths up to 60'.
- See price list for all additional sizes.


Sizes are approximate.



Dry or Damp / Indoor



Hog Heaven
Black



Black

Caution Yellow





Cushion Max



Cushion Max
with holes

CUSHION MAX™

Anti-Fatigue • Slip-Resistant • Flow Through

5/8" with holes Product No. 413
5/8" without holes Product No. 414

- **Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Comfortable** - 5/8" nitrile-blended closed-cell foam provides superior anti-fatigue properties
- **Durable** - Diamond-pattern surface provides increased durability compared to ribbed surfaces which tend to peel and shave; grease/oil resistant; chemical resistant
- Available with drainage holes for wet area applications

SIZES

2' x 3'
3' x 5'
3' x 12'
4' x 6'

Additional lengths up to 45'. See price list for all additional sizes.

Sizes are approximate.



Happy Feet
Textured Surface
Caution Yellow Border

HAPPY FEET®
Anti-Fatigue • Slip-Resistant

BLACK BORDER


1/2" Textured Surface Product No. 465
1/2" Grip Surface Product No. 475

CAUTION YELLOW BORDER

1/2" Textured Surface Product No. 466
1/2" Grip Surface Product No. 476

- **Comfortable** – 1/2" dense foam cushion encapsulated in nitrile rubber provides excellent anti-fatigue qualities
- **Safe** – Certified high-traction by the National Floor Safety Institute (NFSI); low profile beveled edges provide a safe floor-to-mat transition
- **Durable** – Borders will not crack or curl; nitrile rubber surface is penetration proof
- **Versatile** - Welding safe; grease/oil proof; chemical resistant; ESD rating of electrically conductive
- Available in two surface types: textured surface for dry/damp environments or grip surface for wet areas where additional traction is needed; Happy Feet with textured surface can be autoclave sterilized
- Available in solid black or with OSHA-approved caution yellow borders

MAT SIZES
2' x 3'
3' x 5'
Sizes are approximate.



100%
customer satisfaction
GUARANTEED

NFSI
HIGH-TRACTION

**MADE
IN THE
USA**



Dry or Damp /
Indoor

HOG HEAVEN PRIME®

Anti-Fatigue · Slip-Resistant

5/8" Black
5/8" Caution Yellow

Product No. 4220
Product No. 4221



- **Comfortable** – High-density nitrile-blended cushion runs edge to edge and helps eliminate pressure to the lower back and legs, providing superior comfort
- **Safe** – Certified high-traction by the National Floor Safety Institute (NFSI); beveled edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** – Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- **Versatile** – High-heel safe; grease/oil proof surface (resistant cushion); chemical resistant; welding safe; ESD rating of electrically conductive
- Available in solid black or with OSHA-approved caution yellow borders

SIZES

2' x 3'
3' x 5'
3' x 10'
Sizes are approximate.



Black

Caution Yellow

HOG HEAVEN® MARBLE TOP

Anti-Fatigue · Slip-Resistant

5/8" Product No. 448
7/8" Product No. 449

- **Comfortable** – High-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort; smooth rubber top allows workers to pivot freely
- **Safe** – Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** – Rubber surface is molded, not glued, to the nitrile-blended cushion so it will not separate
- **Easy to Clean** – Smooth diamond-patterned rubber surface is easy to clean
- Available in 5/8" or 7/8" thicknesses and 3 neutral colors to blend with any décor

SIZES

2' x 3'
3' x 5'
3' x 12'
4' x 6'

Additional lengths up to 60'.
See price list for all additional sizes.

Sizes are approximate.



Dry / Indoor




Midnight Swirl



Blue Merle

Granite Dusk

Midnight Swirl



GETFIT STANDUP® MAT

Anti-Fatigue • Slip-Resistant

5/8" Fabric Top
5/8" Rubber Top

Product No. 4443
Product No. 4447

- **Comfortable** – 5/8" nitrile-blended cushion provides excellent anti-fatigue properties and alleviates pain from extended standing
 - **Safe** – Beveled edges provide a seamless transition from floor to mat; edges will not crack or curl
 - **Stain-Resistant**
 - Available in 2 surface types – an environmentally-friendly PET fabric top (made from recycled plastic bottles) and a rubber top* for maximum durability
- * Rubber top is grease/oil resistant; chemical resistant; welding safe; ESD rating of electrically conductive

SIZES
22" x 32"
22" x 50"
22" x 60"
34" x 47"
34" x 60"



HOG HEAVEN® FASHION

Anti-Fatigue • Slip-Resistant

5/8" Product No. 441
7/8" Product No. 442

- **Comfortable** – High-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- **Safe** - Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** - Solution-dyed fabric surface is fade resistant and molded, not glued, to the nitrile-blended cushion so it will not separate
- **Attractive** – Available in four neutral colors to blend with virtually any décor
- Available in 5/8" or 7/8" thicknesses

SIZES

2' x 3'
3' x 5'
3' x 12'

Additional lengths up to 60'. See price list for all additional sizes.

Sizes are approximate.





Dry or Wet / Indoor

COMPLETE COMFORT™ II

Anti-Fatigue · Slip-Resistant

1/2" Product No. 594

- **Comfortable** – 1/2" thick nitrile foam provides superior anti-fatigue properties
- **Clean** – Anti-microbial treatment provides lifetime protection from odors and degradation
- **Safe** - Beveled edges provide a safe transition from floor to mat
- **Versatile** – Grease/oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- **Easy to Clean** – Can be autoclave sterilized; can withstand commercial laundering

SIZES

2' x 3'
3' x 4'
3' x 5'
4' x 6'

Sizes are approximate.



COMPLETE COMFORT™

Anti-Fatigue • Slip-Resistant • Flow Through

5/8" without holes	Product No. 494
5/8" with holes	Product No. 496

- **Comfortable** – 5/8" thick nitrile-blended foam provides superior anti-fatigue properties
- **Clean** – Anti-microbial treatment provides lifetime protection from odors and degradation
- **Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Easy to Clean** – Lightweight and flexible for easy handling and cleaning
- Grease/oil resistant; chemical resistant
- Available with drainage holes for use in wet environments

SIZES

2' x 3'
 3' x 4'
 3' x 5'
 3' x 10'
 4' x 6'
 4' x 8'
 3' and 4' widths available in lengths up to 75'. See price list for all additional sizes. Sizes are approximate.



Dry or Damp / Indoor



Complete Comfort with holes





Cushion Station with holes

CUSHION STATION™

Anti-Fatigue • Slip-Resistant • Flow Through

7/16"	without holes	Product No. 370
7/16"	with holes	Product No. 371

- **Comfortable** – 7/16" nitrile foam provides excellent anti-fatigue properties
- **Clean** – Anti-microbial treatment provides lifetime protection from odors and degradation
- **Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Versatile** – Grease/oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- **Easy to Clean** – Flexible construction makes this mat easy to clean; can be autoclave sterilized
- Available with drainage holes for wet area applications


SIZES

2' x 3.2'
 3.2' x 5.3'
 3.2' x 8.3'
 3.2' x 12.3'
 3.2' x 16.1'
 3.2' x 20.1'
 4' x 5.92'
 4' x 8.3'
 4' x 12.3'
 4' x 16.1'
 4' x 20.1'

Sizes are approximate.



Dry or Wet / Indoor



Cushion Station

Cushion Station with holes



Comfort Flow

COMFORT SCRAPE™
Slip-Resistant • Anti-Fatigue

3/8" Comfort Scrape Product No. 430

COMFORT FLOW™

Slip-Resistant • Flow Through • Anti-Fatigue

3/8" Comfort Flow Product No. 420



Dry or Wet / Indoor or Outdoor

- **Clean** - Lifetime anti-microbial treatment prevents odors and degradation of the mat
- **Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Comfortable** - High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- **Versatile** - Grease and oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- **Easy to Clean** - Lightweight flexible design ensures easy handling and cleaning
- Comfort Flow has drainage holes to allow liquids to flow through. Comfort Scrape has a non-draining surface

SIZES

- 2' x 3'
- 3' x 5'
- 4' x 6'
- 3' x 9'

Sizes are approximate.



Comfort Flow



Comfort Scrape





Dry or Wet / Indoor or Outdoor

WET STEP®

Slip-Resistant · Flow Through · Anti-Fatigue

1/4" Product No. 789

- **Slip-Resistant & Safe** - Drainage holes allow water to freely drain away; certified high-traction by the National Floor Safety Institute (NFSI)
- **Comfortable** – ¼" thick high-density nitrile rubber foam provides anti-fatigue properties making it very comfortable for bare feet
- **Clean** – Anti-microbially treated to help prevent odors and degradation; can be autoclave sterilized
- **Durable** – Nitrile rubber foam is UV resistant and provides years of service life
- Recommended for pools, spas, showers, locker rooms, and other wet areas

SIZES

17" x 24"
 2' x 3'
 3' x 5'
 3' x 10'
 3' x 20'

Additional lengths up to 20'. See price list for all additional sizes.

Sizes are approximate.



Blue

Grey



KNEELING COMFORT™

Anti-Fatigue · Slip-Resistant

7/8" Product No. 433

- **Comfortable** – 7/8" cushion reduces knee trauma and lower back stress
- **Clean** – Closed-cell nitrile rubber foam will not absorb liquids and wipes clean with soap and water
- **Durable** – Grease/oil proof surface (resistant cushion); chemical resistant; welding safe
- **Safe** - Certified high-traction by the National Floor Safety Institute (NFSI); ESD rating of electrically conductive
- **Convenient** - Built-in handle enables easy transportation and storage

SIZES

12" x 22"
18" x 30"
Sizes are approximate.



Dry or Damp / Indoor or Outdoor



100%
customer satisfaction
GUARANTEED

NFSI
HIGH-TRACTION

MADE
IN THE
USA



Dry / Indoor

* PVC foam mats are not guaranteed against damage from high heels, casters or chair legs. Not recommended for use in wet areas.



Sure Cushion Ribbed

Sure Cushion Texture

Sure Cushion Heavy Duty

Sure Cushion Yellow Border

Sure Tread V-Groove

Floor Protection • Anti-Fatigue

SURE CUSHION RIBBED

3/8" Product No. 415

- Ribbed PVC foam*

SIZES

2' x 3'	2' x 60'
3' x 5'	3' x 60'
3' x 12'	4' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE CUSHION TEXTURE

3/8" Product No. 425

- Textured PVC foam*

SIZES

2' x 3'	3' x 12'
3' x 5'	3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE CUSHION HEAVY DUTY

1/2" Product No. 428

- PVC foam for heavy use areas*
- 80 mil solid vinyl surface combined with a non-closed cell vinyl cushion back
- Beveled on all sides for safety

SIZES

2' x 3'	3' x 12'
3' x 5'	3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE CUSHION YELLOW BORDER

3/8" Product No. 427

- PVC foam with yellow border on two sides*

SIZES

2' x 3'	3' x 12'
3' x 5'	3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE TREAD V-GROOVE

1/8" Product No. 505

- Solid vinyl
- Chemical resistant
- Provides protection for all types of floors from abuse due to chairs, tables and foot traffic
- Great for walkways, inclines, and ramps
- Can be rolled for easy storage

SIZES

3' x 105'
4' x 105'

Additional lengths available. Sizes are approximate.

TRACTION TREAD

Slip-Resistant • Floor Protection

1/8" Product No. 50


Traction Tread mats are designed to provide slip-resistant floor protection in a variety of settings.

- **Slip-Resistant & Safe** - Certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** – 1/8" solid nitrile rubber provides years of service life and will not crack or curl
- **Versatile** – Grease/oil proof; chemical resistant; welding safe; ESD rating of electrically conductive

SIZES

2' x 3'
3' x 5'
3' x 9'
3' x 12'
4' x 6'
4' x 9'
4' x 12'

Sizes are approximate.



Dry or Damp / Indoor



Traction Tread



Dry or Damp / Indoor



Traction Tread Soft

TRACTION TREAD SOFT

Slip-Resistant • Floor Protection • Anti-Fatigue


1/4" Product No. 56

- **Slip-Resistant & Safe** - Certified high-traction by the National Floor Safety Institute (NFSI)
- **Comfortable** – 1/4" thick high-density nitrile rubber foam provides anti-fatigue properties
- **Odor Resistant** – Anti-microbially treated to help prevent odors and degradation
- **Durable** – Nitrile rubber foam provides years of service life and will not crack or curl
- **Versatile** – Grease/oil resistant; chemical resistant; welding safe; static dissipative

SIZES

2' x 3'
3' x 5'
3' x 9'
3' x 12'
4' x 6'
4' x 9'
4' x 12'

Sizes are approximate.



CORRUGATED SWITCHBOARD

Non-conductive


1/4" Product No. 781

- Non-conductive
- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Corrugated Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts

SIZES

24" x 75'
36" x 75'
48" x 75'

Additional lengths up to 75'. See price list for all additional sizes. Sizes are approximate.



Dry / Indoor



Corrugated Switchboard



Dry / Indoor

DIAMOND PLATE SWITCHBOARD

Non-conductive

1/4" Product No. 783

- Non-conductive
- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Diamond Plate Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts

SIZES

36" x 75'

Sizes are approximate.



Diamond Plate Switchboard

MILITARY SWITCHBOARD DIAMOND

Non-conductive


3/16" Product No. 784

- Non-conductive
- Meets strict Military specification standard MIL-DTL 15562G
- Type III - PVC runner material protects workers in high voltage use areas
- Dielectric Strength: The floor covering shall not fail at less than 30,000 volts when tested as specified - MIL-DTL 15562G

SIZES

36" x 75'

Sizes are approximate.



Dry / Indoor



Military Switchboard Diamond



Dry / Indoor

MILITARY SWITCHBOARD SMOOTH

Non-conductive


1/8" Product No. 782

- Non-conductive
- Meets strict Military specification standard MIL-DTL 15562G
- Type II - PVC runner material protects workers in high voltage use areas
- Dielectric Strength: The floor covering shall not fail at less than 30,000 volts when tested as specified - MIL-DTL 15562G

SIZES

36" x 75'


Sizes are approximate.



Military Switchboard Smooth

Flow
FlowWaterjet.com





ERGONOMIC MODULAR TILE MAT COLLECTION

HOG HEAVEN III® COMFORT MODULAR TILE

HOG HEAVEN III® COMFORT LINKABLE MATS

HOG HEAVEN III® COMFORT WORKSTATION MATS

HOG HEAVEN III® TRAFFIC MODULAR TILE

HOG HEAVEN III® TRAFFIC LINKABLE MATS

COMFORT FLOW™ HD MODULAR TILE

COMFORT FLOW™ HD LINKABLE MATS

COMFORT FLOW™ HD WORKSTATION MATS

Site Audit/Assessment

STEP 1



M+A Matting Tile Worksheet


Contact: Distribution Name: D&D Industrial Facility Name: T&T Manufacturing Name of Area: Line 3
 Distributor Contact: Bob Haggis Facility Contact: Justin Moore

Product: High Impact II Modular Tile Comfort Anti-Static
 Comfort Floor HD Modular Tile L1 w/DOE L1 30" x 30"
 Comfort Range HD Modular Tile L1 w/DOE L1 30" x 30"
 Comfort Station HD Modular Tile with holes Slant
 High Impact II Modular Tile without holes Width Draw to meet larger tile
 High Impact II Modular Tile Traffic Width Draw to meet smaller tile
 High Impact II Modular Tile Traffic Driveway Length Draw to meet larger tile
 High Impact II Modular Tile Fashion Length Draw to meet smaller tile
 High Impact II Modular Tile Marine

Notes: Mark hatched borders on drawing below. Draw area for matting or tiles with complete and detailed measurements. There should be a dimension for every side of the mat.

Labels: Black Yellow Other

STEP 2



Email assessment to quotes5@mamattng.com for the proof

Site Engineer's Contact	PART	QTY
FROM NAME 002	81-WHITE	126
FROM NAME 002	84-YELLOW	26
FROM NAME 002	82-BLACK	6
FROM NAME 002	85-YELLOW	6
FROM NAME 002	83-BLACK	6
FROM NAME 002	86-YELLOW	6
FROM NAME 002	84-BLACK	6

81 - Recommended Starting Point for Installation (OPTIONAL - Double Line) 80-01 - Solid Line DIMENSIONS IN RED - Installation Measurement
 82-02 Offered in One Section & Six Section (OPTIONAL - Double Line) 83-01 Offered in One Section & Six Section (OPTIONAL - Double Line) 84 - 15MM Stud

STEP 3



A Site Audit by an M+A Matting Expert Includes:

- A complete assessment of your facility
- Review of the findings with you
- Development of a plan based on your budget and timeline
- Delivery of a report based on the information above

Benefits to Employees:

1. Reduced fatigue and improved skeletal structure alignment
2. Increased productivity
3. Improved morale
4. Reduced slips, trips, and falls

M+A Matting Modular Tiles vs. The Competition




Hog Heaven III® Comfort Tiles



Ergonomic PVC Tiles

vs.

Durable nitrile rubber	Material	PVC
3/4"	Thickness	7/8"
43.9% @ 20 psi; 60.2% @ 40 psi	Compression Deflection	14.15%
Electrically Conductive 9.4 x 10 ⁵ ohms	ESD Rating	No rating
Yes	Chemical/Oil Resistant	Far less resistant than nitrile
0.74 Dry, 0.77 Wet per ASTM C1028-96	Coefficient of Friction	0.65 Dry, 0.42 Wet per ASTM F1677
Yes	Welding Safe	No
Yes, nitrile/PVC blended cushion	Cushion Backing	No



Hog Heaven III® Traffic Tiles




Heavy Duty Hard PVC Tiles

vs.

Durable nitrile rubber	Material	PVC
5/8"	Thickness	7/8"
12.4% @ 20 psi; 20.5% @ 40 psi	Compression Deflection	4.84%
Electrically Conductive 1.7 x 10 ⁵ ohms	ESD Rating	No rating
Yes	Chemical/Oil Resistant	Far less than nitrile
.74 Dry, .77 Wet per ASTM C1028-96	Coefficient of Friction	0.65 Dry, 0.42 Wet per ASTM F1677
Yes	Welding Safe	No
Flammability DOC-FF-1-70: Pass	Flammability	Flammability MVSS 302: 'A' Rating



Comfort Flow™ HD Modular Tiles



Ergonomic Drain Through Tiles

vs.

Durable nitrile rubber	Material	Durable nitrile rubber
1/2"	Thickness	3/4"
13.4% @ 20 psi; 22.6% @ 40 psi	Compression Deflection	Unpublished
Electrically Conductive 4.6 x 10 ⁴ ohms	ESD Rating	Static Dissipative 10 ⁹ ohms
Yes	Chemical/Oil Resistant	Yes
0.87 Dry, 0.83 Wet per ASTM C1028-96	Coefficient of Friction	0.965, 1.08 (with grit) per ASTM D1677
Yes, tested up to 1800°F	Welding Safe	Yes, but no published high temperature
Flammability DOC-FF-1-70: Pass	Flammability	Flammability DOC-FF-1-70: Pass
Prop 65 compliant	Prop 65	Prop 65 warning

HOG HEAVEN III® COMFORT TILES & MATS

Anti-Fatigue · Slip-Resistant

3/4" Modular Tile 18" x 18"	Product No. 4471
3/4" Modular Tile 36" x 36"	Product No. 4472
3/4" Linkable Mats Black border	Product No. 4497
3/4" Linkable Mats Yellow Border	Product No. 4498
3/4" Workstation Black Border	Product No. 4493
3/4" Workstation Yellow Border	Product No. 4494

- **Comfortable** – High-density, closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities to reduce the pain and fatigue associated with standing for long periods of time
- **Safe** - Certified high-traction by the National Floor Safety Institute (NFSI); beveled edges provide a safe transition from floor to mat and will not crack or curl
- **Durable** – Nitrile-blended cushion provides years of useful life and is molded, not glued, to the nitrile rubber surface so it will not separate
- **Versatile** - Welding safe; grease/oil resistant*; chemical resistant; ESD rating of electrically conductive
- Mats and tiles are 3/4" thick and available with black or OSHA-approved caution yellow border
- Recommended for distribution, manufacturing, and retail facilities for picking lines, assembly lines, workstations, check-out stations, and more

*The 100% nitrile rubber surface of Hog Heaven III Comfort is grease/oil proof while the nitrile-blended cushion is grease/oil resistant.

MODULAR TILE SIZES

18" x 18"
Center-01
18" x 18" x 3/4"
Side Black-02
18" x 21.875" x 3/4"
Corner Black-03
21.875" x 21.875" x 3/4"
Side Yellow-04
18" x 21.875" x 3/4"
Corner Yellow-05
21.875" x 21.875" x 3/4"

36" x 36"
Center-01
36" x 36" x 3/4"
Side Black-02
36" x 39.875" x 3/4"
Corner Black-03
39.875" x 39.875" x 3/4"
Side Yellow-04
36" x 39.875" x 3/4"
Corner Yellow-05
39.875" x 39.875" x 3/4"

Color: Black with black border or yellow caution border

LINKABLE MAT SIZES

Mat End
39.875 x 43.75" x 3/4"
Mat Middle
36" x 43.75" x 3/4"

Color: Black with black border or yellow caution border

WORKSTATION MAT SIZE

43.75 x 43.75" x 3/4"

US Patent 8,919,054



Dry or Damp / Indoor



Hog Heaven III Comfort
Workstation Mats
Black Border



Hog Heaven III Comfort
Modular Tiles



Hog Heaven III Comfort
Workstation Mats
Caution Yellow Border


**HOG HEAVEN III
COMFORT
MODULAR TILES**



**HOG HEAVEN III
COMFORT
LINKABLE MATS**



Hog Heaven III Comfort Modular Tile
Caution Yellow Border



Hog Heaven III Comfort Modular Tile
Caution Yellow Border





Dry or Damp / Indoor



Hog Heaven III Traffic Modular Tiles

HOG HEAVEN III TRAFFIC LINKABLE MATS

Black Border

Caution Yellow Border



HOG HEAVEN III TRAFFIC MODULAR TILES



Side
Caution Yellow Border



Center



Corner
Caution Yellow Border

Hog Heaven III Traffic Modular Tile

MODULAR TILE SIZES

- 18" x 18"
- Center-01
- 18" x 18" x 5/8"
- Side-02
- 18" x 21.875" x 5/8"
- Corner-03
- 21.875" x 21.875" x 5/8"
- 36" x 36"
- Center-01
- 36" x 36" x 5/8"
- Side-02
- 36" x 39.875" x 5/8"
- Corner-03
- 39.875" x 39.875" x 5/8"

LINKABLE MAT SIZES

- Mat End
- 39.875 x 43.75" x 5/8"
- Mat Middle
- 36" x 43.75" x 5/8"
- US Patent 8,919,054

HOG HEAVEN III® TRAFFIC TILES & MATS

Anti-Fatigue · Slip-Resistant

- 5/8" Modular Tile 18" x 18"
- 5/8" Modular Tile 36" x 36"
- 5/8" Linkable Mats Black Border
- 5/8" Linkable Mats Yellow Border

- Product No. 4477
- Product No. 4478
- Product No. 4491
- Product No. 4492

Hog Heaven III Traffic mats and tiles provide a customizable matting solution for workstations with cart traffic. They offer ergonomic qualities yet are firm enough to support traffic from heavy carts.

- **Firm & Durable** – Solid nitrile rubber foam lasts for years, even under heavy cart traffic
- **Comfortable** - High-density, closed-cell nitrile rubber provides anti-fatigue qualities to reduce the pain and fatigue associated with standing for long periods of time
- **Versatile** – Grease/oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- Mats and tiles are 5/8" thick and available with black or OSHA-approved caution yellow border

COMFORT FLOW™ HD TILES & MATS

Slip-Resistant • Flow Through • Anti-Fatigue

1/2"	Comfort Flow HD Modular Tile	Product No. 4430
1/2"	Comfort Flow HD Linkable Mats	Product No. 4434
1/2"	Comfort Flow HD Workstation Mat	Product No. 4439

- **Clean** – Bi-level design traps dirt/debris to prevent tracking; lifetime anti-microbial treatment prevents odors and degradation of the mat
- **Safe** - Beveled edges provide a safe transition from floor to mat
- **Comfortable** – High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- **Versatile** – Grease and oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- **Easy to Clean** - Lightweight and flexible design ensures easy handling and cleaning
- Comfort Flow HD has drainage holes to allow liquid to flow through

MODULAR TILE SIZES

Corner tile
19.125" x 19.125" x 5/8"
37.375" x 37.375" x 5/8"
Side tile
18" x 19.125" x 5/8"
36" x 37.375" x 5/8"
Center tile
18" x 18" x 5/8"
36" x 36" x 5/8"

LINKABLE MAT SIZES

Mat End
37.125" x 39" x 5/8"
Mat Middle
36" x 39" x 5/8"

WORKSTATION MAT SIZES

39" x 39" x 5/8"




Comfort Flow HD
Modular Tile






Dry or Wet / Indoor or Outdoor

COMFORT FLOW HD MODULAR TILE



COMFORT FLOW HD LINKABLE MATS



Comfort Flow HD Modular Tile



Comfort Flow HD Workstation Mats







LOGO MAT COLLECTION

WATERHOG IMPRESSIONS HD®

WATERHOG® LOGO INLAY

CLASSIC IMPRESSIONS™ HD

GRAND IMPRESSIONS HD

SIC IMPRESSIONS™ HD CUSTOM SHAPE

COLORSTAR® IMPRESSIONS

HOG HEAVEN® IMPRESSIONS

SUPERSCAPE IMPRESSIONS™

The M+A Matting Logo Mat Program

M+A Matting offers numerous types of logo mats.

Each of these logo mat processes result in high quality products your customers will be very proud to use. Pricing is calculated by each individual design number and quantity. Different size logo mats and standard mats may not be combined for quantity discount.

Ordering Logo Mats is as easy as 1-2-3:

- 1) Visit www.mamattng.com to submit your logo file using our easy to use web page.
- 2) Log into your account and select “Submit Design” from the “My Account” menu.
- 3) Complete the necessary information on the submit page, attach your logo file and then click on “Send your design”. Artwork should be 300 dpi or greater.

Your proof will be emailed back to you within 24 hours. Once your proof arrives by email, please take the following simple steps:

- 1) Approve or make necessary changes to the proof.
- 2) Return the art proof with any changes or approved art proof with purchase order and quantity of mats to artwork5@mamattng.com.



Acceptable	Unacceptable	Marginal
Vector Graphic Files:	Faxes	Color Prints*
AI, EPS, PDF, CDR, SVG	Emblems	Newspaper Ads
Image Files:	Copies of Emblems	Yellow Pages Ads
TIFF (600 DPI/PPI)	Banners	Business Cards
JPG (600 DPI/PPI)	Flags	
PNG (600 DPI/PPI)	Full Size Mats	
Black/White Ad Slicks	Badges	
Letterhead	Shirts	
Brochures	Hats	
Business Literature		

*Color prints, if available, may be submitted to show color placement for a design.



Create your own proofs with The M+A Matting Mobile App!

Visit your app store and search “M+A Matting” to download app.

The M+A Matting Mobile App provides an easy way for users to search and view existing mat designs as well as create their own proofs using our simple tools.

Each user will be able to:

- Create proofs using the mobile device camera or by loading an image from their library
- Have access to a personal dashboard that saves all current and former artwork submissions associated with their account
- Get instant artwork approval using e-signature feature
- Track orders of designs that were created via the mobile app
- Filter search results by product category, size or mat orientation

M+A Matting’s user friendly app is compatible with any mobile device.

Below is a condensed list of compatible devices:

- Android
- Android tablets
- iPhone*
- iPad*
- iPod Touch*

*all Apple products require iOS 6.0 or later





Indoor or Outdoor (Covered)

BERBER IMPRESSIONS HD

Logo · Scraper/Wiper · Slip-Resistant

5/16"

Product No. 2838

- **Durable** - The tight weave of Berber makes it durable enough to withstand heavy foot traffic while scraping dirt and moisture from shoes to minimize tracking
- **High Definition** - The Berber fabric features a smooth surface that allows for crisp printing definition
- **Eco-Friendly** – These mats are made with PET (polyethylene terephthalate), a type of polyester yarn that features 85% recycled content reclaimed from plastic drink bottles
- **Easy to Clean** - PET fabric is naturally resistant to staining
- **Safe** - Durable rubber backing helps keep the mat in place to minimize slipping hazards
- 56 standard color options; choice of smooth or universal cleated rubber backing

SIZES

2' x 3'
3' x 4'
3' x 5'
3' x 10'
4' x 6'
4' x 8'
5' x 8'
5' x 10'
6' x 10'
6' x 12'

See price list for all additional sizes.

Sizes are approximate.



MADE IN THE USA



WaterHog Impressions HD with Classic Border



Indoor or Outdoor

WATERHOG IMPRESSIONS HD®

Logo · Scraper/Wiper · Slip-Resistant

3/8" Classic Border Product No. 2381

3/8" Fashion Border Product No. 2380


- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- 57 standard color options; available with choice of Classic (rubber) border or Fashion (fabric) border
- Features 65-mil nitrile rubber with choice of smooth or universal cleated backing

SIZES

2' x 3' 4' x 6'
3' x 4' 4' x 8'
3' x 5' 6' x 8'
3' x 10' 6' x 10'
3' x 12' 6' x 12'
3' x 16' 6' x 16'
3' x 20' 6' x 20'

See price list for all additional sizes.

Sizes are approximate.



Color options



MADE IN THE USA



WaterHog Logo Inlay
Red/Black
Classic border

WATERHOG® LOGO INLAY

Logo · Scraper/Wiper · Slip-Resistant

3/8" Classic Border
3/8" Fashion Border

Product No. 234
Product No. 235

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable & Fade Resistant** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed fabric is fade-resistant
- **Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute
- 19 fabric colors to choose from; available with choice of Classic (rubber) border or Fashion (fabric) border
- Features 78-mil SBR rubber with choice of smooth or universal cleated backing

SIZES


2' x 3' 4' x 8'
3' x 4' 4' x 10'
3' x 5' 4' x 12'
3' x 6' 4' x 16'
3' x 10' 4' x 20'
3' x 12' 6' x 8'
3' x 16' 6' x 12'
3' x 20' 6' x 16'
4' x 6' 6' x 20'

See price list for all additional sizes.

Sizes are approximate.




Indoor or Outdoor



WaterHog Logo Inlay
Red/Black

WaterHog Classic Border

WaterHog Fashion Border



Rubber reinforced textile Rubber border

Rubber reinforced textile Fabric border



Aquamarine* Bluestone Bordeaux Camel Charcoal Dark Brown Evergreen Gold* Light Green Medium Blue



Medium Brown Medium Grey Navy Orange* Purple* Red/Black Solid Red* White* Yellow*

*These colors are ONLY available in 3' and 4' widths.



Classic Impressions HD Logo

CLASSIC IMPRESSIONS™ HD LOGO
 Logo • Wiper • Dust Control • Slip-Resistant
3/8" SBR Rubber Border and Backing **Product No. 73**

GRAND IMPRESSIONS HD LOGO
 Logo • Wiper • Dust Control • Slip-Resistant
3/8" Serged Border, SBR Rubber Backing **Product No. 64**



Indoor

- **Photographic-Quality Print** – Logos and designs are digitally printed with photographic quality; fine details, shading, and 3D images can be achieved; 150 standard colors options available
- **Resilient** – High-twist, heat-set nylon (32-ounces/square yard) resists crushing to better trap dirt and extend the useful life of the mat
- Classic Impressions HD mats are available with SBR backing; Grand Impressions HD mats are only available with 68-mil SBR smooth backing and serged borders

SIZES
 2' x 3'
 3' x 4'
 3' x 5'
 3' x 10'
 4' x 6'
 4' x 8'
 5' x 8'
 5' x 10'
 6' x 10'
 6' x 12'

See price list for all additional sizes. PMS custom color available at an additional charge.

Sizes are approximate.



Classic Impressions HD Logo





CLASSIC IMPRESSIONS™ HD CUSTOM SHAPE

Logo · Wiper · Dust Control · Slip-Resistant

3/8" Product No. 733

- **Photographic-Quality Print** – Logos and designs are digitally printed with photographic quality; fine details, shading, and 3D images can be achieved; 150 standard colors options available
- **Resilient** – High-twist, heat-set nylon (32-ounces/square yard) resists crushing to better trap dirt and extend the useful life of the mat
- **Backed with durable nitrile rubber**



Classic Impressions HD
Custom Shape



COLORSTAR® IMPRESSIONS

Logo · Wiper · Dust Control · Slip-Resistant

3/8" SBR Rubber Backing Product No. 60

- **Photographic-Quality Printing** - Logos and designs are digitally printed at 76 dpi (dots per inch), making fine details, shading, and 3-D images achievable
- **Eco-Friendly** – PET (polyethylene terephthalate) carpet surface contains 100% post-consumer recycled content reclaimed from plastic bottles
- **Fade Resistant** - PET yarn has excellent color-fastness and is resistant to fading from repeated washing/cleaning
- **Stain Resistant** - PET yarn is naturally resistant to staining
- **Safe** - Certified high-traction by the National Floor Safety Institute (NFSI)
- Choose from 60 standard colors
- SBR (48 mil) rubber backing

SIZES

2' x 3'
3' x 4'
3' x 5'
3' x 10'
4' x 6'
4' x 8'
5' x 8'
5' x 10'
6' x 10'
6' x 12'

See price list for all additional sizes.

Sizes are approximate.



HOG HEAVEN® IMPRESSIONS

Logo · Anti-Fatigue · Slip-Resistant



5/8" Product No. 3422

- **Comfortable** – 5/8" high-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- **Safe** - Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** – Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- **Versatile** - Welding safe; grease/oil resistant; chemical resistant; ESD rating of electrically conductive

SIZES

2' x 3'
3' x 5'
3' x 12'
4' x 6'

Sizes are approximate. See price list for all additional sizes. PMS custom color available at an additional charge.



Indoor or Outdoor

SUPERSCAPE IMPRESSIONS™ LOGO

Logo · Scraper

3/16" Product No. 3559

- Features your logo or image printed on a SuperScrape mat
- **Clean** – Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- **Safe** – Slip resistant even in wet environments; certified high-traction by the National Floor Safety Institute (NFSI)
- **Easy to Clean** – Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered
- 3/16" thick nitrile rubber with circular surface cleats

SIZES

2.5' x 3'
3' x 4'
3' x 5'
3' x 10'
4' x 6'
4' x 8'
6' x 6'
6' x 8'

PMS custom color available at an additional charge.

Sizes are approximate.



100%
customer satisfaction
GUARANTEED

NFSI
HIGH-TRACTION

MADE
IN THE
USA

The Wonderful World of

Since its introduction in 1986, the WaterHog has become American's best-selling mat. Renowned for its bi-level design and water dam border, it's highly effective at stopping dirt and moisture, keeping floors clean and dry.

The WaterHog product line has grown substantially over the last three decades to include a wide array of patterns, colors, and sizes. With so many options and a unique nomenclature, selecting a WaterHog mat can seem challenging at first, but these steps are designed to simplify the selection process.

1. Pick Your Fabric Weight

WaterHog®



24-ounce PET

WaterHog® Eco



30-ounce PET

Both the 24-ounce *WaterHog* and 30-ounce *WaterHog Eco* product lines are made with PET, an eco-friendly polyester made from 100% post-consumer recycled plastic bottles.

2. Pick Your Pattern and Color

The *WaterHog* (24-ounce) line comes in three designs with 19 color options. The *WaterHog Eco* (30-ounce) line comes in four designs with 8 color options.

WaterHog
(the original)



Waffle

WaterHog
Diamond




Diamond

WaterHog
Legacy



Hexagon

WaterHog
Eco Premier



Diamond

WaterHog
Eco Elite



Herringbone

WaterHog
Eco Legacy




Hexagon

WaterHog
Plus



Swirl



3. Pick Your Border



Classic Rubber Border

Fashion Fabric Border

4. Pick Your Backing

All WaterHog mats are backed with rubber. The standard backing is a 78-mil SBR (styrene-butadiene rubber) with either a smooth surface for placement on smooth/hard floors (like marble, tile, or wood) or with a universal cleated surface for placement on carpeted floors. Select WaterHog mats with a classic border are available with Anchor Safe® backing, a 100-mil nitrile backing with a heavy tread design to ensure the mats stays in place, even with heavy traffic.



Smooth Backing
78-mil SBR

Recommended for hard floor surfaces



Universal Cleated Backing
78-mil SBR

Designed to perform on both carpeted and smooth floors



Anchor Safe® Backing
100-mil nitrile

Recommended for surfaces with heavy traffic or cart use


5. Add Some Optional “Grandeur”

If you're interested in adding a little grandeur to your entrance matting, you may want to consider a *WaterHog Grand* or *WaterHog Eco Grand* mat. The luxurious rounded mats can be placed at either or both ends of:

- » WaterHog Diamond
- » WaterHog Legacy
- » WaterHog Eco Elite
- » WaterHog Eco Legacy
- » WaterHog Eco Premier



Half Oval



One End



Two Ends



Scraper Entrance Mats

Your First Line of Defense

Scraper mats are designed to stop mud and larger particles of dirt from being tracked inside buildings. These mats provide aggressive scraping action and trap dirt and debris in recessed areas until the mats are cleaned. Scraper mats can be used outside or inside and should be used in conjunction with a Scraper/Wiper mat and a Wiper mat.



Scraper/Wiper Entrance Mats

The Second Step to Keeping Dirt Outside

Scraper/Wiper mats are designed to provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough fabrics. They channel and retain dust in recessed grooves while absorbing moisture in the fabric face. These mats are primarily used inside but may be used outside in covered areas.



Wiper Entrance Mats


The Third Weapon Against Dirt and Moisture

Wiper Entrance Mats are designed to stop any remaining dust and moisture left after using the Scraper mat and Scraper/Wiper mat. These mats are made with carpet facing to complement most interiors. These mats are for indoor use and when used in conjunction with a Scraper mat and Scraper/Wiper mat, they can stop as much as 85% to 95% of dirt and grime from being tracked into a building.

Preventative Maintenance

Mats are the first defense to stop dirt and moisture from entering your building.

Mats filter these contaminants from entering the facility, saving thousands of dollars a year in cleaning costs. Mats also protect interior floor surfaces from excessive damage and wear. Entrance mats are the most effective way of stopping dirt and moisture at the door and keeping building maintenance costs to a minimum.



Consider These Facts...

- 70% to 80% of dust, grime and dirt in a building is tracked in from the outside on people's feet—permanently damaging floors
- One square yard of carpet can accumulate one pound of dirt a week—twice that in inclement weather
- It is estimated that the cost to find and remove a single pound of dirt from a building can run in excess of \$600 in cleaning costs. As few as 150 people entering a facility can track in one pound of dirt in a 5 day work week costing over \$30,000 dollars annually to remove.
- By utilizing high performance entrance matting of at least 10' to 15' (as recommend by the U.S. Green Building Council and the Carpet and Rug Institute) you can capture as much as 85% to 95% of contaminants that enter the building, saving maintenance dollars and protecting building assets



WaterHog
Fashion Border
Evergreen

WaterHog
Classic Border
Bordeaux

WATERHOG®

Scraper/Wiper · Slip-Resistant

3/8" Classic Border Product No. 200
3/8" Fashion Border Product No. 280




WATERHOG® DRAINABLE

3/8" Product No. 250

WaterHog Drainable
Evergreen


SEE PRICE BOOK FOR DETAILS

Waterhog Classic



Rubber reinforced textile Rubber border

Waterhog Fashion



Rubber reinforced textile Fabric border



Bordeaux

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** – Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Eco-Friendly** – Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 19 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on Classic border mat only

SIZES

18" x 27" 4' x 8'
2' x 3' 4' x 10'
3' x 4' 4' x 12'
3' x 5' 4' x 16'
3' x 8' 4' x 20'
3' x 10' 6' x 8'
3' x 12' 6' x 12'
3' x 16' 6' x 16'
3' x 20' 6' x 20'
4' x 6'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



*These colors are ONLY available in 3' and 4' widths.





WaterHog Diamond
Classic Border
Red/Black

WATERHOG® DIAMOND

Scrapper/Wiper · Slip-Resistant

3/8" Classic Border Product No. 208
3/8" Fashion Border Product No. 221

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1 ½ gallons of water per square yard)
- **Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** – Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Eco-Friendly** – Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 19 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on Classic border mat only

SIZES


2' x 3'	4' x 8.4'
3' x 4'	4' x 10'
3' x 5'	4' x 12.2'
3' x 6'	4' x 16'
3' x 8.4'	4' x 20'
3' x 10'	6' x 6'
3' x 12.2'	6' x 8.4'
3' x 16'	6' x 12.2'
3' x 20'	6' x 16'
4' x 6'	6' x 20'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.




Indoor or Outdoor




WaterHog Diamond
Fashion Border
Evergreen

WaterHog Diamond Classic Border



Rubber reinforced textile Rubber border


WaterHog Diamond Fashion Border



Rubber reinforced textile Fabric border



WaterHog Diamond
Classic Border
Navy



Aquamarine* Bluestone Bordeaux Camel Charcoal Dark Brown Evergreen Gold* Light Green* Medium Blue



Medium Brown Medium Grey Navy Orange* Purple* Red/Black Solid Red* White* Yellow*

*These colors are ONLY available in 3' and 4' widths.



WaterHog Grand
One End
Medium Grey



WaterHog Grand
Half Oval
Bordeaux



WaterHog Grand
Two Ends
Evergreen

WATERHOG® GRAND

Scraper/Wiper · Slip-Resistant

3/8" Half Oval: No. 272 One End: No. 273 Two Ends: No. 274

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** - Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Eco-Friendly** – Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 19 colors with 78-mil SBR rubber with universal cleated backing or smooth backing

SIZES



HALF OVAL	TWO ENDS
3' x 1.8'	3' x 7'
4' x 2.3'	3' x 11.7'
6' x 3.3'	3' x 15.5'
	3' x 19.4'
ONE END	3' x 23.2'
3' x 5.5'	4' x 8'
3' x 10'	4' x 12.6'
3' x 13.9'	4' x 16.5'
3' x 17.7'	4' x 20.3'
3' x 21.6'	6' x 10.1'
4' x 5.9'	6' x 14.8'
4' x 10.5'	6' x 18.6'
4' x 14.4'	6' x 22.4'
4' x 18.2'	
4' x 22'	
6' x 7'	
6' x 11.6'	
6' x 15.4'	
6' x 19.3'	
6' x 23.1'	

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing.

Sizes are approximate.




Indoor or Outdoor



Fabric border



WaterHog Grand
Dark Brown



Aquamarine* Bluestone Bordeaux Camel Charcoal Dark Brown Evergreen Gold* Light Green* Medium Blue



Medium Brown Medium Grey Navy Orange* Purple* Red/Black Solid Red* White* Yellow*

*These colors are ONLY available in 3' and 4' widths.





WaterHog Eco Grand Two Ends
Maroon



WaterHog Eco Grand
One End
Khaki



Indoor or Outdoor



Half Oval
Product No. 2246




One End
Product No. 2243




Two Ends
Product No. 2244

Rubber reinforced textile



Fabric Border



Khaki

WATERHOG® ECO GRAND

Scraper/Wiper · Slip-Resistant

3/8" Half Oval: No. 2246 One End: No. 2243 Two Ends: No. 2244

- **Clean & Dry** - Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- **Eco-Friendly** - PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- **Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** - Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** - Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with 78-mil SBR rubber with universal cleated backing or smooth backing

SIZES

HALF OVAL	TWO ENDS
3' x 1.8'	3' x 7.1'
4' x 2.3'	3' x 11.7'
6' x 3.3'	3' x 15.5'
	3' x 19.4'
ONE END	
3' x 5.5'	4' x 8'
3' x 10'	4' x 12.6'
3' x 13.9'	4' x 16.5'
3' x 17.7'	4' x 20.3'
3' x 21.6'	6' x 10.1'
4' x 5.9'	6' x 14.8'
4' x 10.5'	6' x 18.6'
4' x 14.4'	6' x 22.4'
4' x 18.2'	
4' x 22'	
6' x 7'	
6' x 11.6'	
6' x 15.4'	
6' x 19.3'	
6' x 23.1'	

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing.

Sizes are approximate.



Black Smoke

Chestnut Brown

Grey Ash

Indigo

Khaki

Maroon

Regal Red

Southern Pine



Classic Border
Maroon

WATERHOG® ECO ELITE

Scraper/Wiper · Slip-Resistant

3/8" Classic Border Product No. 2240
3/8" Fashion Border Product No. 2241

- **Clean & Dry** - Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- **Eco-Friendly** - PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- **Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** - Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** - Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on Classic border mat only

SIZES

2' x 3' 4' x 10'
3' x 4' 4' x 12.2'
3' x 5' 4' x 16'
3' x 6' 4' x 20'
3' x 8.4' 6' x 6'
3' x 10' 6' x 8.4'
3' x 12.2' 6' x 12.2'
3' x 16' 6' x 16'
3' x 20' 6' x 20'
4' x 6'
4' x 8.4'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.



Sizes are approximate.



Indoor or Outdoor



Fashion Border
Southern Pine



WaterHog Eco Elite
Khaki



Black Smoke

Chestnut Brown

Grey Ash

Indigo

Khaki

Maroon

Regal Red

Southern Pine





Grey Ash

WATERHOG® ECO PREMIER

Scraper/Wiper · Slip-Resistant



Indoor or Outdoor

3/8" Classic Border Product No. 2295
 3/8" Fashion Border Product No. 2297



Fashion Border
Southern Pine

WaterHog Eco Premier

WaterHog Eco Premier Fashion



Rubber reinforced textile Rubber border



Rubber reinforced textile Fabric border



Khaki

- **Clean & Dry** - Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- **Eco-Friendly** - PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- **Safe** - Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** - Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** - Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on Classic border mat only

SIZES

2' x 3'	4' x 10'
3' x 4'	4' x 12.2'
3' x 5'	4' x 16'
3' x 6'	4' x 20'
3' x 8.4'	6' x 6'
3' x 10'	6' x 8.4'
3' x 12.2'	6' x 12.2'
3' x 16'	6' x 16'
3' x 20'	6' x 20'
4' x 6'	
4' x 8.4'	

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



Black Smoke

Chestnut Brown

Grey Ash

Indigo

Khaki

Maroon

Regal Red

Southern Pine



Maroon

WATERHOG® ECO ELITE ROLL GOODS

Scraper/Wiper • Slip-Resistant

3/8" Product No. 2271* and 2272**

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable & Fade Resistant** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed polypropylene fabric is fade-resistant
- **Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Eco-Friendly** - PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 8 colors with 78-mil smooth SBR rubber backing
- Designed to be installed like carpeting or loose-laid like a mat

*CUSTOM SIZES

See price list for additional information.

**ROLL SIZE

(Does not include nosing)
6' x 67'



Indoor or Outdoor



Grey Ash



Black Smoke

Chestnut Brown

Grey Ash

Indigo

Khaki

Maroon

Regal Red

Southern Pine



WATERHOG® DIAMONDCORD

Scrapper/Wiper · Slip-Resistant



Indoor

3/8" Product No. 296

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** - Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Eco-Friendly** – Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 2 colors with a Classic (rubber) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing

SIZES

2' x 3' 4' x 6'
 3' x 4' 4' x 8.4'
 3' x 5' 4' x 10'
 3' x 6' 6' x 6'
 3' x 8.4' 6' x 8.4'
 3' x 10'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



Brown Cord



Brown Cord



Black

Brown



Indoor

WATERHOG® MASTERPIECE® SELECT

Scrapper/Wiper · Slip-Resistant

3/8" Product No. 265

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1 ½ gallons of water per square yard)
- **Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** - Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** – Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Eco-Friendly** – Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 4 colors with a Classic (rubber) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing

SIZES

2' x 3' 4' x 6'
 3' x 4' 4' x 8'
 3' x 5' 4' x 10'
 3' x 8' 6' x 8'
 3' x 10'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



Pewter



Nutmeg

Ocean Wave



Pewter

Thunderstorm

WATERHOG® PLUS

Scraper/Wiper · Slip-Resistant



Indoor or Outdoor

3/8" Product No. 185

Features a 100% PET recycled surface with a durable nitrile rubber backing.

- **Clean and Dry** - Water dam border holds moisture; raised nubs are resistant to crushing and keep dirt below foot level
- **Environmentally-Friendly** - Constructed with 100% post-consumer PET polyester (made from recycled plastic)
- **Safe** - Beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** 90 mil nitrile rubber backing ensures the mat lays flat and remains in place

SIZES

- 2' x 3'
- 3' x 4'
- 3' x 5'
- 3' x 10'
- 4' x 6'
- 4' x 8'
- 5' x 7'*
- 5' x 10'*
- 6' x 12'

Sizes are approximate.



WaterHog Plus
Grey Ash

WaterHog Plus
Grey Ash



Black Smoke

Chestnut Brown

Grey Ash

Indigo

Khaki

Maroon

Regal Red

Southern Pine

WATERHOG® LOW PROFILE

Scraper/Wiper · Slip-Resistant



Indoor


1/4" Product No. 251

- **Clean & Dry** - Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking
- **Durable** - Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** - Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** - Low-profile borders help reduce potential tripping hazards; certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 3 neutral colors to blend with virtually any décor
- Feature Anchor Safe® backing (made from durable 100-mil nitrile rubber) designed to keep mats in place

SIZES

- 3' x 5'
- 3' x 10'
- 4' x 6'
- 4' x 10'

Sizes are approximate.



Coal Black

Anchor Safe
Backing Design



Coal Black

Cocoa Brown

Granite





Indoor or Outdoor

WATERHOG® CLASSIC TILE

Scraper/Wiper · Slip-Resistant


1/4" and 7/16"

No. 210-square, No. 216-diamond, No. 219-diagonal, No. 220-geometric

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking
- **Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** – Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** – Certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 4 colors with choice of 4 patterns: waffle, diamond, diagonal, or geometric
- Available with choice of 100-mil or 200-mil SBR cleated rubber backing

SIZE
18" x 18"

WaterHog Tile
Geometric Pattern
Dark Brown



Charcoal


Dark Brown

Evergreen

Medium Grey



Medium Grey



side border

corner border

SIZES

18" x 18" x 7/16"	36" x 36" x 7/16"
18" Side Border	36" Side Border
18" Corner Border	36" Corner Border

WATERHOG® MODULAR TILE

Scraper/Wiper · Slip-Resistant

7/16" Product No. 2210

- **Clean & Dry** – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking
- **Durable** – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Fade & Stain Resistant** – Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- **Easy to Install** – Tiles link together easily and are designed to be installed without glue or the need for professional installers; side and corner borders (sold separately) securely link to the outer perimeter of the installation
- Available in 18" or 36" tiles with 4 color options
- Feature 200-mil SBR cleated rubber backing



Charcoal

Dark Brown

Evergreen

Medium Grey



Indoor or Outdoor



DOUBLE SIDED TAPE* installation system eliminates mat movement. Installation instructions available at www.mamattin.com.
*Double Sided Tape not included


Charcoal

WATERHOG® FORKLIFT
Scrapper/Wiper · Slip-Resistant

3/8" Product No. 1253
3" x 108' Roll Double Sided Tape Product No. 1049



Indoor



Charcoal

- **Durable** – Reinforced rubber nubs, backing, and fabric top are designed to withstand forklift traffic up to 14,000 pounds
- **Clean and Dry** – Bi-level surface removes dirt and moisture from wheels and trap it to minimize tracking; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- **Easy to Install** – Modular mats are easy to install and scalable for large applications; aggressive adhesive taping system (sold separately) keeps tiles from moving
- Available in 6 colors with 100 mil SBR smooth rubber backing

SIZE

4' x 6'

Sizes are approximate.



Charcoal

Dark Brown

Medium Brown

Medium Grey

Navy

Red/Black





Melt Step



Outdoor

MELT STEP®

Slip-Resistant

3/8" OneConnector ProductNo.886
 3/8" TwoConnector ProductNo.887
 Accessories ProductNo.889

ACCESSORIES



Melt Step
6' extension cord



Melt Step
6' cord + GFCI

One Connector

Two Connector

- **Effective** – Mat will heat to approximately 40–45°F above ambient air temperature
- **Safe** – Waterproof electrical connection system with GFCI switch prevents electrical shock hazard; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** – Molded nitrile rubber construction is waterproof, UV-resistant, and flexible even in freezing temperatures
- **Scalable** – Up to 4 mats can be connected in sequence to cover up to 20 linear feet of walkway
- All Melt Step mats are 3' x 5' with choice of one connector or two connectors; unique reversable design of the mat permits electrical connection on the right or left side of the walkway
- 6' power cord (120 volts) with GFCI switch as well as 6' extension cord are both sold separately

SIZE

3' x 5'
 Sizes are approximate.

FRONTIER
Slip-Resistant • Scraper



Indoor or Outdoor


3/8" Product No. 437

- Spaghetti-like design filters dirt and moisture away from the surface
- Designed for indoor or outdoor usage
- Available with or without edging

SIZES

2' x 3' 4' x 8'
3' x 5' 3' x 60'
3' x 10' 4' x 60'
4' x 6'

Additional lengths up to 40' in 3' and 4' widths
Sizes are approximate.



Dark Grey



Frontier without edging



Indoor or Outdoor

SUPERSCAPE™
Scraper • Slip-Resistant

3/16" Product No. 555

- **Clean** – Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- **Safe** – Slip resistant even in wet environments; certified high-traction by the National Floor Safety Institute (NFSI)
- **Suitable for Harsh Environments** – Grease/oil proof; chemical resistant
- **Easy to Clean** – Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized
- 3/16" thick nitrile rubber

SIZES

2'6" x 3'
3' x 5'
3' x 10'
4' x 6'
*4' x 8'
*6' x 6'
*6' x 8'

Sizes are approximate.



SuperScrape

SUPERSCAPE PLUS®
Scraper • Slip-Resistant

3/16" Product No. 5558

- **Clean** – Multi-directional surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking; drainable borders filter water off mat
- **Safe** – Certified high-traction by the National Floor Safety Institute (NFSI)
- **Suitable for Harsh Environments** – Grease/oil proof; chemical resistant
- **Easy to Clean** – Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized
- 3/16" thick nitrile rubber construction


SIZES

2'6" x 3'
3' x 5'
3' x 10'
4' x 6'

Sizes are approximate.



Indoor or Outdoor



SuperScrape Plus



MICROLUXX™

Wiper · Dust Control · Slip-Resistant

3/8" Product No. 1201

Features traditional nylon fibers blended with finer denier fibers that work together to absorb high levels of dirt and moisture.

- **Superior dust and moisture control** - Absorbs and retains 2.5 times more moisture than standard carpeted mats
- **Fade resistant** - Solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach
- **Safe** - Beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable nitrile rubber backing** (available in 52, 65, or 90 mil)

SIZES

2' x 3' 4' x 8'
 2.5' x 3' 5' x 8'
 2.5' x 4' 5' x 10'
 3' x 4' 5' x 12'
 3' x 5' 6' x 8'
 3' x 10' 6' x 10'
 4' x 6' 6' x 12'
 Custom sizes up to 40'
 Sizes are approximate.



Indoor



Indoor

COLORSTAR®

Wiper · Dust Control · Slip-Resistant

3/8" Product No. 100

- **Resilient** – The PET fabric makes this mat stain resistant, fade resistant, UV resistant, and heat resistant
- **Eco-friendly** – PET (polyester) carpet is made from recycled plastic reclaimed from drink bottles (contains 100% recycled content)
- **Safe** – Certified high-traction by the National Floor Safety Institute
- **Available in 24 colors with choice of SBR (48 mil) or nitrile rubber (52 mil, 65 mil, 90 mil) backing**

SIZES

2' x 3'
 3' x 4'
 3' x 5'
 3' x 6'
 3' x 8'
 3' x 10'
 4' x 6'
 4' x 8'
 4' x 10'

Additional lengths up to 40'. See price list for all additional sizes.

XL SIZES

7' - 12' widths are available in lengths up to 30'. See price list for all additional sizes. Sizes are approximate.



Charcoal



Navy



Burgundy Berry



Autumn Brown

Black Opal

Blueberry Frost

Browntone

Burgundy Berry



Cabot Grey

Charcoal

Chocolate

Cranberry

Dark Granite

Emerald Green

Glen Green

Grey

Midnight Blue

Navy



Platinum

Red/Black

Silver

Slate

Solid Black

Solid Red

Stardust Grey

Steel Blue

Suede



ENVIRO PLUS®

Wiper • Dust Control • Slip-Resistant

3/8" Product No. 2202

- **Clean** - Stops dirt and moisture at your door
- **Environmentally-friendly** – Made with 100% post-consumer recycled PET fabric reclaimed from plastic drink bottles; crumb rubber backing contains post-consumer recycled tires
- **Durable** – PET fabric is stain-resistant and fade-resistant
- Available with smooth backing only

SIZES

2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	4' x 10'
3' x 8'	4' x 12'
3' x 10'	6' x 8'
3' x 12'	6' x 12'

Sizes are approximate. See price list for any additional sizes.



Indoor



Indigo



Black Smoke

Chestnut

Grey Ash

Indigo



Indoor

PLUSH™

Wiper • Dust Control • Slip-Resistant


3/8" Product No. 180

- **Superior Moisture & Dust Control** – Heavy carpet pile absorbs and retains 50% more moisture and dust than standard mats
- **Resilient** – High-twist, heat-set nylon resists crushing to better trap dirt and extend the useful life of the mat
- **Fade Resistant** – Solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach
- **Safe** – Certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 8 color options backed with durable 90-mil nitrile rubber


SIZES

2' x 3'
3' x 4'
3' x 10'
4' x 6'
4' x 8'

See price list for all additional sizes
Sizes are approximate.



Red Pepper



Red Pepper



Black

Brown/Black

Dark Green

Deeper Navy

Golden Brown

Midnight Grey

Red Pepper

Slate Grey



SURE STRIDE®
Slip-Resistant



Indoor

3/32" Product No. 4450
Cutting Board Product No. 4459
Cutting Knife Product No. 4460

- **Keeps Floors Dry** – Moisture barrier keeps liquids from soaking through to the floor
- **Stays in Place** – Tacki-Back adhesive keeps mat flat and in place, even with cart and buggy traffic
- **Dries Quickly** – Mat dissipates water quickly for fast drying time
- **Easy to Install** – Cut individual mats as needed from the roll
- **Safe** – Certified high-traction by the National Floor Safety Institute (NFSI)
- **Odor Resistant** – Fabric is treated with an anti-microbial agent to help prevent odors
- Will perform up to 4 months under normal use

SIZE

2' x 25'
3' x 100'
rolls

FREE CUTTING KNIFE with Each Roll!





Indoor

SURE STRIDE® PLUSH

Slip-Resistant

3/16" Product No. 4457

- **Keeps Floors Dry** – Retains more than 1 gallon of water per 10 linear feet; moisture barrier keeps liquids from soaking through to the floor
- **Stays in Place** – Tacki-Back adhesive system keeps mat flat and in place, even with wheelchair, cart, and buggy traffic
- **Dries Quickly** – Eco-friendly PET fabric dissipates water quickly for fast drying time
- **Odor Resistant** – Fabric is treated with an anti-microbial agent to help prevent odors
- **Easy to Install** – Cut individual mats as needed from the roll
- **Safe** – Certified high-traction by the National Floor Safety Institute
- Will perform for up to 4 months under normal use

SIZE
3' x 30'
roll

**FREE
CUTTING KNIFE
with Each Roll!**



SureStride Plush
Smoke



CLEAN STRIDE®



Indoor

3/8" Frame Only
3/8" Frame with Carpet
Inserts (60 sheets)

Product No. 410
Product No. 411
Product No. 412

- **Clean & Dry** - Raised nubs on the WaterHog mat remove dirt and moisture from shoes and trap it below foot level while the adhesive insert removes any remaining dirt or dust particles
- Not recommended for wet areas

The Clean Stride adhesive insert is comprised of 60 layers of adhesive coated film. Each layer will perform many times before it must be peeled away. Each layer is numbered to ensure one sheet at a time removal and to indicate the number of layers remaining.



**RUBBER
FRAME SIZES**
26.5" x 32"
36.5" x 46"

**CARPET/
RUBBER
FRAME SIZES**
26.5" x 63.5"
36.5" x 92.5"
Clean Stride Mat
Frames **do not**
include Clean
Stride Inserts

INSERT SIZES
24" x 30"
34" x 44"



About M+A Matting

The M+A name represents two powerful brands – Mountville and Andersen – with nearly a century of combined experience developing and manufacturing mats designed to make environments safer, cleaner, and more comfortable.

A Brief History


In 1963, the late Emmet Hart, with his wife Nancy by his side, established Mountville Mills. A little over a decade later, in 1974, the late Walter Andersen established The Andersen Company. Throughout the years, the companies drove innovations in their respective markets; Mountville in the textile rental market, and Andersen in the janitorial/sanitary supply markets. Driven by quality, innovation, and customer service, they paved the way for future generations of Harts and Andersens to expand the business. In 1999, these flagship brands joined forces to become the largest mat manufacturer in the world, and in 2018 we made the union official with a name change to M+A Matting.

For decades, we've been a symbol of quality and customer service. We're the driving force in the mat industry, developing the next generation of mats designed to provide superior safety, cleanliness, and comfort to workers and customers across the world. Whether you need entrance matting, logo matting, or anti-fatigue matting, M+A has you covered.

There are three principles that guide every action we take, every decision we make, and every mat we produce:

- Do the right thing.
- Do what is best for the customer.
- Drive improvements and innovation.

It is these core values that drive us to provide our customers with high-performance, high-quality matting and unparalleled customer satisfaction.



COVID-19 Response Products



Size: 3' x 5'
Design Number: 3017378

Message Mats

These mats were designed to promote frequent hand washing/ sanitizing, social distancing, and safety.

- **Photographic-Quality Printing** - Designs are digitally printed at 76 dpi (dots per inch), making these mats vibrant and easy-to-read
- **Eco-Friendly** – PET (polyethylene terephthalate) carpet surface contains 50% post-consumer recycled content reclaimed from plastic bottles
- **Fade & Stain Resistant** - PET yarn has excellent color-fastness and is resistant to fading from repeated washing/cleaning; PET yarn is naturally resistant to staining
- **Safe** - Certified high-traction by the National Floor Safety Institute (NFSI)

Social Distancing Runner Mats



Size: 3' x 13'

When customizing reference design number 3024244



Size: 3' x 10'
Design Number: 3024243



Size: 3' x 5'
Design Number: 3024242



Size: 3' x 5'
Design Number: 3017380



Size: 2' x 3'
Design Number: 3017627

Size: 3' x 5'
Design Number: 3017625

Message Mats

These mats were designed to promote frequent hand washing/sanitizing, social distancing, and safety.



Size: 3' x 5' Horizontal
Design Number: 3024239

Size: 3' x 5' Vertical
Design Number: 3024241



Size: 2' x 3'
Design Number: 3017629



Size: 3' x 5'
Design Number: 3069638



Sure Stride® Impressions Mats

Logo · Specialty · Indoor

Custom Designs
Stock Messages

Product No. 4427
Product No. 4428

- **Provides Clear Messages** - Mats can be placed at pivotal locations to provide important messages or reminders
- **Stays in Place** - Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic
- **Hassle Free** - Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
- **Won't Leave Residue** - Sure Stride mats are less likely to leave a sticky residue than floor decals
- **Odor Resistant** - Anti-microbially treated for protection from odors
- **Slip Resistant** - Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use
- Sold in case/box; 6 mats per case

SIZES

17" x 17"
17" x 23.5"

Sizes are approximate.

Stock designs:



COVID-19 Response Products



Stick-and-Stand™ Mats

Social Distancing Floor Markers • Specialty • Indoor

3/32" Product No. 4464

- **Provides Clear Direction** - Universal “stop sign” shape with shoe prints marks where customers should stand; mats can be placed at safe intervals in virtually any configuration
- **Stays in Place** – Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic
- **Hassle Free** - Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
- **Won't Leave Residue** - Stick-and-Stand mats are less likely to leave a sticky residue than floor decals
- **Odor Resistant** - Anti-microbially treated for protection from odors
- **Slip Resistant** - Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use

SIZES

17" x 17"

Sizes are approximate.

Sure Stride® Directional Mats

Floor Marker • Specialty • Indoor

3/32" Product No. 4466

- **Provides Clear Direction** - Mats can be rotated to provide directional cues in any direction
- **Stays in Place** – Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic
- **Hassle Free** - Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
- **Won't Leave Residue** - Sure Stride mats are less likely to leave a sticky residue than floor decals
- **Odor Resistant** - Anti-microbially treated for protection from odors
- **Slip Resistant** - Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use

SIZES

17" x 17"

Sizes are approximate.



These mats feature a 2' x 3' well that holds an abrasive insert and your preferred liquid sanitizer, followed by a 3' x 5' carpeted section to help remove any excess moisture from shoes, reducing the likelihood of slips following sanitation. Wash, wipe, and walk on safely!




Nylon Carpet

Nylon carpet dries shoes to reduce risk of slip-and-fall accidents and protect floors from moisture

Well with Insert

2'x3' well holds liquid sanitizer and abrasive insert to clean and disinfect shoes



StepWell™ Sanitizing Tray

Specialty · Indoor

2' x 3' Tray with Insert
Inserts

Product No. 834
Product No. 836

Like the StepWell Mat, this product is designed for shoe sanitation. It features a 2' x 3' well that holds an abrasive insert and your preferred liquid sanitizer. A walk-off mat is recommended to follow the StepWell Tray in order to help remove excess moisture from shoes, reducing the likelihood of slips and falls.



StepWell™ Sanitizing Mats

Specialty · Indoor

3' x 7' Mat with Insert
Inserts

Product No. 835
Product No. 836

- Available in three designs
- The insert serves as a splash guard and helps dislodge any dirt or debris from the bottom of shoes so the fluid can reach the entire sole surface
- Each mat includes one insert; additional inserts are available in packs of four
- Well holds one insert and approximately 84 ounces (2.5 L) of sanitizing solution (not included)
- Compatible with most sanitizing/disinfecting solutions. Works best with quaternary and hydrogen peroxide sanitizing solutions.

SIZES
3' x 7' Mat
20.5" x 33" Inserts

Sizes are approximate.

The StepWell Mat and StepWell Tray work best with quaternary and hydrogen peroxide sanitizing solutions; can be used with chlorine bleach solutions, but failure to adhere to recommended concentrate can damage the product.

- Quaternary ammonium should be used per recommended dilution instructions on the label (for sanitizing level protection).
- 3% hydrogen peroxide solutions can be used without further dilution.
- 6% chlorine bleach should be used at a concentration of 0.4% (0.5 oz. per gallon). Caution: Do not use mat as a work surface to prepare bleach solution, as undiluted bleach may cause permanent color loss.





M + A MATTING

www.mamattng.com

M+A MATTING • 340 CROSS PLAINS BLVD • DALTON, GA 30721
TOLL FREE 800.241.4696 • 706.277.2551 • FAX 706.277.3170