

Amarr Residential Garage Doors

www.amarr.com



Openings in Steel. Express your style in steel. Amarr garage doors make it happen.

Exceptional performance, low maintenance and durability, available in nine steel collections.

From classic carriage house designs to contemporary flush panels,

get a striking look that stands the test of time.

- 2 AMARR CARRIAGE COURT
- 4 AMARR CARRIAGE COURT OPTIONS
- 6 AMARR CLASSICA®
- 8 AMARR CLASSICA® & DECORATIVE HARDWARE OPTIONS
- 10 AMARR OAK SUMMIT®
- 12 AMARR HILLCREST
- 14 AMARR DESIGNER'S CHOICE
- 16 AMARR HERITAGE™
- 18 AMARR STRATFORD®
- 20 AMARR LINCOLN
- 22 AMARR OLYMPUS
- 24 WINDOW & COLOR OPTIONS
- 25 SPECIFICATIONS

Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from 1000 single, 2000 double, 3000 triple or 4000 four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel. CONSTRUC

STEEL

1000

Single-Layer: Steel

Amarr Classica, Hillcrest, Oak Summit, Heritage, Lincoln & Stratford

- · Heavy-duty Exterior Steel
- Durable, Reliable, Low Maintenance



2000

Double-Layer: Steel + Insulation

Amarr Classica, Hillcrest, Oak Summit, Heritage, Lincoln & Stratford

- Heavy-duty Exterior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene Thermal Insulation with Vinyl Backing
- **Energy Efficient**
- Quiet Operation



3000

Triple-Layer: Steel + Insulation + Steel

Amarr Classica, Hillcrest, Oak Summit, Olympus, Designer's Choice, Heritage, Lincoln & Stratford

- · Heavy-duty Exterior and Interior Steel
- · Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene or Polyurethane Thermal Insulation
- Superior Energy Efficiency
- **Extra Quiet Operation**









- * For True White Bead Board only.
 ** For all panels and colors except True White Bead Board.
- † For True White Short Panel only. ‡ For all panels and colors except True White Short Panel.

4000

Four-Layer: Overlay + Steel + Insulation + Steel Amarr Carriage Court

· Heavy-duty Exterior and Interior Steel


- · Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene Thermal Insulation
- Energy Efficient
- · Extra Quite Operation











Amarr Oak Summit Recessed design with Thames DecraTrim in Sandtone



Amarr Carriage Court Fairfield design with Closed Square in True White/White with Alpine decorative handles



Bradbury design with 3 Lite Arch windows in Sandtone/White with Canterbury decorative hardware



AMARR CARRIAGE COURT

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal and the highly defined carriage house designs are easily visible from the end of the driveway.

Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.



A wide variety of unique carriage house designs available in four color options.

See page 25 for complete specifications.

CC4000

Four-Layer: Overlay + Steel + Insulation + Steel

R-VALUE **6.48**

Decorative Windows & Hardware


Choose from a variety of optional decorative windows & hardware to match your home's design.

See page 4 for window options.

See page 9 for hardware options.



DESIGNS



*Closed Square only.

AMARR CARRIAGE COURT OPTIONS

TOP SECTIONS

Available for BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT and SEABROOK with CLEAR, OBSCURE or INSULATED GLASS

CLOSED SQUARE (104)



CLEAR SQUARE (115)



3 LITE SQUARE (106)



4 LITE SQUARE (107)



6 LITE SQUARE (112)



8 LITE SQUARE (113)



CLOSED ARCH (105)



CLEAR ARCH (114)



3 LITE ARCH (110)



4 LITE ARCH (111)



6 LITE ARCH (108)



8 LITE ARCH (109)



Available for ARCADIA*, ASHLEY, BROOKLAND*, DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIA*, MIDDLETON, NEWBERRY, RAVENWOOD* and TANGLEWOOD

*Closed Square only.

CLOSED SQUARE (104)



CLOSED ARCH (105)



CONSTRUCTION

Steel Interior Polystyrene Insulation Steel Exterior Composite Overlay Bottom Weather Seal

CC4000

Four-Layer: Overlay + Steel + Insulation + Steel

- 2" thick door with polystyrene insulation and steel interior
- Built with 1-3/8" steel section and 5/8" composite overlay trim

OVERLAY TRIM



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Coped edge design
- Sustainable, green building material
- · Resists rot, decay, and fungal growth
- · Won't flake, blister, peel, pit or corrode

WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with coped edges
- Available in Clear, Obscure or Insulated glass

COLORS

 $\label{thm:colors} \mbox{Actual paint colors may vary from samples shown}.$



TRUE WHITE / WHITE (W1)



WICKER TAN / WHITE (K1)



ALMOND / WHITE (A1)



SANDTONE / WHITE (S1)

Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings

DOOR WIDTHS

Only available in widths shown; not available in odd widths



12°, 14° & 15° WIDE

8', 9' & 10' WIDE





*Available in Ashley, Charlton, Greenbriar and Laurelbay (no window options).

DOOR HEIGHTS

Available in 6'6" – 10' heights in 3" increments†







[†]Rosemont not available in 8'3", 8'9", 9'3" and 9'9"; Tanglewood not available in 6'3" and 7'3" door heights.

WARRANTY

- Lifetime limited warranty on finish
- 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- 5-year limited warranty on overlay delamination

Newberry design with Closed Square in Sandtone/White with Canterbury decorative handles









AMARR CLASSICA®

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel. The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.



Unique three-section tall carriage house style doors available in seven stamped-steel panel designs.

See page 25 for complete specifications.

CL1000 Single-Layer: Steel

CL 2000

Double-Layer: Steel + Insulation

CL3000

Triple-Layer: Steel + Insulation + Steel

Santiago with Seine Windows (S8)

Decorative Windows & Hardware

Optional decorative windows & hardware,

carriage houses, adds character to your door.

reminiscent of authentic hardware found on original

See pp. 8-9 for glass, window, and hardware options.



* For Amarr Classica CL3000 only.



Cortona with Americana Windows (C57)



Tuscany with Closed Arch [T1]



Bordeaux with Closed Square (B2)



DESIGNS















COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.









SANDTONE (ST)





CHARCOAL GRAY (EF)+



DARK BROWN (DN)



BLACK (BL)‡





GOLDEN OAK (OK)**







ALMOND (AL)

[†] Odd heights only available in Amarr Classica CL3000. ‡ Price upcharge applies; odd heights not available. ** Price upcharge applies.

AMARR CLASSICA® & DECORATIVE HARDWARE OPTIONS

TWO-TONE PAINT OPTIONS*



Cortona design in Sandtone/Terratone



TOP SECTIONS

CLOSED ARCH • Available for TUSCANY (T1), SANTIAGO (S1), LUCERN (L1), VALENCIA (V1), CORTONA (C1)



CLOSED SQUARE • Available for TUSCANY (T2), SANTIAGO (S2), LUCERN (L2), VALENCIA (V2)



CLOSED DOUBLE ARCH • Available for TUSCANY (T1D), SANTIAGO (S1D), LUCERN (L1D), VALENCIA (V1D), CORTONA (C1D)



CLOSED ARCH • NORTHAMPTON (N1)



CLOSED SQUARE • NORTHAMPTON (N2)



CLOSED ARCH • BORDEAUX (B1)



CLOSED SQUARE • BORDEAUX (B2)



CLOSED SQUARE • CORTONA (C2)



AMERICANA (57)*



JARDIN (75)*



TRELLIS (76)*



*Tempered obscure glass with baked-on ceramic design. Design visibility varies due to lighting. Visit amarr.com and access the Amarr Door Designer to view specific designs in various architectural styles.

Tuscany design in True White/Almond



Santiago design in Dark Brown/Terratone



NO INSERT



DANUBE (4)1



MADEIRA (5)†



NILE (6) †



RHINE (7) †



SEINE (8) †



THAMES (10)+



[†]Window inserts shown on Clear glass.
Design also available with Obscure, Frost or Dark Tint glass.

GLASS OPTIONS

CLEAR (C)



OBSCURE (0)



FROST (WF)



DARK TINT (WD)



DECORATIVE HARDWARE & LOCK

ALUMINUM

Available for Amarr Carriage Court, Classica, Oak Summit, Hillcrest, and Designer's Choice collections.



10-1/2" HANDLES†

17" STRAP HINGES WITH CLAVOS*

3-1/2" RING HANDLES





CANTERBURY

*Hinges with Clavos not recommended for arched openings. $\,^\dagger$ Not for use with high lift installations.

STAMPED STEEL

Available for Amarr Carriage Court, Classica, Oak Summit, Hillcrest, and Designer's Choice collections.



MAGNETIC ABS VINYL

Available for Amarr Carriage Court‡, Classica, Oak Summit, Hillcrest, and Designer's Choice collections.



4" RING HANDLES (with removable backer plate)

18" STRAP HINGES







1-3/4" CLAVOS

NOTTINGHAM

CLAVOS

 \ddagger 2-sided adhesive disks must be purchased separately.

Long Bead Board design with Moonlite DecratTrim in True White with Blue Ridge handles and hinges





AMARR OAK SUMMIT®

Self-Expression shouldn't cost a fortune. With the Amarr Oak Summit collection it won't. These durable steel doors offer an attractive carriage house look.

Choose from a variety of door colors, decorative hardware, and window accents.

Customize your home with our most affordable carriage house door.



The Amarr Oak Summit collection is available in four carriage house designs with your choice of eleven colors.

See page 25 for complete specifications.

Raised with Jardin DecraGlass (RS75)

0S1000 Single-Layer: Steel

052000

Double-Layer: Steel + Insulation

053000

Triple-Layer: Steel + Insulation + Steel

Decorative Windows & Hardware

Give your door a unique carriage house look with a variety of decorative window & hardware options.

See page 9 for decorative hardware options, page 24 for glass and window options.

Raised with Stockton DecraTrim (RS20)



Long Bead Board with Sunray DecraTrim (LPBB27)



Bead Board with Prairie DecraTrim (BB21)




Recessed with Arched Thames DecraTrim (RE31)



DESIGNS









COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



























^{*}Color only available in Amarr Oak Summit 0S3000
† Price upchange applies.

Raised design with Arched Thames DecraTrim in Wicker Tan with Alpine handles



AMARR HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles.

You get exceptional style and durability with conventional hardware at a competitive price.

The Amarr Hillcrest. Value is a beautiful thing.



The Amarr Hillcrest collection is available in four carriage house designs with your choice of ten color options.

See page 25 for complete specifications.



HI1000 Single-Layer: Steel

HI2000

Double-Layer: Steel + Insulation

H13000

Triple-Layer: Steel + Insulation + Steel

R-VALUE 9.05

* For Amarr Hillcrest HI3000 only.



Choose DecraTrim window inserts or DecraGlass windows to coordinate with your home's design along with optional decorative hardware.

See page 24 for glass and window options. For decorative hardware, see page 9.

Raised with Waterford DecraTrim (RS25)



Recessed with Stockton Decratrim (RE20)



Recessed with Mission DecraGlass (RE71)




Bead Board with Cascade DecraTrim (BB23)



DESIGNS









COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used

















GOLDEN OAK (OK)†







WALNUT (NT)† MAHOGANY (MY)†



Bead Board design with Stockton DecraTrim in True White with Blue Ridge handles and hinges



AMARR DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models.

With triple-layer construction and superior insulation R-value of 19.40*, these durable,
low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



The Amarr Designer's Choice model is available in four carriage house designs and eight color options.

See page 25 for complete specifications.

Bead Board with Cascade DecraTrim (BB23)

DC3200

Triple-Layer: Steel + Insulation + Steel



* For True White Bead Board only. 13.35 R-value for all other panels and colors.

Decorative Windows & Hardware

Choose from DecraTrim inserts or DecraGlass windows to best coordinate with your home.

See page 24 for glass and window options. For decorative hardware, see page 9.

Long Bead Board with Stockton DecraTrim (LPBB20)



Raised Closed (RS)



Bead Board with Victorian DecraGlass (BB54)



Recessed with Moonlite DecraTrim (RE24)



DESIGNS









COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.















WALNUT (NT)+



MAHOGANY (MY)†



† Price upcharge applies

Long Panel design with Prairie DecraGlass in Walnut



AMARR HERITAGE™



Tradition never goes out of style. Choose from four different panel designs to create the steel garage door you always wanted. The Amarr Heritage collection features low-maintenance, heavy gauge steel doors in your choice of traditional styles.

Great looks for years to come.



The Amarr Heritage collection is available in a variety of panel designs and colors.

See page 25 for complete specifications.

Flush Panel (FP)* with Short Panel Obscure windows

HR1000 Single-Layer: Steel

HR2000

Double-Layer: Steel + Insulation

HR3000

Triple-Layer: Steel + Insulation + Steel

Decorative Windows & Hardware

Choose from contemporary or craftsmen DecraGlass windows or DecraTrim window inserts to coordinate with your home.

See page 24 for glass and window options, page 9 for decorative lock option.

Long Panel with Moonlite DecraTrim (LP24)




Short Panel with Americana DecraGlass (SP57)




Short Panel with Stockton DecraTrim (SP20)



Ribbed Panel (RP)*



DESIGNS



Long Panel (LP)





*Available in Amarr Heritage HR3000 only.

MOSAIC WINDOW OPTIONS

With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



















MAHOGANY (MY)†



Short Panel design in Golden Oak



AMARR STRATFORD®



Time-honored style. The Amarr Stratford collection offers four traditional designs, 11 color choices, and more than 20 decorative window options. This durable and low-maintenance collection provides section interfaces designed to reduce the risk of serious finger and hand injuries.

The Amarr Stratford collection. A statement of style.



The Amarr Stratford collection is available in a variety of panel designs and 11 colors.

See page 25 for complete specifications.

Short Panel with Sunray DecraTrim (SP27)

ST1000 Single-Layer: Steel

ST2000

Double-Layer: Steel + Insulation

ST3000

Triple-Layer: Steel + Insulation + Steel

Decorative Windows & Hardware

Choose from contemporary or craftsmen DecraGlass windows or DecraTrim window inserts to coordinate with your home.

See page 24 for glass and window options, page 9 for decorative lock option.

Long Panel with Heartland DecraGlass (SP70)




Ribbed Panel (RP)*






Flush Panel (FP)* with Long Panel Clear windows



DESIGNS









*Available on Amarr Stratford ST3000 only.

MOSAIC WINDOW OPTIONS

With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



























MAHOGANY (MY)† Woodgrain finishes are dual directional for all panel designs



AMARR LINCOLN

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the durability & strength of steel and conventional hardware.

Along with more than 20 decorative window choices, this affordable collection delivers premium style at a competitive price. The Amarr Lincoln. A new tradition of style and value.



The Amarr Lincoln collection is a traditional door offered in Short, Long, Flush, or Ribbed panel designs and ten color options.

See page 25 for complete specifications.

Short Panel with Chalet DecraGlass (SP56)

LI1000

Single-Layer: Steel

L12000

Double-Layer: Steel + Insulation

L13000

Triple-Layer: Steel + Insulation + Steel

Decorative Windows

Choose from DecraTrim window inserts or DecraGlass windows to coordinate with your home's design.

See page 24 for glass and window options.



* For Amarr Lincoln LI3000 only.



Long Panel with Cascade DecraTrim (LP23)




Ribbed Panel (RP)* with Long Panel Clear windows







DESIGNS









*Available in Amarr Lincoln LI3000 only.

MOSAIC WINDOW OPTIONS

With Mosaic Window Options you decide the number and location of windows to create the door design you want.
Visit amarr.com/mosaic for design inspirations.



COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.















DARK BROWN (DN)









Weedgrain finisher are dual directional for all panel deci





AMARR OLYMPUS

When it comes to ultimate protection, the Amarr Olympus stands tall.

With triple-layer construction and superior insulation R-value of 19.40*, these durable,

low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



The Amarr Olympus model is available in Short Panel and Long Panel designs and your choice of eight color options.

See page 25 for complete specifications.

OL3200

Triple-Layer: Steel + Insulation + Steel



* For True White Short Panel only. 13.35 R-value for all other panels and colors.

Decorative Windows

Choose from DecraTrim inserts or DecraGlass windows to best coordinate with your home.

See page 24 for glass and window options.





13.35 R-value for all other panels and colors.



Short Panel (SP) with Short Panel Clear windows




Long Panel with Thames DecraTrim (LP30)





DESIGNS



MOSAIC WINDOW OPTIONS

With Mosaic Window Options you decide the number and location of windows to create the door design you want.
Visit amarr.com/mosaic for design inspirations.



COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.















WALNUT (NT)+




MAHOGANY (MY)†




†Price upcharge applies.

AMARR OLYMPUS

WINDOW & COLOR OPTIONS



Visit amarr.com and access the Amarr Door Designer to view door designs, window options and colors in various architectural styles or upload a picture of your own home.




MOSAIC WINDOW OPTIONS

The choice is yours. Add visual interest to your contemporary, mid-century modern or transitional home. With Mosaic Window Options for Amarr Heritage, Stratford, Lincoln and Olympus steel garage doors short or long panel windows with clear or obscure glass can be placed in any standard position**. Visit amarr.com/mosaic for design inspirations.



**Window design options may vary based on door width.





TRUE WHITE ALMOND (TW) (AL)

























MAHOGANY (MY)‡



Amarr Color Zone‡
Over 500 factory-applied colors. Visit a Sherwin-Williams store to select the SnapDry™paint color of your choice.

WICKER SANDTONE TERRATONE TAN (ST) (TT)









GOLDEN OAK (OK)‡






SPECIFICATIONS

| Part | Linger | | | | CARE | CARRIAGE | E HOUS | SEDE | SIGN | | | | | | | TRADITIONAL | NOIT | | ESIGN | | | |
|--|---------------------------------------|---|---|--------------------|-------------|----------------|---|----------|--|---|------------------------------|--------------------------------|--|------------|-----------------------------|------------------|-----------------------------------|-------------------------------------|---|---------------------------------------|-------------------------------|----------------------|
| The column | Z MILLER | | | | _ | AMARR | | _ | | | | AMARR | | | | | | 8 | | | | |
| | ENTRE/MATIC | | AMARR CLASSICA CL1000 | CLASSICA CL2000 | | | | | | AMARR HILLCREST HI2000 | AMARR HILLCREST HI3000 | DESIGNER'S CHOICE DC3200 | AMARR HERITAGE HR 1000 | | AMARR HERITAGE HR3000 | STRATFORD ST1000 | AMARR STRATFORD ST2000 | STRATFORD ST3000 | AMARR LINCOLN LI1000 | AMARR LINCOLN LI2000 | AMARR LINCOLN LI3000 | OLYMPUS OL3200 |
| | ANEL DESIGNS (Safe Guard) | | ` | ` | ` | > | ` | ` | | | | | ` | ` | ` | ` | > | ` | | | | |
| Street, Column Front Fro | hort | | | | | | | | | | | | | | | | | | | | | ٠ |
| | bug | | | | | | | | | | | | | | | | | • | | | | • |
| 1 | ush | | | | | | | | | | | | | | | | | | | | | |
| Continue | Deed Police | 18 Designs | 7 Designs | 7 Designs | 7 Designs | _ | _ | _ | | 4 Designs | 4 Designs | 4 Designs | | | | | | | | | | |
| State Stat | NCTDIICTION I AVEDC | 4 | - | 6 | c c | | + | + | | 0 | | | - | 6 | c | - | 0 | c | - | 0 | cr | cr |
| State Stat | land land | | | 1 | , | | 1 | > | | | > | , | | 1 | , | | 1 | , | | , | , | > |
| Part | | | | | | | • | | | • | | | | | | | | | | • | | |
| State Stat | eet + Insulation | | | | | | | | | | | ŀ | | | | | | | | , | | |
| State Stat | eet + Insulation + Steet | | | | • | | | | | | • | | | | | | | | | | | |
| 1. 1. 1. 1. 1. 1. 1. 1. | rei tay + Steet + IIIsutation + Steet | - | | | _ | 1 | - | | | - | , , , , , , | , , , , , , | ,, | | | | | | , , , , , | 1 11 | | , , , , |
| | OR THICKNESS | 2" (5.1cm) | | 2" (5.1cm) | | _ | _ | _ | | _ | 2"(5.1cm) | 2" (5.1cm) | _ | | 2" (5.1cm) | _ | | 1-3/8"(3.5cm) | _ | | | 2" (5.1cm) |
| State Stat | ULATION | Polystyrene ¹ | | Polystyrene | | | Polystyrene | _ | - | Polystyrene ¹ | Polystyrene ¹ | Polyurethane | | | Polystyrene ¹ | | | Polystyrene ¹ | | | | Polyurethane |
| State Stat | ALUE ² | 6.48 | | 6.64 | 13.35 | | 6.64 | 6.48 | | 6.64 | 9.02 | 19.40713.35 | | 6.64 | 9.05 | | 6.64 | 6.48 | | 6.64 | 9.05 | 1940'/13.35 |
| Facing State | EEL THICKNESS | | | | | | | | | | | | | | | | | | | | | |
| State Control Cont | nge (ga) | 27/27 ga | | 24 ga | 25/27 ga | 25 ga | 25 ga | 27/27 ga | 25 ga | 25 ga | | | 24 ga | 24 ga | 24/27 ga | 25 ga | 25 ga | 27/27 ga | 25 ga | | 27/27 ga | 27/27 ga |
| This property This propert | uge (mm) | 0.42/0.42mm | | 0.61mm | 0.53/0.42mm | | | | | 0.53mm | | | 0.61mm | | 0.61/0.42mm | 0.53mm | | 0.42/0.42mm | 0.53mm | | | 0.42/0.42mm |
| Controlled Con | ODGRAIN EXTERIOR TEXTURE | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| FESTAL | VANIZED END STILES | | • | • | | • | • | | • | • | | | | | | • | • | | • | • | | |
| Fig. 5544 Fig. 5 | NTED END STILES | | | | • | | | • | | | | | | | | | | | | | | |
| Color Colo | ERMAL SEAL | • | | | | | | • | | | | *• | | | | | | | | | | - • |
| Color Colo | TTOM WEATHER SEAL | | | | | | | | | | | | | | | | | | | | | |
| Company Comp | eel Retainer | | • | • | • | ٠ | • | | ٠ | • | | *. | • | | | • | | | • | • | | #• |
| Color Colo | minum Retainer | • | | | | | | • | | | | | | | • | | | • | | | | |
| Color Colo | ruded Vinyl | | | | | | | | | | • | *• | | | | | | | | | • | - • |
| Compared and smoke the stations Comp | ORATIVE WINDOW OPTIONS | • | • | • | • | • | • | • | • | · | • | • | • | • | • | • | • | • | | | | • |
| Comparison Com | DOW GLASS OPTIONS | | | | | | | | | | | | | | | | | | | | | |
| Lifetime Lifetime Lifetime 15 Years | 2"(0.24cm) Single Strength | | | | | ٠ | ٠ | ٠ | ٠ | ٠ | • | • | | | | • | • | | | | | |
| Lifetime | (0.32cm) Tempered 2X Strength | | | • | • | | | | | | | | | | | | | | | | | |
| Comparison Com | ar Insulated | • | | | | | | ٠ | | | | • | | | | | | | Ī | | | |
| 1 | scure | • | • | • | • | • | • | • | • | • | | | • | • | • | | | | • | | | • |
| Calculated floor or Annum Parada Calculated floor a section R-value is in a parada only, Based on the short or leading or lifetime by the calculated floor a section R-value is independent tabloration ytest results. Calculated floor a section R-value is independent tabloration ytest results. Calculated floor a section R-value is independent tabloration ytest results. Calculated floor a section R-value is independent tabloration ytest results. Calculated floor a section R-value is independent tabloration ytest results. Calculated floor a section R-value is independent tabloration ytest results. Calculated floor a section R-value is independent tabloration ytest results. Calculated floor a section R-value is independent tabloration ytest results. Calculated floor a section R-value is independent tabloration ytest results. Calculated floor a section R-value is independent tabloration ytest results. Calculated floor a section R-value is independent tabloration ytest results. Calculated floor a section R-value is independent tabloration ytest results. Calculated | st | | • | • | • | ٠ | • | ٠ | • | ٠ | • | • | • | | | | | | | | | |
| Fig. 10 Fig. | k Tint | | • | • | • | • | • | • | • | • | • | • | • | | | | | • | | | • | • |
| Figure F | ORATIVE HARDWARE OPTIONS | • | • | • | • | ٠ | • | ٠ | • | • | | | | | | | | | | | | |
| 1 | ERIOR COLOR OPTIONS | | | | | | | | | | | | | | | | | | | | | |
| 1 1 1 1 1 1 1 1 1 1 | e White (TW) | 3 | | | | • | • | ٠ | | | | | | | | | | | | | | • |
| Figure Lifetime | ond (AL) | 7 | • | • | | • | • | • | • | | | | | | | | | | | | | • |
| Fig. | ker Tan (WK) | ** | | • | • | ٠ | ٠ | • | • | ٠ | | • | | | | • | | | | | | |
| Liteline | dtone (ST) | 7 | • | • | • | • | • | • | • | • | • | • | | | | | | | | • | | • |
| Ultifilme Lifetime | ratone (TT) | | | | | ٠ | • | ٠ | | | | | | | | | | | | | | |
| Lifetime | rk Brown (DN) | | • | • | • | • | • | • | • | • | • | • | | • | • | | • | • | | | | • |
| Ultdime Lifetime Life | nter Green (HG) | | | | | | | ٠ | | | | | | | | | | | | | | |
| Ultdime Lifetime Life | y (GY) | | | | | | | • | | | | | | | | | | | | | | |
| Ultifilme Lifetime Li | arcoal Gray (EF) | | | | | | | | | | | | | | | | | | | | | |
| Litetime Lit | ick (BL) | | • | • | • | | | | | | | • | | | | | | | | | | • |
| Litetime Lit | den Oak (OK) | | • | • | • | • | • | ٠ | • | • | • | | • | | | • | | | | | | |
| Litetime Lifetime Lif | Ilnut (NT) | | | • | • | • | • | • | • | | • | • | | • | • | | | | • | | | • |
| Utelime Lifetime | shogany (MY) | | • | • | • | • | • | • | • | • | • | • | • | | | | | | | | | • |
| Uteline Lifetime Life | ID LOAD* AVAILABLE | • | • | • | • | • | | | • | • | • | • | • | • | • | • | • | • | • | | • | • |
| 5 Years 3 Years 1 Year 2 Years 3 Years 1 Year 2 Years 3 Years 1 Year 2 Years 3 Years | NT FINISH WARRANTY | _ | Lifetime | Lifetime | Lifetime | 15 Years | - | - | 15 Years | 25 Years | Lifetime | Lifetime | Lifetime | Lifetime | Lifetime | 15 Years | 25 Years | Lifetime | 15 Years | 25 Years | Lifetime | Lifetime |
| Insulation on Amarchand 2 Calculated door section R-value is True White Bead Board only. Based on 1 True White Bead Board only. Based on 1 True White Bead Board only. Based on 2 True White Bead Board only. Based on 3 With White Overlay. Sindependent laboratory test results. Independent laboratory test results. | REMANSHIP/HARDWARE WTY | | 3 Years | 5 Years | Lifetime | 1 Year | 2 Years | 3 Years | 1 Year | 2 Years | 3 Years | Lifetime | 3 Years | 5 Years | Lifetime | 1 Year | 2 Years | 3 Years | 1 Year | 2 Years | 3 Years | Lifetime |
| indepindent spool (and the control of the control o | Pinch Protection | ulation on Amers has passed nespread, and eloped index fi | arr brand self-ignition, smoke re testing. | | | ance with D. | on R-value is ASMA TDS-16; rd only. Based | * + | ill panels and rue White Bea rue White Sho | colors except ad Board. irt Panel only. I | Basedon | | s and colors e te Short Pane. e Overlay. | xcept L | | is your respor | sets local buil arranty detail | ike sure your ding codes. Is, | NOTE: Optive and widths door dealer | onal door lock are available r. | s and various thruyour loc | heights It garage |
| | | | , | | nuadaniii | פוור וממחו מור | ı y test resutt | | unebenneur ra | non atomy test i | esults. | | | | × × | ur local Amar | r dealer. | | | | | |

25



Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit amarr.com for additional products, such as Amarr by Design custom wood carriage house doors, specialty doors, garage flooring, accessories, and a full line of Amarr commercial sectional, rolling slat, and rolling steel doors.

Your Local Amarr Dealer:

Entrematic

165 Carriage Court Winston-Salem, NC 27105 800.503.DOOR www.amarr.com







Entrematic, Amarr, Classica, Heritage, Stratford, and Oak Summit as words and logos are trademarks owned by Entrematic Group AB or companies within the Entrematic Group.

Door specifications and technical data subject to change without notice.

Sectional door products from Entrematic may be the subject of one or more U.S. and/or foreign, issued and/or pending, design

one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©Entrematic Group AB 2018. All rights reserved. Printed in USA Form #6450518/55M/GVS



