

## Recommended Child and Adolescent Immunization Schedule for ages 18 years or younger, United States, 2022

These recommendations must be read with the notes that follow. For those who fall behind or start late, provide catch-up vaccination at the earliest opportunity as indicated by the green bars. To determine minimum intervals between doses see the catch-up schedule (Table 2)

o determine minimum intervals between doses, see the catch-up schedule (Table 2).																		
Vaccine	Birth	1 mo	2 mos	4 mos	6 mos	9 mos	12 mos	15 mos	18 mos	19–23 mos	2-3 yrs	4–6 yrs	7–10 yrs	11–12 yrs	13–15 yrs	16 yrs	17–18 yrs	
Hepatitis B (HepB)	1 <sup>st</sup> dose	<b>◄</b> 2 <sup>nd</sup> (	dose▶		<b>◄</b>		3 <sup>rd</sup> dose											
Rotavirus (RV): RV1 (2-dose series), RV5 (3-dose series)			1 <sup>st</sup> dose	2 <sup>nd</sup> dose	See Notes													
Diphtheria, tetanus, acellular pertussis (DTaP <7 yrs)			1 <sup>st</sup> dose	2 <sup>nd</sup> dose	3 <sup>rd</sup> dose			<b>◄</b> 4 <sup>th</sup> d	ose			5 <sup>th</sup> dose						
Haemophilus influenzae type b (Hib)			1 <sup>st</sup> dose	2 <sup>nd</sup> dose	See Notes		√3 <sup>rd</sup> or 4 See N	th dose, Notes										
Pneumococcal conjugate (PCV13)			1 <sup>st</sup> dose	2 <sup>nd</sup> dose	3 <sup>rd</sup> dose		<b>◄</b> 4 <sup>th</sup> (	dose										
Inactivated poliovirus (IPV <18 yrs)			1 <sup>st</sup> dose	2 <sup>nd</sup> dose	•		3 <sup>rd</sup> dose					4 <sup>th</sup> dose						
Influenza (IIV4)					Annual vaccination 1 or 2 doses								-or -	Annual vaccination 1 dose only				
Influenza (LAIV4)												l vaccination r 2 doses		Annua	vaccination	1 dose onl	у	
Measles, mumps, rubella (MMR)					See N	Notes	<b>◄</b> 1 <sup>st</sup> (	dose				2 <sup>nd</sup> dose						
Varicella (VAR)							<b>◄</b> 1 <sup>st</sup> (	dose				2 <sup>nd</sup> dose						
Hepatitis A (HepA)					See Notes 2-dose series, See Notes					S								
Tetanus, diphtheria, acellular pertussis (Tdap ≥7 yrs)														1 dose				
Human papillomavirus (HPV)														See Notes				
Meningococcal (MenACWY-D ≥9 mos, MenACWY-CRM ≥2 mos, MenACWY-TT ≥2years)								See Notes						1 <sup>st</sup> dose		2 <sup>nd</sup> dose		
Meningococcal B (MenB-4C, MenB-FHbp)				_											See No	tes		
Pneumococcal polysaccharide (PPSV23)														See Notes				
Dengue (DEN4CYD; 9-16 yrs)												Seropositive in endemic areas only (See Notes)						
Range of recommended	Range of r	ecommend	ed ages	Rai	nge of recon	e of recommended ages			Recommended vaccination				Recommended vaccination based No recommendat					

