NICHQ Vanderbilt Assessment Scales

Used for diagnosing ADHD



NICHQ Vanderbilt Assessment Foll	low-up—PARENT Informant
----------------------------------	-------------------------

D5

Today's Date: _____ Child's Name: _____

___ Date of Birth: _____

Parent's Name:

Parent's Phone Number:

Directions: Each rating should be considered in the context of what is appropriate for the age of your child. Please think about your child's behaviors since the last assessment scale was filled out when rating his/her behaviors.

Is this evaluation based on a time when the child □ was on medication □ was not on medication □ not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3

		Above		Somewhat of a	t
Performance	Excellent	Average	Average	Problem	Problematic
19. Overall school performance	1	2	3	4	5
20. Reading	1	2	3	4	5
21. Writing	1	2	3	4	5
22. Mathematics	1	2	3	4	5
23. Relationship with parents	1	2	3	4	5
24. Relationship with siblings	1	2	3	4	5
25. Relationship with peers	1	2	3	4	5
26. Participation in organized activities (eg, teams)	1	2	3	4	5

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NIC



Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

National Initiative for Children's Healthcare Quality

Healthcare Quality

Revised - 0303

NICHQ Vanderbilt Assessment Follow-up—PARENT Informant, continued

D5

Today's Date: _____ Date of Birth: _____

Parent's Name: _____ Parent's Phone Number: _____

Side Effects: Has your child experienced any of the following side	Are these side effects currently a proble		oroblem?	
effects or problems in the past week?	None	Mild	Moderate	Severe
Headache				
Stomachache				
Change of appetite—explain below				
Trouble sleeping				
Irritability in the late morning, late afternoon, or evening—explain below				
Socially withdrawn—decreased interaction with others				
Extreme sadness or unusual crying				
Dull, tired, listless behavior				
Tremors/feeling shaky				
Repetitive movements, tics, jerking, twitching, eye blinking—explain below				
Picking at skin or fingers, nail biting, lip or cheek chewing—explain below				
Sees or hears things that aren't there				

Explain/Comments:

For Office Use Only

Total Symptom Score for questions 1–18: _____

Average Performance Score for questions 19–26:

Adapted from the Pittsburgh side effects scale, developed by William E. Pelham, Jr, PhD.





DEDICATED TO THE HEALTH OF ALL CHILDREN™





activities (not due to refusal or failure to understand)	ī	_	_	-
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3

<u>Directions:</u> Each rating should be considered in the context of what is appropriate for the age of the child you are rating and should reflect that child's behavior since the last assessment scale was filled out. Please indicate the number of weeks or months you have been able to evaluate the behaviors: ______.

Is this evaluation based on a time when the child 🛛 🗌 was on medication 🗌 was not on medication 🗌 not sure?

		Above		Somewhat of a	t
Performance	Excellent	Average	Average	Problem	Problematic
19. Reading	1	2	3	4	5
20. Mathematics	1	2	3	4	5
21. Written expression	1	2	3	4	5
22. Relationship with peers	1	2	3	4	5
23. Following direction	1	2	3	4	5
24. Disrupting class	1	2	3	4	5
25. Assignment completion	1	2	3	4	5
26. Organizational skills	1	2	3	4	5

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN[™]

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 0303

NICH()

National Initiative for Children's Healthcare Quality



D6

Symptoms

3.

4.

Teacher's Name:

for example, homework

Today's Date: Child's Name:

1. Does not pay attention to details or makes careless mistakes with,

Does not follow through when given directions and fails to finish

2. Has difficulty keeping attention to what needs to be done

Does not seem to listen when spoken to directly

NICHQ Vanderbilt Assessment Follow-up—TEACHER Informant

Never

0

0

0

0

Class Time: _____ Class Name/Period: _____

Grade Level:

Occasionally

1

1

1

1

Often

2

2

2

2

Very Often

3

3

3

3

NICHQ Vanderbilt Assessment Follow-up—TEACHER Informant, continued

Teacher's Name:	Class Time:	Class Name/Period:

Today's Date: _____ Grade Level: _____

Side Effects: Has the child experienced any of the following side	nced any of the following side Are these side effects currently a p		problem?	
effects or problems in the past week?	None	Mild	Moderate	Severe
Headache				
Stomachache				
Change of appetite—explain below				
Trouble sleeping				
Irritability in the late morning, late afternoon, or evening-explain below				
Socially withdrawn—decreased interaction with others				
Extreme sadness or unusual crying				
Dull, tired, listless behavior				
Tremors/feeling shaky				
Repetitive movements, tics, jerking, twitching, eye blinking—explain below				
Picking at skin or fingers, nail biting, lip or cheek chewing—explain below				
Sees or hears things that aren't there				

Explain/Comments:

For Office Use Only	
Total Symptom Score for questions 1–18:	

Average Performance Score: _____

Please return this form to:	_
Mailing address:	
	_
Fax number:	_

Adapted from the Pittsburgh side effects scale, developed by William E. Pelham, Jr, PhD.





DEDICATED TO THE HEALTH OF ALL CHILDREN™ 11-22/rev0303



McNeil