


LED 3 WIRE ROPELIGHT 230V GREEN

99 meter roll

Ordercode: 060-003
EAN: 8714984007666
Color: Green
Input: 230V
Power: 3,2 Watt

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1




LED 3 WIRE ROPELIGHT 230V RED

99 meter roll

Ordercode: 060-004
EAN: 8714984007673
Color: Red
Input: 230V
Power: 2,4 Watt

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



LED 3 WIRE ROPELIGHT 230V YELLOW

99 meter roll

Ordercode: 060-005
EAN: 8714984007680
Color: Yellow
Input: 230V
Power: 2,4 Watt

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



TRADITIONAL ROPELIGHT (BULB) 12V CLEAR

45 meter roll

Ordercode: 470-001
EAN: 8714984001299
Color: Clear
Input: 12V
Power: 7,63 Watt

Length: 45 meter
Max. length: 10 meter
Diameter: 13mm
Cutting length: 11cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



TRADITIONAL ROPELIGHT (BULB) 24V CLEAR

45 meter roll

Ordercode: 475-001
EAN: 8714984001206
Color: Clear
Input: 24V
Power: 7,63 Watt

Length: 45 meter
Max. length: 20 meter
Diameter: 13mm
Cutting length: 22cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1

Rope Light



TRADITIONAL ROPELIGHT (BULB) 230V CLEAR

45 meter roll

Ordercode: 480-030
EAN: 8714984001633
Color: Clear
Input: 230V
Power: 16,5 Watt

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



TRADITIONAL ROPELIGHT (BULB) 230V RED

45 meter roll

Ordercode: 480-045
EAN: 8714984001640
Color: Red
Input: 230V
Power: 16,5 Watt

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



TRADITIONAL ROPELIGHT (BULB) 230V GREEN

45 meter roll

Ordercode: 480-040
EAN: 8714984001657
Color: Green
Input: 230V
Power: 16,5 Watt

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



TRADITIONAL ROPELIGHT (BULB) 230V YELLOW

45 meter roll

Ordercode: 480-050
EAN: 8714984001664
Color: Yellow
Input: 230V
Power: 16,5 Watt

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



TRADITIONAL ROPELIGHT (BULB) 230V BLUE

45 meter roll

Ordercode: 480-035
EAN: 8714984001671
Color: Blue
Input: 230V
Power: 16,5 Watt

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1

Rope Light



TRADITIONAL ROPELIGHT (BULB) 230V MILKY WHITE

45 meter roll

Ordercode: 480-075
EAN: 8714984001749
Color: Milky White
Input: 230V
Power: 16,5 Watt

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



TRADITIONAL ROPELIGHT (BULB) 230V ORANGE

45 meter roll

Ordercode: 480-055
EAN: 8714984001909
Color: Orange
Input: 230V
Power: 16,5 Watt

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



LED POWER CABLE 13MM OUTDOOR WITH PLUG AND END CAP

for 230V LED Ropelight

Ordercode: 065-005
EAN: 8714984004696

Length: 150cm

Plug type: Schuko
IP Rate: IP44
Carton Quantity: 50



LED POWER CABLE 13MM OUTDOOR WITH STRIPED WIRE AND END CAP

for 12V & 24V LED and traditional ropelight

Ordercode: 065-010
EAN: 8714984005310

Length: 150cm

Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 50



POWER CABLE 13MM INDOOR WITH END CAP - RETAIL PACK WITH TOPCARD


for traditional ropelight 13mm

Ordercode: 485-010
EAN: 8714984000339

Length: 150cm

Plug type: Euro
IP Rate: IP20
Carton Quantity: 60

Rope Light



POWER CABLE 13MM OUTDOOR WITH END CAP AND GLUE - RETAIL PACK WITH TOPCARD

for traditional ropelight 13mm

Ordercode: 485-015
EAN: 8714984000346

Length: 150cm

Plug type: Schuko
IP Rate: IP44
Carton Quantity: 50



POWER CABLE 13MM OUTDOOR WITH END CAP - BULK PACKAGING

for traditional ropelight 13mm

Ordercode: 485-020
EAN: 8714984002067

Length: 150cm

Plug type: Schuko
IP Rate: IP44
Carton Quantity: 50




POWER CABLE 13MM OUTDOOR WITH END CAP 5 METER - BULK PACKAGING

for traditional ropelight 13mm

Ordercode: 485-025
EAN: 8714984900349

Length: 500cm

Plug type: Schuko
IP Rate: IP44
Carton Quantity: 30



2 SPLICE CONNECTORS WITH GLUE - RETAIL PACK WITH TOPCARD

for traditional and LED ropelight 13mm

Ordercode: 485-050
EAN: 8714984007314

IP Rate: IP44
Carton Quantity: 100




GLUE BOTTLE - RETAIL PACK WITH TOPCARD

for traditional and LED ropelight 13mm

Ordercode: 485-055
EAN: 8714984000414

Carton Quantity: 1

Rope Light



CROCODILE CLIP 13MM 25PCS - RETAIL PACK WITH TOPCARD

for traditional and LED ropelight 13mm

Ordercode: 485-060
EAN: 8714984000421

Carton Quantity: 100



CROCODILE CLIP 13MM 100 PCS BULK PACKAGING

for traditional and LED ropelight 13mm

Ordercode: 485-065
EAN: 8714984900387

Carton Quantity: 25



MOUNTING CLIP 13MM 25PCS - RETAIL PACK WITH TOPCARD

for traditional and LED ropelight 13mm

Ordercode: 485-070
EAN: 8714984007338

Carton Quantity: 100



INVISIBLE SPLICE CONNECTOR

for traditional and LED ropelight 13mm

Ordercode: 485-085
EAN: 8714984900356

Carton Quantity: 100



MALE PIN CONNECTOR

for traditional and LED ropelight 13mm

Ordercode: 485-090
EAN: 8714984900363

Carton Quantity: 100

Rope Light



END CAP

for traditional and LED ropelight 13mm

Ordercode: 485-100
EAN: 8714984001220

Carton Quantity: 100




T CONNECTOR

for traditional and LED ropelight 13mm

Ordercode: 485-105
EAN: 8714984002135

IP Rate: IP44
Carton Quantity: 10



X CONNECTOR

for traditional and LED ropelight 13mm

Ordercode: 485-110
EAN: 8714984002142

IP Rate: IP44
Carton Quantity: 10



HEAT SHRINKABLE TUBE Ø20MM 8CM WITH GLUE 10PCS

for traditional and LED ropelight 13mm

Ordercode: 485-113
EAN: 8714984009356
Color: Clear

Carton Quantity: 1



TRONIX OFFERS ALSO A LARGE RANGE OF CHRISTMAS LIGHTING,
PLEASE VISIT OUR WEBSITE: WWW.LEDVERLICHTINGSHOP.NL FOR
MORE INFORMATION.



HEAT SHRINKABLE TUBE Ø20MM 8CM WITH INSIDE GLUE 10PCS

for traditional and LED ropelight 13mm

Ordercode: 485-116

EAN: 8714984901612

Color: Black

Carton Quantity: 1



CONTROLLER 2 WIRES 1 CIRCUIT FLASHING

for traditional ropelight 13mm

Ordercode: 545-005

EAN: 8714984901032

IP Rate: IP44

Carton Quantity: 1



LED CONTROLLER 230 VOLT IN/OUT WITH 8 FUNCTIONS

for 3 wire LED ropelight 13mm

Ordercode: 214-007

EAN: 8714984902763

IP Rate: IP44

Carton Quantity: 1



POWER/EXTENSION CABLE 3 METER 2X FEMALE

for 3 wire traditional and LED ropelight 13mm - Can also be used as a power cable between 3 wire ropel. and controller (cut into 2 pieces). Use together with power screw 495-010

Ordercode: 495-005

EAN: 8714984900745

IP Rate: IP44

Carton Quantity: 30



POWER SCREW CONNECTOR


for 3 wire traditional and LED ropelight 13mm

Ordercode: 495-010

EAN: 8714984900752

IP Rate: IP44

Carton Quantity: 1



MALE PIN CONNECTOR

for 3 wire traditional and LED ropelight 13mm

Ordercode: 495-015
EAN: 8714984900769

IP Rate: IP44
Carton Quantity: 1



INVISIBLE SPLICE CONNECTOR

for 3 wire traditional and LED ropelight 13mm

Ordercode: 495-020
EAN: 8714984900783

IP Rate: IP44
Carton Quantity: 1



PVC CHANNEL FOR 13MM ROPELIGHT

2 meter length

Ordercode: 485-160
EAN: 8714984001695

Length: 200cm

Carton Quantity: 50



PET CHANNEL FOR 13MM ROPELIGHT

2 meter length

Pet is resistant against UV, chlorine and salt water, and impact resistance.

Ordercode: 485-165
EAN: 8714984004368

Length: 200cm

Carton Quantity: 50



ALUMINIUM CHANNEL FOR 13MM ROPELIGHT

2 meter length

Always keep 4mm space between each 2M channel. Channel will extend when getting warm.

Ordercode: 485-170
EAN: 8714984001688

Length: 200cm

Carton Quantity: 25



LED POWER CABLE 10MM OUTDOOR WITH PLUG AND END CAP

for LED ropelight 10mm

Ordercode: 065-015
EAN: 8714984905900

Length: 150cm

Cable type: Schuko
IP Rate: IP44
Carton Quantity: 50



POWER CABLE 10MM OUTDOOR

for traditional ropelight 10mm

Ordercode: 465-010
EAN: NA

Length: 150cm

Cable type: Schuko
IP Rate: IP44
Carton Quantity: 1



INVISIBLE SPLICE CONNECTOR 2PCS - BULK PACKAGING

for traditional and LED ropelight 10mm

Ordercode: 465-015
EAN: NA

Carton Quantity: 1



ENDCAP 10MM

for traditional and LED ropelight 10mm

Ordercode: 465-030
EAN: NA

Carton Quantity: 100



CROCODILE CLIP 10MM

for traditional and LED ropelight 10mm

Ordercode: 465-035
EAN: NA

Carton Quantity: 1

Rope Light



PVC CHANNEL 10MM - LENGTH 2 METER

for traditional and LED ropelight 10mm

Ordercode: 465-050
EAN: NA

Carton Quantity: 1

GENERAL INFORMATION

1. Make sure there is no current flow on the light tube and the mains supply cable while working on it. Never connect the mains voltage while the light tube is still on the reel; the heat development can cause fire. Never cover the light tube while lit.
2. Check whether the mains voltage of the Glamour Light corresponds with the mains voltage of the power supply.
3. For LED Glamour Light: by using 230 volt or by using a transformer always use a cable with convertor otherwise the LEDs will flicker. The use of a stabilized 12 or 24 volt DC powersupply is to be advised. In this case a converter is not needed.
4. Only cut the Glamour Light on the identification mark, otherwise part of the tube will be permanently useless. Make sure the main voltage is not connected. Use a pair of sharp cutting pliers and make sure the edge is smooth and at the right angles.

5. Mains supply cable and connectors.

It is not permitted to use other than the original mains supply cables and connectors and one must always operate according to the enclosed manual. Always seal the ending with a cap that must be glued on. Use the special glue, which can be obtained from your dealer. Allow the glue to dry for 10 minutes before continuing.

6. Assembly.

Assemble Glamour Light in such a way that there is ample ventilation and the heat can flow off. Do not assemble on surfaces that can vibrate or rattle violently due to severe wind. Allow decorations that span over the road or at shopping centers to move somewhat with the wind. Assemble the tube face front (that is the part producing the most light) and only cut per complete unit as shown in the diagram and only on the identification mark.

7. Installation

Based on the specific circumstances different fixing material is available. Along a steel wire or preshaped frame use bundling straps (for outside usage take the UV-durable quality). For straight lines a synthetic or aluminium channel is available. Crocodile clips and mounting clips can be used for both straight and bent lines. Affixation distance: the recommended distance for clips and bundling straps; horizontal 20 cm and vertical 30 cm. For synthetic or aluminium channels: take care the Glamour Light is not twisted

8. Expansion


Aluminium channel has an expansion coefficient. This means the difference in length per 2 mtr. can increase to several millimeters. Keep about 4mm of space between to channels.

9. Use

It is important to preheat Glamour Light (especially at low outside temperatures) before start using the material. You can do this by connecting the required length to the mains supply. Allow the Glamour Light to burn for a couple of minutes until it is flexible. Especially when making bends this preheating is very important. Disconnect the mains supply before starting the assembly. Always unwind Glamour Light from the reel, this prevents loops or swaying which could damage the internal wiring.

10. Bending

It is very important to bend Glamour Light perpendicular at the wires to avoid damage at the internal wiring.





Neon Flex is a high quality flexible ropelight with the appearance of conventional neon light. Tronix has incorporated the latest encapsulated high graded LED's in a new and unique PVC jacket housing which achieves equal brightness and visual intensity as that of conventional neon lighting. The high durability, long lifetime, low energy consumption and extreme flexibility make Neon Flex the ideal alternative for conventional neon lighting. Neon Flex is available in 240 Volt and 24 Volt.

Warning: For outdoor use, always use silicon adhesive glue instead of liquid glue!

LED NEON FLEX CAFE



LED NEON FLEX DISCO



Neon Flex



NEON FLEX 230V WHITE - UNIT OF 91CM

To order pro unit
Max. length to connect is one roll (50 meter)

Ordercode: 110-001
EAN: 8714984006096
Color: White
Voltage: 230V

Power: 4,5 Watt/unit
Length: 91cm
Width: 16mm

Height: 27mm
Dimmable: Yes
IP rate: IP44
Carton Quantity: 1



NEON FLEX 230V BLUE - UNIT OF 91CM

To order pro unit
Max. length to connect is one roll (50 meter)

Ordercode: 110-002
EAN: 8714984006102
Color: Blue
Voltage: 230V

Power: 4,5 Watt/unit
Length: 91cm
Width: 16mm

Height: 27mm
Dimmable: Yes
IP rate: IP44
Carton Quantity: 1



NEON FLEX 230V GREEN - UNIT OF 91CM

To order pro unit
Max. length to connect is one roll (50 meter)

Ordercode: 110-003
EAN: 8714984006119
Color: Green
Voltage: 230V

Power: 4,5 Watt/unit
Length: 91cm
Width: 16mm

Height: 27mm
Dimmable: Yes
IP rate: IP44
Carton Quantity: 1



NEON FLEX 230V RED - UNIT OF 152CM

To order pro unit
Max. length to connect is one roll (50 meter)

Ordercode: 110-004
EAN: 8714984006126
Color: Red
Voltage: 230V

Power: 6 Watt/unit
Length: 152cm
Width: 16mm

Height: 27mm
Dimmable: Yes
IP rate: IP44
Carton Quantity: 1



NEON FLEX 230V YELLOW - UNIT OF 152CM

To order pro unit
Max. length to connect is one roll (50 meter)

Ordercode: 110-005
EAN: 8714984006133
Color: Yellow
Voltage: 230V

Power: 6 Watt/unit
Length: 152cm
Width: 16mm

Height: 27mm
Dimmable: Yes
IP rate: IP44
Carton Quantity: 1



NEON FLEX 230V WHITE - COMPLETE ROLL OF 50 METER

55 units of 91cm

Max. length to connect is one roll

Ordercode: 110-031

EAN: -

Color: White

Voltage: 230V

Power: 248 Watt/roll

Cutting distance: 91cm

Length: 50 meter

Width: 16mm

Height: 27mm

Dimmable: Yes

IP rate: IP44

Carton Quantity: 1



NEON FLEX 230V BLUE - COMPLETE ROLL OF 50 METER

55 units of 91cm

Max. length to connect is one roll

Ordercode: 110-032

EAN: -

Color: Blue

Voltage: 230V

Power: 248 Watt/roll

Cutting distance: 91cm

Length: 50 meter

Width: 16mm

Height: 27mm

Dimmable: Yes

IP rate: IP44

Carton Quantity: 1



NEON FLEX 230V GREEN - COMPLETE ROLL OF 50 METER

55 units of 91cm

Max. length to connect is one roll

Ordercode: 110-033

EAN: -

Color: Green

Voltage: 230V

Power: 248 Watt/roll

Cutting distance: 91cm

Length: 50 meter

Width: 16mm

Height: 27mm

Dimmable: Yes

IP rate: IP44

Carton Quantity: 1



NEON FLEX 230V RED - COMPLETE ROLL OF 50 METER

33 units of 152cm

Max. length to connect is one roll

Ordercode: 110-034

EAN: -

Color: Red

Voltage: 230V

Power: 198 Watt/roll

Cutting distance: 152cm

Length: 50 meter

Width: 16mm

Height: 27mm

Dimmable: Yes

IP rate: IP44

Carton Quantity: 1



NEON FLEX 230V YELLOW - COMPLETE ROLL OF 50 METER

33 units of 152cm

Max. length to connect is one roll

Ordercode: 110-035

EAN: -

Color: Yellow

Voltage: 230V

Power: 198 Watt/roll

Cutting distance: 152cm

Length: 50 meter

Width: 16mm

Height: 27mm

Dimmable: Yes

IP rate: IP44

Carton Quantity: 1



NEON FLEX 24V WHITE - COMPLETE ROLL OF 9.91 METER

130 units of 7,62cm

Max. length to connect is one roll

Ordercode: 110-011
EAN: 8714984909212
Color: White
Voltage: 24V

Power: 47 Watt/roll
Cutting distance: 7,62cm
Length: 9,91 meter
Width: 16mm

Height: 27mm
Dimmable: Yes
IP rate: IP44
Carton Quantity: 5



NEON FLEX 24V BLUE - COMPLETE ROLL OF 9.91 METER

130 units of 7,62cm

Max. length to connect is one roll

Ordercode: 110-012
EAN: 8714984008403
Color: Blue
Voltage: 24V

Power: 47 Watt/roll
Cutting distance: 7,62cm
Length: 9,91 meter
Width: 16mm

Height: 27mm
Dimmable: Yes
IP rate: IP44
Carton Quantity: 5



NEON FLEX 24V GREEN - COMPLETE ROLL OF 9.91 METER

130 units of 7,62cm

Max. length to connect is one roll

Ordercode: 110-013
EAN: 8714984008410
Color: Green
Voltage: 24V

Power: 47 Watt/roll
Cutting distance: 7,62cm
Length: 9,91 meter
Width: 16mm

Height: 27mm
Dimmable: Yes
IP rate: IP44
Carton Quantity: 5



NEON FLEX 24V RED - COMPLETE ROLL OF 9.96 METER

98 units of 10,16cm

Max. length to connect is one roll

Ordercode: 110-014
EAN: 8714984008427
Color: Red
Voltage: 24V

Power: 59 Watt/roll
Cutting distance: 10,16cm
Length: 9,96 meter
Width: 16mm

Height: 27mm
Dimmable: Yes
IP rate: IP44
Carton Quantity: 5



NEON FLEX 24V YELLOW - COMPLETE ROLL OF 9.96 METER

98 units of 10,16cm

Max. length to connect is one roll

Ordercode: 110-015
EAN: 8714984008434
Color: Yellow
Voltage: 24V

Power: 47 Watt/roll
Cutting distance: 10,16cm
Length: 9,96 meter
Width: 16mm

Height: 27mm
Dimmable: Yes
IP rate: IP44
Carton Quantity: 5



POWER CABLE SET FOR 230V

incl. end cap and heat shrinkable self-adhesive tube

Ordercode: 115-005
EAN: 8714984006140

Connection type: Schuko
IP rate: IP44
Carton Quantity: 50



POWER CABLE SET FOR 24V

incl. end cap and heat shrinkable self-adhesive tube

Ordercode: 115-006
EAN: 8714984905290

Connection type: Striped wire
IP rate: IP44
Carton Quantity: 1




L-CONNECTOR

incl. heat shrinkable self-adhesive tube

Ordercode: 115-010
EAN: 8714984006157

IP rate: IP44
Carton Quantity: 10




T-CONNECTOR

incl. heat shrinkable self-adhesive tube

Ordercode: 115-015
EAN: 8714984006164

IP rate: IP44
Carton Quantity: 10



X-CONNECTOR

incl. heat shrinkable self-adhesive tube

Ordercode: 115-020
EAN: 8714984006171

IP rate: IP44
Carton Quantity: 10




MALE PIN CONNECTOR

incl. heat shrinkable self-adhesive tube

Ordercode: 115-025
EAN: 8714984006188

IP rate: IP44
Carton Quantity: 100



INVISIBLE SPLICE CONNECTOR

To connect two parts together

Ordercode: 115-030
EAN: 8714984006195

IP rate: IP44
Carton Quantity: 10



END CAP

Ordercode: 115-035
EAN: 8714984006201

IP rate: IP44
Carton Quantity: 50



MOUNTING CLIP

5cm length
For making curves

Ordercode: 115-040
EAN: 8714984006218

IP rate: IP44
Carton Quantity: 25



CHANNEL ALUMINIUM


2 meter length

Ordercode: 115-045
EAN: 8714984006225

IP rate: IP44
Carton Quantity: 15

Border Light

LED Neon Borderlight is a high quality, by Tronix developed product and replacement for conventional neon lighting and can direct compete with the brightness of glass neon tube. The advantages are tide lines with a visual range of up to 1000 meters, shock prove, almost unbreakable, easy and cheap mounting, low power consumption, safe and a long life cycle. Mounting is possible with or without aluminium channel. For short lines on a flat surface it is not necessary to use a channel. In this case the connections can be hidden under the tube. Is possible to power 30 meters with one power supply and hide the wires in the channel or under the tubes.



The schematic shows how you can power 30 meters Border Light with one 400 Watt powersupply. The powercable is easily hidden inside the channel.

TRONIX HEADOFFICE



SHOPPINGMALL OSS



ARCHED SHOP WINDOW




TRIANGLE SHOP WINDOW



OFFICE BUILDING



Border Light




BORDER LIGHT 1 METER WHITE

Ordercode: 080-031
EAN: 8714984901162
Color: White
Input: 24V
Power: 8,7 Watt

Length: 1000mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 10
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20



BORDER LIGHT 1 METER BLUE

Ordercode: 080-032
EAN: 8714984901179
Color: Blue
Input: 24V
Power: 8,7 Watt

Length: 1000mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 10
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20



BORDER LIGHT 1 METER GREEN

Ordercode: 080-033
EAN: 8714984901186
Color: Green
Input: 24V
Power: 8,7 Watt

Length: 1000mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 10
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20




BORDER LIGHT 1 METER RED

Ordercode: 080-034
EAN: 8714984901193
Color: Red
Input: 24V
Power: 8,7 Watt

Length: 1000mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 10
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20




BORDER LIGHT 1 METER YELLOW

Ordercode: 080-035
EAN: 8714984901209
Color: Yellow
Input: 24V
Power: 7,3 Watt

Length: 1000mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 10
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20

Border Light




BORDER LIGHT 0,4 METER WHITE

Ordercode: 080-041
EAN: 8714984901216
Color: White
Input: 24V
Power: 7,3 Watt

Length: 400mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 22
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20



BORDER LIGHT 0,4 METER BLUE

Ordercode: 080-042
EAN: 8714984901223
Color: Blue
Input: 24V
Power: 3 Watt

Length: 400mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 22
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20



BORDER LIGHT 0,4 METER GREEN

Ordercode: 080-043
EAN: 8714984901230
Color: Green
Input: 24V
Power: 3 Watt

Length: 400mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 22
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20




BORDER LIGHT 0,4 METER RED

Ordercode: 080-044
EAN: 8714984901247
Color: Red
Input: 24V
Power: 2,7 Watt

Length: 400mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 22
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20




BORDER LIGHT 0,4 METER YELLOW

Ordercode: 080-045
EAN: 8714984901254
Color: Yellow
Input: 24V
Power: 2,7 Watt

Length: 400mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 22
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20

Border Light




BORDER LIGHT 0,6 METER WHITE

Ordercode: 080-061
EAN: 8714984901261
Color: White
Input: 24V
Power: 5,2 Watt

Length: 600mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 15
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20




BORDER LIGHT 0,6 METER BLUE

Ordercode: 080-062
EAN: 8714984901278
Color: Blue
Input: 24V
Power: 5,2 Watt

Length: 600mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 15
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20



BORDER LIGHT 0,6 METER GREEN

Ordercode: 080-063
EAN: 8714984901285
Color: Green
Input: 24V
Power: 5,2 Watt

Length: 600mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 15
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20




BORDER LIGHT 0,6 METER RED

Ordercode: 080-064
EAN: 8714984901292
Color: Red
Input: 24V
Power: 4,3 Watt

Length: 600mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 15
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20



BORDER LIGHT 0,6 METER YELLOW

Ordercode: 080-065
EAN: 8714984901308
Color: Yellow
Input: 24V
Power: 4,3 Watt

Length: 600mm
Width: 23,5mm
Height: 26,6mm
Max. to connect: 15
Wire length: 20 cm

Connection Type: AMP
LED: SMD
IP Rate: IP67
Carton Quantity: 20