


Chemistry B (Salters)


Mark Scheme

Question			Answer	Mark	Guidance
1	(a)		(Cyclo)alkene ✓ Ketone ✓	2	ALLOW C=C OR 'carbon-carbon double bond' ALLOW carbonyl Maximum of 1 mark if there is one incorrect answer, no marks if there are 2 incorrect answers
1	(b)		C ₁₅ H ₂₂ O 15 Cs ✓ H ₂₂ O ✓	2	C, H and O can be in any order (e.g.: C ₁₅ OH ₂₂), but the answer must be a molecular formula to score both marks (e.g.: C ₁₅ H ₂₁ OH only scores 1 for 15 Cs).
1	(c)	(i)	From: red / brown ✓ To: colourless ✓	2	Any combination of these colours but no other colour should be mentioned DO NOT ALLOW 'clear' ALLOW decolourised
1	(c)	(ii)	Answer to (b) + 2Br ₂ ✓ → Answer to (b) with Br ₄ added ✓ e.g. these score two: C ₁₅ H ₂₂ O + 2Br ₂ → C ₁₅ H ₂₂ OBr ₄ ✓✓ C ₁₅ H ₂₂ O + 2Br ₂ → C ₁₅ Br ₂ H ₂₂ OBr ₂ ✓✓	2	C, H, O and Br can be in any order in the product formula, which does not have to be molecular. DO NOT ALLOW products with brackets (e.g.: C ₁₅ H ₂₂ O(Br ₂) ₂) ALLOW 1 mark for correctly balanced equation with 1 mole OR 3 moles Br ₂ , provided there is only one product. If completely correct answer (e.g.: C ₁₅ H ₂₂ O + 2Br ₂ → C ₁₅ H ₂₂ OBr ₄) is given here, award both marks, even if a different molecular formula is given in (b).
1	(c)	(iii)	Electrophilic ✓ Addition ✓	2	ALLOW answers indicated in other ways, such as circling. Each additional underline CONs a mark


Question			Answer	Mark	Guidance
1	(d)	(i)	Phosphoric acid ✓ High temperature / pressure / 200°C or more / 50 atm or more ✓ OR Sulfuric acid ✓ Concentrated ✓	2	IGNORE concentration of phosphoric acid, water and inert catalyst supports such as silica. ALLOW phosphoric + sulfuric acid for first mark IGNORE water and any reaction conditions. <u>For either answer:</u> Second mark is awarded only if first mark is scored. Do NOT award the first mark if any other additional reagent is given (but condition mark can still be scored)
1	(d)	(ii)	Hydrogen (bonds) ✓	1	Do NOT award the mark if additional imfs are given
1	(d)	(iii)	Tertiary ✓	1	DO NOT ALLOW other answers (e.g.: one tertiary, one secondary)
1	(d)	(iv)	C to which OH is bonded is itself bonded to 3 other C OR no H on C to which OH is bonded OR 3 alkyl groups on C to which OH is bonded ✓	1	Can refer to R groups ALLOW 'it' or 'they' or 'alcohol (group)' for 'OH' IGNORE 'in the middle of chain' no ecf from (iii)

Question			Answer	Mark	Guidance
1	(e)		<p>For compound A: Reaction mixture stays orange / no colour change ✓</p> <p>(Tertiary) alcohol / OH groups are not oxidised by (dichromate (VI)) ions OR alcohol / OH groups don't react (with dichromate (VI)) ✓</p> <p>For compound B: Reaction mixture changes from orange ✓ to green ✓</p> <p>alcohol group on right hand carbon is oxidised / reacts to form aldehyde or carboxylic acid OR has primary alcohol group, which is oxidised / reacts to form aldehyde or carboxylic acid ✓</p>	5	<p>Please use annotations on answer in appropriate place Mark independently for each compound</p> <p><u>For A:</u> IGNORE an incorrect colour if 'no colour change' or 'stays (wrong colour)' is also given DO NOT ALLOW 2nd mark if referring to secondary or primary alcohol</p> <p><u>For B:</u> If answer states 'A stays orange, but B turns green' award both colour marks for B</p> <p>Do NOT award this mark if the answer states that the alcohol group is secondary</p>
			Total	20	

Question			Answer	Mark	Guidance
2	(a)		2,2-dichloro-1,1,1-trifluoroethane dichlorotrifluoroethane ✓ 2,2 and 1,1,1 ✓	2	IGNORE commas and dashes Allow minor spelling errors, such as 'flouro' The 1 st mark is for correct alphabetical order, the 2 nd for appropriate numbers ALLOW 1,1-dichloro-2,2,2-trifluoroethane for 2 marks ALLOW 2,2,2-trifluoro-1,1-dichloroethane OR 1,1,1-trifluoro-2,2-dichloroethane for 1 mark
2	(b)		D is obtained from crude oil (but the others are manufactured) / less processing needed for D (ora) OR others contain halogens (D doesn't) (ora) ✓	1	
2	(c)		It is gas (at room temperature) ✓	1	ALLOW boils below room temperature ALLOW 'flammable'
2	(d)	(i)		1	Must show all charges, not just δ- on one Cl.
2	(d)	(ii)	Mention of <u>electronegativity / electronegativities / electronegative</u> ✓ Fluorine and chlorine more electronegative than carbon (ora) ✓	2	Electronegativity / electronegativities / electronegative (must be one word, not hyphen, unless word split across lines) must be correctly spelled once in the answer for first mark ALLOW 'Cl and F have a greater pull on bonding electrons' for 1 mark Answer needs to be a comparison with carbon (e.g.: Cl and F are highly electronegative' does not score the second mark)

Question			Answer	Mark	Guidance
2	(d)	(iii)	 <p>OR</p>	1	<p>ALLOW other 3-D representations of the molecule</p> <p>ALLOW fluorine in any position</p> <p>Diagram needs to be as shown on the left OR one bond in the plane, with two going into the plane of the page and one coming out (or vice versa)</p> <p>If two bonds are shown in the same plane, they must be next to each other</p>
2	(d)	(iv)	<p>C-F bond and C-Cl bond have different polarities ✓</p> <p>(Molecule is) polar because: the charges/dipoles do not balance OR cancel out</p> <p>OR</p> <p>centre of +ve and -ve charges don't coincide</p> <p>OR</p> <p>greater δ^- on the F side of the molecule <i>AW</i> ✓</p>	2	<p>ALLOW '(partial) charge on F different to that on Cl' OR 'F different electronegativity to Cl'</p> <p>ALLOW 'polar because molecule is asymmetric'</p> <p>Mark independently</p> <p>ALLOW a maximum of 1 mark for 'molecule is non-polar' if also say 'because the charges/dipoles balance/cancel out OR centre of +ve and -ve charges coincide'</p>

Question			Answer	Mark	Guidance
2	(e)		<p>1. <u>Bonds</u> too strong to be broken in the <u>troposphere</u> OR (there is) too little energy / frequency of radiation too low in the <u>troposphere</u> to: break <u>bonds</u> / cause photodissociation / cause homolytic fission OR high energy / frequency radiation needed to break <u>bonds</u> not present in <u>troposphere</u> ✓</p> <p>2. in the <u>stratosphere</u> <u>uv</u> breaks bonds OR in the <u>stratosphere</u> <u>uv</u> causes photodissociation / homolytic fission ✓</p> <p>3. (to form) chlorine atoms / chlorine radicals / <i>Cl</i> ✓</p> <p>4. radicals catalyse the breakdown of ozone <i>AW</i> ✓</p> <p>QWC: <i>for connection of ideas: Link made between breaking down of molecule and either production of Cl radicals or radicals catalysing ozone breakdown</i> ✓</p>	<p>4</p> <p>1</p>	<p>Please use annotations on answer in appropriate place 1. DO NOT ALLOW just 'the molecule is not broken down' OR 'the molecule does not react'</p> <p>DO NOT ALLOW 'the right amount of energy is not present in the troposphere'</p> <p>2. DO NOT ALLOW 'high energy' for uv. ALLOW 'In the <u>stratosphere</u> <u>uv</u> breaks down the molecule'</p> <p>3. DO NOT ALLOW mark if chlorine radicals and fluorine radicals are formed. Can be scored from equation: $\text{CFCI}_3 \rightarrow \text{CF}_3 + \text{Cl}$</p> <p>4. Answer MUST have the idea of recycling or regenerating the radical. Can be shown in equations. Award mark even if radicals other than <i>Cl</i> given.</p> <p>Please indicate qwc mark using red cross or green tick on to the right of the pencil icon on the answer screen. If mp2 and either 3 or 4 are gained, award QWC</p>

Question			Answer	Mark	Guidance
2	(f)		<p>It filters / screens / absorbs / removes / prevents / shields / blocks / stops (<i>AW</i>) any type of <u>uv</u> ✓</p> <p>(radiation) of high energy / high frequency / UVB / UVC / value in range 10^{14} - 10^{16} Hz / short wavelength / value in range 200 – 320 nm ✓</p> <p>(which could otherwise cause) <u>skin</u> cancer / damage to DNA / damage to <u>skin</u> / damage to eyes / damage to immune system / cell mutation / affects crops ✓</p>	3	<p>IGNORE 'protects us from uv'</p> <p>IGNORE high intensity radiation</p> <p>ALLOW sunburn</p>
2	(g)			1	<p>Any two different symbols can be used to represent the electrons</p> <p>Candidate can draw circles for electron shells</p> <p>It MUST be clear that a pair of electrons is being shared between the H and the O</p> <p>IGNORE inner shell electrons DO NOT ALLOW diagram showing a charge</p>
2	(h)	(i)	<p>$(463 / 6.02 \times 10^{23}) \times 1000$ and evaluate (= 7.691 / 7.69 / 7.7×10^{-19} J) ✓✓</p> <p>OR one mark for EITHER:</p> <p>463 x 1000 (=463000) OR $463 / 6.02 \times 10^{23}$ and evaluate (=7.691 / 7.69 / 7.7×10^{-22})</p>	2	<p>One mark is for converting 463 from kJ to J i.e.: multiply by 1000</p> <p>Other mark is for dividing by 6.02×10^{23} (the Avogadro constant)</p> <p>To get second mark, there must be a correct evaluation</p> <p>IGNORE sig figs</p> <p>A completely correct answer on its own scores both marks</p>

Question			Answer	Mark	Guidance
2	(h)	(ii)	<p>Answer to (h)(i) / 6.63×10^{-34} ✓ $= 1.16 \times 10^{15}$ ✓</p> <p>Units Hz OR s^{-1} ✓</p>	3	<p>DO NOT ALLOW second mark for evaluating any other expression e.g.: Answer to (e) (i) $\times 6.63 \times 10^{-34}$ unless: the sole error is a mis-copy of one of the number values (e.g.: answer to (h)(i) / 6.36×10^{-34} doesn't score 1st mark, but gets 2nd)</p> <p>ALLOW hz A completely correct answer on its own scores both marks</p>
2	(h)	(iii)	Homolytic (fission) / homolysis ✓	1	Ignore 'photochemical dissociation'
2	(h)	(iv)	<p>The frequency (of radiation / uv) is not high enough (to break the bond) <i>AW</i> OR The energy of (radiation / uv) is not enough (to break the bond) <i>AW</i> ✓</p>	1	<p>Ignore 'intensity' and 'light'</p> <p>ALLOW 'uv / high energy / high frequency radiation needed is not present (in troposphere)' OR has been absorbed (in stratosphere)</p>
			Total	26	

Chemistry Film Tuition / A Level Chemistry OCR B Questions: Paper 14 Mark Scheme Page 16 of 17

Question			Answer	Mark	Guidance												
3	(a)		$\text{Cl}_2 (\text{g}) + 2\text{Br}^- (\text{aq}) \rightarrow 2\text{Cl}^- (\text{aq}) + \text{Br}_2 (\text{g})$ Equation ✓ State symbols ✓	2	ALLOW multiples Award state symbols mark if equation is not fully correct (e.g.: has Br instead of Br_2), as long as there are only 2 reactants and 2 products												
3	(b)	(i)	<table border="1"> <tr> <th>element</th> <th>initial oxidation state</th> <th>final oxidation state</th> <th>marks</th> </tr> <tr> <td>Br</td> <td>0</td> <td>-1</td> <td>✓</td> </tr> <tr> <td>S</td> <td>+4</td> <td>+6</td> <td>✓✓</td> </tr> </table>	element	initial oxidation state	final oxidation state	marks	Br	0	-1	✓	S	+4	+6	✓✓	3	One mark for both Br oxidation states One mark for each correct oxidation state for S ALLOW 2 marks if <u>all</u> number values are correct, but sign is to the right of the number (ie: 0, 1-, 4+, 6+) IGNORE +/- on 0 for Br_2 ALLOW 1 mark for S if answer gives 4 <u>and</u> 6, but no +
element	initial oxidation state	final oxidation state	marks														
Br	0	-1	✓														
S	+4	+6	✓✓														
3	(b)	(ii)	SO_2 ✓ The oxidation state of the S (in SO_2) increases OR the SO_2 reduces the oxidation state of the Br (in Br_2) ✓	2	ALLOW sulphur dioxide ALLOW 'S / SO_2 is oxidised' OR ' SO_2 loses / donates electrons' IGNORE sulphur / S has lost electrons ALLOW ' Br_2 is reduced' OR 'bromine gains electrons' ALLOW 'number' for 'state' 2 nd mark can be scored if S is incorrectly given as the reducing agent, otherwise 2 nd mark depends on first												
3	(c)		Cream / off-white ✓ precipitate / solid ✓	2	IGNORE initial colours and changes of colour on standing												
3	(d)	(i)	$(32.6 \times 0.0200 / 1000 =) 6.52 \times 10^{-4}$ ✓	1	Working not needed and does not score on its own												
3	(d)	(ii)	Answer to (i) (6.52×10^{-4}) ✓	1													

Question			Answer	Mark	Guidance
3	(d)	(iii)	Answer to (ii) / 25.0 ✓ x 1000 and correct evaluation ($= 2.608 \times 10^{-2}$) ✓ OR Answer to (ii) x1000 ✓ divide by 25 and evaluate ✓ $0.0261 / 2.61 \times 10^{-2}$ to 3s.f. ✓	3	The answer on the line must come from the answer to (ii). Hence $0.0261 / 2.61 \times 10^{-2}$ is not necessarily the correct response ALLOW sf mark for any 3 sig fig answer that follows from any correctly evaluated calculation
			Total	14	

Question			Answer	Mark	Guidance
4	(a)		<p>Rate of forward reaction = rate of back reaction OR reactants and products are formed at the same rate ✓</p> <p><u>Concentrations</u> of (reactants and products) remain constant / stay the same OR closed system ✓</p>	2	<p>DO NOT ALLOW 'concentrations of reactants and products <u>are</u> the same/equal'. If this has been stated, only 1 mark can be scored, even if the answer also states 'closed system'</p>
4	(b)		<p>Nanoparticles will provide a larger / greater / more / surface area of catalyst (in contact with the reactants) <i>AW</i> ✓</p> <p>(Allowing) more collisions per unit time (<i>AW</i>) / more frequent collisions OR more particles can bond to the surface per unit of time ✓</p>	2	<p>Must be comparative. Not just 'large' ALLOW 'higher'</p> <p>DO NOT ALLOW just 'more collisions' or 'more chance of collisions'</p> <p>Mark independently</p>
4	(c)		<p>Minimum energy <i>AW</i> ✓</p> <p>(Energy) for colliding particles to react / for a collision to cause a reaction OR (Energy) for a successful / effective collision <i>AW</i> ✓</p>	2	<p>DO NOT ALLOW references to reactants colliding</p>
4	(d)	(i)	<p>Reaction rate increases ✓</p> <p>Particles are closer together (<i>AW</i>) OR concentration increases / more particles per unit volume ✓</p> <p>so collide more frequently / more collisions per unit time ✓</p>	3	<p>IGNORE references to equilibrium</p> <p>ALLOW 'more particles in the same area' DO NOT ALLOW particles are more compressed</p> <p>DO NOT ALLOW just 'more collisions' or 'more chance of collisions' IGNORE comments on particle speed and energy or yield</p>

Question			Answer	Mark	Guidance
4	(d)	(ii)	<p>(equilibrium yield) decreases OR less products / CO / H₂ OR yield of reactants increases OR more CH₄ / H₂O forms ✓</p> <p><u>equilibrium</u> (position) moves: to oppose the change / to the left / in backwards direction / towards reactants ✓</p> <p>because fewer moles/molecules/particles on left-hand-side/ reactants side (ora) ✓</p>	3	<p>IGNORE references to rate.</p> <p>ALLOW 'yield of reactants increases' / 'more reactants' / 'more CH₄ OR H₂O'</p> <p>Mark independently</p> <p>DO NOT ALLOW atoms instead of 'molecules'</p>
4	(d)	(iii)	<p>(Yield would) increase OR more products / CO / H₂ OR yield of reactants decreases OR less CH₄ / H₂O forms ✓</p> <p><u>equilibrium</u> (position) moves: to oppose the change / to the right / in forwards direction / towards products ✓</p> <p>in the endothermic direction / forward reaction is endothermic ✓</p>	3	<p>IGNORE references to rate.</p> <p>ALLOW 'yield of reactants decreases' / 'less reactants' / 'less CH₄ OR H₂O'</p>
4	(e)	(i)	Growing rice / livestock farming / making silage <i>AW</i> ✓	1	Must be an agricultural activity (e.g.: cows belching does not score)
4	(e)	(ii)	<p>(More methane means) more radiation is absorbed OR</p> <p>(More methane means) more bonds vibrate ✓</p> <p>This energy is transferred to KE and that increases atmospheric temperature / warms atmosphere OR molecules radiate/emit ir and that warms Earth/atmosphere ✓</p>	2	<p>DO NOT ALLOW mark if answer refers to absorbing radiation other than ir</p> <p>DO NOT ALLOW bonds vibrate more</p> <p>Both points needed for mark here Idea of transfer needed</p>

Question			Answer	Mark	Guidance
4	(e)	(iii)	$21\% = 210000 \text{ ppm} \checkmark$ $210000/1.8 = 1.2 \times 10^5 \text{ times more} \checkmark$ OR $1.8\text{ppm} = 1.8 \times 10^{-4}\% \checkmark$ $21/1.8 \times 10^{-4} = 1.2 \times 10^5 / 1.167 \times 10^5 / 116667 \text{ times more} \checkmark$	2	ALLOW 2 or more sf ALLOW ecf from incorrect conversion of units for second mark ALLOW 1 mark for 21/1.8 correctly evaluated
			Total	20	

[illegible]

Question			Answer	Mark	Guidance
5	(d)	(ii)	Movement of one/an/a single electron <i>AW</i> ✓	1	IGNORE 'lone' or 'unpaired' ALLOW 'transfer of one electron'
5	(d)	(iii)	$\text{Ra}(\text{CH}_2)_m\bullet + \bullet(\text{CH}_2)_n\text{Ra} \rightarrow \text{Ra}(\text{CH}_2)_m(\text{CH}_2)_n\text{Ra}$	1	Dots on radicals not essential

Question			Answer	Mark	Guidance
5	(e)		<p>Six from:</p> <p>1. Electron movements <i>AW</i> ✓</p> <p>2. cause uneven distribution of charge <i>AW</i> ✓</p> <p>3. A dipole is induced in a neighbouring molecule, leading to attraction ✓</p> <p>4. LDPE has branches OR HDPE does not have branches / has straight chains ✓</p> <p>5. LDPE chains cannot pack closely / have less surface contact (<i>ora</i>) ✓</p> <p>6. which leads to (intermolecular) bonds / attractive forces being weaker between LDPE chains (<i>ora</i>) ✓</p> <p>7. so less energy/force is needed to break (intermolecular) bonds in LDPE (<i>ora</i>) ✓</p> <p>8. Chains of LDPE slide over each other more easily (<i>ora</i>) OR less force is needed to make LDPE chains slide over each other (<i>ora</i>) ✓</p> <p>QWC for showing clearly that the process from mp3 follows from the process in mp2 OR that the process from mp6 follows from the process in mp5 OR that the process from mp7 or mp8 follows from mp6 ✓</p>	6	<p>ALLOW answers referring to intermolecular forces rather than bonds</p> <p>1. NOT electron density changes or electrons are orbiting/spinning/circling for movement</p> <p>2. Examples of alternative wording for mp 2 are: '<u>partial</u> positive and/or negative charge' or '$\delta+$ and/or $\delta-$' or a diagram showing these (on a molecule or atom, not either end of a bond)</p> <p>3. needs both parts to score (i.e.: induces dipole in neighbour AND attracts it). DO NOT ALLOW just forming a bond as attraction</p> <p>5. DO NOT ALLOW just 'fit together easily / more easily'</p> <p>6. ALLOW less/fewer intermolecular bonds / attractive forces can form between LDPE chains (<i>ora</i>)</p>
				1	<p>Please use annotations on answer in appropriate place</p> <p>Please indicate qwc mark using red cross or green tick on to the right of the pencil icon on the answer screen</p>
			Total	20	