



Whiteriver

wood for living

*Engineered & solid*  
WOOD FLOORING

## PRODUCT QUALITY & ENVIRONMENT

In today's fast moving environment consumer's tastes and trends are constantly changing and here at Whiteriver we endeavour to keep our ranges in tune with demand. We are also fully committed to following all Government and EU policy on the handling and sourcing of timber products. In Europe through the EU timber regulations we have very strong legislation that puts in place detailed check lists and audits that ensure all timber products supplied come from sustainable sources. Our product ranges are primarily based on wood species that have proven sustainable reserves which ensures you can have peace of mind when selecting one of our products.

Our company has both FSC® and PEFC Chain of Custody certification. The Forest Stewardship Council® (FSC®) aims to promote environmentally appropriate, socially beneficial and environmentally viable management of the world's forests. Read more about FSC® – [www.fsc.org](http://www.fsc.org). The Programme for the Endorsement of Forest Certification (PEFC) is an international non-profit, non-governmental organisation dedicated to promoting Sustainable Forest Management (SFM) through independent third-party certification. Read more about PEFC – [www.pefc.org](http://www.pefc.org).



The mark of  
responsible forestry





Over the last two decades, Whiteriver floors have grown to become one of the most respected and recognised names in engineered flooring. Selecting only the finest hardwoods and combining them with a precision multi-layer construction, Whiteriver are a high quality choice for your interior floors. The natural look of a wood floor with the extra stability provided by the engineered construction, you truly experience the best of both worlds with a Whiteriver Engineered Wood Floor. Available in a large range of styles and species, there is something to suit every home and design taste.





# index

<b>08</b>	Barista Plank Collection
<b>20</b>	Barista Short Plank
<b>24</b>	Barista Herringbone Collection
<b>30</b>	Barista Chevron
<b>36</b>	Forest Collection
<b>42</b>	Canyon Collection
<b>44</b>	Monolam Collection
<b>50</b>	Heritage Collection
<b>58</b>	Prestige Collection
<b>64</b>	Whiteriver Herringbone Collection
<b>76</b>	Versailles Panels
<b>80</b>	Historic Plank Collection
<b>86</b>	Historic Herringbone & Chevron Collection
<b>90</b>	Historic Wall Panel Collection
<b>94</b>	Solid Flooring
<b>110</b>	Renaissance 13mm Plank Collection
<b>114</b>	Renaissance 13mm Herringbone Collection
<b>120</b>	Renaissance 19mm Plank Collection
<b>124</b>	Renaissance 19mm Herringbone Collection
<b>130</b>	Renaissance Chevron Collection
<b>134</b>	Renaissance XL Collection
<b>140</b>	Architects and Designers
<b>152</b>	Grading Guidelines
<b>154</b>	Underlays & Profiles
<b>156</b>	Quality and reassurance
<b>158</b>	Care and Maintenance



# ENGINEERED FLOORING

*Timeless luxury*

Discover all our premium ranges of engineered flooring

[www.wrg.ie](http://www.wrg.ie)



Renaissance Oak Angelico 120 x 19 x 600mm



Renaissance Oak Zuccari 260 x 13 x 1950/2400mm




Renaissance XL - Oak Vasari 280-480 x 20 x 2000-4000mm



Barista is our newest collection of European manufactured engineered flooring. Warm contemporary tones are brought together in a palette of colours to stir the senses and awaken your imagination. We took the world's love affair with coffee as inspiration for the collection to bring you a selection of eight distinctive shades, from frothy light "Latte" and "Mocha" to richer "Napoletana" and "Ristretto" there's a shade to suit all tastes.





# Barista / Plank

BY WHITERIVER

Like choosing coffee, sometimes a “regular” is just not enough to satisfy your desire, that’s why we have added a selection of our favourite colours in a wider 207mm plank to the collection. These, as well as our standard 180mm wide boards are 2200mm / 1800mm long to give that sought after long board look and make a true statement in any setting.

Our Barista Plank range is manufactured to the highest specification, FSC certified and perfectly suited for use with underfloor heating.



The mark of responsible forestry



## 1. Top Layer

Selected European Oak protected with 5 coats of lacquer.

## 2. Middle Layer


Pressed laterally to the top layer which restricts natural movement for stability.

## 3. Bottom Layer

Pressed laterally in the opposite direction to the middle layer for further stability.



*Barista Plank features a 5G click system which is suitable for floating or glue down installation.*





Barista Plank - Oak Mocha 207 x 14 x 2200mm Brushed Matt Lacquered (also available in 180mm width). See page 13





**207 X 14 2200MM BARISTA OAK MACCHIATO**

Finish: Brushed, Matt Lacquered  
D1014050 / Grading Type: Universal



**207 X 14 2200MM BARISTA OAK MOCHA**

Finish: Brushed, Matt Lacquered  
D1014051 / Grading Type: Universal  
*Compatible with Oak Mocha Herringbone*



**207 X 14 2200MM BARISTA OAK ESPRESSO**

Finish: Brushed, Matt Lacquered  
D1014052 / Grading Type: Universal  
*Compatible with Oak Espresso Herringbone*



**207 X 14 2200MM BARISTA OAK LATTE**

Finish: Brushed, Matt Lacquered  
D1014053 / Grading Type: Universal  
*Compatible with Oak Latte Herringbone*



The mark of responsible forestry









Barista Plank 180 x 14 x 2200mm

Technical Data Sheets available at [www.wrg.ie](http://www.wrg.ie)



**180 X 14 X 2200MM OAK MOCHA**

Finish: Brushed, Matt Lacquered  
D1014070 / Grading Type: Universal



**180 X 14 X 2200MM OAK MACCHIATO**

Finish: Brushed, Matt Lacquered  
D1014077 / Grading Type: Rustic / Character




**180 X 14 X 2200MM OAK CREMA**

Finish: Brushed, Matt Lacquered  
D1014076 / Grading Type: Nature




**180 X 14 X 2200MM OAK NAPOLETANA**

Finish: Brushed, Matt Lacquered  
D1014074 / Grading Type: Universal



**180 X 14 X 2200MM OAK LATTE**

Finish: Matt Lacquered  
D1014072 / Grading Type: Universal



**180 X 14 X 2200MM OAK ESPRESSO**

Finish: Brushed, Matt Lacquered  
D1014071 / Grading Type: Nature



**180 X 14 X 2200MM OAK CORTADO**

Finish: Matt Lacquered  
D1014078 / Grading Type: Rustic / Character



**180 X 14 X 2200MM OAK RISTRETTO**

Finish: Matt Lacquered  
D1014079 / Grading Type: Vintage



**180 X 14 X 2200MM OAK FRAPPE**

Finish: Matt Lacquered  
D1014200 / Grading Type: Universal  
**Compatible with Frappe Herringbone & Serene Chevron**

*\*Note Oak Frappe has T & G installation and is not FSC certified.*



**180 X 14 X 1800MM OAK ARABICA**


Finish: Matt Lacquered  
D1014300 / Grading Type: Universal  
**Compatible with Arabica Herringbone & Mainland Chevron**



*\*Note Oak Frappe has T & G installation and is not FSC certified.*







# Barista / Short Plank

BY WHITERIVER

Our New Barista Short Plank range will add to your home a beautiful aging effect achieved by natural cracks, brushing the flooring and bevelling it on all four sides. The wood has been stained and protected with natural oil. The Barista SHORT plank range comes in 1092mm lengths. and the four-sided bevelling make it reminiscent of a traditional floor. The wood has been additionally protected with matt lacquer. Our Barista Plank range is manufactured to the highest specification, FSC certified and perfectly suited for use with underfloor heating.



130



The mark of  
responsible forestry



Barista Short Plank - Oak Crema Brushed, Matt Lacquered 130 x 14 x 1092mm. See page 22.

Barista Plank 130 x 14 x 1092mm

Technical Data Sheets available at [www.wrg.ie](http://www.wrg.ie)



**130 X 14 X 1092MM OAK ESPRESSO**

Finish: Matt Lacquered  
D1014420 / Grading Type: Universal




**130 X 14 X 1092MM OAK MOCHA**

Finish: Brushed, Matt Lacquered  
D1014410 / Grading Type: Universal



**130 X 14 X 1092MM OAK CREMA**

Finish: Brushed, Matt Lacquered  
D1014400 / Grading Type: Nature



**130 X 14 X 1092MM OAK NAPOLETANA**

Finish: Brushed, Matt Lacquered  
D1014430 / Grading Type: Universal






Barista Short Plank - Oak Napoletana 130 x 14 x 1092mm Brushed, Matt Lacquered. See page 22. Matching 180mm plank also available.

# Barista / Herringbone

BY WHITERIVER



The Herringbone design has been with us for centuries and remains a timeless classic when it comes to floor design. Today, more so than ever, the architectural design and craftsmanship that goes into each piece is in high demand for both domestic and commercial projects. Our Barista Herringbone is the perfect complement to our Barista Plank range and brings a distinctive touch of modern day sophistication to any floor. Matching planks with the same thickness allow the two formats to blend together and flow effortlessly from one room to the next.

*All Barista Herringbone floors are manufactured in Europe, protected with a high quality durable matt lacquer and feature a micro bevel on each side.*

**IMPORTANT: ALL ENGINEERED HERRINGBONES MUST BE GLUED DOWN**



130

110

*Barista Herringbone has an optilock click system and must also be glued down.*



Barista Herringbone - Oak Latte Brushed, Matt Lacquered 130 x 14 x 725mm. See page 26. Matching 180mm and 207mm plank also available



**130 X 14 X 725MM OAK CREMA**

Finish: Brushed, Matt Lacquered  
D1630000 / Grading Type: Nature  
*Compatible with 180mm Oak Crema Plank*




**130 X 14 X 725MM OAK ESPRESSO**

Finish: Brushed, Matt Lacquered  
D1630001 / Grading Type: Nature  
*Compatible with 180mm & 207mm Oak Espresso Plank*




**130 X 14 X 725MM OAK NAPOLETANA**

Finish: Brushed, Matt Lacquered  
D1630003 / Grading Type: Rustic / Character  
*Compatible with 180mm Oak Napoletana Plank*



**130 X 14 X 725MM OAK MOCHA**

Finish: Brushed, Matt Lacquered  
D1630002 / Grading Type: Rustic / Character  
*Compatible with 180mm & 207mm Oak Mocha Plank*



**130 X 14 X 725MM OAK LATTE**

Finish: Brushed, Matt Lacquered  
D1630004 / Grading Type: Nature  
*Compatible with 180mm & 207mm Oak Latte Plank*



Optilock Fold Down System.  
Not suitable for floating installation,  
**must be glued down directly to the subfloor.**

*\*Please note that matching 180 x 14 x 2200mm planks are available for all Herringbone designs.*

**IMPORTANT: ALL ENGINEERED HERRINGBONES  
MUST BE GLUED DOWN**



Barista Herringbone - Oak Mocha 130 x 14 x 725mm Brushed, Matt Lacquered. See page 26. Matching 180mm & 207mm plank also available.

Barista Herringbone 110 x 14 x 660mm



**110 X 14 X 660MM OAK FRAPPE**

Finish: Brushed, Matt Lacquered  
D1630100 / Grading Type: Rustic / Character  
*Compatible with 180mm Frappe Plank*



**110 X 14 X 660MM OAK ARABICA**

Finish: Brushed, Matt Lacquered  
D1630110 / Grading Type: Rustic / Character  
*Compatible with 180mm Arabica Plank*






*Optilock Fold Down System.  
Not suitable for floating installation,  
**must be glued down directly to  
the subfloor.***

**IMPORTANT: ALL  
ENGINEERED HERRINGBONES  
MUST BE GLUED DOWN**

# Barista / Chevron

BY WHITERIVER



The Chevron design has been with us for centuries and remains a timeless classic when it comes to floor design. Today, more so than ever, the architectural design and craftsmanship that goes into each piece is in high demand for both domestic and commercial projects. Our Barista Chevron is the perfect complement to our Barista Plank range and brings a distinctive touch of modern day sophistication to any floor. Matching planks with the same thickness allow the two formats to blend together and flow effortlessly from one room to the next.



T&G

*Not suitable for floating installation,  
must be glued down directly to the subfloor.*

130



Barista Chevron - Oak Caramel/Crema Brushed, Matt Lacquered 130 x 14 x 725mm. See page 34. Matching 180mm plank available.





Barista Chevron - Oak Serene/Frappe Brushed, Matt Lacquered 130 x 14 x 725mm. See page 34. Matching 180mm plank available.

Barista Chevron 130 x 14 x 725mm

Technical Data Sheets available at [www.wrg.ie](http://www.wrg.ie)



**14 X 130 X 725MM OAK TRIVOR/MOCHA**

Finish: Chevron, Brushed, Matt Lacquered  
D160300 / Grading Type: Nature

*Compatible with 180mm & 207mm Mocha Plank*



**14 X 130 X 725MM OAK SERENE/FRAPPE**

Finish: Chevron, Brushed, Matt Lacquered  
D160310 / Grading Type: Rustic / Character

*Compatible with 180mm Frappe Plank*



**14 X 130 X 725MM OAK MAINLAND / ARABICA**

Finish: Chevron, Brushed, Matt Lacquered  
D160320 / Grading Type: Rustic / Character

*Compatible with 180mm Arabica Plank*



**14 X 130 X 725MM OAK CARAMEL/CREMA**

Finish: Chevron, Brushed, Matt Lacquered  
D160330 / Grading Type: Nature


*Compatible with 180mm Crema Plank*



**IMPORTANT: ALL ENGINEERED CHEVRONS  
MUST BE GLUED DOWN**



Barista Chevron - Oak Trivor/Mocha Brushed, Matt Lacquered 130 x 14 x 725mm. See page 34. Matching 180mm & 207mm plank available.



# Forest / Plank

BY WHITERIVER

The Forest Collection boasts stunning 190mm width boards which are 1900mm long, giving a fashionable wide, long plank look to your home. Your room will radiate with the warmth of the vintage yet natural wood appearance and selection of finishes available.







**190 X 14 X 1900MM AVOCA OAK**

Finish: Matt Lacquered  
D1012019 / Grading Type: Universal



**190 X 14 X 1900MM LISMORE OAK**

Finish: Smoked, White UV Lacquered  
D1012025 / Grading Type: Universal  
*Compatible Herringbone: Rhode Island Oak*



**190 X 14 X 1900MM NEW HAVEN OAK**

Finish: Stained, Brushed Matt Lacquered  
D1012050 / Grading Type: Universal  
*Compatible Herringbone: Stamford Oak*



**190 X 14 X 1900MM GLENGARRA OAK**

Finish: Brushed, Matt Lacquered  
D1012020 / Grading Type: Universal  
*Compatible Herringbone: Hampton Oak*



**190 X 14 X 1900MM CASHEL OAK**

Finish: Smoked, Brushed, Matt Lacquered  
D1012027 / Grading Type: Universal  
*Compatible Herringbone: Slaney Oak*




**190 X 14 X 1900MM CLIFDEN OAK**

Finish: Smoked, Old Style Knots Cracks & Sunken Filler, UV Oiled /  
D1012026 / Grading Type: Vintage









# Canyon / Plank

BY WHITERIVER

Canyon is a multi-layer engineered floor with a real layer of pre-finished hardwood top layer. The major benefit of Canyon is in its grading and construction which gives the look of a solid floor while also maintaining the stability benefit which engineered flooring offers.

Canyon flooring can be either floated (glueing of tongue and groove joint), glued down to a cement screed or nailed down to a wood substrate such as OSB3 or WBP plywood.

125

150



Canyon - 125/150 x 18mm



**125 X 18MM X RL CANYON OAK**

Finish: Lacquered


D1210005 / Grading Type: Universal



**150 X 18MM X RL CANYON OAK**

Finish: Lacquered

D1210004 (DIY) / D1210002 / Grading Type: Universal



# Monolam / Plank

BY WHITERIVER

Available in a variety of widths between 127mm and 150mm, the Whiteriver Monolam Collection of engineered flooring offers a fantastic selection of versatile styles to suit the most contemporary or traditional home. The 18mm board thickness features a 4mm top layer of finely selected real hardwood, finished to the highest manufacturing standards with a multi-coat lacquer. Whether you enjoy the classic timelessness of European Oak, the richness of American Walnut or the warmth of Oak Creme Brushed, there is something in the Monolam Collection to suit every taste.

127

150



Monolam - 127 x 18mm



**127 X 18MM X RL AMERICAN WALNUT**

Finish: Lacquered (contains sapwood)


D1210011 / Grading Type: Universal



**127 X 18MM X RL EUROPEAN OAK**

Finish: Lacquered

D1210016 / Grading Type: Universal




American Walnut 127 x 18mm x RL Lacquered



European Oak 3-Strip 180 x 14mm x 2200mm Lacquered

Whiteriver - 3 - Strip 14mm



The mark of responsible forestry



**180 X 14MM X 2200MM EUROPEAN OAK 3-STRIP**

Finish: Lacquered

D1212003 / Grading Type: Universal



**150 X 18MM X RL EUROPEAN OAK**

Finish: Matt Lacquered  
D1211011 / Grading Type: Universal



**150 X 18MM X RL EUROPEAN OAK BRUSHED**

Finish: Matt Lacquered  
D1211013 / Grading Type: Universal



**150 X 18MM X RL OAK CRÈME BRUSHED**

Finish: Matt Lacquered  
D1211012 / Grading Type: Universal



**150 X 18MM X RL AMERICAN WALNUT**

Finish: Lacquered (contains sapwood)  
D1211003 / Grading Type: Universal



**150 X 18MM X RL EUROPEAN SMOKED OAK BRUSHED**


Finish: Matt Lacquered  
D1211005 / Grading Type: Universal



**150 X 18MM X RL CANADIAN MAPLE**

Finish: Lacquered  
D1211014 / Grading Type: Universal





# Heritage / Plank

BY WHITERIVER

Our premium range of engineered floors, with wide plank 189mm/190mm boards, The Heritage range is a stunning collection of floors that will enhance any room with its bold dimensions. The boards are a \*proud 1900mm/2200mm in length for that sought-after long board look. Boasting 18mm or 20mm thick boards with 4mm or 6mm real wood layers, they are the height of excellence in construction and design. Whether your tastes are for light floors, darker woods, lacquered or matt finishes, the Heritage range has been extended to bigger than ever before to maximise your options.

*\*Dakota Walnut planks are 1860mm in length.*

189

190





**190 X 18 X 1900MM OAK LYON**

Finish: Matt Lacquered

D1213015 / Grading Type: Universal

Compatible Herringbone: 90 x 18 x 450mm Langley Oak. See page 66  
Langley Oak 120 x 18 x 600mm



**190 X 18 X 1900MM OAK BIARRITZ**

Finish: Brushed, Matt Lacquered

D1213004 / Grading Type: Universal

Compatible Herringbone: 120 x 18 x 600mm Kylemore Oak. See page 66



**190 X 18 X 1900MM OAK LAURENS**

Finish: Smoked Extra White UV Matt Lacquered

D1213020 / Grading Type: Universal

Compatible Herringbone: 90 x 18 x 450mm Darwin Oak. See page 70



**189 X 18 X 1860MM DAKOTA WALNUT**

Finish: Lacquered

D1213001 / Grading Type: Universal

Contains Sapwood

Grading Guideline information **available in page 152**





**190 X 18 X 1900MM OAK CEZANNE**

Finish: Smoked, Brushed, Matt Lacquered

D1213008 / Grading Type: Universal

Compatible Herringbone: Morrison Oak 120 x 18 x 600mm. See page 68  
Morrison Oak 90 x 18 x 450mm



**190 X 18 X 1900MM OAK BORDEAUX LIMEWASHED**

Finish: Matt Lacquered

D1213007 / Grading Type: Universal

Compatible Herringbone: Harvard Oak 90 x 18 x 450mm. See page 70



**190 X 18 X 1900MM OAK CHARDIN**

Finish: Light Handscraped, Black Matt Lacquered

D1213011 Grading Type: Universal

Compatible Herringbone: Daintree Oak 120 x 18 x 600mm. See page 70



**190 X 18 X 1900MM NELSON OAK**

Finish: Special Stain, Brushed Matt Lacquered

D1213019 Grading Type: Universal

Compatible Herringbone: Albury Oak 120 x 18 x 600mm. See page 70  
Albury Oak 90 x 18 x 450mm

Grading Guideline information **available in page 152**



Heritage Collection - Oak Bordeaux 190 x 18 x 1900mm Matt Lacquered. See page 54



**189 X 20 X 1900/2200MM RICHMOND OAK**

Finish: Matt Lacquered

D1411018 / D1411025 / Grading Type: Universal

*\*length subject to availability*




**189 X 20 X 1900/2200MM OAK RENOIR**

Finish: Brushed, Matt Lacquered

D1411019 / D1411012 / Grading Type: Universal


*\*length subject to availability*



Richmond Oak 189 x 20 x 1900/2200mm Matt Lacquered



Oak Renoir 189 x 20 x 1900/2200mm Brushed Matt Lacquered



# Prestige / Plank

BY WHITERIVER

Go Big. An extension of our Heritage premium range of engineered floors, lacquered Prestige floors feature the stunning extra large width of 220mm or 240mm. The boards are 2200mm in length for that sought-after long board look.

Really make the most of your most spacious rooms with the Heritage Prestige collection.

220 240



Prestige Collection - Warwick Oak 240 x 18 x 2200mm Smoked, Brushed, Matt Lacquered. See page 60

Prestige Plank 220/240 x 18 x 2200mm

Technical Data Sheets available at [www.wrg.ie](http://www.wrg.ie)



**220 X 18 X 2200MM CAMBRIDGE OAK**

Finish: Unfinished, Sanded and Filled  
D1412140 / Grading Type: Universal

Compatible Herringbone: *Charleston Oak 120 x 18 x 600mm. See page 68*



**220 X 18 X 2200MM PEMBROKE OAK**

Finish: Brushed, Smoked White & UV Matt Lacquered  
D1412100 / Grading Type: Universal


Compatible Herringbone: *Stafford Oak 120 x 18 x 600mm. See page 66*



**240 X 18 X 2200MM WARWICK OAK**

Finish: Smoked, Brushed, Matt Lacquered  
D1412060 / Grading Type: Universal

Compatible Herringbone: *Dingle Oak 120 x 18 x 600mm. See page 66*  
*and Morrison Oak 120 x 18 x 600mm. See page 68*



**220 X 18 X 2200MM LINCOLN OAK**

Finish: Stained Brushed & UV Matt Lacquered  
D1412110 / Grading Type: Universal

Compatible Herringbone: *Shrewsbury Oak 120 x 18 x 600mm. See page 66*



Pembroke Oak 220 x 18 x 2200mm Brushed, Smoked White & UV Matt Lacquered

Prestige Plank 220/240 x 18 x 2200mm

Technical Data Sheets available at [www.wrg.ie](http://www.wrg.ie)



**220 X 18 X 2200MM DENBEIGH OAK**

Finish: Stained Brushed & UV Matt Lacquered

D1412120 / Grading Type: Universal

Compatible Herringbone: Berkshire Oak 120 x 18 x 600mm. See page 66



**240 X 18 X 2200MM GLENCAR OAK**

Finish: Special Stained, Matt Lacquered

D1412040 / Grading Type: Universal

Compatible Herringbone: Oxford Oak 120 x 18 x 600mm. See page 68




**240 X 18 X 2200MM GLANMORE OAK**

Finish: Brushed, Matt Lacquered

D1412030 / Grading Type: Universal

Compatible Herringbone: Kylemore Oak 120 x 18 x 600mm. See page 66



**220 X 18 X 2200MM DORSET OAK**


Finish: Smoked Brushed, White UV Matt Lacquered

D1412130 / Grading Type: Universal

Compatible Herringbone: Abbey Oak 120 x 18 x 600mm. See page 68




Dorset Oak 220 x 18 x 2200mm Brushed, Smoked White & UV Matt Lacquered



**Dimensions**

120 x 18mm x 600mm  
120 x 14mm x 600mm



**Dimensions**

90mm x 18mm x 450mm  
90mm x 14mm x 450mm

# Herringbone


BY WHITERIVER

Experience old world luxury with our specialty herringbone designs; for those looking for something extra special to enhance their interiors. These floors have a stable engineered construction with a 4mm real wood top layer on 18mm products and 3mm on 14mm products. Whiteriver Herringbone is also suitable for installation over underfloor heating.

**IMPORTANT: ALL ENGINEERED HERRINGBONES MUST BE GLUED DOWN**

90


120




Morrison Oak 90 x 18 x 450mm with optional Brass Inlay

Herringbone 120 x 18 x 600mm

Technical Data Sheets available at [www.wrg.ie](http://www.wrg.ie)




**120 X 18 X 600MM BERKSHIRE OAK**  
Finish: Stained Brushed & UV Lacquered  
D1610420 / Grading Type: Rustic A / Nature




**120 X 18 X 600MM SHREWSBURY OAK**  
Finish: Stained Brushed & UV Matt Lacquered  
D1610410 / Grading Type: Rustic A / Nature




**120 X 18 X 600MM LANGLEY OAK**  
Finish: Matt Lacquered  
D1610510 / Grading Type: Rustic A / Nature



**120 X 18 X 600MM STAFFORD OAK**  
Finish: Smoked, White, UV Matt Lacquered  
D1610400 / Grading Type: Rustic A / Nature




**120 X 18 X 600MM DINGLE OAK**  
Finish: Smoked Brushed Matt Lacquered  
D1610450 / Grading Type: Rustic A / Nature



**120 X 18 X 600MM KYLEMORE OAK**  
Finish: Brushed Matt Lacquered  
D1610420 / Grading Type: Rustic A / Nature




Whiteriver Herringbone - Shrewsbury Oak 120 x 18 x 600mm Stained Brushed & UV Matt Lacquered. See page 66




**120 X 18 X 600MM ABBEY OAK**

Finish: Smoked, White, UV Matt Lacquered  
D1610440 / Grading Type: Rustic A / Nature




**120 X 18 X 600MM MORRISON OAK**

Finish: Smoked Brushed & Matt Lacquered  
D1610430 / Grading Type: Rustic A / Nature




**120 X 18 X 600MM OXFORD OAK**

Finish: Stained Brushed & Matt Lacquered  
D1610480 / Grading Type: Rustic A / Nature



**120 X 18 X 600MM ALBURY OAK**


Finish: Stained Brushed & Matt Lacquered  
D1610490 / Grading Type: Rustic A / Nature




**120 X 18 X 600MM CHARLESTON OAK**

Finish: Unfinished  
D1610530 / Grading Type: Rustic A / Nature


**Pattern options**




CLASSIC HERRINGBONE




DOUBLE HERRINGBONE




TRIPLE HERRINGBONE



BASKET WEAVE



DOUBLE BASKET WEAVE




\*SQUARE BASKET

*\*Biscuit Joints / false tongues are required for installation of Square Basket & Lattice Pattern*

**IMPORTANT: ALL ENGINEERED HERRINGBONES  
MUST BE GLUED DOWN**



Albury Oak 90 x 18 x 450mm with optional Brass Inlay




Herringbone 90 x 18 x 450mm

Technical Data Sheets available at [www.wrg.ie](http://www.wrg.ie)



**90 X 18 X 450MM DARWIN OAK**

Finish: Smoked Extra White UV Matt Lacquered  
D1610200 / Grading Type: Rustic A / Nature




**90 X 18 X 450MM DAINTREE OAK**

Finish: Handscraped Black Matt Lacquered  
D1610410 / Grading Type: Rustic A / Nature




**90 X 18 X 450MM LANGLEY OAK**

Finish: Matt Lacquered  
D1610203 / Grading Type: Rustic A / Nature




**90 X 18 X 450MM ALBURY OAK**

Finish: Stained Brushed & Matt Lacquered  
D1610202 / Grading Type: Rustic A / Nature



**90 X 18 X 450MM HARVARD OAK**

Finish: Limewashed Brushed Matt Lacquered  
D1610204 / Grading Type: Rustic A / Nature



**90 X 18 X 450MM MORRISON OAK**

Finish: Smoked Brushed & Matt Lacquered  
D1610201 / Grading Type: Rustic A / Nature



Whiteriver Herringbone - Darwin Oak 90 x 18 x 450mm Smoked Extra White Matt Lacquered. See page 70

Herringbone 90 x 14 x 450mm

Technical Data Sheets available at [www.wrg.ie](http://www.wrg.ie)




**90 X 14 X 450MM HAMPTON OAK**

Finish: Brushed Matt Lacquered  
D1610113 / Grading Type: Rustic A / Nature



**90 X 14 X 450MM RHODE ISLAND**


Finish: Smoked White UV Matt Lacquered  
D1610112 / Grading Type: Rustic A / Nature




**90 X 14 X 450MM STAMFORD OAK**

Finish: Stained Brushed & Matt Lacquered  
D1610310 / Grading Type: Rustic A / Nature


**Pattern options**




CLASSIC HERRINGBONE




DOUBLE HERRINGBONE




TRIPLE HERRINGBONE



BASKET WEAVE




DOUBLE BASKET WEAVE



\*SQUARE BASKET

*\*Biscuit Joints / false tongues are required for installation of Square Basket & Lattice Pattern*


**IMPORTANT: ALL ENGINEERED HERRINGBONES  
MUST BE GLUED DOWN**



Whiteriver Herringbone - Rhode Island 90 x 14 x 450mm. See page 72.

Herringbone 120 x 14 x 600mm

Technical Data Sheets available at [www.wrg.ie](http://www.wrg.ie)




**120 X 14 X 600MM SLANEY OAK**  
Finish: Smoked Brushed Matt Lacquered  
D1610460 / Grading Type: Rustic A / Nature




**120 X 14 X 600MM WICKLOW OAK**  
Finish: Stained Brushed & UV Matt Lacquered  
D1610470 / Grading Type: Rustic A / Nature


**Pattern options**




CLASSIC HERRINGBONE




DOUBLE HERRINGBONE




TRIPLE HERRINGBONE



BASKET WEAVE



DOUBLE BASKET WEAVE




\*SQUARE BASKET

*\*Biscuit Joints / false tongues are required for installation of Square Basket & Lattice Pattern*

**IMPORTANT: ALL ENGINEERED HERRINGBONES MUST BE GLUED DOWN**





# Versailles / Panels

BY WHITERIVER

Originally commissioned by Louis XVI for the famous Palace of Versailles, these bespoke intricate floor panels are steeped in history. Individual pieces of wood are hand crafted to an exacting standard and pressed onto a birch plywood base to create each panel.

Indulge your very own palace with these exquisite examples of craftsmanship - create a unique look using our unfinished panels with a colour to complement your decor.




Versailles Panel - Unfinished panel with Matt Lacquer finish applied



**900 X 18 X 900MM EUROPEAN OAK LIGHT  
BRUSHED UNFINISHED**

Finish: Birch Plywood (May Contain Sapwood)  
D1417003 / Grading Type: Rustic A / Nature



**IMPORTANT:  
ALL VERSAILLES ENGINEERED PANELS  
MUST BE GLUED DOWN**

*Note: All panels have a birch plywood base. Levels of sapwood may vary.*




Versailles Panel - Unfinished panel with Matt Lacquer finish applied

*collection*  
**HISTORIC**  
BY WHITERIVER

Timber has been harvested as an essential construction material for centuries. Trees grown in the Baltics, North America and China were shipped around the world to meet the growing demand of industrialisation. We have brought together a collection of salvaged woods dating back decades to create our bespoke Historic Collection.

The passion and workmanship that went into the building of boats and farm buildings in the 18th & 19th centuries has been rekindled by artisan craftsmen to bring this unique part of history back to life. The imperfections of each salvaged piece enhance the overall beauty of the finished product, each blemish having its own secret past. All pieces of reclaimed wood are delicately shaped into flooring and wall panelling that is easy to install in today's modern world.





# Historic *reclaimed plank*

BY WHITERIVER

The bespoke nature of crafting each plank results in an individuality that cannot be replicated creating varying widths and lengths for a truly authentic look. Creating planks begins with cutting a \*4mm thick veneer from reclaimed timbers and pressing them onto an FSC - certified plywood base to give an overall thickness of 15mm. A selection of our most popular finishes are complemented with matching herringbone / chevron designs - see following pages for details.

*\*New Orleans plank has a 6mm veneer on a FSC - certified plywood base with an overall thickness 18mm.*

**Note:** *Plank widths vary from 70mm - 230mm / Lengths vary from 400mm - 2200mm*

Plank



Historic Reclaimed Plank - Boston Oak Plank 95mm - 135mm x 15mm x 400mm - 2200mm. See page 84



**HISTORIC COLUMBUS PINE PLANK**

Finish: Unfinished / Grading: Reclaimed  
70mm-230mm x 15mm x 400-2200mm / D1810001



**HISTORIC CHARLESTON PINE PLANK**

Finish: Unfinished / Grading: Reclaimed  
70mm-230mm x 15mm x 400-2200mm / D1810002



**HISTORIC BOSTON OAK PLANK**

Finish: Oiled / Grading: Reclaimed  
95mm-135mm x 15mm x 400-2200mm / D1810003



**HISTORIC CHICAGO OAK PLANK**

Finish: Unfinished / Grading: Reclaimed  
95mm-135mm x 15mm x 400mm-2200mm / D1810004



**HISTORIC MADISON OAK PLANK**

Finish: Oiled / Grading: Reclaimed  
95mm-135mm x 15mm x 400mm-2200mm / D1810005




**HISTORIC NEW ORLEANS ELM PLANK**

Finish: Oiled / Grading: Reclaimed  
50mm-230mm x 18mm x 400-1800mm / D1810100

*Note: Planks are supplied in a mix of random widths and lengths.*




Historic Plank - Madison Oak Plank 95mm - 135mm x 15mm x 400mm - 2200mm



**Dimensions**

Herringbone Boston & Madison 115 x 15 x 575mm  
Chevron Charleston 90mm x 15 x 600mm



# Historic *reclaimed herringbone & chevron*

BY WHITERIVER

The contrasting characteristics of salvaged wood and precision cutting are fused to create stunning herringbone and chevron flooring. The creative process begins with selecting the finest materials from around the world which are shaped into extraordinary pieces of modern-day flooring by master craftsmen. Traditional methods are used throughout the process which begins with pressing 4mm veneers of history onto an FSC - certified plywood base for stability - each one cut meticulously for an exacting fit.

*A selection of our Herringbone and Chevron collection is complemented with a matching plank format which is perfect for defining different spaces without compromising the overall desired effect.*

## Herringbone & Chevron






**HISTORIC CHARLESTON PINE HERRINGBONE**

Finish: Unfinished / Grading: Reclaimed  
90mm x 15mm x 600mm / D1810501



**HISTORIC BOSTON OAK HERRINGBONE**

Finish: Oiled / Grading: Reclaimed  
115mm x 15mm x 575mm / D1810502



**HISTORIC CHARLESTON PINE CHEVRON**


Finish: Unfinished / Grading: Reclaimed  
90mm x 15mm x 600mm / D1810601



**HISTORIC MADISON OAK HERRINGBONE**


Finish: Oiled / Grading: Reclaimed  
115mm x 15mm x 575mm / D1810503

Note: Matching Plank Flooring and Wall Panelling is available for Charleston. Matching Plank Flooring is available for Boston & Madison. See previous pages for details.



*The depth of grain and structure brings a unique character to every element of the Historic Collection.*

Historic Chevron - Charleston Pine 90 x 15 x 600mm.



# Historic *reclaimed panelling*


BY WHITERIVER

Steeped in history, each 4mm thick slice of reclaimed wood is selected by passionate craftsmen from solid beams of historic buildings to bring a true sense of character to any surrounding. Given the nature of rustic building methods our wall panelling is supplied in a random mix of widths and lengths which results in a stunning authentic visual effect.

**Note:** Panel widths vary from 50mm - 130mm / Lengths vary from 300mm - 1500mm

Wall Panelling





**HISTORIC CHARLESTON PINE WALL PANELLING**

50mm-130mm x 4mm x 300mm-1500mm

Finish: Unfinished / Grading: Reclaimed / D1820001



**HISTORIC COLUMBUS PINE WALL PANELLING**

50mm-130mm x 4mm x 300mm-1500mm

Finish: Unfinished / Grading: Reclaimed / D1820002



**HISTORIC NEW AMSTERDAM PINE WALL PANELLING**

50mm-130mm x 4mm x 300mm-1500mm

Finish: Lacquered / Grading: Reclaimed / D1820003



**HISTORIC ATLANTA PINE WALL PANELLING**

50mm-130mm x 4mm x 300mm-1500mm


Finish: Oiled / Grading: Reclaimed / D1820004

**Note:** Matching Plank, Herringbone & Chevron Flooring is available for Charleston. Matching Plank Flooring is available for Columbus.

See previous pages for details. Board widths vary from 50mm - 130mm. Board lengths vary from 300 - 1500mm



Historic Wall Panelling - Columbus Pine



Historic Wall Panelling - Charleston Pine

**Installation: Panelling must be left for 48 hours in room to be installed in to acclimatise to humidity. Walls should be dry, clean, structurally sound and painted. Panels can be fixed to the wall using panel adhesive and panel pins. We recommend to paint the wall black before installation.**

BOARD SIZES VARY

# Solid Pine / Solid Flooring

BY WHITERIVER

Pitch Pine is a beautiful wood prized throughout the world for its distinctive grain, rich, lustrous patina, and durable hardness. Warm tones from golden yellow to red brown heartwood to lighter brown sapwood. It deepens to a deeper red colour over time.

Maritime French Pine is a cost-effective prefinished timber flooring similar with golden to red tones ideal for lower traffic areas in your home. Its nice colour variation and rustic characteristics make this a popular choice. The 170mm board should be secret nailed when installing.


170



Solid Flooring - 178 x 19 x RL Honduras Pitch Pine



**178 X 19MM X RL HONDURAS PITCH PINE**  
Finish: Unfinished  
E1211001 / Grading Type: Rustic/Character



**170 X 21 X 2000MM FRENCH PINE**  
Finish: Lacquered  
E1211006 / Grading Type: Rustic/Character



Solid Flooring - 178 x 19 x RL Honduras Pitch Pine



Solid Flooring - 170 x 21 x 2000 French Pine

BOARD SIZES VARY

# Atlantic / Solid Flooring

BY WHITERIVER

Enhance your home with a solid wood floor. Experience the comfort and warmth of hardwood flooring. With Atlantic Hardwood Flooring you'll enjoy the luxurious sensation of the forest under your feet. Best of all, you'll add a distinctive look to your surroundings. A variety of species and grades, each with their own unique look. Whether you are aiming for a country or contemporary look, the Atlantic collection has the flooring to suit your taste and design needs.

**Note:** *Universal grading - 70% Natural, 30% Rustic  
(Atlantic Rustic grading may have filled cracks and small percentage of worm holes).  
We recommend minimum 10-15% waste for rustic grade.*



Solid Flooring - Canadian Maple 83 x 19mm Lacquered



**57 X 19MM X (2 1/4") CANADIAN MAPLE**

Finish: Unfinished  
E1411006 / Grading Type: Nature



**83 X 19MM X (3 1/4") CANADIAN MAPLE**

Finish: Lacquered  
E1411004 / Grading Type: Universal



**107 X 19MM X (4 1/4") CANADIAN RED OAK NATURAL**

Finish: Natural grade, Lacquered  
E1411008 / Grading Type: Universal




**83 X 19MM X (3 1/4") CANADIAN RED OAK RUSTIC**

Finish: Rustic Grade, Lacquered  
E1411005 / Grading Type: Rustic/Character

**Note:** Universal grading - 70% Natural, 30% Rustic  
(Atlantic Rustic grading may have filled cracks and small percentage of worm holes).  
We recommend minimum 10-15% waste for rustic grade.





**Dimensions**

70mm x 18/21mm x 280/350mm

# Woodblock / Herringbone

BY WHITERIVER

Solid woodblock flooring is one of the world's most versatile floor coverings. Around for centuries, you get durability and timeless elegance that only comes with a solid wood floor. Each plank is made from a single piece of hardwood. Once properly maintained, solid wood floors can last for generations.

The solid strip parquet floor that can be installed in the timeless herringbone pattern. Installation can be in traditional herringbone or in straight English bond. Glue down installation required.





**70 X 21 X 280MM OAK WOODBLOCK**

Finish: Unfinished


E1010024 / Grading Type: Nature / Rustic



**70 X 21 X 280MM OAK WOODBLOCK**

Finish: Unfinished

E1010025 / Grading Type: Prime




**70 X 18 X 350MM MERBAU WOODBLOCK**


Finish: Unfinished

E10100014 / Grading Type: Prime (Product contains colour variation)


**Pattern options**




CLASSIC HERRINGBONE




DOUBLE HERRINGBONE




TRIPLE HERRINGBONE



BASKET WEAVE



DOUBLE BASKET WEAVE



\*SQUARE BASKET

**IMPORTANT: ALL SOLID WOOD BLOCK  
MUST BE GLUED DOWN**



Solid Flooring - Oak Woodblock Prime 70 x 21 x 280mm



Solid Flooring - Merbau Woodblock 70 x 18 x 350mm



RENAISSANCE



Renaissance, literally meaning “Rebirth” in French, was a period in history between the 14th and 17th centuries which brought a new perspective of art, architecture, politics, science and literature across most of Europe.

Renaissance style focuses on symmetry, proportion and geometry and introduced standards to construction materials which have stood the test of time. Influenced by the pioneering visionaries of the period we have brought together a premium range of wide plank floors manufactured in Europe using the finest quality European Oak.






# CRADLE TO CRADLE

Sustainable wooden floors, made from natural products


Nowadays Cradle to Cradle™ and circular economy are inseparably connected with one another.


Cradle to Cradle™ is the ultimate form of sustainable entrepreneurship and stands for: waste is food. This means that the raw materials used in the Renaissance range can be fully reused without losing their value.





Renaissance Plank - Oak Giorgione





# Renaissance 13mm / Plank

BY WHITERIVER

The Renaissance Collection will fit into both modern and classic interiors effortlessly. Manufactured in Europe with a 9mm birch plywood and 4mm top layer construction for optimum stability. Featuring dimensions of 260mm wide and 1950/2400mm long, these boards are exceptional and expansive in their size and character.

260







**260 X 13/4 X 1950/2400MM OAK ALBERTI**

Finish: Smoked, White UV Oil/Wax, Dsc

D1420181 / D1420182 - Grading Type: Rustic / Character

*Compatible Herringbone: 120 x 13mm Oak Della Porta. See page 116*



**260 X 13/4 X 1950/2400MM OAK SANGALLO**

Finish: Smoked, Planed, Extra White UV Oil/Wax, Dsc

D1420179 / D1420180 - Grading Type: Rustic / Character

*Compatible Herringbone: 120 x 13mm Oak Leona. See page 116*




**260 X 13/4 X 1950/2400MM OAK PIERO**

Finish: Smoked, Distressed, Planed, Black UV Oil/Wax Osmo

D1420125 / D1420126 - Grading Type: Rustic / Character

*Compatible Herringbone: 120 x 13mm Oak Vico. See page 116*



**260 X 13/4 X 1950/2400MM OAK ZUCCARI**

Finish: Planed Extra White Oil/Wax Dsc


D1420183 / D1420184 - Grading Type: Rustic / Character

*Compatible Herringbone: 120 x 13mm Oak Lorenzo. See page 116*

**Note:** Some of the 260 x 13mm Renaissance products come planed as a design feature. This results in a slightly rougher texture around knots and harder areas of the wood and a gathering of the finish in these areas.

*Renaissance flooring is supplied in 1950mm or 2400mm lengths - subject to availability.*





**Dimensions**  
120mm x 13mm x 600mm

# Renaissance 13mm / Herringbone

BY WHITERIVER

Experience old world luxury with specialty Herringbone designs in 120 x 13 x 600mm format with a 4mm top layer. The Herringbone range is manufactured in Europe to an exacting standard with compatible planks available within the collection. The unsurpassed exceptional quality and craftsmanship is guaranteed to bring a touch of luxury to any project.



Herringbone





**120 X 13 X 600MM OAK DELLA PORTA**

Finish: Smoked White UV Oil/Wax Dsc  
D1620068 / Grading Type: Prime

Compatible Plank: 13mm Oak Alberti. See page 112



**120 X 13 X 600MM OAK LEONA**

Finish: Smoked, Planed Extra White UV Oil/Wax Dsc  
D1620069 / Grading Type: Rustic A / Nature


Compatible Plank: 13mm Oak Sangallo. See page 112



**120 X 13 X 600MM OAK VICO**

Finish: Smoked, Distressed, Planed Black UV Oil/Wax Osmo Aged Edges  
D1620070 / Grading Type: Rustic AB

Compatible Plank: 13mm Oak Piero. See page 112




**120 X 13 X 600MM OAK LORENZO**


Finish: Planed Extra White Oil/Wax Dsc  
D1620071 / Grading Type: Rustic AB

Compatible Plank: 13mm Oak Zuccari. See page 112


**Pattern options**




CLASSIC HERRINGBONE




DOUBLE HERRINGBONE




TRIPLE HERRINGBONE



BASKET WEAVE



DOUBLE BASKET WEAVE



\*SQUARE BASKET


\*Biscuit Joints / false tongues are required for installation of Square Basket & Lattice Pattern

**IMPORTANT: ALL ENGINEERED HERRINGBONES MUST BE GLUED DOWN**









# Renaissance 19mm / Plank

BY WHITERIVER

The Renaissance Collection will fit into both modern and classic interiors effortlessly. Manufactured in Europe with a birch plywood construction for optimum stability and featuring dimensions of 260mm wide and 1950/2400mm long, these boards are exceptional and expansive in their size and character. The 19mm thick planks come with a 4mm wear layer.

260



Plank





**260 X 19 X 1950/2400MM OAK BOTTICELLI**

Finish: Smoked, White UV Oil/Wax Dsc  
D1420058 / D1420059 - Grading Type: Rustic / Character  
*Compatible Herringbone: 120x 19mm Oak Angelico. See page 126*



**260 X 19 X 1950/2400MM OAK DA VINCI**

Finish: Smoked, Distressed, Planed, White UV Oil/Wax Osmo  
D1420048 / D1420049 - Grading Type: Rustic / Character  
*Compatible Herringbone: 120x 19mm Oak Landini. See page 126*



**260 X 19 X 1950/2400MM OAK BRAMANTE**

Finish: Planed Extra White UV Oil/Wax Dsc  
D1420064 / D1420065 - Grading Type: Rustic / Character  
*Compatible Herringbone: 120x 19mm Oak Masip. See page 126*



**260 X 19 X 1950/2400MM OAK CARVAGGIO**

Finish: Smoked, Distressed, Planed, Black UV Oil/Wax Osmo  
D1420062 / D1420063 - Grading Type: Rustic / Character  
*Compatible Herringbone: 120x 19mm Oak Brandani. See page 126*



**260 X 19 X 1950/2400MM OAK MESSINA**

Finish: Smoked, Planed, Extra White UV Oil/Wax Dsc  
D1420060 / D1420061 - Grading Type: Rustic / Character  
*Compatible Herringbone: 120x 19mm Oak Lippi. See page 126*



**260 X 19 X 1950/2400MM OAK CELLINI**


Finish: Planed White Oil/Wax Dsc  
D1420066 / D1420067 - Grading Type: Rustic / Character  
*Compatible Herringbone: 120x 19mm Oak Lorrain. See page 126*



Supplied in 1950mm or 2400mm lengths or a mixture of both - each pack may contain one nested row.  
**Subject to availability. Renaissance boards may contain sapwood.**

Whiteriver Plank - Oak Messina 260 x 19 x 1950/2400mm

*\*Please note that some of the 260 x 19mm Renaissance products come planed as a design feature. This results in a slightly rougher texture around knots and harder areas of the wood and a gathering of the finish in these areas. Renaissance Flooring is supplied in 1950mm or 2400mm lengths or a mixture of both - each pack may contain one nested row.*



**Dimensions**  
120mm x 19mm x 600mm

# Renaissance 19mm / Herringbone

BY WHITERIVER

Experience old world luxury with specialty Herringbone designs in 120 x 19 x 600mm format. The Herringbone range is manufactured in Europe to an exacting standard with compatible planks available within the collection. Featuring a 4mm wear layer on a 15mm birch plywood, the unsurpassed exceptional quality and craftsmanship is guaranteed to bring a touch of luxury to any project.



Herringbone





**120 X 19 X 600MM OAK ANGELICO**

Finish: Smoked, White UV Oil/Wax Dsc  
D1620064 / Grading Type: Prime

Compatible Plank: 260 x 19mm Oak Botticelli. See page 122



**120 X 19 X 600MM OAK LANDINI**

Finish: Smoked, Distressed, White UV Oil/Wax Osmo Edges  
D1620072 / Grading Type: Rustic AB

Compatible Plank: 260 x 19mm Oak Da Vinci. See page 122



**120 X 19 X 600MM OAK LIPPI**

Finish: Smoked, Planed Extra White UV Oil/Wax Dsc  
D1620065 / Grading Type: Rustic A / Nature


Compatible Plank: 260 x 19mm Oak Messina. See page 122



**120 X 19 X 600MM OAK BRANDANI**

Finish: Smoked, Distressed, Black UV Oil/Wax  
D1620002 / Grading Type: Rustic AB


Compatible Plank: 260 x 19mm Oak Carvaggio. See page 122



**120 X 19 X 600MM OAK MASIP**

Finish: Planed Extra White UV Oil/Wax Dsc  
D1620066 / Grading Type: Rustic AB

Compatible Plank: 260 x 19mm Oak Bramante. See page 122



**120 X 19 X 600MM OAK LORRAIN**

Finish: Planed White UV Oil/Wax Dsc  
D1620067 / Grading Type: Rustic A / Nature

Compatible Plank: 260 x 19mm Oak Cellini. See page 122








Renaissance Herringbone - Oak Landini 120 x 19 x 600mm





**Dimensions**  
120 x 13 x 525mm  
120 x 19 x 525mm

# Renaissance Chevron

BY WHITERIVER

Experience old world luxury with specialty Chevron designs in 120 x 13/19 x 525mm. The Chevron range is manufactured in Europe to an exacting standard with compatible planks available within the collection. The unsurpassed exceptional quality and craftsmanship is guaranteed to bring a touch of luxury to any project.

120



Chevron



Whiteriver - Renaissance chevron 120mm x 525mm  
 available to special order in both 13mm & 19mm (allow 6-8 weeks)

Technical Data Sheets available at [www.wrg.ie](http://www.wrg.ie)



**Compatible with:**

- 13MM OAK ALBERTI PLANK & 13MM OAK DELLA PORTA HERRINGBONE
- 19MM OAK BOTTICELLI PLANK & 19MM OAK ANGELICO HERRINGBONE

*Finish: Smoked, White UV Oil/Wax Dsc • Grading Type: Prime*



**Compatible with:**

- 19MM OAK DA VINCI PLANK & 19MM OAK LANDINI HERRINGBONE

*Finish: Smoked, Distressed, White UV Oil/Wax OSMO • Grading Type: Rustic A / Nature*



**Compatible with:**

- 13MM OAK SANGALLO PLANK & 13MM OAK LEONA HERRINGBONE
- 19MM OAK MESSINA PLANK & 19MM OAK LIPPI HERRINGBONE

*Finish: Smoked, Extra White UV Oil/Wax Dsc • Grading Type: Rustic AB*



**Compatible with:**

- 13MM OAK PIERO PLANK & 13MM OAK VICO HERRINGBONE
- 19MM OAK CARVAGGIO PLANK & 19MM OAK BRANDANI HERRINGBONE

*Finish: Smoked, Distressed, Black UV Oil/Wax Osmo • Grading Type: Rustic AB*



**Compatible with:**

- 19MM OAK BRAMANTE PLANK & 19MM OAK MASIP HERRINGBONE
- 13MM OAK ZUCCARI PLANK & 13MM OAK LORENZO HERRINGBONE

*Finish: Planed Extra White Oil/Wax Dsc • Grading Type: Rustic AB*




**Compatible with:**

- 19MM OAK CELLINI PLANK
- 19MM OAK LORRAIN HERRINGBONE

*Finish: Planed White Oil/Wax Dsc • Grading Type: Rustic AB*





# Renaissance XL

BY WHITERIVER

Renaissance XL represents customisation, quality, exclusiveness, nature and sustainability, which are reflected in all of our designs. During the production process the floor elements are manufactured by hand, this way each plank has its own unique and exclusive appearance. XL floors are characterised by their unique surface. The exclusive finishing stands out because of the particularly varying heights, better known as Original Surface. XL can also be provided in a sanded variant, for an even surface - the Sanded Surface. These extraordinary floors are produced in different lengths up to as much as 4 metres long and almost 50 cm wide.



280 — 480

**Note:** Plank widths vary from 280mm - 480mm

Plank lengths vary from 2000mm - 4000mm / Plank thickness varies between products.

See individual product details on page 136-138.

XL





**XL OAK GIORGIONE ORIGINAL SURFACE**  
**280-480 X 23 X 2000-4000MM**

*Finish: UV Hardened Oil/Wax  
D1430005*

*Grading Type: Rustic / Character*



**XL OAK MASSOLINO SANDED**  
**280-480 X 19 X 2000-4000MM**

*Finish: UV Hardened Oil/Wax  
D1430006*

*Grading Type: Rustic / Character*



**XL OAK VASARI SANDED**  
**280-480 X 20 X 2000-4000MM**

*Finish: UV Hardened Oil/Wax  
D1430007*

*Grading Type: Rustic / Character*



**XL OAK AMADEO SANDED**  
**280-480 X 19 X 2000-4000MM**

*Finish: UV Hardened Oil/Wax  
D1430008*

*Grading Type: Rustic / Character*





**XL OAK GIOVANNI ORIGINAL SURFACE**  
**280-480 X 23 X 2000-4000MM**

*Finish: UV Hardened Oil/Wax  
D1430001*

*Grading Type: Rustic / Character*



**XL OAK PERUGINO SANDED SURFACE**  
**280-480 X 20 X 2000-4000MM**

*Finish: UV Hardened Oil/Wax  
D1430002*

*Grading Type: Rustic / Character*



**XL OAK MASSACIO SANDED**  
**280-480 X 20 X 2000-4000MM**

*Finish: UV Hardened Oil/Wax  
D1430003*

*Grading Type: Rustic / Character*



**XL OAK DUCCIO SANDED**  
**380 X 19 X 2000-4000MM**

*Finish: UV Hardened Oil/Wax  
D1430004*

*Grading Type: Rustic / Character*

As these floors are hand-made to order, please allow a lead time of 8 weeks.



# Architects & *Designers*





Renaissance XL - Oak Giorgione- 280-480 x 23 x 2000-4000mm

# Architects & *Designers*

We have a long tradition of working with Architects & Designers on both commercial and residential developments. Along with offering our product range which is displayed on our site, we also offer a bespoke product design service for larger projects, we have expertise dealing in both new design and protected restoration. Our company has worked on many leading projects and have expertise in the following areas.


- Hotels
- Pubs & Restaurants
- Retail
- Residential
- Health care
- College/Universities
- Student accommodation
- Museums

Recent projects of note include Lansdowne Place, Adare Manor Hotel and Golf Resort, Becton Dickinson Research Centre, Mount Juliet Estate, Hanover Quay, Tayto Park, Cliff House Hotel, Kerry Group H.Q., Carechoice Nursing Home, UCC Student Campus.

Our company is both FSC & PEFC certified and we also follow and comply with EU policy on the importation and sale of wood products. If you require any further information for product specification, or simply want to discuss our product offering we are more than happy to help you. We also have a full product showroom in Dunleer, Co. Louth, Ireland which is available by appointment.

Please do not hesitate to contact us to discuss any requirements you may have.

**Tel: +353 (0) 41 686 1000 or [enquiries@wrg.ie](mailto:enquiries@wrg.ie)**





Renaissance XL - Oak Massolino - 280mm x 19mm x 2000mm



Renaissance Herringbone - Oak Landini - 120mm x 19mm x 600mm



Renaissance Plank - Oak Da Vinci - 260mm x 19mm x 1950/2400mm



Renaissance Herringbone - Oak Angelico 120mm x 19mm x 600mm




Renaissance Chevron - Oak Angelico - 120mm x 19mm x 525mm




Rhode Island Herringbone 90 x 14 x 450mm



Renaissance XL - Oak Giovanni Original - 280-480mm x 23mm x 2000mm



Renaissance Stair Nosings



Renaissance Plank - Oak Da Vinci - 260mm x 19mm x 1950/2400mm






Barista Plank - Oak Napolitana- 180mm x 14mm x 2200mm



Barista Plank - Oak Mocha - 180mm x 14mm x 2200mm



Pembroke Oak - 220mm x 18mm x 2200mm







Heritage - Oak Laurens - 190mm x 18mm x 1900mm





Heritage - Oak Laurens - 190mm x 18mm x 1900mm



Heritage - Nelson Oak - 190mm x 18mm x 1900mm

# Grading Guidelines

Trees are as individualistic as people and therefore no two are the same. It is this characteristic that makes timber floors an attractive choice and interesting feature in any setting.

Grading guidelines will vary between manufacturers as well as between different species and we feel it is important to outline some of the typical variances to be found within our ranges.

We have put together the following examples of Oak grading as a guide to highlight some of the characteristics you can expect to see across different floors. It is important to note that these images are typical characteristics and will vary within their own grades as choosing veneers is done by visual inspection and is not an exact science.



## UNIVERSAL

Universal grading contains a mixture of prime, nature and rustic/character grading. Different species will have different characteristics e.g. European oak grading tends to include it's fair share of knotting so there will be a more limited amount of prime/nature boards within universal grading. The boards will contain both heartwood and sapwood and have a degree of natural colour variation as a result. Knots are filled to match the natural timber however may vary between boards and batches.



## SELECT / PRIME

As the name suggests, this high grade will have little or no knots – any knots contained in the finished product will be minimal in size. Sapwood imperfections and fillers are kept to a minimum and colour matched to blend with the grain of the wood. Overall colour variation is consistent.



## SAPWOOD

Sapwood is the outer part of a tree's stem or branch which allows essential water and sap to flow as it continues to grow. In most species it has a lighter appearance to the rest of the tree as it naturally contains a higher level of moisture during growth. The level of sapwood in our flooring ranges is controlled within our grading guidelines and also depends on the surface treatment of the final product. Natural oiled or clear lacquered finishes will mask the appearance of sapwood while smoking and white oiling may highlight the sapwood as it reacts to the finishing process.



## VINTAGE

Quantity and size of knots will be significantly more evident in this grade. Maximum size of broken knots, 45mm. The boards will contain both heartwood and sapwood and have a higher degree of natural colour variation as a result. Allowable sapwood to be less 30% of the board width and less than 30% in volume. Growth ring and end crack defects will be more obvious and sunken filled to match the natural timber however may vary between boards and batches. Width of cracks 10mm maximum



## NATURE

Nature grading contains some knots, but less than Universal grade, some sapwood and some colour variation. Knot sizes are restricted so it tends to have an overall calmer appearance than Universal grading. Knots are filled to match the natural timber however may vary between boards and batches.



### **RUSTIC / CHARACTER**

Quantity and size of knots will be significantly more evident in this grade. The boards will contain both heartwood and sapwood and have a higher degree of natural colour variation as a result. Growth ring and end crack defects will be more obvious and filled to match the natural timber however may vary between boards and batches.




### **KNOTS & FILLERS**

Knots are created when a branch grows out from the crown of the tree and can also be an indication of a dormant bud. The tree naturally grows around knots hence the flowing effect of the grain around them. The amount and size of knots in our flooring is controlled within our grading guidelines. During the manufacturing process it may be necessary to fill knots to achieve a consistent surface finish – the colour and depth of the filler is determined by the overall design of the final product.



### **MEDULLARY RAYS**

Medullary Rays are natural cellular structures within the tree and can appear as a sporadic formation of stretch like marks within the timber.



### **NEW RUSTIC AB ( RENAISSANCE HERRINGBONE)**

This grading contains healthy knots up to 60mm diameter and filled knots up to 35mm diameter allowed. Knots are filled to match the natural timber however may vary between boards and batches. The boards will contain some sapwood with some natural colour variation as a result. Allowable sapwood to be less than 10% of the board width and less than 10% in volume. Some small closed cracks can occur, max 2mm open.



### **RUSTIC A / NATURE (HERRINGBONE & CHEVRON PANELS)**

This grading contains some knots, some sapwood and some colour variation. Maximum knot size is restricted to c25mm so it tends to have an overall balanced appearance due to fewer knots. Knots are filled to match the natural timber however may vary between boards and batches.




### **SMOKING**

During the smoking process there is a reaction with a natural acid in the oak called tannin. The levels of tannin can vary in each board and from batch to batch therefore there will be a colour variation between boards and batches because of the smoking process. After installation, the floor will change to a warmer colour tone over time, this period of time is influenced by sunlight, indoor light and the atmosphere on site.

# Underlays & Profiles

Underlay is the foundation to all professional floor installations therefore it is essential that the correct product is specified to suit conditions and customer expectations of performance. We recommend using a good quality underlay for all hard subfloors, whether they are made of cement, wood substrate, ceramic or synthetic. You consequently increase the resilience of the floor, absorb indoor and footfall sound and level minor irregularities in the subfloor. We recommend that you use polythene over concrete subfloors in addition to underlay.



Name	2mm White Foam	2mm Superior Green	2mm Heat Master Perforated	2MM Cork	3mm Acoustic Blue Plus	3mm Ultra Strong	3mm Premium Red Vapour Seal	3mm Silent Plus	3mm Sound Master Pro Cork Rubber Underlay	4.5mm Sound Master Pro Cork Rubber Underlay
Code	F1010035 / F1010030	F1010040	F1010014	F1010004	F1010045	F1010015	F1010050	F1010011	F1010018	F1010024
Coverage Per Roll/Pack	15 / 25m <sup>2</sup>	10m <sup>2</sup>	10m <sup>2</sup>	20m <sup>2</sup>	10m <sup>2</sup>	10m <sup>2</sup>	10m <sup>2</sup>	10m <sup>2</sup>	10m <sup>2</sup>	10m <sup>2</sup>
Roll Size	2mm x 1m x 15 / 25m	2mm x 1m x 10m	2mm x 1m x 10m	2mm x 1m x 20m	3mm x 1m x 10m	3mm x 1m x 10m	🔒 3mm x 1m x 10m	🔒 3mm x 1m x 10m	3mm x 1m x 10m Roll weight: 22kg	4.5mm x 1m x 10m Roll weight: 33kg
TOG Rating	0.62	0.40	0.35	0.41	0.60	0.60	0.60	1.20	0.75	0.75
Impact Sound Reduction	16dB	19dB	20dB	17dB	21dB	22dB	21dB	23dB	18dB	18dB
Underfloor Heating	✗ Do not use	✓	✓	✓	✓	✓ ≤ 8mm Laminate only	✓ ≤ 8mm Laminate only	✗ Do not use	✗ Do not use	✗ Do not use
Compressive Strength	Poor	Very Good	Very Good	Good	Excellent	Excellent	Excellent	Very Good	Excellent	Excellent
Heat Transfer Resistance	0.062 k/w m <sup>2</sup>	0.04 k/w m <sup>2</sup>	0.035 k/w m <sup>2</sup>	0.041 k/w m <sup>2</sup>	0.06 k/w m <sup>2</sup>	0.060 k/w m <sup>2</sup>	0.06 k/w m <sup>2</sup>	0.120 k/w m <sup>2</sup>	0.075 k/w m <sup>2</sup>	0.075 m k/w m <sup>2</sup>
Rolls per Pallet	64 / 48	64 / 48	72	24	56	48	56	30 / 36	24	16

\*Contact our technical department for more information.



## DROP LOCK SYSTEM

For products that use Drop Lock System, we do not recommend underlays thicker than 3mm.


# Solid Stair Nosing

Wooden stairs are in line with the latest interior design trends. Puristic furniture and large glass areas correspond with floors, walls and stairs that radiate warmth and provide texture. Therefore, engineered flooring on stairs is attracting more and more fans. Stair Nosing's offer the perfect solution for contemporary interior stair design within engineered Plank.



## WHITERIVER SOLID STAIR NOSING UNFINISHED


28 x 48 x 2400MM (to suit 13, 14, 18, 19mm)  
Designed to match all our plank ranges  
The finishing touch to your floor



## BARISTA SOLID STAIR NOSING OAK


21 x 55 x 2000MM

Designed to match our 14mm Barista range.  
Available in Clear Lacquered, Lacquered  
White.



## EURO STEP STAIR NOSING 320


Commercial Two Piece  
Code: F1625043  
Colour: Silver  
Length: 2700mm  
Floor Thickness: 7mm - 16mm



## BARISTA SOLID STAIR NOSING OAK UNFINISHED

41 x 55 x 2000MM

Designed to match our 14mm Barista range.  
Available in unfinished.




**JOINING PROFILE** | Available to order in various dimensions and finishes to suit your project.



Aluminium Joining Profile. Available in 15mm and 20mm high x 3mm thick



Brass Joining Profile. Available in 15mm and 20mm high x 3mm thick







# Engineered Care & Maintenance

## UV OIL / DSC FINISH

### Room Conditions

Timber likes pleasant room conditions similar to humans; a room temperature of 20°C and humidity of about 50%. A humidity controller may be required. All rooms, which have timber flooring, should ideally be maintained at the above.

### UV OIL / DSC FINISH

A UV oiled finish means that the oil is cured under ultra violet lights. This allows more oil to be used and results in a more durable finish than natural oil. As with all floor finishes eventually the surface will wear down and require refinishing. To prolong the lifespan of the floor it is important to use the recommended maintenance products below as it provides ongoing protection to the floor surface.

Higher traffic / heavier use areas will require more frequent use of the Natural Soap and a shorter period of time in between coats of maintenance gel. The floor should be reviewed regularly and maintained for signs of excessive wear and appropriate action should be taken to avoid deterioration of the finish. If there are other building works taking place after installation the floor should be covered to protect the finish. Please see the reverse of each Woca product for full usage instructions. There are also detailed video instructions available at [www.wocadenmark.com/video](http://www.wocadenmark.com/video)

### Protecting your floor

*To preserve quality and beauty of your floor the following guidelines should be followed.*

- Use protective pads and castor cups under chairs and furniture legs. Use good quality polycarbonate mats under wheeled office chairs.
- We recommend that good quality entrance barrier mats are used at all external entrances to the hardwood flooring to collect grit and moisture from the underside of footwear.
- Never use a rubber mat, with Styrofoam or plastic backing.
- For moving heavy furniture place a piece of carpet face down between the legs and the flooring and pull on the carpet to move the furniture.
- We would advise that during installation / other building works that the timber floor is covered with a heavy duty breathable floor protection roll / sheets to protect the finish.
- Do not apply adhesive / decorators tape directly to the floor finish.

## CLEAN (REGULARLY)



**Natural Soap**  
Avg. Coverage: 320-400m<sup>2</sup>/L

Should be used for cleaning all wood floors with UV Oil and DSC finishes. Woca Natural Soap contains high quality vegetable oils that help prevent the wood from drying out. Available in the following; Natural (beige and dark tone wood floors), White (light tone wood floors).

## REJUVENATE (AS REQUIRED)



**Intensive wood cleaner**  
Avg. Coverage: 200-300m<sup>2</sup>/L

This is strictly for preparing wooden floors for further treatment. Intensive wood cleaner is efficient at removing stains caused by dirt or grease whilst also helping to open the wood to receive further treatments.



**Maintenance Gel**  
Avg. Coverage: 20-30m<sup>2</sup>/L - 200ml

This is ideal for refreshing oiled wood floors, particularly UV oiled floors & DSC Finish. Can be applied manually with a polish pad. Renew and rejuvenate with maintenance gel once a year or as required depending on wear/use.

*Areas with heavy wear can be repaired with Maintenance Gel after cleaning. Particularly strong stains may be removed with Woca Spot Remover.*



# Engineered Care & Maintenance

## LACQUERED / UV LACQUERED

### Room Conditions

Timber likes pleasant room conditions similar to humans; a room temperature of 20°C and humidity of about 50%. A humidity controller may be required. All rooms, which have timber flooring, should ideally be maintained at the above.

### LACQUERED / UV LACQUERED

Prefinished floors are among the easiest floors to care for. The finish consists of resistant, UV-hardened acrylic lacquer. It is formaldehyde-free and environmentally friendly. As with all floor finishes eventually the surface will wear down and require refinishing. To prolong the lifespan of the floor it is important to use the recommended maintenance products below as it provides ongoing protection to the floor surface.

Higher traffic / heavier use areas will require more frequent use of the Master cleaner and Master care to extend the lifetime of the surface. The floor should be reviewed regularly and maintained for signs of excessive wear and appropriate action should be taken to avoid deterioration of the finish. If there are other building works taking place after installation the floor should be covered to protect the finish. Please see the reverse of each Woca product for full usage instructions. There are also detailed video instructions available at [www.wocadenmark.com/video](http://www.wocadenmark.com/video)

### Protecting your floor

*To preserve quality and beauty of your floor the following guidelines should be followed.*

- Use protective pads and castor cups under chairs and furniture legs. Use good quality polycarbonate mats under wheeled office chairs.
- We recommend that good quality entrance barrier mats are used at all external entrances to the hardwood flooring to collect grit and moisture from the underside of footwear.
- Never use a rubber mat, with Styrofoam or plastic backing.
- For moving heavy furniture place a piece of carpet face down between the legs and the flooring and pull on the carpet to move the furniture.
- We would advise that during installation / other building works that the timber floor is covered with a heavy duty breathable floor protection roll / sheets to protect the finish.
- Do not apply adhesive / decorators tape directly to the floor finish.

## CLEAN (REGULARLY)



### Master Cleaner

Avg. Coverage: 400m<sup>2</sup>/L

Effectively removes everyday dirt and grime as well as making the surface stronger and more resistant to liquid spillages. As the cleaner leaves a thin smooth film layer, the floor will start to withstand everyday dirt.

## REJUVENATE (AS REQUIRED)



### Intensive wood cleaner

Avg. Coverage: 200-300m<sup>2</sup>/L

This is strictly for preparing wooden floors for further treatment. Intensive wood cleaner is efficient at removing stains caused by dirt or grease whilst also helping to open the wood to receive further treatments.



### Master Care

Avg. Coverage: 60m<sup>2</sup>/L

Helps to reduce the visibility of small scratches, increases the resistance of the surface and provides effective protection against wear. This extends the lifetime of the surface. The product can be used as required because it does not build up a thick coating.

*We recommend using Master Cleaner for regular cleaning of your lacquered floor. Woca Master Care is to be used when your floor is in need of refresher treatment.*







# ENGINEERED FLOORING

*Timeless luxury*

Discover all our premium ranges of engineered flooring

[www.wrg.ie](http://www.wrg.ie)



**Whiteriver**  
wood for living

## Follow Us

Join our social media community for tips and discover new products.

 [www.instagram.com/whiteriver\\_group](https://www.instagram.com/whiteriver_group)

 [www.linkedin.com/company/whiteriver-group](https://www.linkedin.com/company/whiteriver-group)



08/22

[www.wrg.ie](http://www.wrg.ie)

## Architects & Designers

Request our new sample box to hold the premium quality of a Whiteriver engineered floor in your hands to truly get a sense of a complete flooring experience. Get in touch to speak with one of our professionals who will guide your choice in the best suitable direction today.

[enquiries@wrg.ie](mailto:enquiries@wrg.ie) / +353 (0) 41 686 1000



**Keep me, or recycle me**

