2018



BUFF and SHING

PRODUCTS .COM



THE BUFFING PAD SPECIALIST Since 1987

Automotive / Marine / Aerospace / Industrial





TECHNICALLY ADVANCED & QUALITY MADE IN THE USA!

Buff & Shine's innovative buffing pad and cleaning accessory products provide technically advanced solutions to customers in the Automotive, Marine, Aerospace and Industrial markets worldwide.

All of our buffing pads are designed, engineered and manufactured in our state-of-the-art manufacturing facility in Rancho Dominguez, California by our talented in-house team.

We specialize exclusively on buffing pads and related products and are focused on offering the best possible products on the cutting edge of buffing and cleaning technologies:

- Our worldwide patent-pending Center Ring Pad System sets the new standard for smooth, balanced buffing.
- Our comprehensive offering of U.S. and Euro foams is second to none.
- We offer the most comprehensive range of wool buffing pads available.
- We also offer a full range of cleaning accessories: Carpet Film, Microfiber Cleaning Products, Sponges, Cleaning Accessories and Steel Wool.

Buff and Shine's quality control guidelines ensure top quality, consistency and durability. You can rely on our commitment to excellence in both customer service and in producing top quality products!

and Clavel

Richard Umbrell President

CONTENTS

PERFORMANCE BUFFING PRODUCTS

URO-FIBER™

2 URO-TEC™

3 / URO-CELL™

4-8 Center Ring Buffing Pads

8-9 Contour Foam Pads

IO-II Recessed Foam Pads

IZ-I3 Grip Wool Pads

Double Sided Wool Pads

Bolt On Wool Pads

Small Pads

Complete Buffing Kits

Specialty Pads

Mini Pads

20-21 Backing Plates

Carpet Film

23-25 Accessories



URO-FIBER™



Buff and Shine Uro-Fiber™ Pads are designed to fully maximize the detailing potential already seen in microfiber pads. With a 25% lower pile than traditional microfiber pads, Buff and Shine Uro-Fiber™ Pads also feature a blend of two different microfiber grades into just one pad. These two features, never before seen in a microfiber pad, allow you to cut, polish and finish in just one step!

While the black and white fibers found in the Buff and Shine Uro-Fiber™ Pads lead to an overall attractive appearance, they are for so much more than just looks. With both cutting fibers and polishing fibers blended together into one pad, you are now able to remove light to moderate scratches and swirls, polish to perfection, and buff to a high shine in just one pad! Although, of course, you will need a clean pad for each step.

Product	Application	Thickness	6" Dia.	5" Dia.	3" Dia.	2.25" Dia.	1.5" Dia.
	Universal	.375″	692MFP	592MFP	392MFP	292MFP	192MFP



URO-TEC™

- Engineered for perfect balance
- Open cell foam for heat disbursement
- Open cell foam for even product spread
- Designed for Long Throw Polishers & Orbitals



Product	Application	6"Loop	5'Loop	3′Loop	2.125′Loop	1.375′Loop	Recommended Polisher
	Cutting	654BN	554BN	354BN	254BN	154BN	
	Med Cutting/Heavy Polishing	672BN	572BN	372BN	272BN	172BN	Long Throw
	Polishing	634BN	534BN	334BN	234BN	134BN	Orbitals
	Finishing	692BN	592BN	392BN	292BN	192BN	



URO-CELL™

- Closed cell foam for faster working times
- Three pad system for cutting, polishing, and finishing
- Designed for Rotary, Forced D.A. & Orbitals



Product	Application	6"Loop	5′Loop	3'Loop	Recommended Polisher	
	Cutting	655BN	555BN	355BN	Rotary Polishers	
	Polishing	683BN	583BN	383BN	Rotary Polishers Forced D.A.	
	Finishing	622BN	522BN	322BN	Orbitals	



HEX FACE FOAM PADS - U.S. FOAM



- Recommended for Rotary **Polishers**
- Minimizes grabbing and dissipates heat
- Better application efficiency of compound and polish
- Color coded for buffing pad aggressiveness

*Drill Safe

Product	Application	8" Dia.	7.5" Dia.	4" Dia.	Material
	Medium Cutting	830RH	630RH	430RH*	Reticulated Polyester Foam
	Polishing	840RH	640RH	440RH*	Reticulated Polyester Foam
	Soft Polishing	850RH	650RH		Reticulated Polyester Foam
	Finishing	820RH	620RH	420RH*	Reticulated Polyester Foam
	Ultra Finishing	852RH	652RH		Reticulated Polyester Foam



HEX FACE FOAM PADS - EURO FOAM



- Recommended for Rotary **Polishers**
- Minimizes grabbing and dissipates heat
- Better application efficiency of compound and polish
- Color coded for buffing pad aggressiveness

*Drill Safe

Product	Application	8" Dia.	7.5" Dia.	4" Dia.	Material
	Heavy Cutting		631RH		Euro Prepolymer Foam
	Medium Cutting	880RH	680RH	480RH*	Euro Prepolymer Foam
	Polishing		691RH	491RH*	Euro Prepolymer Foam
	Soft Polishing		651RH		Euro Prepolymer Foam
	Ultra Finishing		621RH		Euro Prepolymer Foam



CONVOLUTED FACE FOAM PADS



- Recommended for Rotary **Polishers**
- Convoluted face improves air flow for smoother, cooler buffing
- Color coded for buffing aggressiveness
- Available in US and Euro foams

*D	ril	١s	ate

Product	Application	Thickness	8" Dia.	7.5" Dia.	4" Dia.	Material
	Medium Cutting	1.375″	830WR	630WR		Reticulated Polyester Foam
	Polishing	1.375″	840WR	640WR	440WR*	Reticulated Polyester Foam
	Soft Polishing	1.375″	850WR	650WR		Reticulated Polyester Foam
	Finishing	1.375″	820WR	620WR	420WR*	Reticulated Polyester Foam
	Ultra Finishing	1.375″	852WR	652WR		Reticulated Polyester Foam
			European Foam P	ads		
	Heavy Cutting	1.375″		631WR		Euro Prepolymer Foam
	Medium Cutting	1.375″	880WR	680WR	480WR*	Euro Prepolymer Foam
	Polishing	1.375″		691WR	491WR*	Euro Prepolymer Foam
	Soft Polishing	1.375″		651WR	451WR*	Euro Prepolymer Foam
	Ultra Finishing	1.375″		621WR	421WR*	Euro Prepolymer Foam



WOOL PADS



- Strong washable backing structure
- Plush durable fibers
- Wide selection of wools and pile heights for all applications
- Recommended for Rotary **Polishers**

Product	Application	Pile	7.5" Dia.	Material
	Heavy Cutting	1.25″	752R	100% Wool 4 Ply Twisted Yarn
	Cutting	1.5″	753R	100% Wool 4 Ply Twisted Yarn
A PAR	Cutting	1.5″	753RB	100% Wool 4 Ply Twisted Yarn
	Cutting	2"	754R	100% Wool 4 Ply Twisted Yarn
	Medium Cutting	1.5″	753RS	100% Wool Blend, Single Ply Yarn
	Medium Cutting/Polishing	1.5″	753RY	Wool Blend 4 Ply Twisted Yarn
	Polishing / Finishing	1.5″	753RYS	Wool Blend, Single Ply Yarn



CONTOUR FOAM PADS

RECESSED BACKS




- Contoured edge safely conforms to vehicle body lines
- Recessed backing protects painted surfaces from backing plate edges
- Color coded for buffing application aggressivenes
- Recommended for **Rotary Polishers**

Product	Application	Thickness	9" Dia.	Material
	Medium Cutting	1.5″	980G	Euro Prepolymer Foam
	Medium Cutting	1.5″	930G	Reticulated Polyester Foam
	Polishing	1.5″	940G	Reticulated Polyester Foam
	Soft Polishing	1.5″	950G	Reticulated Polyester Foam
	Finishing	1.5″	920G	Reticulated Polyester Foam
	Ultra Finishing	1.5″	929G	Reticulated Polyester Foam



CONTOUR FOAM PADS

CENTER TEE



Product	Application	Thickness	9" Dia.	Material
	Medium Cutting	1.5″	980GT	Euro Prepolymer Foam
	Medium Cutting	1.5″	930GT	Reticulated Polyester Foam
	Polishing	1.5″	940GT	Reticulated Polyester Foam
	Soft Polishing	1.5″	950GT	Reticulated Polyester Foam
	Finishing	1.5″	920GT	Reticulated Polyester Foam
	Ultra Finishing	1.5″	929GT	Reticulated Polyester Foam



RECESSED FOAM PADS

CONVOLUTED FACE & FLAT FACE



- Recessed backing protects painted surfaces from backing plate edges
- Available in both convoluted face and flat face construction
- Color coded for buffing application aggressiveness
- Recommended for Rotary Polishers

Product	Application	Thickness	8" Dia.	Material Material				
	Convoluted Face Foam Pads							
	Heavy Cutting	1.5″	899WG	Reticulated Polyester Foam				
	Medium Cutting	1.5″	830WG	Reticulated Polyester Foam				
	Polishing	1.5″	840WG	Reticulated Polyester Foam				
	Soft Polishing	1.5"	850WG	Reticulated Polyester Foam				
	Finishing	1.5″	820WG	Reticulated Polyester Foam				
6800	Ultra Finishing	1.5″	852WG	Reticulated Polyester Foam				
		Flat	Face Foam Pads					
	Medium Cutting	2"	3000G	Reticulated Polyester Foam				
	Polishing	2″	4000G	Reticulated Polyester Foam				
	Soft Polishing	2″	5000G	Reticulated Polyester Foam				
	Finishing	2″	2000G	Reticulated Polyester Foam				
	Ultimate Finishing	2″	2900G	Reticulated Polyester Foam				



RECESSED FOAM PADS

CURVED BACK



- Domed face for improved buffing
- Recessed backing protects painted surfaces from backing plate edges
- Color coded for buffing application aggressiveness
- Recommended for Rotary Polishers

Product	Application	Thickness	8" Dia.	Material
	Medium Cutting	1.5″	8530G	Reticulated Polyester Foam
	Polishing	1.5″	8540G	Reticulated Polyester Foam
	Soft Polishing	1.5″	8550G	Reticulated Polyester Foam
	Finishing	1.5″	8520G	Reticulated Polyester Foam
	Ultra Finishing	1.5″	8529G	Reticulated Polyester Foam

FLAT BACK FOAM PADS

CONVOLUTED FACE



- Flat hook and loop grip backing
- Egg shell face improves air flow for smoother, cooler buffing
- Color coded for buffing application aggressiveness
- Recommended for Rotary Polishers

Product	Application	Thickness	8" Dia.	Material
	Heavy Cutting	1.25″	899FBMW	Reticulated Polyester Foam
	Heavy Cutting	1″	899FBW	Reticulated Polyester Foam
	Finishing	1″	820FBW	Reticulated Polyester Foam
	Ultra Finishing	1″	852FBW	Reticulated Polyester Foam



GRIP WOOL PADS

RECESSED BACKS



- Recessed hook and loop Grip backing
- Plush durable fibers and strong washable backing structure
- Wide selection of wools and pile heights for all applications
- Recommended for Rotary **Polishers**

Product	Application	Pile	7.5" Dia.	Material
	Heavy Cutting	1.25″	7502G	100% 4 Ply Twist
	Cutting	1.5″	7503G	100% 4 Ply Twist
Was Experience	Cutting	1.5"	7503BG	100% 4 Ply Twist
B. C.	Cutting	2″	7504G	100% 4 Ply Twist
1970	Medium Cutting	1.25″	1-752GS	100% Wool Single Ply
A TOO	Medium Cutting	1.5"	1-753GS	100% Wool Single Ply
	Medium Cutting / Polishing	1.5"	7503GY	Wool Blend 4 Ply Twist
100/14	Light Cutting	1.5″	7503GNS	Wool Blend Single Ply
	Polishing / Finishing	1.5″	7503GYS	Wool Blend Single Ply
	Polishing / Finishing	1.5″	7550G	Knit Wool Blend
	Polishing / Finishing	1.5″	7510G	Knit 100% Wool
		Industrial Grip P	ads - Not For Automotive U	se
	Aggressive Cutting	1.5″	7503GMP	Wool Blend

GRIP WOOL PADS

CENTER TEE





- Patented Center Tee easily centers pad on backing plate
- Plush durable fibers and strong washable backing structure
- Wide selection of wools and pile heights for all applications
- Recommended for Rotary Polishers

Product	Application	Pile	7.5" Dia.	Material
	Heavy Cutting	1.25″	7502GT	100% 4 Ply Twist
OF THE	Cutting	1.5″	7503GT	100% 4 Ply Twist
1000	Cutting	2″	7504GT	100% 4 Ply Twist
A SECTION AND A	Cutting	1.5″	7503BGT	100% 4 Ply Twist
	Medium Cutting / Polishing	1.5″	7503GYT	Wool Blend 4 Ply Twist
1897	Light Cutting	1.5"	7503GNST	Wool Blend Single Ply
	Polishing / Finishing	1.5"	7503GYST	Wool Blend Single Ply
	Polishing / Finishing	1.5″	7550GT	Knit Wool Blend
	Polishing / Finishing	1.5″	7510GT	Knit 100% Wool



DOUBLE SIDED WOOL PADS



- · Double sided design for extended lifespan
- Plush durable fibers and strong washable backing structure
- Wide selection of wools and pile heights for all applications
- Recommended for Rotary Polishers

Product	Application	Pile	8" Dia.	Material
191	Heavy Cutting	1.25″	802N	100% Wool 4 Ply Twist
	Cutting	1.5″	803N	100% Wool 4 Ply Twist
The Board	Cutting	1.5″	803B	100% Wool 4 Ply Twist
	Cutting Side 1 & Medium Cutting / Polishing Side 2	1.5″	803NY	100% Wool 4 Ply Twist / Wool Blend Single Ply
	Medium Cutting / Polishing	1.25″	802Y	Wool Blend 4 Ply Twist
(ATEN)	Medium Cutting / Polishing	1.5″	803Y	Wool Blend 4 Ply Twist
	Light Cutting	1.25″	802NS	Wool Blend Single Ply
189h	Light Cutting	1.5″	803NS	Wool Blend Single Ply
(1) The same	Polishing / Finishing	1.25″	802YS	Wool Blend Single Ply
19	Polishing / Finishing	1.5″	803YS	Wool Blend Single Ply
		Double Side	d Adaptors	
		14 mm	1414	Zinc Plated Steel
		5/8" x 11" Thread	1400	



BOLT-ON WOOL PADS



- Recommended for Rotary Polishers
- Reinforced center hub for bolt-on attachment
- Plush durable fibers and strong washable backing structure
- Wide selection of wools and pile heights for all applications

Product	Application	Pile	8" Dia.	7.5" Dia.	9" Dia.	Material
1970	Heavy Cutting	1.25″		7502N		100% Wool 4 Ply Twist
AR	Cutting	1.5″	8003N	7503N	9003N	100% Wool 4 Ply Twist
19.70	Cutting	2″		7504N		100% Wool 4 Ply Twist
AND BOOK	Cutting	1.5"		7503B		100% Wool 4 Ply Twist
	Medium Cutting / Polishing	1.5″		7503Y		Wool Blend 4 Ply Twist
1	Polishing	1.5"		7503YS		Wool Blend Single Ply
	Polishing / Finishing	1.5″	8050			Knit Wool Blend
	Polishing / Finishing	1.5″	8100			100% Knit Wool
		Industrial Bolt-0	n Pads - Not For Au	tomotive Use		
	Aggressive Cutting	1.5″		7503MP		Wool Blend
	Cutting	1.5″		7503HD		100% Wool 4 Ply Twist
	Medium Cutting / Polishing	1.5″		7573HD		Wool Blend 4 Ply Twist



SMALL PADS



Product	Application	Thickness	Part #	Diameter	Material	Recommended Usage
			4" Dual Head	d Flat Face Foam	Pads	
	Cutting	1″	431G	4" Dia.	Euro Prepolymer Foam	
	Medium Cutting	1"	480G	4" Dia.	Euro Prepolymer Foam	Rotary Polishers
	Polishing	1″	440G	4" Dia.	Reticulated Polyester Foam	Dual Head Polishers
	Lt. Polishing	1″	450G	4" Dia.	Reticulated Polyester Foam	Orbital
	Finishing	1″	420G	4" Dia.	Reticulated Polyester Foam	Drill Safe
	Ultra Finishing	1"	429G	4" Dia.	Reticulated Polyester Foam	
			5.5" Flat	Face DA Foam Pac	ds	
	Heavy Cutting	1″	531G	5.5" Dia.	Euro Prepolymer Foam	
	Medium Cutting	1″	580G	5.5" Dia.	Euro Prepolymer Foam	
	Polishing	1″	591G	5.5" Dia.	Euro Prepolymer Foam	Rotary Polishers Orbital
	Polishing	1″	540G	5.5" Dia.	Reticulated Polyester Foam	
	Lt. Polishing	1″	550G	5.5" Dia.	Reticulated Polyester Foam	Orbital
	Finishing	1″	520G	5.5" Dia.	Reticulated Polyester Foam	
	Ultra Finishing	1″	521G	5.5" Dia.	Euro Prepolymer Foam	
			6" Bevel	ed Face Foam Pad	s	
	Medium Cutting	1.25″	6515H0G	6.5" Dia.	Euro Prepolymer Foam	
	Medium Cutting	1.25"	613G	6.5" Dia.	Reticulated Polyester Foam	
	Polishing	1.25"	614G	6.5" Dia.	Reticulated Polyester Foam	Rotary Polishers
	Soft Polishing	1.25″	615G	6.5" Dia.	Reticulated Polyester Foam	Orbital
	Finishing	1.25"	612G	6.5" Dia.	Reticulated Polyester Foam	
	Ultra Finishing	1.25"	619G	6.5" Dia.	Reticulated Polyester Foam	
			6′	'Wool Pads		
	Heavy Cutting	1″	601G	6" Dia.	100% Wool 4 Ply Twist	Rotary Polishers
	Medium Cutting	1"	601GY	6" Dia.	Wool Blend 4 Ply Twist	notally Polisiters



COMPLETE BUFFING KITS

*FOR ROTARY POLISHERS ONLY

Product	Part #	Kit Contents
	TP1RH*	1 each of the following: 752R, 899RH, 820RH, 658Y
	TP1WR*	1 each of the following: 752R, 830WR, 820WR, 658Y
	TP2WG*	1 each of the following: 7502G, 899WG, 820WG, 1938HD
	TP-3	1 each of the following: 301G, 330G, 320G, 358, DA5816, SP5814 Recommended Use: Rotary Polishers, Orbitals, Drill
	TP-4	1 each of the following: 301G, 301GY, 330G, 320G, 358, DA5816, SP5814 Recommended Use: Rotary Polishers, Orbitals, Drill

MICRO FIBER BUFFING PADS

- Made with high quality plush micro fiber material
- Beveled edges for quick backing plate centering
- Built for Forced D.A., Long Throw Polishers and **Orbitals**



Now with a Cooling Chamber.



Product	Application	6.5" Dia.	5.5" Dia.	4" Dia.
	Cutting/Polishing	680MFP		
	Cutting/Polishing		580MFP	
	Cutting/Polishing			480MFP
	Finishing	620MFP		
	Finishing		520MFP	
	Finishing			420MFP

LOW-PRO PADS

- New foam formulation prevents pad collapsing
- Custom foam grades for quick defect removal
- High heat resistant rubber interface
- Engineered for perfect balance
- · Recommended for Long Throw Polishers & Orbitals



L	Product	Application	6" Loop Diameter	5" Loop Diameter
		Extreme Cutting	642LTP	542LTP
		Medium Cutting	682LTP	582LTP
		Polishing	672LTP	572LTP
		Finishing	621LTP	521LTP

MINI PADS 3" GRIP WOOL PAD



- Plush and Durable Fibers
- Strong and Washable **Backing Structure**
- Choice of Wool Types

Product	Application	Pile	3"Dia.	Material
STATE OF THE PARTY	Cutting	.5″	301G	100% Wool 4 Ply Twist
400	Medium Cutting	.5″	301GY	Wool Blend 4 Ply Twist

MINI PADS

3" CURVED BACK FOAM PAD



- Domed Face for Improved Buffing
- Reinforced Plastic Backing
- Engineered for Smooth Performance

Product	Application	Thickness	3" Dia.	Material
	Medium Cutting	1″	330G	Reticulated Polyester Foam
	Finishing	1″	320G	Reticulated Polyester Foam

ADAPTORS

Product	Part #	Thread Type
	SP5814	5/8" x 11 Threads x 1/4" Shank
	DA5816	5/8″ x 11 Threads x 5/16″ x 24 Threads



FLEX EDGE GRIP BACKING PLATE



Product	Part#	Thickness	Dia.	Thread	Max RPM
()	658Y	.875″	6"	5/8″ x 11	3000
O	614Y	.875″	6"	14mm	3000
(e)	600Y	.5"	6"	Male 5/16" x 24	6000 OPM
(9)	500Y	.5″	5″	Male 5/16" x 24	6000 OPM
0	558Y	.25″	5″	5/8″ x 11	3000
00	514Y	.25″	5″	14 mm	3000
(C)	350Y	.5″	3.5"	Male 5/16" x 24	6000 OPM

3" BACKING PLATES

Product	Part #	Thickness	Dia.	Thread	Max RPM
	300Y	.5″	3"	1/4" Drill Shaft	3000
	358	.5"	3"	5/8″ x 11	3000
	314	.5"	3"	14 mm	3000



7" HIGH SPEED BACKING PLATES



Product	Part #	Thickness	Dia.	Thread	Max RPM
60	1800	1″	7″	5/8″ x 11	3000
60	1814	1″	7"	14mm	3000
00	1938HD	.5"	7"	5/8″ x 11	3000
	1948	.5″	7"	14mm	3000
(0)	700Y	.5"	7"	5/8″ x 11	3000
0	714Y	.5"	7"	14mm	3000

ADAPTORS

Product	Part #	Thread Type Side 1	Thread Type Side 2
	1400	Male 5/8″ x 11	Female 5/8″ x 11
	1414	Male 14 mm	Female 14 mm
	SP5814	Male 5/8″ x 11	1/4" Shaft For Drill Mount
	DA5816	Male 5/8″ x 11	Male 5/16" x 24



CARPET FILM

AUTOMOTIVE / RV / MARINE





Thick & Durable Film



Easy-Tear Perforations



Unique Adhesive Formula Sticks to Damp Carpet Yet Easily Releases Itself

Product	Part #	Material	Size	Mil	Perforated	Printed
Construction of the second of	242004	Plastic	24" x 200'	4	21″	Dealer Must Remove Protective Cover
The state of the s	245004	Plastic	24" x 500'	4	21"	Dealer Must Remove Protective Cover

MICRO FIBER TOWELS



Product	Part #	Size	Color	Material
	MF1G	16" X 16"	Green	Micro Fiber Blend 80% Polyester, 20% Polyamide
	MF1Y	16" X 16"	Yellow	Micro Fiber Blend 80% Polyester, 20% Polyamide
	MF1B	16" X 16"	Blue	Micro Fiber Blend 80% Polyester, 20% Polyamide
	MF2G	16" X 16"	Dark Green	Micro Fiber Blend 70% Polyester, 30% Polyamide
A	MF150	24" X 30"	Blue	Micro Fiber Blend 80% Polyester, 20% Polyamide

WASH MITTS & WASH PADS

Product	Part #	Durability	Size	Material
			Wash Mitts	
	2097HD	Heavy Duty	9″ x 7″	Synthetic
	2097	Medium Duty	9″ x 7″	Synthetic
			Wash Pads	
	2099HD	Heavy Duty	9″ x 9″	Synthetic
	2099	Medium Duty	9″ x 9″	Synthetic



APPLICATOR PADS



Part# RFA452 4.5" x 2" Foam w/ Notched Center For Grip



Part# RFA515 5" x 1.5" Foam w/ Tapered Edges



Part# FA1R 4.5" x 1" Foam w/ Tapered Edges



Part# FA1K 4.5" x 1" Foam w/ Tapered Edges



Part#TDA35 4.5" x 3.5" x 1" Stripped 100% Cotton Terry



Part#TDA57 7" x 4" x 1" Stripped 100% Cotton Terry



Part# 350 3.5" x 2"
Polyester Foam Tire
Dressing Sponge



Part# 450 4.5" x 2" Polyester Foam Tire Dressing Sponge



Part# MFA35 4.5" x 3.5" x 1" Micro Fiber Wax Applicator



Part# MFA57 5" x 7" x 1" Micro Fiber Wax Applicator



Part# MFAR6 6" x 1.25" Micro Fiber Wax Applicator

CLAY BARS

Product	Part #	Grade	Size	Material Color
	PC1	Medium	200 Grams	Purple
	GC1	Fine	200 Grams	Cool Grey

ACCESSORIES







Part# SWR-00 Steel Wool 5 lb. Reel Fine Grade #00

Part# SWR - 0000 Steel Wool 5 lb. Reel Ultra Fine Grade #0000



Part# MHB1 Car Wash Mop Mop Head Bonnet




Part# SWP-00 Steel Wool 16 Pad Pack Fine Grade #00

Part# SWP - 0000 Steel Wool 16 Pad Pack Ultra Fine Grade #0000



Part# 1600 **Buffing Pad Cleaning Spur**



Part# MH1 Car Wash Mop Mop Head

BUG SCRUBBERS



Part# 335 Foam Block



Part# 351 Foam Block



Part# BSA-57 Poly Mesh



