

**Office Use:**

**Day 1 Frequency:** Day: \_\_\_\_\_ Night: \_\_\_\_\_ (24hr: \_\_\_\_\_)


**Day 2 Frequency:** Day: \_\_\_\_\_ Night: \_\_\_\_\_ (24hr: \_\_\_\_\_)

**Bladder Volume per urge grade: (Day voids only for both days)** Average No. of Voids % of Voids

1 = \_\_\_\_\_ = \_\_\_\_\_ mls \_\_\_\_\_ %  
 2 = \_\_\_\_\_ = \_\_\_\_\_ mls \_\_\_\_\_ %  
 3 = \_\_\_\_\_ = \_\_\_\_\_ mls \_\_\_\_\_ %  
 4 = \_\_\_\_\_ = \_\_\_\_\_ mls \_\_\_\_\_ %

**Minimum Time to**

Urge 4: \_\_\_\_\_



**Day 1**

**Urine Production:** Day: \_\_\_\_\_ Night: \_\_\_\_\_ 24hr: \_\_\_\_\_

**Nocturia Assessment:** Noctur. Polyuria Index: \_\_\_\_\_% Vol/hr asleep \_\_\_\_\_ mls

**Fluid Intake:** 24hr: \_\_\_\_\_ 3hrs before bed: \_\_\_\_\_

**Day 2**

**Urine Production:** Day: \_\_\_\_\_ Night: \_\_\_\_\_ 24hr: \_\_\_\_\_

**Nocturia Assessment:** Noctur. Polyuria Index: \_\_\_\_\_% Vol/hr asleep \_\_\_\_\_ mls

**Fluid Intake:** 24hr: \_\_\_\_\_ 3hrs before bed: \_\_\_\_\_