

Flood Light Professional




FLOOD 6 RGB

with symmetric beam 45°

Ordercode: 146-100
EAN: 8714984907140
Color: RGB
Input: 24V
Power: 18W
LED Qty: 6

Beam: 45°
Length: 160,5 mm
Width: 77 mm
Height: 127 mm



Wire length: 2 m
Connection Type: Striped wire
Dimmable: Yes
LED: CREE
IP Rate: IP65
Carton Quantity: 1




FLOOD 2 WARM WHITE - 24V

with symmetric beam 45°

Ordercode: 146-058
EAN: 8714984905801
Color: Warm White
Input: 24V
Power: 6W
LED Qty: 2

Beam: 45°
Lumen: 214
Kelvin: 3150K
Length: 120,4 mm
Width: 77 mm
Height: 127 mm



Wire length: 2 m
Connection Type: Striped wire
Dimmable: No
LED: CREE XR-E P3
IP Rate: IP65
Carton Quantity: 6





FLOOD 4 WARM WHITE - 24V

with symmetric beam 45°

Ordercode: 146-068
EAN: 8714984905818
Color: Warm White
Input: 24V
Power: 12W
LED Qty: 4

Beam: 45°
Lumen: 428
Kelvin: 3150K
Length: 142,4 mm
Width: 77 mm
Height: 127 mm



Wire length: 2 m
Connection Type: Striped wire
Dimmable: No
LED: CREE XR-E P3
IP Rate: IP65
Carton Quantity: 6





FLOOD 6 WARM WHITE - 24V

with symmetric beam 45°

Ordercode: 146-078
EAN: 8714984905825
Color: Warm White
Input: 24V
Power: 18W
LED Qty: 6

Beam: 45°
Lumen: 643
Kelvin: 3150K
Length: 160,5 mm
Width: 77 mm
Height: 127 mm



Wire length: 2 m
Connection Type: Striped wire
Dimmable: No
LED: CREE XR-E P3
IP Rate: IP65
Carton Quantity: 6



SPIKE 35CM

for Flood Light 2 - 4 & 6 LED

Ordercode: 146-000
EAN: 8714984905788

Length: 35 CM

IP Rate: IP65
Carton Quantity: 1


Flood Light Professional




FLOOD 12 WHITE

with symmetric beam 33°

Ordercode: 146-031
EAN: 8714984907300
Color: 6500K
Input: 230V
Power: 25W
LED Qty: 12



Beam: 33°
Lumen: 1121
Kelvin: 6500K
Length: 286 mm
Width: 215 mm
Height: 63 mm




Wire length: 2 m
Connection Type: Schuko
Dimmable: No
LED: CREE XP-E
IP Rate: IP65
Carton Quantity: 3




FLOOD 12 WARM WHITE

with symmetric beam 33°

Ordercode: 146-088
EAN: 8714984907263
Color: 3000K
Input: 230V
Power: 25W
LED Qty: 12



Beam: 33°
Lumen: 788
Kelvin: 3000K
Length: 286 mm
Width: 215 mm
Height: 63 mm




Wire length: 2 m
Connection Type: Schuko
Dimmable: No
LED: CREE XP-E
IP Rate: IP65
Carton Quantity: 3




FLOOD 12 NATURAL WHITE

with symmetric beam 33°

Ordercode: 146-009
EAN: 8714984907690
Color: 4200K
Input: 230V
Power: 25W
LED Qty: 12



Beam: 33°
Lumen: 1012
Kelvin: 4200K
Length: 286 mm
Width: 215 mm
Height: 63 mm




Wire length: 2 m
Connection Type: Schuko
Dimmable: No
LED: CREE XP-E
IP Rate: IP65
Carton Quantity: 3



FLOOD 27 WHITE

with symmetric beam 33°

Ordercode: 146-041
EAN: 8714984907317
Color: 6500K
Input: 230V
Power: 48W
LED Qty: 27



Beam: 33°
Lumen: 2179
Kelvin: 6500K
Length: 344 mm
Width: 220 mm
Height: 70 mm


Wire length: 2 m
Connection Type: Schuko
Dimmable: No
LED: CREE XP-E
IP Rate: IP65
Carton Quantity: 1



FLOOD 27 WARM WHITE

with symmetric beam 33°

Ordercode: 146-098
EAN: 8714984907270
Color: 3000K
Input: 230V
Power: 48W
LED Qty: 27



Beam: 33°
Lumen: 1553
Kelvin: 3000K
Length: 344 mm
Width: 220 mm
Height: 70 mm

Wire length: 2 m
Connection Type: Schuko
Dimmable: No
LED: CREE XP-E
IP Rate: IP65
Carton Quantity: 1

Flood Light Professional




FLOOD 27 NATURAL WHITE

with symmetric beam 33°

Ordercode: 146-019
EAN: 8714984907706
Color: 4200K
Input: 230V
Power: 48W
LED Qty: 27

Beam: 33°
Lumen: 2132
Kelvin: 4200K
Length: 344 mm
Width: 220 mm
Height: 70 mm

Wire length: 2 m
Connection Type: Schuko
Dimmable: No
LED: CREE XP-E
IP Rate: IP65
Carton Quantity: 1




FLOOD 48 WARM WHITE

with symmetric beam 33°

Ordercode: 146-108
EAN: 8714984907287
Color: 3000K
Input: 230V
Power: 83W
LED Qty: 48

Beam: 33°
Lumen: 2489
Kelvin: 3000K
Length: 450 mm
Width: 300 mm
Height: 80 mm

Wire length: 2 m
Connection Type: Schuko
Dimmable: No
LED: CREE XP-E
IP Rate: IP65
Carton Quantity: 1




FLOOD 48 NATURAL WHITE

with symmetric beam 33°

Ordercode: 146-029
EAN: 8714984907713
Color: 4200K
Input: 230V
Power: 83W
LED Qty: 48

Beam: 33°
Lumen: 2676
Kelvin: 4200K
Length: 450 mm
Width: 300 mm
Height: 80 mm

Wire length: 2 m
Connection Type: Schuko
Dimmable: No
LED: CREE XP-E
IP Rate: IP65
Carton Quantity: 1




FLOOD 75 WARM WHITE

with symmetric beam 33°

Ordercode: 146-118
EAN: 8714984907294
Color: 3000K
Input: 230V
Power: 120W
LED Qty: 75

Beam: 33°
Lumen: 4918
Kelvin: 3000K
Length: 550 mm
Width: 360 mm
Height: 80 mm

Wire length: 2 m
Connection Type: Schuko
Dimmable: No
LED: CREE XP-E
IP Rate: IP65
Carton Quantity: 1




FLOOD 75 NATURAL WHITE

with symmetric beam 33°

Ordercode: 146-039
EAN: 8714984907720
Color: 4200K
Input: 230V
Power: 120W
LED Qty: 75

Beam: 33°
Lumen: 5870
Kelvin: 4200K
Length: 550 mm
Width: 360 mm
Height: 80 mm

Wire length: 2 m
Connection Type: Schuko
Dimmable: No
LED: CREE XP-E
IP Rate: IP65
Carton Quantity: 1



Flood Light Professional




FLOOD 12 RGB

with symmetric beam 45°

Ordercode: 146-101
EAN: 8714984907768
Color: RGB
Input: 24V
Power: 25W
LED Qty: 12

Beam: 45°
Length: 286 mm
Width: 215 mm
Height: 63 mm



Wire length: 1,5 m
Connection Type: Striped wire
Dimmable: Yes
LED: CREE
IP Rate: IP65
Carton Quantity: 1




FLOOD 27 RGB

with symmetric beam 45°

Ordercode: 146-102
EAN: 8714984907775
Color: RGB
Input: 24V
Power: 48W
LED Qty: 27

Beam: 45°
Length: 344 mm
Width: 220 mm
Height: 70 mm



Wire length: 1,5 m
Connection Type: Striped wire
Dimmable: Yes
LED: CREE
IP Rate: IP65
Carton Quantity: 1



RGB SIGNAL CABLE 5 METER

for RGB FLOOD 12 and 27

Ordercode: 146-200
EAN: 8714984907973

Wire length: 5 m
IP Rate: IP65
Carton Quantity: 1

Ledverlichting Soest BV

Uw leverancier van
ledverlichting



www.ledverlichtingsoest.com

Flood Light Basic



FLOOD 10W WARM WHITE

with asymmetric beam 140° x 120°

Ordercode: 146-150
EAN: 8714984908543
Color: Warm White
Input: 230V
Power: 11,1W
LED Qty: 1

Beam: 140° x 120°
Lumen: 500
Kelvin: 3000K
Length: 115mm
Width: 87mm
Height: 89mm

Wire length: 1,5 m
Connection Type: Schuko
Dimmable: No
LED: Cluster
IP Rate: IP65
Carton Quantity: 1



FLOOD 20W WARM WHITE

with asymmetric beam 140° x 120°

Ordercode: 146-151
EAN: 8714984908550
Color: Warm White
Input: 230V
Power: 23W
LED Qty: 1

Beam: 140° x 120°
Lumen: 1350
Kelvin: 3000K
Length: 180mm
Width: 140mm
Height: 100mm

Wire length: 1,5 m
Connection Type: Schuko
Dimmable: No
LED: Cluster
IP Rate: IP65
Carton Quantity: 1



FOOD 70W WARM WHITE

with asymmetric beam 140° x 120°

Ordercode: 146-152
EAN: 8714984908567
Color: Warm White
Input: 230V
Power: 72,5W
LED Qty: 1

Beam: 140° x 120°
Lumen: 3700
Kelvin: 3000K
Length: 230mm
Width: 370mm
Height: 112mm

Wire length: 1,5 m
Connection Type: Schuko
Dimmable: No
LED: Cluster
IP Rate: IP65
Carton Quantity: 1



FLOOD 20W WITH PIR SENSOR

with asymmetric beam 140° x 120°

Ordercode: 146-153
EAN: 8714984909359
Color: Warm White
Input: 230V
Power: 23W
LED Qty: 1

Beam: 140° x 120°
Lumen: 1350
Kelvin: 3000K
Length: 180mm
Width: 140mm
Height: 100mm

Wire length: 1,5 m
Connection Type: Schuko
Dimmable: No
LED: Cluster
IP Rate: IP65
Carton Quantity: 1



FOOD 70W WITH PIR SENSOR

with asymmetric beam 140° x 120°

Ordercode: 146-154
EAN: 8714984909366
Color: Warm White
Input: 230V
Power: 72,5W
LED Qty: 1

Beam: 140° x 120°
Lumen: 3700
Kelvin: 3000K
Length: 230mm
Width: 370mm
Height: 112mm

Wire length: 1,5 m
Connection Type: Schuko
Dimmable: No
LED: Cluster
IP Rate: IP65
Carton Quantity: 1

Street Parking Light



LED PARKING LIGHT 35 WATT

Ordercode: 220-021
EAN: 8714984905498
Color: White
Input: 230V
Power: 35W

Color temp: 6150K
LED Qty: 28
Lumen: 2660
Length: 43,5cm
Width: 24,5cm

Depth: 15,5cm
IP rate: IP65
LED brand: Cree
LED type: XPE
Carton Quantity: 1



LED STREET LIGHT 45 WATT

Ordercode: 220-023
EAN: 8714984907980
Color: Natural White
Input: 230V
Power: 45W

Color temp: 4200K
LED Qty: 24
Lumen: 3150
Length: 49,5cm
Width: 21cm

Depth: 6,4cm
IP rate: IP65
LED brand: Cree
LED type: XPE
Carton Quantity: 1



LED STREET LIGHT 80 WATT

Ordercode: 220-025
EAN: 8714984907997
Color: Natural White
Input: 230V
Power: 80W

Color temp: 4200K
LED Qty: 48
Lumen: 6225
Length: 65cm
Width: 31cm

Depth: 15cm
IP rate: IP65
LED brand: Cree
LED type: XPE
Carton Quantity: 1



Wall Washers & Under Water Spots



LED WALL WASHER RGB 1 METER

24V with 24 CREE XR-C LED

Ordercode: 190-077
EAN: 8714984908512
Color: RGB
Voltage: 24V
Power: 28 Watt

LED Quantity: 24
Lumen: 1722
Length: 1000mm
Width: 82mm
Height: 126mm

Connection type: Striped Wire
Max. to connect : 8
LED brand: CREE
LED type: XR-C
IP rate: IP65
Carton Quantity: 1



LED WALL WASHER WARM WHITE 1 METER

24V with 24 CREE XR-C LED

Ordercode: 190-078
EAN: 8714984908529
Color: Warm White
Color temp.: 3000K
Voltage: 24V
Power: 28 Watt

LED Quantity: 24
Lumen: 1722
Length: 1000mm
Width: 82mm
Height: 126mm

Connection type: Striped Wire
Max. to connect : 8
LED brand: CREE
LED type: XR-C
IP rate: IP65
Carton Quantity: 1



LED UNDERWATER SPOT 5 WATT WARM WHITE

Ordercode: 200-001
EAN: 8714984907898
Color: Warm White
Color temp.: 3000K
Voltage: 12V
Power: 5 Watt

LED Quantity: 1
Beam: 30°
Lumen: 250
Length: 83,5mm
Diameter: 50mm

Connection type: Striped Wire
IP rate: IP68
Carton Quantity: 1



LED UNDERWATER SPOT 15 WATT WARM WHITE

Ordercode: 200-003
EAN: 8714984907904
Color: Warm White
Color temp.: 3000K
Voltage: 12V
Power: 15 Watt

LED Quantity: 1
Beam: 30°
Lumen: 750
Length: 83,5mm
Diameter: 50mm

Connection type: Striped Wire
IP rate: IP68
Carton Quantity: 1



LED UNDERWATER SPOT 15 WATT RGB

Ordercode: 200-004
EAN: 8714984907911
Color: RGB
Voltage: 12V
Power: 15 Watt

LED Quantity: 1
Beam: 30°
Length: 83,5mm
Diameter: 50mm

Connection type: Striped Wire
IP rate: IP68
Carton Quantity: 1

Please contact our sales department for the wider range of available Wall Washers

Tronix LED High Bay Lamps

Choose your own base and reflector to create a custom made LED High Bay lamp



100 Watt Base + acrylic reflector



Base available as:

50 Watt Base = 5.000 Lumen
100 Watt Base = 10.000 Lumen
150 Watt Base = 15.000 Lumen
200 Watt Base = 20.000 Lumen

Reflector available as:




Aluminium reflector 60°



Aluminium reflector 90°



Aluminium reflector 120°



Acrylic reflector 60°



Ask for the IES files or a custom made light concept at support@tronix.nl



Cold storage room with LED High Bay 100 Watt and aluminium reflector.