

CBD Energy Shot



SAMPLE ID 243457

SAMPLE NAME **CBD Energy Shot**

MATRIX Beverage

BATCH ID 630-1

COLLECTED, RECEIVED 10/20/2020 09:43, 10/20/2020 09:43

SERVING SIZE, SERVINGS PER PACKAGE 1, 1

DENSITY 1.0800 g/ml

MANUFACTURER INFO CBD Living Water 705 E Harrison St Ste 100 Corona, CA 92879

TOTAL CBD

FARM BILL

TOTAL

TOTAL **CANNABINOIDS**



D9-THC





Indicates that the hemp product passes some of the strictest testing standards available for cannabis and hemp.



1801 Carnegie Ave, Santa Ana CA 92705 License: C8-0000012-LIC (949) 329-8378 www.cannalysis.com



LOD

LLOQ

🖗 CANNABINOID ANALYSIS

TOTAL THC:		ND	ND						
TOTAL CBD:		43.33 mg p	43.33 mg per serving (0.7221 mg/mL) (0.0669 %), 43.33 mg per package						
TOTAL CANNABINOIDS:		43.33 mg per serving (0.7221 mg/mL) (0.0669 %)							
UNIT OF MEASUREMENT:		Milligrams per Milli	iliter(mg/mL)						
ANALYTE	RESULT	LOD	LLOQ		ANALYTE	RESULT			
THCa	ND	0.0020	0.0050		CBDv	ND			
D9THC	ND	0.0020	0.0050		CBGa	ND			

	THCa	ND	0.0020	0.0050		CBDv	ND	0.0020	0.0050		
	D9THC	ND	0.0020	0.0050		CBGa	ND	0.0020	0.0050		
	D8THC	ND	0.0020	0.0050		CBG	ND	0.0020	0.0050		
	THC∨	ND	0.0020	0.0050		CBN	ND	0.0020	0.0050		
	CBDa	ND	0.0020	0.0050		CBC	ND	0.0020	0.0050		
	CBD	0.7221 mg/mL (0.0669 %) 0.0020		0.0050							
ADDITIONAL INFORMATION											
	Method:	Method: SOP-TECH-001		Sample Prepped: 10/21/2020 17:29		Sample Approved: 10/22/2020 18:35					
	Instrument:	UPLC-DAD			Sample Analyzed:	10/21/2020 17:29		Prep-Analytical	Batch: 2	2393-17236	

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report provides technical results for a specific sample and the report shall not be altered, modified, supplemented, or abstracted in any manner. Any violation of these conditions renders the report and its results void.

All LQC samples required by state regulations were performed and met the acceptance criteria.

THIS COA WAS REVIEWED AND APPROVED ON 10/22/2020 IN ACCORDANCE WITH REGULATORY REQUIREMENTS

thryn Kiken

Kathryn Riker Quality Control Manager

