


Light Fixture Legend

PENDANT FIXTURE -MOUNT BOTTOM AT 7'-0" A.F.F. LBC LIGHTING "CONICO" I-LIGHT PENDANT - LARGE OR EQUAL

RECESSED CAN CEILING LIGHT FIXTURE




6'-0" DIAMETER TRACK LIGHT FIXTURE -

TRACK LIGHTING -TECH LIGHTING MONORAIL WITH ▼ ▼ ▼ RIGID STANDOFFS \$ TYPE T I 56
HEAD - CHROME FINISH OR EQUAL



2'x4' SUSPENDED FLOURESCENT LIGHT FIXTURE (NO LENSE)



SUSPENDED DIRECT / INDIRECT LIGHT FIXTURE -MOUNT BOTTOM AT +8'-6" A.F.F. COOPER LIGHTING, "GEO" 14-DIP T8, S79 BAFFLE OR EQUAL



FLOURESCENT LIGHT FIXTURE (NO LENSE)

EMERGENCY LIGHTING



EXIT SIGN

REFLECTED CEILING NOTES:

I. The floor plan layout and all building component shelving installed for state and local codes.

2. Acoustical ceiling tile - USG Radar, 24" x 24" with tegular edge.

3. Unless noted otherwise, acoustical lay-ın ceiling shall be +9'-0" above finish floor.

4. Light fixture layout is suggested. Unless otherwise noted, final light fixture layout and fixture types shall be designed by the electrical contractor. All fixtures to be reviewed by owner for aesthetics approval before

5. Light fixtures in the Multi-Purpose and Retail areas shall be on dimmers.

6. Track fixtures at exposed structure ceiling shall have rigid standoffs extended from the joists above with the Track fixture heads at +7'-6"

Circular track fixture shall have 6" rigid standoffs.

7. Exhaust fan in Rest Room shall turn on/off with light switch.

8. Ducts at exposed structure ceilings in Retail and Multi-Purpose shall be round spiral with round coil diffusers. Route ducts tight up in between joists.

Architect:

Thomas McInerney ARCHITECT 1208 Marcy Street Iowa City, Iowa 52240-3331 www.thomasarchitect.com

> 319-331-0365 thomas@thomasarchitect.com

Thomas Mc Inerney Architect reserves the right to determine a fair and equitable solution to any problems, mistakes, oversights or hidden damage. Please do not hesitate to phone our office at 319-331-0365, especially immediately upon discovery a conflict with the Scope of Work.

Please do not instinctively produce a solution or proceed with work that would result in a change order requiring reimbursement by the

Any solutions outside this policy shall be with prior approval and will be at the contractor's

Project:

TENANT IMPROVEMENTS

for

Profile by Sanford

1250 NW 128th Street Suite #130 CLIVE, IOWA

Project number: 14.09

© COPYRIGHT 2014 UNAUTHORIZED COPYING, DISCLOSURE OR CONSTRUCTION WITHOUT WRITTEN PERMISSION BY THOMAS MCINERNEY, ARCHITECT, IS PROHIBITED.

Issue date:

Description Date 24.03.2014 REVIEW APR 8, 2014 | REVIEW APR 10 2014 BID DOCUMENTS

Sheet Title:

REFLECTED **CEILING PLAN**

Sheet Number:

A-110